

Green Nepal Agricultural Farm — Website Audit

Sep 21, 2026 · @Someone

1. Executive summary

The site is not launch-ready: 8 of 12 requested checks pass, 2 are partial and 2 fail, and five issues outside the checklist block launch.

Launch blockers

1. **Share previews are broken on every page.** `og:image` and `twitter:image` point to `localhost:3000`, and `og:url` is hardcoded to the root. Eight titles repeat the brand twice. Fix: set `metadataBase` and a title template (30 minutes).
2. **Placeholder contact data is live.** Phones read +977 1-4XXXXXX and +977 98XXXXXXX, two email domains are in use, and the contact page names the "Supabase" database.
3. **Unsupported claims.** "Certified Organic" has no certificate behind it, and Pexels stock photos are captioned as your own facilities.
4. **With JavaScript off, every page is stuck on a loader.** The page body sits behind a Suspense swap that needs a script. `clip-path` images and curtain overlays are also hidden without JS, and reduced-motion is ignored.
5. **82 colour-contrast failures across all 8 routes.** Brand green #0ea149 is 3.38:1 on white; the footer text is 2.70:1. Using #0b823a and #94a3b8 fixes them (1 hour).

Performance

- Median LCP on emulated Slow 4G is 3.95 s on / and about 7.7 s on /produce; the target is 2.5 s.
- Home CLS is 0.175 in 4 of 5 runs.
- The hero is a hotlinked Pexels <video> with a 325 KB poster, so priority and sizes cannot apply.

What is solid

- No horizontal overflow at 360–414px.
- Descenders are never clipped (0 of 422 words).
- Route resets are clean and there is no GSAP or listener leak over 20 navigations.
- The console is clean and "Chitwan" appears nowhere.
- The favicon switches between #0ea149 and #5dff9e.

Section 9 orders all 18 fixes; the first five remove every blocker.

2. Scope and method

This audit covers the production deployment at `web-blue-chi-73.vercel.app`, tested on 21 September 2026 without access to the source repository.

What was tested

- **Routes (9):** /, /about, /produce, /news, /careers, /contact, /privacy-policy, /terms-and-conditions, plus a non-existent path for the 404.
- **Static inspection:** raw HTML for every route, the compiled CSS bundle (43 KB), and all 10 JS chunks. Component behaviour was read from the minified bundle, so names such as `RevealText` and `CurtainReveal` are from the shipped code.
- **Browser runs:** Chromium 1194 through Playwright. Viewports 360×740, 390×844 and 414×896 (Pixel 7 user agent, 3× DPR, touch) and 1440×900 desktop. 32 full page loads with scroll-through.
- **Throttled performance:** emulated Slow 4G (1.6 Mbps down, 750 Kbps up, 150 ms RTT) with 4× CPU slowdown, matching Lighthouse's mobile profile. 5 runs on /, 3 on /produce, 2 on /news, 1 on /about.
- **Behaviour tests:** JavaScript disabled; external JS delayed by 5 s; client-side route change from a deep scroll; 4 navigation cycles with forced garbage collection; favicon rendered under forced light and dark schemes.
- **Accessibility:** axe-core 4.10 (WCAG 2 A/AA) on all routes at all four viewports; contrast ratios computed from the shipped colour tokens.

Limits

- Lab data from a datacentre, not field data. Use PageSpeed Insights on the final domain for the score of record.
- Chromium only. Safari and Firefox behaviour, real-device scrolling, and the size of the hero MP4 were not measured.
- Descender clearance is calculated from font metrics, not from pixel comparison.
- `gsap` is not on window, so `ScrollTrigger` instance counts were not read directly; leak testing used listener, node and heap counts.

Corrections to the earlier chat summary

- I said the closed mobile-menu headings precede the `h1` in the DOM. That was wrong: the block is the footer, and it only appears first in the streamed HTML because the page body arrives later inside a `Suspense` template. After the swap the order is correct, and that claim is withdrawn.

3. Scorecard

Of the 12 requested checks, 8 pass, 2 are partial and 2 fail; the failures are the no-JS fallbacks and hero performance.

#	Check	Verdict	Evidence
1	Palette purity	Partial	No browns or terracotta. 3 unused warm amber tokens remain. Mint pairing <code>#072E18</code> on <code>#5DFF9E</code> is 11.51:1. Brand green <code>#0ea149</code> fails AA for small text (3.13–3.38:1)

#	Check	Verdict	Evidence
2	Mask clearance (descenders)	Pass	0 of 422 reveal words clipped; smallest bottom clearance 4.7 px at 360–414px, 5.5 px at 1440px
3	Font consistency	Partial	Fonts load without layout shift. .font-mono is aliased to Inter, so overlines render in Inter, not Plus Jakarta Sans
4	Lenis route reset	Pass	Desktop: 0 stale frames. Mobile: 1 stale frame (useEffect timing)
5	ScrollTrigger lifecycle	Pass	All 6 GSAP components use useGSAP with scope. Listeners, nodes and heap flat over 20 navigations
6	Animation restraint and fallbacks	Fail	No-JS shows only the loader; clip-path images and curtains hidden without JS; no reduced-motion handling; clip-path is not compositor-only
7	Viewport containment 360–414px	Pass	0 horizontal overflow in 32 loads, including with masks removed
8	LCP and hero prioritisation	Fail	Throttled LCP median 3.95 s on /, 7.7 s on /produce. Hero is a hotlinked <video>, so priority and sizes cannot apply
9	Tactile navigation feedback	Pass	Next <Link> with prefetch on the hero

#	Check	Verdict	Evidence
			CTA; ?_rsc= prefetch requests observed; route-level loading fallback exists
10	Geographic accuracy	Pass	0 "Chitwan" hits in HTML, CSS and JS; caveat on apple, rice and honey origins
11	Dynamic favicon	Pass	Renders #0ea149 in light and #5dff9e in dark; apple-touch-icon is an SVG, which iOS ignores
12	Console cleanliness	Pass	0 site errors, warnings or hydration errors across 32 loads; 404 has a duplicate <title>

Three findings outside the checklist also fail: broken social metadata (section 8), placeholder contact data (section 8), and 82 colour-contrast failures across all 8 routes (section 4).

4. Visual design and typographic integrity

The palette is clean of browns and terracotta, but brand green fails AA contrast for small text and the overline font does not match the spec.

Palette purity

- No ochre, brown or terracotta tokens exist in the compiled CSS. Three warm tokens remain, all unused: `--color-accent #ffd166`, `--color-accent-hover #ffc233`, `--color-accent-light #fff8e6`. Delete them.
- Two parallel palettes coexist: `--color-*` variables and hardcoded `krishi-*` Tailwind colours. About 40 uses of default Tailwind `slate-*`, `bg-white` and `text-slate-900` bypass both.
- The CSS has no `prefers-color-scheme` block, so "dark sections" are built from `bg-krishi-dark` utilities, not theme overrides.

Contrast, computed from the shipped tokens (WCAG 2.x)

Pair	Ratio	AA normal text (4.5)
#072E18 on --color-mint #5DFF9E	11.51	Pass
#0ea149 (brand) on white	3.38	Fail
White on #0ea149 (buttons, 12px semibold)	3.38	Fail
#0ea149 on #f0f7f2 (secondary bg)	3.11	Fail
#0ea149 on #0f1a15 (dark)	5.27	Pass
#0b823a (primary-hover) on white	4.92	Pass
#5DFF9E on white	1.29	Fail (never use as text on light)
#4a5c52 (muted) on #fcfdfd	7.00	Pass

The mint pairing you specified passes comfortably. The failure is the default brand green: 16 text-krishi-brand uses, several at 11–12px uppercase, and two bg-krishi-brand text-white text-xs buttons.

Mask clearance (RevealText)

Each word is wrapped in inline-block overflow-hidden pb-[0.25em] -mb-[0.25em]. That reserves 0.25em below the line box, which covers Plus Jakarta Sans descenders (g y p j) in principle. See section 6 for the rendered check at 360 and 1440px.

Font consistency

- Loading is well done: two preloaded woff2 files, font-display: swap, and size-adjusted fallbacks that avoid layout shift.
- .font-mono is aliased to Inter in the CSS. The 19 overlines using font-mono therefore render in Inter, not Plus Jakarta Sans. Only 8 elements use font-heading. If the spec is "Jakarta on headings and overlines", overlines fail.
- Sub-12px text: text-[11px] appears 9 times and text-[10px] once.

Automated contrast scan (axe-core 4.10, WCAG 2 A/AA, 390px viewport)

color-contrast is the only rule that fails, and it fails on all 8 routes: 82 nodes in total.

Foreground on background	Ratio	Nodes	Where
#4a5c52 on #08100c, 10–11px	2.70	24	Footer legal lines on 5+ routes: "© 2026...", "Registered under..."

Foreground on background	Ratio	Nodes	Where
#0ea149 on #fcfdfd / #f7f9f7 / #f5f7f5, 12–14px	3.13–3.31	27	Green overlines and text links on light sections
#0ea149 on #ffffff, 11–14px	3.38	16	Overlines, "Botanical Specs" links, a <code>mailto:</code> link
#ffffff on #0ea149, 12px semibold/bold	3.38	15	Submit button and CTA pills

The footer is the worst case: the light-theme muted token #4a5c52 is reused on a near-black footer. #94a3b8 on that background is 7.52:1.

5. Motion performance and scroll engine

Route resets and GSAP cleanup hold up in testing; the no-JS and delayed-JS fallbacks do not, and reduced-motion is ignored entirely.

Lenis route reset: pass, one minor flaw

- Desktop (1440px, scrolled to 5400px, then client-side navigation to `/contact`): the first frame on the new route was at `scrollY = 0`, with 0 frames at a stale offset, 67 ms after the click.
- Mobile (native scroll, 2600px): one frame at the stale offset (1262px) before the reset at 118 ms. Cause: the reset runs in `useEffect`, after paint. Use `useLayoutEffect`.
- The call is `lenis.scrollTo(0, { immediate: true })` with `no force: true`. If any overlay calls `lenis.stop()`, the reset is ignored.
- `LenisProvider` renders `<>{children}</>` first, then switches to `<ReactLenis>` after mount. Because the tree shape changes, React should unmount and remount the whole page subtree once, re-running every GSAP effect. Render the same tree on both passes.

ScrollTrigger and GSAP lifecycle: pass

- All six GSAP components (`RevealText`, `StaggeredLineReveal`, `FadeDriftText`, `CurtainReveal`, `ClipWipeImage`, `MagneticButton`) use `useGSAP` with a scope ref. `MagneticButton` returns a cleanup for its listeners.
- Leak test: 4 full cycles through `/about`, `/produce`, `/news`, `/contact`, `/` (20 client-side navigations, forced GC after each cycle).

Point	JS event listeners	DOM nodes	JS heap (MB)
Initial home load	399	931	4.1
After cycle 1	416	935	5.4
After cycle 2	416	935	5.7

Point	JS event listeners	DOM nodes	JS heap (MB)
After cycle 3	416	935	5.7
After cycle 4	416	935	5.8

Listeners and nodes stay flat after the first cycle (the +17 is one-time lazy loading), so nothing accumulates. `gsap` is not exposed on `window`, so I could not read `ScrollTrigger.getAll().length` directly.

- Small gaps: `MagneticButton` creates tweens inside raw `mousemove` handlers without `contextSafe`, and every `useGSAP` call passes dependencies without `revertOnUpdate`. Neither leaked in testing.

Fallbacks and restraint: fail

Scenario	Result	Evidence
JavaScript disabled, / and /about	Loader only, permanently	Page body lives in <code><div hidden id="S:0"></code> , revealed by an inline <code>\$RC</code> script. Screenshot shows "Synchronizing field dispatches..."
External JS delayed 5 s	Hero text and layout visible at 3.5 s	Inline script still runs and <code>RevealText</code> words are visible in the server HTML
<code>ClipWipeImage</code> without JS	Image invisible	Inline <code>style="clip-path:inset(0% 100% 0% 0%)"</code> in the HTML (2 on home)
<code>CurtainReveal</code> without JS	Content covered	Opaque <code>bg-krishi-mint / brand / dark</code> overlay, <code>absolute inset-0 z-20</code> (3 on home, 6 on /produce)
<code>prefers-reduced-motion</code>	Ignored	0 matches in CSS and all 10 JS chunks; <code>matchMedia</code> is used only for (pointer: coarse)

- `RevealText` is visible in the server HTML, then hidden by `fromTo` on hydration and re-animated. Slow connections see a flash of visible text, then a jump to hidden.
- The premise that everything runs on GPU-accelerated transforms does not hold for `ClipWipeImage`. It animates `clip-path`, which is paint-bound in most browsers. `will-change: clip-path` does not move it to the compositor. `CurtainReveal` uses `yPercent` and `scale`, which are compositor-friendly.

6. Responsive stability and Core Web Vitals

The layout never overflows sideways, but on emulated Slow 4G the home page misses the 2.5 s LCP target by about 1.5 s and `/produce` takes nearly 8 s.

Viewport containment: pass

- 32 page loads (8 routes at 360, 390, 414 and 1440px): `document.scrollWidth` equalled the viewport width every time. Repeating the check with `overflow-x` masks removed also showed no overflow.
- The widest elements are the curtain overlay and 1.1× scaled images (418px wide in a 414px viewport). Their `overflow-hidden` parents clip them, so they cause no scrollbar.
- `body` carries `overflow-x-hidden`, which overrides the `overflow-x: clip` set on `html` and `body` in the CSS. It is not needed, and it can break `position: sticky` descendants. Keep `clip` on `html` only.

Mask clearance (descenders): pass

Measured on all 422 `RevealText` and `StaggeredLineReveal` words (168 with `g j p q y`) with animation transforms neutralised, using font metrics against each mask's bottom edge.

Viewport	Smallest bottom clearance	Smallest top clearance	Words clipped
360, 390, 414px	4.7 px ("agricultural", 30px)	5.2 px	0
1440px	5.5 px ("Engineered", 48px)	6.0 px	0

Core Web Vitals (lab, Pixel 7 emulation, Slow 4G 1.6 Mbps / 150 ms RTT, 4× CPU slowdown)

Page	LCP	LCP element	CLS	DOMContentLoaded	Runs
<code>/</code>	3.80–4.06 s (median 3.95 s)	Hero sub-heading paragraph	0.175 in 4 of 5 runs	0.8–1.2 s	5
<code>/produce</code>	7.66–7.92 s	Stat paragraph	0	7.3–7.5 s	3
<code>/news</code>	0.95–0.99 s (logo in loader)	Logo image	0	7.2 s	2
<code>/about</code>	1.12 s	Headline word	0.058	0.8 s	1
<code>/ unthrottled</code>	0.27 s	Hero sub-heading paragraph	0	0.13 s	1

Thresholds: LCP good ≤ 2.5 s, poor > 4.0 s; CLS good ≤ 0.1 , poor > 0.25 . These are lab numbers from a datacentre; treat them as relative, and confirm with PageSpeed Insights on the live domain.

What the numbers say

- Home FCP is 1.15–1.42 s but LCP is about 3.9 s. FCP is the "Synchronizing field dispatches..." loader; LCP is when the real hero replaces it. The page content is gated behind the Suspense swap, so LCP tracks the end of the streamed response, not the hero image.
- The one home layout shift is the hero content grid shrinking 76 px (572 px to 496 px tall) at about 1.75 s. The timing is consistent with the headline font swap, but I did not isolate the cause.
- Approximate long-task blocking on home: 420–640 ms over 5–7 long tasks, from 6 GSAP components plus Lenis initialising.
- Home transfers 762 KB in 21–22 requests. The largest asset is the hero poster at 325 KB: a hotlinked 1920w Pexels JPEG, sent to phones unresized. The 1080p MP4 also starts downloading on mobile; I could not measure its size.
- Two below-fold images (polyhouse 65 KB, tomatoes 50 KB) are preloaded with `priority`, competing with hero resources.

Hero asset verdict: fail

The hero is a raw `<video autoplay muted loop playsInline>` with a hotlinked poster and MP4, not `next/image`. `priority`, `loading="eager"` and `responsive sizes` therefore cannot apply. The `<video>` has no `preload` attribute and no `aria-hidden`, and nothing pauses it under reduced motion or Save-Data.

7. Content precision and technical foundation

Geography and the console are clean, and the favicon switches correctly; the remaining foundation gaps are the icon set and the 404 page.

Geographic accuracy: pass, with one caveat

- "Chitwan" appears 0 times in the HTML of all 9 routes, the CSS bundle, or any of the 10 JS chunks.
- Every facility reference names Birendranagar (Surkhet) and Kathmandu.
- Caveat: the produce catalogue attributes apples to "Mustang & Jumla", basmati to "Southern plains" and honey to "highland floral pastures", while the same page lists only Surkhet and Kathmandu as "Active Cultivation Zones". Either add these as sourcing regions or adjust the copy.

Dynamic favicon: pass

- `/favicon.svg` was rendered in headless Chromium with the colour scheme forced. Light: fill `#0ea149`. Dark: fill `#5dff9e`. Both are the exact brand and mint values.
- The swap follows the browser or OS theme, not the site theme. There is no site theme toggle, so this is consistent.

- Gaps: `apple-touch-icon` points to `/icon-color.svg`, which iOS does not accept (it needs a PNG, 180×180). `shortcut icon` and `icon` both point to the same file. There is no `.ico` fallback for older browsers.

Console cleanliness: pass

- Across 32 page loads (8 routes at 360, 390, 414 and 1440px, production build on Vercel) there were 0 site-originated console errors, 0 warnings and 0 uncaught page errors.
- No React hydration errors were observed. In a production build these appear as minified error codes; none appeared.
- The only noise came from the audit tooling (axe media-preload warnings) and from `ERR_ABORTED` on Next `?_rsc=` prefetches and the hero MP4 when a test page was closed mid-request. Neither is a defect.
- Duplicate metadata: none on the 8 real routes. The 404 page has two `<title>` tags.
- Element keys: `RevealText` and `StaggeredLineReveal` use ``${word}-${index}``, which is stable. No key warnings appeared.

8. Additional findings outside the brief

Several launch blockers sit outside the original checklist: broken social metadata, placeholder contact data, and unsubstantiated trust claims.

SEO and metadata

Issue	Evidence	Severity
<code>og:image</code> and <code>twitter:image</code> point at localhost	<code>http://localhost:3000/open-graph-image.jpg?... and http://localhost:3000/og-image.jpg</code> on every route	Blocker
<code>og:image</code> and <code>twitter:image</code> differ from each other	Home uses the file-convention URL, Twitter uses <code>/og-image.jpg</code>	Medium
<code>og:url</code> hardcoded to the root on every page	<code>https://greennepalkrishi.com</code> on all 9 routes	High
Brand doubled in 8 titles	"Page Green Nepal Agricultural Farm Green Nepal Agricultural Farm"	Medium
Two <code><title></code> tags on the 404 page	Brand title plus "404: This page could not be found."	Medium
No canonical link, no JSON-LD	0 of 9 routes	Medium
No <code>robots.txt</code> , no <code>sitemap.xml</code>	Both return HTTP 404	High

Issue	Evidence	Severity
404 page is the unstyled Next default	next-error-h1 markup	Low

Both `/opengraph-image.jpg` and `/og-image.jpg` return 200, so fixing `metadataBase` is enough to repair the share previews.

Contact data

- Placeholder phone numbers are live: `+977 1-4XXXXXX` and `+977 98XXXXXXXX`.
- Two email domains are used: the footer shows `wholesale@greennepalkrishi.com`; the contact page shows `wholesale@` and `operations@greennepalagricultural.com`. Only one can be right.
- The contact page tells customers that enquiries are logged to "our Supabase agricultural database". Remove the vendor name.
- Some hrefs carry raw spaces and slashes (`?subject=Commercial Supply Contract, Press / Agronomy Inquiry`) while others are encoded. Build them with `URLSearchParams`.

Trust and content claims

- The hero states "Certified Organic" with no certificate, body or number shown anywhere on the site.
- Photos are Pexels stock, captioned as your own facilities ("Facility Sector A · Kathmandu", "Open-Field Basin · Surkhet"). The hero video and poster are also hotlinked from Pexels.
- Specific claims need a source before launch: 40 hectares, "over 40%" groundwater reduction, "zero chemical toxicity", and the named staff bylines on the news page.
- Origin conflicts with your two-site geography: apples are attributed to Mustang and Jumla, basmati to "southern plains", honey to "highland pastures". None of these is Surkhet or Kathmandu.
- Only 1 of 6 produce items (apples) shows a price and packaging spec. The homepage quotes crate sizes the catalogue does not.

Accessibility structure

- `RevealText` joins words with `margin-right` instead of whitespace and has no `aria-label`, so extracted text reads as one run ("PrecisionagriculturerootedinthelivingsoilofNepal"). This affects screen readers, copy-paste and snippet extraction.
- The header logo image reads "Green Nepal Agriculture Farm", while every other mention uses "Agricultural". Confirm the official name and align the logo.
- The copy leans on heavy jargon ("Transmittal Form", "Submit Candidacy Dossier", "Terroir"). For hotel and supermarket buyers it reads as decoration and works against the plain, intentional tone you are aiming for.

9. Prioritized fix plan

Five fixes remove every launch blocker; the rest are performance and polish. Effort figures are my estimates for one developer.

Order	Priority	Fix	Resolves	Effort
1	P0	Set metadataBase, per-page canonical and og:url, title template; drop the doubled brand	Localhost share images, duplicate titles, no canonical	30 min
2	P0	Replace placeholder phones, choose one email domain, remove the "Supabase" sentence	Placeholder contact data (needs real values from the client)	15 min
3	P0	Remove or substantiate "Certified Organic", the stock-photo facility captions, and the numeric claims	Unsupported trust claims	Content decision
4	P0	Find what suspends the page body and move it into the static shell; make the loader a real skeleton	No-JS dead end; LCP gated by the swap	0.5–1 day
5	P0	Use #0b823a for green text and buttons; use #94a3b8 for footer muted text	82 contrast failures	1 hour
6	P1	Investigate why /produce and /news reach DOMContentLoaded	LCP 7.7 s on /produce	Half a day

Order	Priority	Fix	Resolves	Effort
		ed at about 7.3 s under throttle		
7	P1	Hero: self-hosted mobile poster via <code>next/image</code> (priority, sizes), video only at 768px and above, drop the two below-fold preloads	LCP, 325 KB Pexels poster, hotlinking	2 hours
8	P1	Gate hidden initial states behind JS; add <code>gsap.matchMedia</code> for reduced motion	No-JS images and curtains, reduced motion	2–3 hours
9	P1	RevealText: real spaces and one <code>aria-label</code>	Screen readers, copy-paste	30 min
10	P1	Lenis provider: same tree on both renders, <code>useLayoutEffect</code> , <code>force: true</code>	Remount, mobile stale frame	30 min
11	P1	Add <code>robots.txt</code> , <code>sitemap.xml</code> , <code>Organization</code> JSON-LD	Discoverability	1 hour
12	P2	Investigate the 76 px hero grid shift at about 1.75 s	Home CLS 0.175	1 hour
13	P2	180×180 PNG <code>apple-touch-icon</code> and an <code>.ico</code> fallback	iOS home-screen icon	20 min

Order	Priority	Fix	Resolves	Effort
14	P2	Add <code>not-found.tsx</code>	Default 404 and its second <code><title></code>	20 min
15	P2	Delete the 3 unused accent tokens; map or rename <code>.font-mono</code> ; decide the underline font	Palette purity, font spec	30 min
16	P2	Fix origin copy for apples, rice and honey; complete spec data for all 6 crops	Geographic accuracy, catalogue consistency	Content decision
17	P2	Encode <code>?subject=</code> hrefs; remove <code>overflow-x-hidden</code> from body; wrap <code>MagneticButton</code> tweens in <code>contextSafe</code>	Hygiene	45 min
18	P2	Confirm the official name: the logo reads "Agriculture", the copy "Agricultural"	Brand consistency	5 min

10. Ready-to-use code fixes

These snippets target the shipped component names; adapt import paths to your repo.

A. Metadata (fix order 1)

```
// app/layout.tsx
export const metadata: Metadata = {
  metadataBase: new URL('https://greennepalkrishi.com'),
  title: {
    default: 'Green Nepal Agricultural Farm | Commercial Organic Agriculture',
```

```

    template: '%s | Green Nepal Agricultural Farm',
  },
  alternates: { canonical: './' },
  openGraph: { siteName: 'Green Nepal Agricultural Farm', locale: 'en_US', type:
'website' }, // no hardcoded url
  icons: {
    icon: [{ url: '/favicon.svg', type: 'image/svg+xml' }, { url: '/favicon.ico',
sizes: '48x48' }],
    apple: '/apple-touch-icon.png', // 180x180 PNG
  },
};

```

```

// app/about/page.tsx: short title only, the template adds the brand
export const metadata = { title: 'Our Terroir & Agronomic Philosophy' };

```

B. Accessible word-split headings (fix order 9)

```

<Tag ref={ref} aria-label={typeof children === 'string' ? children : undefined}
className={`relative max-w-full ${className}`}>
  {words.map((w, i) => (
    <Fragment key={`-${w}-${i}`}>
      <span aria-hidden="true" className="inline-block overflow-hidden align-top
pb-[0.25em] -mb-[0.25em] max-w-full">
        <span className="reveal-word inline-block will-change-transform max-w-full
break-words">{w}</span>
      </span>{' '}
    </Fragment>
  ))}
</Tag>

```

C. Hidden states set by JS, reduced motion respected (fix order 8)

```

// ClipWipeImage: remove style={{ clipPath: R }} from the JSX
useGSAP(() => {
  const mm = gsap.matchMedia();
  mm.add('(prefers-reduced-motion: no-preference)', () => {
    gsap.set(clipRef.current, { clipPath: R }); // hidden state exists
    only when JS runs
    gsap.to(clipRef.current, {
      clipPath: 'inset(0% 0% 0% 0%)', duration, delay, ease,
      scrollTrigger: { trigger: wrapRef.current, start: triggerStart, once: true },
    });
  });
}, { scope: wrapRef, dependencies: [direction, duration, delay], revertOnUpdate: true
});

```

```

// CurtainReveal: render the curtain with className="invisible", then in the same
matchMedia block:

```

```

gsap.set(curtainRef.current, { autoAlpha: 1, yPercent: 0 });
gsap.to(curtainRef.current, { yPercent: -100, duration, ease, scrollTrigger: {
trigger: wrapRef.current, start: triggerStart, once: true } });

```

D. Lenis provider: one tree, reset before paint (fix order 10)

```

'use client';
export function LenisProvider({ children }: { children: React.ReactNode }) {
  return (
    <ReactLenis root options={{ lerp: 0.07, smoothWheel: true, wheelMultiplier: 0.9

```

```

}}>
    <RouteReset />
    {children}
  </ReactLenis>
);
}
function RouteReset() {
  const pathname = usePathname();
  const lenis = useLenis();
  useLayoutEffect(() => {
    lenis?.scrollTo(0, { immediate: true, force: true });
    const t = setTimeout(() => ScrollTrigger.refresh(), 150);
    return () => clearTimeout(t);
  }, [pathname, lenis]);
  return null;
}

```

E. Hero: LCP-safe poster, video only where it earns its bytes (fix order 7)

```

function HeroVideo() {
  const [on, setOn] = useState(false);
  useEffect(() => {
    const wide = matchMedia('(min-width: 768px)').matches;
    const calm = matchMedia('(prefers-reduced-motion: no-preference)').matches;
    const saveData = (navigator as any).connection?.saveData;
    setOn(wide && calm && !saveData);
  }, []);
  return on ? (
    <video className="absolute inset-0 h-full w-full object-cover" autoPlay muted
loop playsInline
      preload="metadata" aria-hidden="true" tabIndex={-1}>
        <source src="/media/hero.mp4" type="video/mp4" />
      </video>
    ) : null;
}

// in <Hero>
<Image src="/media/hero-poster.webp" alt="" fill priority sizes="100vw"
className="object-cover" />
<HeroVideo />

```

Self-host hero-poster.webp at about 80 KB and add images.pexels.com to remotePatterns only for images you keep remote. Remove priority from the polyhouse and tomato images below the fold.

F. Contrast tokens (fix order 5)

```

:root { --color-brand-text: #0b823a; } /* 4.57-4.92:1 on all light surfaces used */

```

Replace text-krishi-brand with a text-brand-text utility, and bg-krishi-brand text-white buttons with bg-krishi-forest text-white (#0b823a, 4.92:1). In the footer, replace #4a5c52 and text-slate-500 with #94a3b8 (7.52:1 on #08100c).

G. Crawl files and safe query strings (fix orders 11 and 17)

```

// app/robots.ts
export default function robots() {
  return { rules: { userAgent: '*', allow: '/' }, sitemap:
'https://greennepalkrishi.com/sitemap.xml' };
}

```

```

}
// app/sitemap.ts
export default function sitemap() {
  const base = 'https://greennepalkrishi.com';
  return ['', '/about', '/produce', '/news', '/careers', '/contact',
    '/privacy-policy', '/terms-and-conditions']
    .map((p) => ({ url: base + p, lastModified: new Date() }));
}
// contact links
const contactHref = (subject: string) => `/contact?${new URLSearchParams({ subject
})}`;

```

11. Re-test checklist

Re-run these after the P0 and P1 fixes; each item has a pass criterion so the result is unambiguous.

- ☐ **Share previews:** `curl -s https://greennepalkrishi.com/ | grep -E 'og:image|twitter:image|og:url|canonical'` shows the production domain, no localhost, and a per-page og:url on /about.
- ☐ **Titles:** `curl -s .../about | grep -c '<title>'` returns 1, and the title contains the brand once. Same for the 404 path.
- ☐ **No-JS:** disable JavaScript in DevTools and reload /, /about, /produce. The hero, headings and images are visible; no permanent loader.
- ☐ **Delayed JS:** throttle scripts by 5 s. Images and curtains are not blank at 3 s.
- ☐ **Reduced motion:** DevTools, Rendering, emulate prefers-reduced-motion: reduce. Content appears with no clip, curtain or word animation, and the hero video does not play.
- ☐ **Contrast:** axe-core color-contrast returns 0 violations on all 8 routes at 390px.
- ☐ **LCP:** PageSpeed Insights, mobile, on /, /produce and /about: LCP ≤ 2.5 s and CLS ≤ 0.1. The LCP element is the hero poster or headline, not a paragraph gated by a loader.
- ☐ **DOMContentLoaded:** throttled /produce and /news reach it in under 2 s (currently about 7.3 s).
- ☐ **Hero request:** on a 390px viewport the network panel shows no .mp4 request and one self-hosted poster with fetchpriority=high.
- ☐ **Route reset:** scroll /produce to the bottom, click a footer link, and scrollY is 0 on the first frame (desktop and mobile).
- ☐ **Leaks:** repeat the 4-cycle navigation test; listeners and nodes stay flat after cycle 1.
- ☐ **Overflow:** at 360, 390 and 414px, document.documentElement.scrollHeight === innerWidth on all 8 routes with overflow-x-hidden removed from body.
- ☐ **Accessibility text:** select the H1 and paste it; words are separated by spaces. A screen reader announces the headline once.
- ☐ **Icons:** iOS Add to Home Screen shows the PNG icon; /favicon.ico returns 200.
- ☐ **Crawl files:** /robots.txt and /sitemap.xml return 200 and list all 8 routes.
- ☐ **Console:** next build && next start, open every route in an incognito window with no extensions: 0 errors and 0 warnings.