

Frontend Audit Report

Green Nepal Agricultural Farm — Public Marketing Site
web-blue-chi-73.vercel.app · Repository: oplyxtechnologies/Green-Farm (apps/web)
Prepared: September 22, 2026 | Method: live HTML fetch across all routes, repository read, local production build, and headless-Chromium testing at 360/390/414/1440px

Scorecard

Check	Result
Palette purity	Pass — no warm/legacy tokens; mint-text on mint is 11.5:1
Mask clearance (descenders)	Pass — no clipping at 360/390/414/1440px
Font consistency	Partial — uppercase overlines render in Inter, not Plus Jakarta Sans
Lenis route reset	Pass — scroll snaps to 0 on route change; restores on back
ScrollTrigger lifecycle	Pass — useGSAP scoped everywhere; listeners cleaned up
Animation restraint & fallbacks	Partial — reduced-motion ignored by 4 of 6 animation components
Viewport containment	Pass — no horizontal scroll at 360/390/414px
LCP / image prioritization	Pass — 1.0–1.3s on throttled mobile; 2.26s on /about
Tactile navigation (next/link)	Pass — no raw <a>, router.push, or window.location found
Geographic accuracy (no Chitwan)	Pass — zero references in repo or live HTML
Dynamic favicon	Partial — correct dark-mode CSS, but icon metadata may cause ICO to win
Console cleanliness	Pass — clean production build, no hydration warnings observed

Not tested: Lighthouse/field data on real devices, Safari rendering, the actual browser-tab favicon, and apps/admin.

Fixes, by Priority

1. /produce and /news hide content without JavaScript

HIGH

The initial HTML is a skeleton plus a `<div hidden id="S:0">` that an inline script swaps in. With JavaScript disabled, the H1 and every H2 are invisible and the page carries only ~1,250 characters of text — non-JS crawlers and link-unfurlers see no catalog at all.

Reproduced in a local production build, so it is not a caching artifact. The cause is **loading.tsx** creating a Suspense boundary around an async server component with a 1.5-second client-fetch race.

```
Fix: delete app/produce/loading.tsx and app/news/loading.tsx.  
Switch createBrowserClient() to a server-side Supabase client  
in these server components. Verify with:  
curl -s <url>/produce | grep -c 'hidden id="S:' # should return 0
```

2. Canonical domains do not resolve

HIGH

Both greennepalkrishi.com and greennepalagricultural.com return NXDOMAIN. Every canonical URL, og:url, OG image, sitemap, robots.txt, and JSON-LD entry points at the first domain. Every contact email on the site uses the second domain, so mail sent to it will bounce.

```
Fix: pick one production domain, attach it in Vercel, and set  
NEXT_PUBLIC_WEB_URL accordingly. Do not let production inherit  
the http://localhost:3000 default from .env.example.
```

3. Contact form inputs are not labeled

MEDIUM

The five `<label>` elements have no `htmlFor`, the inputs have no `id`, and none carry `name` or `autoComplete`. Screen readers cannot associate the labels with their fields, and browsers cannot autofill them.

```
<label htmlFor="email">Email Address *</label>  
<input id="email" name="email" type="email"  
      autoComplete="email" required ... />
```

4. Phone numbers and address look unverified

MEDIUM

+977 9851023456 appears as both the form's placeholder text and the live "Harvest Logistics" contact line — confirm both numbers are real, working lines. The JSON-LD `streetAddress` ("Birendranagar & Kathmandu Valley") is not a mailing address and should be replaced with an actual one if the schema is meant to be indexed.

5. Heading levels skip

MEDIUM

About goes `h2` → `h4`, Contact goes `h1` → `h4`, and Careers goes `h1` → `h3`. This breaks the outline that screen-reader users navigate by. Use the semantically correct tag and control visual size with classes instead of picking heading level for appearance.

6. Open Graph metadata is duplicated and inconsistent

LOW

The homepage's `og:image` points at `opengraph-image.jpg?hash` while every other page uses `/og-image.jpg` — the two files are byte-identical, so one should be deleted. `og:title` and `og:description` are also identical across all six routes; add page-specific openGraph metadata so shared links preview correctly.

7. Favicon may not switch with system theme

LOW

app/icon.svg correctly contains a prefers-color-scheme: dark rule, but metadata.icons also emits favicon.ico twice plus a separate shortcut icon entry. Chrome tends to prefer the ICO in that situation, so the adaptive SVG may never actually display. Recommend removing the icons block from metadata and relying on Next's file-convention icons instead. The SVG's own viewBox (1106×1477) is also not square, which can cause odd cropping in some contexts.

8. Contrast below AA in a few spots

LOW

text-slate-400 on light backgrounds measures 3.8:1 (produce/page.tsx line ~432, and the contact form's placeholder text). Nav-link hover color (text-krishi-brand on krishi-dark) measures 3.6:1 — switching that hover state to the mint token would clear AA. Footer text at 10–11px is also very small for its weight.

9. Fallback news content is fabricated and always looks fresh

LOW

/news falls back to three invented authors and posts whose dates are computed as Date.now() minus a fixed offset, so they always read as "2 days ago," "6 days ago," etc. regardless of when the page is viewed. Replace with real published posts, or remove the fabricated bylines and relative dates from the fallback data.

10. Housekeeping

LOW

@studio-freight/react-lenis is deprecated upstream in favor of lenis/react — migrate when convenient. The desktop hero video is hotlinked directly from Pexels; consider deferring it until after load/idle. The hero poster image is source at 1280px and will look soft on very large desktop displays.

Supporting Detail

Reduced-motion coverage

`prefers-reduced-motion` is honored in `Hero.tsx`, `VideoHero.tsx`, `ClipWipeImage.tsx`, and `CurtainReveal.tsx`. It is **not** checked in `RevealText.tsx`, `StaggeredLineReveal.tsx`, `FadeDriftText.tsx`, or `MagneticButton.tsx` — a live test with reduced-motion enabled found 40 of 49 reveal-word spans still animating from a hidden state. Users who request reduced motion for vestibular or attention reasons still get the full word-by-word reveal on every heading.

Font-family audit (measured in-browser)

Element	Font in use	Expected
h1 / h2 / h3 / h4	Plus Jakarta Sans	Plus Jakarta Sans — correct
p / li / td	Inter	Inter — correct
Uppercase overline spans (61 instances)	Inter	Spec implies Plus Jakarta Sans

Largest Contentful Paint (throttled mobile, 4× CPU / slow-4G emulation)

Route	LCP	LCP element
/	1.32s	Hero paragraph text
/produce	1.02s	Product card heading
/about	2.26s	Pexels hero image (no local priority image on this route)

`/about`'s LCP element is a remote Pexels image with no priority hint on that route — worth a preload or priority flag if the 2.26s figure needs to come down.

Method note: findings were produced from the live HTML of all six routes, a clone of the public `oplyxtechnologies/Green-Farm` repository (`apps/web`), a local ``next build`` production run, and headless-Chromium sessions at 360, 390, 414, and 1440px viewport widths, including network- and CPU-throttled and reduced-motion/no-JS test passes.