

Architecture Sub-Models

Generated by architecture-model decompose .

Cross-Block Dependency Graph

Block	Depends On
F1 (Cli)	F2, F3, F5
F2 (Config)	F8
F3 (Core)	F2, F5, F6, F8
F4 (Extract)	F2, F3, F5
F5 (Manifest)	F2, F3, F8
F6 (Profiles)	(none)
F7 (Spec)	(none)
F8 (Utils)	(none)

F1: Cli

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-CLI
- **Components:** 1
- **Capabilities:** 1
- **Interfaces:** 0
- **Relationships:** 0

Components

- COMP-CLI: cli

Capabilities

- CAP-F1-1: main

F2: Config

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-CONFIG
- **Components:** 1
- **Capabilities:** 4
- **Interfaces:** 0
- **Relationships:** 0

Components

- COMP-CONFIG: config

Capabilities

- CAP-F2-1: load_config
- CAP-F2-2: discover_config
- CAP-F2-3: get_config
- CAP-F2-4: write_config

F3: Core

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-CORE
- **Components:** 7
- **Capabilities:** 20
- **Interfaces:** 0
- **Relationships:** 13

Components

- COMP-CORE-PARSER: core.parser
- COMP-CORE-VALIDATOR: core.validator
- COMP-CORE-SLICER: core.slicer
- COMP-CORE-DIFFER: core.differ
- COMP-CORE-MERGER: core.merger
- COMP-CORE-DECOMPOSER: core.decomposer
- COMP-CORE-TYPES: core.types

Capabilities

- CAP-F3-1: coverage_report
- CAP-F3-2: compute_complexity
- CAP-F3-3: identify_systems
- CAP-F3-4: auto_assign_f_blocks
- CAP-F3-5: decompose_model
- CAP-F3-6: test_affinity_decompose
- CAP-F3-7: diff_models
- CAP-F3-8: merge_manifest
- CAP-F3-9: enrich_from_manifest
- CAP-F3-10: compact_for_generation
- CAP-F3-11: compose_enriched_model
- CAP-F3-12: load_model
- CAP-F3-13: validate_model_data
- CAP-F3-14: dump_model
- CAP-F3-15: save_model
- CAP-F3-16: slice_by_fblock
- CAP-F3-17: slice_by_layer
- CAP-F3-18: slice_by_status
- CAP-F3-19: slice_for_artifact
- CAP-F3-20: validate_model

F4: Extract

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-EXTRACT
- **Components:** 1
- **Capabilities:** 1
- **Interfaces:** 0
- **Relationships:** 0

Components

- COMP-EXTRACT: extract

Capabilities

- CAP-F4-1: extract_from_code

F5: Manifest

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-MANIFEST
- **Components:** 8
- **Capabilities:** 16
- **Interfaces:** 0
- **Relationships:** 18

Components

- COMP-MANIFEST-SCANNER: manifest.scanner
- COMP-MANIFEST-BLOCKS: manifest.blocks
- COMP-MANIFEST-METRICS: manifest.metrics
- COMP-MANIFEST-INTERFACES: manifest.interfaces
- COMP-MANIFEST-BODY-HINTS: manifest.body_hints
- COMP-MANIFEST-TEST-ANALYZER: manifest.test_analyzer
- COMP-MANIFEST-GENERATOR: manifest.generator
- COMP-MANIFEST-TYPES: manifest.types

Capabilities

- CAP-F5-1: process_block
- CAP-F5-2: classify_function
- CAP-F5-3: extract_body_hint
- CAP-F5-4: extract_file_hints
- CAP-F5-5: print_summary
- CAP-F5-6: generate_manifest
- CAP-F5-7: load_or_generate_manifest
- CAP-F5-8: derive_interfaces
- CAP-F5-9: compute_metrics
- CAP-F5-10: generate_block_manifest
- CAP-F5-11: generate_recursive_manifests
- CAP-F5-12: write_recursive_manifests
- CAP-F5-13: scan_file
- CAP-F5-14: get_manifest_slice
- CAP-F5-15: analyze_test_file
- CAP-F5-16: extract_constants_from_contracts

F6: Profiles

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-PROFILES
- **Components:** 1
- **Capabilities:** 1
- **Interfaces:** 0
- **Relationships:** 0

Components

- COMP-PROFILES: profiles

Capabilities

- CAP-F6-1: load_profile

F7: Spec

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-SPEC
- **Components:** 1
- **Capabilities:** 0
- **Interfaces:** 0
- **Relationships:** 0

Components

- COMP-SPEC: spec

F8: Utils

- **Parent model:** ../../architecture-model.yaml
- **Refines:** COMP-UTILS
- **Components:** 1
- **Capabilities:** 4
- **Interfaces:** 0
- **Relationships:** 0

Components

- COMP-UTILS: utils

Capabilities

- CAP-F8-1: is_excluded_dir
- CAP-F8-2: collect_py_files
- CAP-F8-3: discover_source_files
- CAP-F8-4: discover_test_files