

Component Catalog — architecture-model-standard

Overview

This catalog documents all components in the architecture-model-standard system. All components reside in the **L-APP** (Application) layer.

Components

COMP-CORE: core

Field	Value
ID	COMP-CORE
Name	core
Kind	service
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F1, CAP-F3

Exposes: - IF-PARSE-API (Parser API) - IF-VALIDATE-API (Validator API) - IF-SLICER-API (Slicer API)

Constrained by: CON-SCHEMA, CON-NO-ORPHANS

Traces to: BEH-VALIDATE

COMP-MANIFEST: manifest

Field	Value
ID	COMP-MANIFEST
Name	manifest
Kind	service
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F2

Exposes: - IF-MANIFEST-API (Manifest API)

Traces to: BEH-MANIFEST

COMP-CONFIG: config

Field	Value
ID	COMP-CONFIG
Name	config
Kind	service

Field	Value
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F5

COMP-SPEC: spec

Field	Value
ID	COMP-SPEC
Name	spec
Kind	service
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F5

Constrained by: CON-SCHEMA

COMP-CLI: cli

Field	Value
ID	COMP-CLI
Name	cli
Kind	service
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F4

Exposes: - IF-CLI (CLI Interface)

Traces to: BEH-INIT

COMP-EXTRACT: extract

Field	Value
ID	COMP-EXTRACT
Name	extract
Kind	service
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F6

COMP-PROFILES: profiles

Field	Value
ID	COMP-PROFILES
Name	profiles
Kind	service
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F7

COMP-UTILS: utils

Field	Value
ID	COMP-UTILS
Name	utils
Kind	service
Layer	L-APP
Status	ACTIVE

COMP-ENRICH: enrich

Field	Value
ID	COMP-ENRICH
Name	enrich
Kind	service
Layer	L-APP
Status	ACTIVE

Realizes: CAP-F8

Component Dependencies

Source	Target	Relationship
COMP-CLI	COMP-CORE	depends-on
COMP-CLI	COMP-CONFIG	depends-on
COMP-CLI	COMP-MANIFEST	depends-on
COMP-CLI	COMP-ENRICH	depends-on
COMP-CORE	COMP-CONFIG	depends-on
COMP-CORE	COMP-SPEC	depends-on
COMP-MANIFEST	COMP-CONFIG	depends-on
COMP-EXTRACT	COMP-CORE	depends-on

Source	Target	Relationship
COMP-ENRICH	COMP-CORE	depends-on

Dependency Summary

- **cli** depends on: core, config, manifest, enrich
- **core** depends on: config, spec
- **manifest** depends on: config
- **extract** depends on: core
- **enrich** depends on: core
- **config** depends on: (none)
- **spec** depends on: (none)
- **profiles** depends on: (none)
- **utils** depends on: (none)

External Consumers

Actor	Interface Consumed
ACT-DEV (Developer)	IF-CLI
ACT-LLM (LLM Agent)	IF-PARSE-API, IF-SLICER-API