ERP / USER & ADMINISTRATOR GUIDE

From setup to everyday business.

Object classes. Real screens. Worked examples.

All 16 template modules | Complete type reference
Setup, transactions, reporting and troubleshooting

EDITION 02 / 5 OCTOBER 2026

Screens captured from the Template Organisation.
Worked outcomes are illustrations; live business data was not changed.

CONTENTS

Find your task

Find your task 2

Read this guide 5

Navigate with the right context 6

Choose the right class 7

Work with subledgers 8

Work with accounting objects 9

Work with dimensions 10

A reliable capture routine 11

Grids, references and history 12

Set up in a sensible order 13

Configure types and forms 14

Configure and use transactions 15

Make setup usable and controlled 16

A property, with useful evidence 17

From policy to claim 18

When something does not work 19

Define a business type 20

Map a type to its modules 21

Design and preview a schema 22

Organisations setup 23

Divisions setup 24

Fiscal Year setup 25

Countries setup 26

Currencies setup 27

Tax Types setup 28

Resource Roles setup 29

Financial Statement Formats setup 30

Schema UI Tester setup 31

Modules setup 32

GL Account Types setup 33

Subledger Account Types setup 34

Accounting Object Types setup 35

Accounting Dimension Types setup 36

Transaction Groups setup 37

Transaction Types setup 38

Workflows setup 39

Permissions and recovery 40

Reading reports 41

Inspect policy coverage and items 43

Inspect a claim assessment 44

Inspect claim settlement components 45

Inspect saved record versions 46

Sales 47

CRM 48

Procurement 49

HR & Payroll 50

Finance 51

Treasury & Cash 52

Tax 53

Inventory 54

Asset Management 55

Project Management 56

Contract Management 57

Property Management 58

Intercompany 59

Public Sector 60

Corporate Administration 61

Insurance Management 62

Every template type 63

Every template posting pattern 115

Glossary 134

Verification and maintenance 135

GETTING STARTED

Read this guide

A task guide and a reference for administrators and everyday users.

Two routes

Users: start with navigation, class selection and daily capture, then choose a business module. Administrators: review the setup roadmap and setup reference before changing definitions. Use the class and transaction catalogues to inspect the template without guessing.


Three kinds of evidence

Live screenshots show the authenticated Template Organisation on 5 October 2026. Implementation descriptions were checked against repository documentation and source. Worked amounts and outcomes are illustrations; no example journals were saved or approved for this publication.

Coverage

All 16 seeded modules are covered. Fourteen were visible in the operational menu; Inventory and Intercompany are described with their current configuration gaps. The guide includes every seeded subledger, object and dimension type plus a complete seeded transaction-line catalogue.

The template is a recommended starting configuration. Your organisation can use different fields, mappings, workflows and permissions. Menu presence alone does not prove a complete specialised subsystem.



The live template dashboard: five subledgers, no fiscal periods and no journals. Counts describe this capture, not every organisation.

GETTING STARTED

Navigate with the right context

The same records can be reached through different menu modes.

1. Choose organisation and division

Use the organisation tab at the top, then the Active division picker. Check Include child divisions data only when you intend a wider scope. The owner division on a record is a separate field.

2. Choose a menu mode

Modules groups entries by business purpose. Roles groups responsibility-related access. Technical groups classes, transactions and reports. Setup exposes administrative definitions to authorised users.

3. Open a type, search, then select

Expand a group, choose its type and search the record list before using +. Select a row to inspect the editor. Editors may use horizontal tab scrolling and grids may require horizontal scrolling to reach all columns.

4. Use the editor controls deliberately

Switch tabs to inspect fields, Resources, Documents and Versions. Close panel or Cancel leaves the editor without intentionally saving changes. Save acts on the full record. The resize handle changes the editor size, not stored business data.

The screenshots use the live desktop layout. Some wide grids show only their first columns; captions identify this and the field catalogue lists the remaining columns. Do not mistake a cropped figure for the complete form.

CORE TASKS

Choose the right class

The class sets a record's role. Its type supplies a business meaning and custom fields. An individual record is one instance of that type.

GL account | Where does the value belong?

A chart-of-accounts record classifies financial value: for example bank, supplier control or an expense account. It is the financial account used on a transaction line.

Subledger | Whose or which account is it?

Use an account-level record when financial detail is needed for a customer, supplier, bank, asset or another configured subledger type. A transaction line links the relevant subledger to its GL account.

Accounting object | What business context is involved?

Use a business record such as a property, contract, project, cost centre, insurance policy or claim. It can hold operational detail and classify transactions. Creating it does not create a journal.

Accounting dimension | How should it be classified?

Use a reusable reference or classification such as an expense type, measurement unit or insurance cover type. Dimensions can classify transaction lines or be referenced by custom fields.

Legal entity and resource | Who is involved?

Legal entities identify parties and can link to subledger accounts. Resources represent people or other configured resources assigned through resource roles. A resource role is distinct from a security role.

Example: a repair can use an expense GL account, a vendor subledger, a property object and an expense-type dimension. These describe different aspects of the same transaction.

CORE TASKS

Work with subledgers

Use the GL account for financial classification and the subledger for account-level detail.

Choose the type before capturing

Open Sub Ledgers in the Technical menu, or the corresponding entry in a module. Choose the relevant type and add a record. The recommended template includes the account families listed below.

Capture identification

Provide the account type, owner division, code and name. Link a legal entity when appropriate; the selected type can make this link mandatory. Complete the custom fields displayed for that type.


Check the financial relationship

On a transaction line, select the GL account and the required subledger. GL account settings and transaction line definitions can require a particular subledger type. A vendor account cannot satisfy a bank-account requirement.

Keep operational fields in perspective

Asset useful life, loan interest rate and bank information are recorded attributes. Entering these attributes alone does not run depreciation, calculate interest or generate a payment.

Template account families: Bank account, Customer account, Vendor account, Employee, Cash Point, Asset, Capital Project (WIP/AUC), Loan account. These are starting options, not compulsory account structures.



Live template view. Inspect the visible labels and selected tab; the editor is shown without saving changes.

CORE TASKS

Work with accounting objects

Objects give operational information a home and let transactions identify the business context they relate to.

Create and identify

Open Accounting Objects in the Technical menu or choose a type in a module. Use the add control, choose Object type and Owner division, and enter Code, Name and validity dates. Complete the type-specific tabs and save.

Use a parent deliberately

The Parent object selector links an object into a hierarchy. The parent must be in the same organisation. An object cannot be its own parent and the hierarchy cannot contain a cycle. A parent link does not itself define a financial roll-up calculation.

Add useful detail

A property may have market-value observations, measurements and features. A contract may have parties, fixed charges and milestones. These are fields and grids supplied by the type schema.

Assign responsibility and evidence

Use Resources and Documents where available. Resource-role mappings on the type determine the intended assignments; some assignments may be required. Versions provide read-only snapshots of successful record saves.

Use the object on transactions

Transaction line definitions decide which object types are mandatory or optional. Choose the actual record on the line. Saving an object, changing its operational stage or adding a grid row does not post a transaction.

Template object types: Property, Team, Region, Operational Project, Cost Centre, Profit Centre, Contract, Utility Meter, Insurance policy, Insurance claim.

CORE TASKS

Work with dimensions

Dimensions provide shared vocabulary. Consistent selections are easier to compare than differently spelled free text.

Create a reusable choice

Open Accounting Dimensions, select the type and add a record with its owner division, code, name and any custom details. For example, define a measurement unit once and select it on multiple property records.

Financial classifications

Revenue Type and Expense Type help distinguish the nature of activity. The template also includes MSCOA Fund, Project, Item, Region, Function, Costing and Outcome types. Their presence does not establish regulatory compliance or a complete reporting model.

Operational reference vocabularies

Service and Charge Component support service-related scenarios. Measurement Type, Measurement Unit, Property Feature Type and Valuation Method support property data. Insurance cover type and Insurance claim cause support policies and claims.

Choose a dimension or an object?

Use a dimension for a reusable category or reference choice. Use an accounting object for a business entity with its own operational details and relationships. The template includes Region as an object and MSCOA Region as a dimension; choose by purpose rather than a similar name.

Make it available where needed

A dimension type must be configured and mapped appropriately. Transaction line definitions can require it. Custom reference fields can restrict selectable types. Users also need access to the relevant records.

Keep codes stable and names readable. Do not create a new reference record merely to work around a missing permission or a restricted selector.

CORE TASKS

A reliable capture routine

Use this sequence for subledgers, objects and dimensions. The displayed form varies by type.

1. Confirm your context

Check Organisation and division context before adding or editing data. Menu visibility depends on module mappings and access; a different organisation may have different types and forms.

2. Find before you create

Search existing records by code or name. Select the right type first. Reuse the existing record when it represents the same business entity or classification.

3. Complete identification and details

Enter the built-in fields, then work through the custom tabs. Required custom fields and required grid columns are configured separately. A row can be incomplete even when the header is complete.

4. Select related records

Reference fields select actual ERP records. Save a referenced parent before using its saved grid as the source for another selector. A familiar display name is not a substitute for the correct record.

5. Review and save

Check dates, decimal precision, resource assignments and required fields. Save the record. Resolve validation messages at the named field or row rather than deleting valid information just to make the form pass.

6. Follow the configured workflow

Use the workflow actions available to your role and record state. Saving data, completing approval and posting a financial transaction are separate activities. Use Versions to inspect earlier saved data where supported.

Good record codes are an organisation convention. Agree a reusable naming policy with your administrator; the template examples do not mandate one.

CORE TASKS

Grids, references and history

A custom form can hold one value, a related-record selection or a collection of rows.

Grids save with the record

Add or remove rows in the appropriate tab. All grids and custom fields save together. Row-count, required-column and uniqueness rules apply only where configured. Separate grids represent separate collections.

Dated observations versus effective periods

A valuation or meter reading records an observation date. A period-controlled measurement or charge has a start and optional end date. A blank end means indefinitely. Both ends are inclusive: end the old period the day before the new one begins when overlap is prohibited.

Groups and overlaps

Period rules can group rows by a classification or other columns. Different groups may overlap. Gaps are permitted and previous periods are not closed automatically. Dates alone do not activate period validation.

References must be eligible

Selectors list accessible records allowed by the field definition. Some selectors also use a saved parent grid: a claim affected item, for example, must be listed on its selected saved policy. Changing the parent can make a previous selection unavailable.

Versions record successful saves

Subledger, object and dimension saves capture complete record snapshots with their saved schemas and assignments. Even an unchanged save creates a version. Versions are read-only; there is no restore action. Document uploads and workflow actions have separate histories.

Historical limits

Older unversioned records receive a baseline when first edited. That baseline cannot reconstruct changes made before versioning. Copied organisations do not inherit source version history.

Capture is not calculation: market observations do not automatically determine the latest value, meter readings do not calculate consumption, and contract charge rows do not generate invoices.

CORE TASKS

Set up in a sensible order

This is a recommended review sequence. Adapt it to your organisation rather than treating the template as policy.

1. Organisation foundations

Under Setup > Organisation, review Organisations, Divisions, Fiscal Year, Countries, Currencies and Tax Types. Agree organisation scope, division ownership and the fiscal calendar before capturing business records.

2. Accounting structure

Under Setup > Accounting Model, review GL Account Types, Subledger Account Types, Accounting Object Types and Accounting Dimension Types. Create or review the actual GL Accounts through the operational menu.

3. Business forms and responsibility

Review schemas, module mappings, workflow paths and resource-role mappings on the relevant types. Under Setup > Organisation, review Resource Roles. Test forms with realistic examples before wider use.

4. Transaction definitions

Under Setup > Transactions, review Transaction Groups, Transaction Types and Workflows. Confirm line definitions, GL accounts, subledger requirements and object/dimension classifications.

5. Access and outputs

Under Setup > Security, review Permissions. Confirm role/module access and division/type/workflow permissions. Review Financial Statement Formats under Setup > Organisation and test reports with authorised users.

6. Prove one complete scenario

Create reference data, capture one representative record and run the intended transaction workflow in a suitable test organisation. Check the resulting report and permissions before repeating the pattern.

Copy Data can reuse selected organisation configuration and records. Include referenced master records where needed: custom references without a matching destination record are cleared and must be reselected.

CORE TASKS

Configure types and forms

A type is a reusable definition. Design it once and let its records use the same form and validation.

Keep the three layers separate

The class supplies the core role. The type supplies its code, name, description and configuration. The schema supplies additional data and presentation; it does not redefine the object class or replace built-in code/name/division fields.

Use one schema definition

Edit Schema JSON on the relevant type. Use the existing preview and Setup > Accounting Model > Schema UI Tester to inspect rendering. The tester is a runtime sandbox, not a saved type configuration. There is no separate editable UI schema.

Start with supported field types

Supported controls include text, whole numbers, decimals, currency, booleans, dates, email, URL, selections, references and grids. Raw object/array fields use JSON textareas rather than generated nested forms. This is a custom convention, not full JSON Schema support.

Separate appearance from constraints

Titles, tabs, field order, widths and textarea rows affect presentation. Required fields, text lengths, numeric bounds, allowed choices and configured grid/reference rules affect server validation. A placeholder is an example; a default is an initial form convenience.

Handle decimal values carefully

Decimal and currency fields have precision and scale. Excess fractional digits are rejected rather than rounded. Enter ungrouped text such as 12345.60 without symbols or commas. A currency-code label does not convert amounts or store a currency automatically.

Treat a schema change as a data change

Renaming a field changes its storage key. New required fields, shorter limits or removed choices can invalidate existing records. Plan compatibility and migration before applying these changes. Use the schema guide for supported attributes and limitations.

Recommended design habit: test one valid record, one invalid record and one existing record with each changed type. Previewing a control alone does not prove the full save behaviour.

CORE TASKS

Configure and use transactions

A transaction type defines a repeatable capture pattern. Its lines connect financial accounts with business classifications.

Set the capture pattern

Use Transaction Groups to organise types. In Transaction Types, review the definition, line definitions and scope. Set the intended GL accounts, debit/credit sides, subledger requirements and required object/dimension types.

Check each line

Select the correct division, account, subledger and required classifications. Configured lines must use their configured GL account and debit/credit side. A subledger may be mandatory, optional or not used; a mandatory type restriction must match.

Balance and period controls

Journals need at least two lines and matching debit and credit totals at cent precision. The period validator accepts open and soft_closed periods and rejects closed or locked periods. Workflow and access controls still apply.

Related objects must agree

When a line captures related objects, their configured root references can be checked for consistency. For example, a selected claim must refer to the policy selected on that line. Choose the correct pair rather than altering the claim to bypass the check.

Keep master data and postings distinct

Contract values, insurance schedules and claim stages record business information. They do not generate journal amounts. Capture financial transactions through the relevant type and follow the organisation's authorised accounting process.

Review the result

Use Reports > Ledger Balances, Trial Balance or Financial Statement as appropriate. Financial Statement Formats define the intended presentation. A report needs correctly captured and classified transactions; adding a schema field does not automatically add a report column.

Before reusing a transaction type, confirm its lines suit the actual scenario. A template example is a starting configuration, not approval for a particular accounting treatment.

Amount handling depends on the line definition: ordinary amounts are entered, while generated balancing lines calculate the settlement side. Check occurrence and amount mode in the transaction catalogue.

CORE TASKS

Make setup usable and controlled

A correct definition still needs the right module mappings, permissions and reference data.

Modules organise available functions

Types are mapped to modules. Operational menus reflect active types, mappings and access. Insurance-specific template types belong to Insurance Management; shared supplier, asset and property types retain their own mappings.

Security roles control access

Review module membership and the resource permissions relevant to each division, type and workflow state. Test with a representative user. Administrator visibility is not evidence that everyday users can see or change the same record.

Resource roles describe responsibility

Resource Roles are used for assignments such as handler or responsible person. They are separate from security roles. A type can require assignments; maintain the necessary resources before capturing records that depend on them.

Use recovery tools for their stated purpose

Initialise Schema maintains database structures and applies supported additive template upgrades. Existing non-template organisations do not automatically receive new template grids or type permissions. Follow the deployment procedure when using it.

Understand template initialisation

Initialise Template Org performs full template seeding and can overwrite template configuration. ERP Reset is a destructive recovery function. Neither should be treated as an ordinary way to fix one missing field or permission.

Review copies after creation

Copy selected configuration and records deliberately. Inspect custom references, role access, fiscal setup and report formats in the destination. Copied grid projections are rebuilt, but object version history starts with normal destination saves.

Troubleshoot in this order: organisation context, active type, module mapping, permissions, then record/reference eligibility. These controls solve different problems.

CORE TASKS

A property, with useful evidence

Recommended template scenario: capture a property and its operational detail without confusing valuation, measurements and accounting.

1. Prepare shared references

Create or review Measurement Type, Measurement Unit, Property Feature Type and Valuation Method dimension records. Select choices that match your organisation's vocabulary.

2. Create the property

Choose Property under Accounting Objects. Enter identification, owner division and validity dates. Complete the property kind, ownership, usage and address fields relevant to your organisation.

3. Capture market observations

In Market Values, capture the valuation date, amount, currency code, method, valuer and notes. Multiple rows are observations; the system does not automatically choose one as the current value or revalue a financial account.

4. Capture effective measurements

In Measurements, select a measurement type and unit, quantity and effective dates. The template groups periods by measurement type and prohibits overlaps within that group. Leave the end blank only when the row should continue indefinitely.

5. Record features

In Features, select a feature type and whole-number value. These rows have no period control. Duplicate feature types are permitted unless a uniqueness rule is configured.

6. Save and use the record

Save the complete property, inspect Versions after a later correction, and attach evidence where appropriate. Select the property on transaction lines when the transaction definition calls for it. Capture financial amounts separately.

Illustrative period change: floor area 250.0000 ends on 30 September 2026; floor area 275.0000 begins on 1 October 2026. Ending and starting both rows on 1 October would overlap because endpoints are inclusive.

CORE TASKS

From policy to claim

Recommended template scenario for an organisation buying insurance. It is not an insurer accounting model.

1. Prepare the parties and items

Review vendor subledgers for insurer/broker, the legal policyholder, relevant resources and insurance dimensions. Insured items can reference supported asset subledgers or property objects.

2. Save the policy first

Create an Insurance policy with its policy number, parties, dates, currency and responsibility. Review Coverage, Insured Items, Premium Schedule and Endorsements. Save the policy and its insured-items grid before creating the claim.

3. Link a claim to that policy

Create an Insurance claim. Select the saved policy, enter incident details and cause, then select affected items from that policy's saved insured-items list. The server checks the same membership rule.

4. Track operational progress

Record the claim stage, assessment, approved amount, excess, events and settlement components. These fields describe the case. Stage changes do not generate transactions or calculate remaining limits and coverage eligibility.

5. Capture finance separately

The template offers premium invoice, credit, payment, allocation, accrual/reversal, recovery recognition, settlement receipt and premium refund types. Insurance lines require a policy; recovery/settlement lines also require a consistent claim. Amount handling follows the selected line definition; generated balancing lines supply their settlement amounts.

6. Apply the agreed accounting policy

Reporting or approving a claim is not by itself a reason to recognise a recovery. Capture loss, repair and asset-disposal transactions separately through the appropriate configuration. Review tax only when applicable; it is not inferred from the policy.

Template illustration: an annual property premium of 60000 can be demonstrated with monthly allocations of 5000. This is an example amount and schedule, not an automated allocation or a mandatory policy.

CORE TASKS

When something does not work

Start with the visible symptom and check the rule that actually controls it.

I cannot see a type or menu

Confirm organisation context, active status, module mapping and your role's module/resource access. Ask the administrator to verify your division and type permissions using your user context.

A referenced record is missing

Check the permitted class/type, access and any saved-parent-grid restriction. Save the source record first. After copying an organisation, reselect references that could not be matched in the destination.

Save says additional data is invalid

Review the named fields and grid rows. Check required values, allowed choices, text limits, decimal scale, row limits, uniqueness and period overlaps. A field that was valid before a schema change may now fail.

My period rows overlap

Check the configured grouping columns and inclusive endpoints. Close the old period the day before the next begins. The system does not close periods automatically; date-only observation grids behave differently.

The transaction will not validate

Check balancing, fiscal period, configured account/side, required subledger type, mandatory classifications and related-object consistency. Resolve the underlying data or configuration before repeating the workflow action.

I expected a calculation or a restore button

Recorded readings, valuations, premiums and charges are not automatic calculations. Versions are read-only snapshots. Reports of current grid rows are distinct from historical snapshots; discuss a specific reporting or calculation requirement with your administrator.

For useful support, provide the organisation, division, record/type code, action, exact validation message and expected result. Avoid including passwords or unrelated confidential record data.


ADMINISTRATOR SETUP

Define a business type

One configuration pattern serves many business types.

Definition

Review code, name, description, active status and the workflow path. Existing object-type codes are read-only in the captured editor.



Definition identifies the type and its workflow.


ADMINISTRATOR SETUP

Map a type to its modules

One configuration pattern serves many business types.

Scope and Roles

Scope maps the type to modules. Roles maps resource responsibilities. These mappings are separate from security permissions.



Scope controls module mappings.


ADMINISTRATOR SETUP

Design and preview a schema

One configuration pattern serves many business types.

Design

Schema JSON supplies custom attributes and presentation together. The preview uses the shared renderer. Preserve stable field keys when changing labels or order.



Design combines the schema definition and generated preview. The JSON area is scrollable.

SETUP REFERENCE

Organisations setup

Define the business context and base currency. A template is a reusable starting configuration; a normal organisation owns its own configuration and records.

Where to go

Setup > Organisation > Organisations


How to use it

Open Setup > Organisation > Organisations. Select a row to review it, or use + for a new organisation. Review the code, name and currency before saving. Use Copy Data only after deciding what configuration and records to include.

Business example

Example: establish a separate demonstration company and copy selected template configuration. Include required reference records so custom selectors resolve in the destination.

Copying remaps supported custom references by class, type code and record code. Missing destination matches are cleared. Source version history is not copied.



Live template: Organisations. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Divisions setup

Divisions organise ownership and scope within an organisation. The active division context is different from a record's owner division.

Where to go

Setup > Organisation > Divisions


How to use it

Open Divisions. Review the hierarchy, then select or add a division. Use the top division picker to choose your working context. Include child divisions data only when that is the scope you intend to inspect.

Business example

Example: use Construction, Trading and Administration divisions to separate responsibility within one organisation. This is an illustrative structure, not a template requirement.

Visibility still depends on permissions. A parent division or a menu selection is not a substitute for access to the underlying records.



Live template: Divisions. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Fiscal Year setup

Fiscal years and periods establish the calendar used for financial capture.

Where to go

Setup > Organisation > Fiscal Year


How to use it

Open Fiscal Year. Add or review a year, its start/end dates and period setup. Review individual periods and their status before transaction capture. Choose a fiscal period appropriate to the transaction date.

Business example

Example: configure the organisation's approved financial year, then review the period containing 5 October 2026. The template screenshot is empty: it is not ready for a journal merely because transaction types exist.

The shared period validator accepts open and soft_closed; closed or locked periods are rejected. Opening a period is an administrative decision, not a troubleshooting shortcut.



Live template: Fiscal Year. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Countries setup

Maintain shared country choices used in organisation records and reference data.

Where to go

Setup > Organisation > Countries


How to use it

Open Countries and review the configured codes and descriptions. Search before adding another entry. Maintain a consistent vocabulary across records and copied organisations.

Business example

Example: use one agreed country entry across address and regional details rather than multiple spelling variants.

A country choice does not automatically configure tax, currency conversion or legal reporting.



Live template: Countries. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Currencies setup

Maintain currency definitions used by the organisation and its configured data.

Where to go

Setup > Organisation > Currencies


How to use it

Open Currencies and review the configured codes and display information. Confirm the organisation's base currency separately in Organisations. Check custom amount fields for their configured precision and scale.

Business example

Example: keep ZAR as the template base currency and record a policy's currency code explicitly alongside its amounts.

A schema currencyCode label is presentation only. It does not perform exchange-rate conversion or store a second currency value automatically.



Live template: Currencies. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Tax Types setup

Tax types and their effective rates provide reusable tax configuration.

Where to go

Setup > Organisation > Tax Types


How to use it

Open Tax Types. Review the code, direction, active status and dated rate rows. Confirm the organisation's intended rate periods and transaction treatment before capturing tax lines.

Business example

Example: capture an applicable recoverable input-tax amount on a purchase type that offers an input-tax line. Review the actual source invoice and the organisation's authorised policy.

Configured tax types do not establish automatic tax determination, a tax return or legal compliance. Example postings here omit tax unless explicitly stated.



Live template: Tax Types. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Resource Roles setup

Resource roles describe business responsibility and assignment, such as manager, handler or contact.

Where to go

Setup > Organisation > Resource Roles


How to use it

Open Resource Roles and review available roles. On a relevant type, use its Roles configuration to map assignments and identify required roles. Maintain the Resources directory before using selectors.

Business example

Example: assign a responsible resource to an insurance policy and a handler to a claim where the organisation's mappings call for those responsibilities.

Resource roles are separate from security roles. Assigning responsibility does not itself grant permission to edit or approve records.



Live template: Resource Roles. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Financial Statement Formats setup

Formats define the intended layout and account mapping of financial statements.

Where to go

Setup > Organisation > Financial Statement Formats


How to use it

Open Financial Statement Formats. Select a format to inspect its configuration, then use Reports > Financial Statement with the correct format and period filters. Review mappings when the chart changes.

Business example

Example: compare the template Standard and Management income formats to understand presentation choices; validate account totals using ledger and trial-balance views.

A format name such as IFRS is a template label, not proof that the organisation's completed statements meet a reporting standard.



Live template: Financial Statement Formats. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Schema UI Tester setup

An interactive sandbox uses the same generated field renderer as record forms.

Where to go

Setup > Accounting Model > Schema UI Tester


How to use it

Open Schema UI Tester, inspect the sample definition and its rendered fields. Use it to explore supported field types and layout, then apply deliberate changes to the actual type's Design configuration.

Business example

Example: preview an integer feature count and a currency amount with two fractional places. Compare required fields and blank values in actual test records before release.

The tester is runtime-only. A visible preview does not save a type definition or prove server validation and reference access.



Live template: Schema UI Tester. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Modules setup

Modules group related types and transaction entries for navigation and access.

Where to go

Setup > Accounting Model > Modules


How to use it

Open Modules to review definitions. Review type Scope mappings and the security role's module membership together. Switch to the Modules menu to check the result in the intended user context.

Business example

Example: keep policy and claim types in Insurance Management while reusing vendor, asset and property records through their existing types.

Inventory and Intercompany exist in the canonical seed but were absent from the captured operational module menu. Check active configuration, mappings and access before promising those entries.



Live template: Modules. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

GL Account Types setup

GL account types classify the chart into categories such as asset, liability, equity, revenue and expense.

Where to go

Setup > Accounting Model > GL Account Types


How to use it

Open GL Account Types and review definitions. Create or edit the actual accounts under Technical > GL Accounts. Check subledger requirements at both account and transaction-line level.

Business example

Example: 1100 Accounts Receivable is an asset account whose detail uses customer subledgers in the template.

A GL account type is not a customer/vendor record. Keep the financial category, the GL account and account-level subledger distinct.



Live template: GL Account Types. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Subledger Account Types setup

A subledger type defines account-family behaviour, legal-entity requirements, custom fields and mappings.

Where to go

Setup > Accounting Model > Subledger Account Types


How to use it

Select a type, review Definition, Scope, Roles and Design as available, and inspect its generated preview. Confirm legal-entity requirements before creating sample records.

Business example

Example: a bank family stores bank/account information; an asset family stores useful-life and residual-value attributes. Each record keeps built-in identification separately.

The captured DEMO-INSURER vendor has no legal entity selected while its type requires one. Complete that relationship before saving it under the current type rule.



Live template: Subledger Account Types. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Accounting Object Types setup

Object types provide reusable business definitions for properties, contracts, projects, policies and other contexts.

Where to go

Setup > Accounting Model > Accounting Object Types


How to use it

Select a type. Review Definition for code/name/workflow, Scope for module mappings, Roles for assignments and Design for Schema JSON and preview. Type codes become read-only in the existing object-type editor.

Business example

Example: Property uses separate tabs for location, valuations, measurements and features. Reuse the shared renderer rather than making a separate property-only form.

A schema extends the class. It does not make a property object behave like a subledger or cause operational values to post automatically.



Live template: Accounting Object Types. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Accounting Dimension Types setup

Dimension types define shared classifications or reference vocabularies.

Where to go

Setup > Accounting Model > Accounting Dimension Types


How to use it

Review the definition, module mappings, workflow, role mappings and schema. Create actual selectable dimension records through Accounting Dimensions, then use references or transaction classifications.

Business example

Example: Measurement Unit supplies a shared choice such as a square-metre unit; Measurement Type describes what is measured.

A type without custom fields can still be a valid code/name classification. Add business fields only when requirements justify them.



CODE	NAME	DESCRIPTION	WORKFLOW	MODULES	ACTIVE	SEEDED
charge_component	Charge Component		Default workflow	Finance, Property Management	Yes	Yes
expense_type	Expense Type		Default workflow	Procurement, Finance	Yes	Yes
insurance_claim_cause	Insurance claim cause		Default workflow	Insurance Management	Yes	Yes
insurance_cover_type	Insurance cover type		Default workflow	Insurance Management	Yes	Yes
mscoa_costing	MSCOA Costing		Default workflow	Finance, Public Sector	Yes	Yes
mscoa_function	MSCOA Function		Default workflow	Finance, Public Sector	Yes	Yes
mscoa_fund	MSCOA Fund		Default workflow	Finance, Public Sector	Yes	Yes
mscoa_item	MSCOA Item		Default workflow	Finance, Public Sector	Yes	Yes
mscoa_outcome	MSCOA Outcome		Default workflow	Finance, Project Management, Public Sector	Yes	Yes
mscoa_project	MSCOA Project		Default workflow	Finance, Project Management, Public Sector	Yes	Yes
mscoa_region	MSCOA Region		Default workflow	Finance, Public Sector	Yes	Yes
measurement_type	Measurement Type		Default workflow	Finance, Asset Management, Property Management	Yes	Yes
measurement_unit	Measurement Unit		Default workflow	Finance, Asset Management, Property Management	Yes	Yes
property_feature_type	Property Feature Type		Default workflow	Finance, Asset Management, Property Management	Yes	Yes
revenue_type	Revenue Type		Default workflow	Sales, Finance	Yes	Yes
service	Service		Default workflow	Finance, Property Management	Yes	Yes
valuation_method	Valuation Method		Default workflow	Finance, Asset Management, Property Management	Yes	Yes

Live template: Accounting Dimension Types. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Transaction Groups setup

Groups organise transaction types into families such as Sales, Purchasing, Banking and Insurance.

Where to go

Setup > Transactions > Transaction Groups


How to use it

Review Transaction Groups, then inspect each Transaction Type in that family. Module mappings determine where the types are offered. A group without usable active types may not appear operationally.

Business example

Example: Sales groups Cash sale, Customer invoice and customer payment types. Their line definitions differ because capture purposes differ.

Creating a group does not create a usable financial transaction. Configure types and their line definitions as well.



Live template: Transaction Groups. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Transaction Types setup

Types supply a reusable capture pattern, including lines, account restrictions and analysis requirements.

Where to go

Setup > Transactions > Transaction Types


How to use it

Select a type. Review Definition, Scope and Line Definitions. Expand each line to review its GL account, debit/credit side, subledger requirement, occurrence/amount behaviour and object/dimension requirements.

Business example

Example: Customer invoice starts with a debit to 1100 Accounts Receivable and a credit to 4000 Sales Revenue. Capex purchases also support optional input tax and a generated balancing settlement line.

Required, optional and generated lines behave differently. Do not assume every amount is manually entered. Allow additional capture lines only where intended.



Live template: Transaction Types. This is the captured list/sandbox state; it is not evidence of a completed setup action.

SETUP REFERENCE

Workflows setup

Workflows define record states and transitions; permissions determine who can perform the corresponding actions.

Where to go

Setup > Transactions > Workflows


How to use it

Open Workflows, review paths, initial steps and transitions, and check which types use them. Test intended capture and approval roles separately in a suitable test organisation.

Business example

Example: a clerk captures and submits; an authorised approver approves according to the configured path. A record's operational claim stage is a separate custom field.

Workflow history, data versions and document history serve different purposes. Data Save does not automatically imply approval or financial posting.



Live template: Workflows. This is the captured list/sandbox state; it is not evidence of a completed setup action.


SETUP REFERENCE

Permissions and recovery

Access, responsibility and maintenance need separate checks.

Review security roles

Open Setup > Security > Permissions. Inspect role users, module membership and master/transaction permissions. The live Security Administrator description grants setup only, while ERP Administrator grants business access without setup administration.



The live roles list explicitly separates setup administration from business access.

Verify as the intended user

Check division, type, workflow and module access. An administrator's visible menu is not evidence of another user's access. Required resource assignments do not grant security permissions.

Initialise Schema

Use the deployment procedure for structure and supported additive template upgrades. It does not automatically give every non-template organisation new grids or permissions.

Initialise Template Org and ERP Reset

Full template seeding can overwrite template configuration. Reset is a destructive recovery function. Neither is a routine answer to a missing field, reference or permission.

These recovery actions were not executed during screenshot capture. The guide describes their source-documented purpose rather than demonstrating a reset.


REPORTING

Reading reports

Filters are part of the answer, not an afterthought.

Ledger Balances


Choose the intended organisation/division scope and available filters, then refresh. Use account-level movements and balances to reconcile the scenario. Check the selected period/date scope before comparing figures.



Live Ledger Balances filter/result view; the template has no posted example journals.

Trial Balance


Review the date/period range and division scope. Compare debit/credit movements and account balances under matching filters. A balanced total alone does not establish correct classifications.



Live Trial Balance. Empty/template results are not the illustrated business-case totals.

Financial Statement

Choose the format and fiscal context. Review configured account mappings and compare the underlying ledger when a result is unexpected.



Live Financial Statement filters; a suitable fiscal setup and posted activity are prerequisites for meaningful results.

Grid data versus versions

Current grid reporting uses each grid as its own dataset. Period filtering applies only to period-controlled grids; observations are not automatically reduced to a latest value. Historical values are inspected through saved version snapshots. Combining grids requires deliberate joins/aggregation.


RECORD DETAILS

Inspect policy coverage and items

Examples of operational details that have different meanings.

Policy coverage and items

Coverage and insured items can carry grouped effective periods. Blank end dates mean indefinitely. These record limits/relationships; they do not calculate remaining coverage.



Saved INS-PROPERTY-2026 insured-items grid. The right-hand columns require horizontal scrolling.


RECORD DETAILS

Inspect a claim assessment

Examples of operational details that have different meanings.

Assessment and settlement

The claim's assessment and settlement data describes its operational case. Financial recognition and receipts remain separate transactions.



INS-CLAIM-001 assessment: the example vehicle claim, distinct from the warehouse policy.


RECORD DETAILS

Inspect claim settlement components

Examples of operational details that have different meanings.

Settlement is operational evidence

Review the saved components and their recorded amounts. Check that they relate to the intended claim. This tab does not itself create a receipt or determine when a recovery should be recognised.



Claim settlement components. The figure is an operational record, not proof of a posted receipt.


RECORD DETAILS

Inspect saved record versions

Examples of operational details that have different meanings.

Versions

Snapshots are read-only and retain the schema saved with the record. Versioning does not restore a record or reconstruct pre-versioning changes.




Saved version list for the example claim.

BUSINESS MODULES

Sales

Record a sale on account, then a separate receipt.



Sales menu.

Business case: Customer invoice and part payment

1. Prepare

Create a customer legal entity and customer subledger, confirm an open fiscal period and use the sales type. Select the customer on the receivable line. If your line definitions require profit centre, contract or revenue type, select those classifications.

2. Capture or maintain

Save Draft, review both sides, then follow Submit and Approve as allowed by the configured workflow. Capture a separate Customer bank payment of 4000 using the same customer and the receiving bank subledger.

3. Check the result

The illustrated receivable after a 10000 invoice and 4000 receipt is 6000, before other activity. Check approved journals and the customer/account detail; do not treat the receipt as another sale.

The template does not establish a sales-order, dispatch or automatic invoice-allocation workflow merely by offering a Customer invoice transaction.

Template scope

Class	Mapped types
Subledger	Customer account, Cash Point
Object	Region, Profit Centre, Contract
Dimension	Revenue Type
Transactions	Cash sale, Customer invoice, Customer bank payment, Customer cash payment, POS cash transfer to safe, Safe cash transfer to POS, Till cash over, Till cash short


Illustrated transaction: Customer invoice

No-tax illustration: DEBIT 1100 Accounts Receivable 10,000.00 (Customer account); CREDIT 4000 Sales Revenue 10,000.00. Total debits and credits are 10,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

CRM

Keep a customer's business identity consistent across sales and relationship work.



CRM menu.

Business case: One customer, one shared identity

1. Prepare

Find the legal entity first. Reuse or create its customer subledger under Customer account. Review the generated Contact, Addresses or other available custom tabs, and choose a Region object if needed by your configuration.

2. Capture or maintain

Use the Account Manager resource role where mapped. Save the customer record once its required fields and assignments are complete. Use the same customer account in sales transactions.

3. Check the result

Search should find the agreed customer record and the legal-entity linkage should identify the intended party. A contact entry by itself has no financial effect.

CRM here reuses customer, region and resource records. The observed configuration does not demonstrate a lead/opportunity pipeline or campaign engine.


Template scope

Class	Mapped types
Subledger	Customer account
Object	Region
Dimension	No type mapped in this seed category
Transactions	Cash sale, Customer invoice, Customer bank payment, Customer cash payment

BUSINESS MODULES

Procurement

Record an obligation to a supplier and settle it through a separate payment.



Procurement menu.

Business case: Supplier purchase and partial payment

1. Prepare

Prepare the supplier legal entity and vendor account. Confirm the purchase type, expense account and any required expense-type/object classifications. Review applicable tax separately.

2. Capture or maintain

Capture Purchase on account for 8000. Review and approve through the configured workflow. Capture Supplier bank payment for 3000 against the same vendor and the actual paying bank.

3. Check the result

The illustrated outstanding payable is 5000 before other activity. Reconcile the supplier/control balance and inspect both approved journals.

A Purchase on account entry is financial capture. It does not by itself prove a purchase requisition, purchase-order, goods-received or three-way matching process.

Template scope

Class	Mapped types
Subledger	Vendor account, Capital Project (WIP/AUC)
Object	Region, Operational Project, Contract
Dimension	Expense Type
Transactions	Purchase on account, Municipal services invoice, Supplier bank payment, Supplier cash payment, Petty cash expense, Asset purchase bank, Asset purchase cash, Asset purchase on account, Depreciation, Capex purchase on account, Capex purchase from bank, Capex purchase from cash, Capex supplier credit note, Capex supplier refund to bank, Capex supplier refund to cash


Illustrated transaction: Purchase on account

No-tax illustration: DEBIT 5600 Purchase Expense 8,000.00; CREDIT 2000 Accounts Payable 8,000.00 (Vendor account). Total debits and credits are 8,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

HR & Payroll

Record a determined payroll amount against the correct employee subledger.



HR & Payroll menu.

Business case: Payroll accrual, then payment

1. Prepare

Create the employee account and required responsibility/classification records. Establish the payroll amount outside this example using the organisation's approved payroll process.

2. Capture or maintain

Capture Payroll accrual for 20000. Select the employee on the liability line and required cost-centre/other classifications if configured. Capture Payroll bank payment separately when the organisation authorises settlement.

3. Check the result

The expense and liability should reflect the approved accrual, with settlement reducing the liability. Inspect payroll/control detail and journals rather than inferring payment from an employee record.

Employee records and payroll transaction types are not an automatic gross-to-net calculation, statutory submission or payslip workflow.

Template scope

Class	Mapped types
Subledger	Employee
Object	Region, Cost Centre, Contract
Dimension	No type mapped in this seed category
Transactions	Payroll accrual, Payroll bank payment


Illustrated transaction: Payroll accrual

No-tax illustration: DEBIT 5200 Payroll Expense 20,000.00; CREDIT 2300 Payroll Liability 20,000.00 (Employee). Total debits and credits are 20,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

Finance

Use a small transaction to prove account, period, approval and reporting setup.



Finance menu.

Business case: Bank charge and reconciliation

1. Prepare

Confirm the bank subledger, fiscal period and bank-charge type. Review the current GL settings and the intended division.

2. Capture or maintain

Capture 250 through Bank charge. Review line accounts and selected bank. Save, submit and approve only under the intended workflow, then inspect Ledger Balances and Trial Balance.

3. Check the result

For this isolated illustration, bank charges increase by 250 and the bank credit movement is 250. Whole-organisation reports include other activity and need consistent filters.

Finance exposes many shared types. Classification fields do not automatically create arbitrary operational reports or complete year-end procedures.

Template scope

Class	Mapped types
Subledger	Bank account, Customer account, Vendor account, Employee, Cash Point, Asset, Capital Project (WIP/AUC), Loan account
Object	Property, Region, Operational Project, Cost Centre, Profit Centre, Contract, Utility Meter
Dimension	Revenue Type, Expense Type, MSCOA Fund, MSCOA Project, MSCOA Item, MSCOA Region, MSCOA Function, MSCOA Costing, MSCOA Outcome, Service, Charge Component, Measurement Type, Measurement Unit, Property Feature Type, Valuation Method
Transactions	43 transaction types across Sales, Purchasing, Banking, Cash Management, Tax, Payroll, Assets, Loans, Owner, Journals. See the transaction reference for every starting line.


Illustrated transaction: Bank charge

No-tax illustration: DEBIT 5100 Bank Charges 250.00; CREDIT 1010 Bank Clearing 250.00 (Bank account). Total debits and credits are 250.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

Treasury & Cash

Keep loan account detail separate from the receiving bank.



Treasury & Cash menu.

Business case: Receive loan funds

1. Prepare

Prepare bank and loan subledgers with their required legal entities. Review Loan received line definitions and the date/period.

2. Capture or maintain

Capture 50000: select the receiving bank on its line and the loan account on the payable line. Review and follow the configured approval process.

3. Check the result

The illustrated bank debit and loan liability credit are both 50000. Subsequent principal repayments and interest use distinct transaction types.

Loan attributes do not calculate an amortisation schedule or automate interest. Capturing an ERP journal does not initiate an external bank transfer.

Template scope

Class	Mapped types
Subledger	Bank account, Cash Point, Loan account
Object	No type mapped in this seed category
Dimension	No type mapped in this seed category
Transactions	Cash sale, Customer bank payment, Customer cash payment, Supplier bank payment, Supplier cash payment, Bank charge, Other bank receipt, Cash deposit to bank, Cash withdrawal from bank, POS cash transfer to safe, Safe cash transfer to POS, Cash deposit to bank, Cash withdrawal from bank, Petty cash issue, Petty cash replenishment, Petty cash expense, Till cash over, Till cash short, Safe cash over, Safe cash short, Asset purchase bank, Asset purchase cash, Loan received, Loan principal bank repayment, Loan interest bank payment, Owner deposit, Owner withdrawal, Capex purchase from bank, Capex purchase from cash, Capex supplier refund to bank, Capex supplier refund to cash


Illustrated transaction: Loan received

No-tax illustration: DEBIT 1010 Bank Clearing 50,000.00 (Bank account); CREDIT 2500 Loan Payable 50,000.00 (Loan account). Total debits and credits are 50,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

Tax

Capture an authorised amount using configured tax accounts.



Tax menu.

Business case: Accrue a determined tax liability

1. Prepare

Review Tax Types/rate periods and obtain the approved amount from the organisation's tax process. Confirm the Tax accrual transaction type and period.

2. Capture or maintain

Capture 1500 through Tax accrual, review the expense/payable lines and follow approval. Use Tax bank payment separately when settlement is authorised.

3. Check the result

This illustration records a 1500 liability; payment reduces that liability. Inspect the relevant GLs and approved journals.

The example illustrates configured capture, not tax advice, automatic tax determination or a return submission.

Template scope

Class	Mapped types
Subledger	No type mapped in this seed category
Object	No type mapped in this seed category
Dimension	No type mapped in this seed category
Transactions	Tax accrual, Tax bank payment

Illustrated transaction: Tax accrual

No-tax illustration: DEBIT 5400 Tax Expense 1,500.00; CREDIT 2400 Tax Payable 1,500.00. Total debits and credits are 1,500.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

Inventory

Separate an inventory account from a complete stock-management process.

Business case: Understand the current boundary

1. Prepare

The seed includes the Inventory module/group and GL 1200 Inventory, but no active Inventory operational menu was observed. Inspect Modules, groups and current transaction types before assigning a workflow.

2. Capture or maintain

For an illustrative 6000 inventory purchase, first agree a suitable transaction definition and analysis with the administrator. Do not use the general purchase expense pattern solely because it is available.

3. Check the result

A configured financial entry can establish inventory value. It does not establish quantity on hand, warehouse bins, item costing or stock movements.

No screenshot of an Inventory operational module is included because it was not visible. The guide documents this configuration gap rather than inventing a stock screen.

Template scope


Class	Mapped types
Subledger	No type mapped in this seed category
Object	No type mapped in this seed category
Dimension	No type mapped in this seed category
Transactions	No transaction types mapped by the current canonical seed

Live screen coverage: this module was absent from the captured operational menu. See Modules setup before configuring an actual workflow.

BUSINESS MODULES

Asset Management

Keep the asset account, business property and supplier distinct.



Asset Management menu.

Business case: Buy an asset on account

1. Prepare

Create the asset subledger and supplier/vendor record. Review useful-life and residual-value fields as attributes. If the transaction requires a property/contract or another object, create it separately.

2. Capture or maintain

Capture an Asset purchase on account for 12000 with the correct subledgers on asset/vendor lines. Use the type's tax options only when applicable. Review and follow approval.

3. Check the result

The illustration increases fixed-asset value and supplier liability by 12000 before tax/other lines. Depreciation is captured separately through its configured type.

Useful-life fields do not automatically run depreciation. Land, buildings, equipment and operational property records need an agreed organisation policy.

Template scope

Class	Mapped types
Subledger	Asset, Capital Project (WIP/AUC)
Object	Property, Contract
Dimension	Measurement Type, Measurement Unit, Property Feature Type, Valuation Method
Transactions	Asset purchase bank, Asset purchase cash, Asset purchase on account, Depreciation, Capex purchase on account, Capex purchase from bank, Capex purchase from cash, Capex supplier credit note, Capex supplier refund to bank, Capex supplier refund to cash


Illustrated transaction: Asset purchase on account

No-tax illustration: DEBIT 1300 Fixed Assets 12,000.00; CREDIT 2000 Accounts Payable 12,000.00 (Vendor account). Total debits and credits are 12,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

Project Management

Record capital work in progress without confusing it with an operational project object.



Project Management menu.

Business case: Build a capital project

1. Prepare

Prepare a Capital Project (WIP/AUC) subledger, vendor account and relevant team/contract/project classifications. Use Operational Project for a different business context when appropriate.

2. Capture or maintain

Capture Capex purchase on account with 15000 on the WIP debit line. If input tax applies, capture it separately; the settlement line is generated to balance under the configured definition. Review all required classifications.

3. Check the result

For a no-tax illustration, WIP increases by 15000 and the payable is 15000. A later asset settlement needs an appropriate configured transaction; a milestone row does not settle WIP.

Project milestones, participants and budgets capture operational detail. They do not constitute automatic project scheduling or asset-capitalisation logic.

Template scope

Class	Mapped types
Subledger	Capital Project (WIP/AUC)
Object	Team, Operational Project
Dimension	MSCOA Project, MSCOA Outcome
Transactions	Capex purchase on account, Capex purchase from bank, Capex purchase from cash, Capex supplier credit note, Capex supplier refund to bank, Capex supplier refund to cash


Illustrated transaction: Capex purchase on account

No-tax illustration: DEBIT 1320 Capital Work in Progress (Assets Under Construction) 15,000.00 (Capital Project (WIP/AUC)); CREDIT 2000 Accounts Payable 15,000.00 (Vendor account). Total debits and credits are 15,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

Contract Management

Capture commercial facts and effective charge periods in one operational record.



Contract Management menu.

Business case: Maintain a fixed-charge contract

1. Prepare

Create a Contract object with its required contract number, dates, parties and currency details. Review Fixed charges, Parties and Milestones tabs from the template schema.

2. Capture or maintain

Illustration: record a 2500 monthly fixed charge with the relevant component and effective dates. When changing a period-controlled charge, close the prior period before the new one starts if overlap is prohibited.

3. Check the result

The contract record should show the intended charge rows and a saved snapshot. A separately captured financial transaction is needed for billing or recognition.

Renewal dates and charge rows do not automatically schedule reminders, calculate totals or generate invoices.


Template scope

Class	Mapped types
Subledger	No type mapped in this seed category
Object	Contract
Dimension	No type mapped in this seed category
Transactions	No transaction types mapped by the current canonical seed

BUSINESS MODULES

Property Management

Keep observation data separate from effective-period data and billed amounts.



Property Management menu.

Business case: Record a valuation and meter evidence

1. Prepare

Open Property and review measurements/features. Prepare measurement, unit, feature and valuation-method dimensions. Create a Utility Meter object for the intended installed meter and inspect its readings/installations grids.

2. Capture or maintain

Illustration: record a market observation of 5000000 on 5 October 2026, and a measured area of 250.0000 with its effective period. Record cumulative meter readings as observations rather than entering consumption as if it were calculated automatically.

3. Check the result

Check the selected references, dates and saved versions. A Municipal services invoice is separate financial capture; its amount should come from the source invoice and approved treatment.

There is no automatic consumption, valuation selection or billing calculation. Measurement groups can prohibit overlaps; market-value observations do not use that same period rule.

Template scope

Class	Mapped types
Subledger	No type mapped in this seed category
Object	Property, Utility Meter
Dimension	Service, Charge Component, Measurement Type, Measurement Unit, Property Feature Type, Valuation Method
Transactions	Municipal services invoice

BUSINESS MODULES

Intercompany

An intercompany group needs a defined capture and reconciliation policy.

Business case: Configure the relationship first

1. Prepare

The canonical seed includes Intercompany but the operational menu was absent. Identify the two organisations, the intended account relationships and the authorised reciprocal posting process.

2. Capture or maintain

For an illustrative 10000 intercompany charge, agree and configure suitable transaction types on both sides before capture. Review mapping, currency and period requirements. This guide does not prescribe an account pairing absent from the template.

3. Check the result

Reconcile the intended reciprocal entries under matching scopes. Creating an object/reference in one organisation does not automatically create a matching journal in another.

No automatic reciprocal posting or consolidation workflow was verified. There is no live Intercompany module screenshot to imply otherwise.

Template scope


Class	Mapped types
Subledger	No type mapped in this seed category
Object	No type mapped in this seed category
Dimension	No type mapped in this seed category
Transactions	No transaction types mapped by the current canonical seed

Live screen coverage: this module was absent from the captured operational menu. See Modules setup before configuring an actual workflow.

BUSINESS MODULES

Public Sector

Capture public-sector analysis without treating seeded vocabularies as a complete compliance solution.



Public Sector menu.

Business case: Use shared classification dimensions

1. Prepare

Review the MSCOA Fund, Project, Item, Region, Function, Costing and Outcome dimension types and their actual records. Configure transaction-line requirements for the scenario that needs them.

2. Capture or maintain

Illustration: classify an approved service-related expense of 2000 by the required fund, item, function and project. Use the organisation's approved account and transaction definition; complete mandatory selectors on every applicable line.

3. Check the result

Inspect the approved journal's classifications. A dimension code/name supplies the selected vocabulary; reporting must use the appropriate mappings and datasets.

Seeded MSCOA type names are not proof of current regulatory-code completeness or compliant statutory reporting. Apply the organisation's maintained standard.


Template scope

Class	Mapped types
Subledger	No type mapped in this seed category
Object	No type mapped in this seed category
Dimension	MSCOA Fund, MSCOA Project, MSCOA Item, MSCOA Region, MSCOA Function, MSCOA Costing, MSCOA Outcome
Transactions	No transaction types mapped by the current canonical seed

BUSINESS MODULES

Corporate Administration

Distinguish equity funding from revenue.



Corporate Administration menu.

Business case: Record an owner contribution

1. Prepare

Confirm the organisation, owner-related legal identity, receiving bank and the Owner deposit definition. Use authorised documentation for the contribution.

2. Capture or maintain

Capture 100000 through Owner deposit, select the receiving bank and review the equity credit. Follow the organisation's approval process. Use Owner withdrawal separately for its intended scenario.

3. Check the result

The illustrated bank debit and owner-equity credit are 100000. This funding entry does not create sales revenue.

An ERP entry does not execute the bank movement or determine its legal character; obtain the organisation's approved classification.

Template scope

Class	Mapped types
Subledger	No type mapped in this seed category
Object	No type mapped in this seed category
Dimension	No type mapped in this seed category
Transactions	Owner deposit, Owner withdrawal


Illustrated transaction: Owner deposit

No-tax illustration: DEBIT 1010 Bank Clearing 100,000.00 (Bank account); CREDIT 3000 Owner Equity 100,000.00. Total debits and credits are 100,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

BUSINESS MODULES

Insurance Management

Use the saved policy to constrain affected-item selection.



Insurance Management menu.

Business case: Annual premium and claim linkage

1. Prepare

Inspect INS-PROPERTY-2026 for the annual warehouse example. Review insurer/broker vendors and legal policyholder; complete legal-entity links on vendors before saving where required. Save the policy and insured-items list before adding a claim.

2. Capture or maintain

Review INS-CLAIM-001: it is the separate vehicle example and must remain linked to the vehicle/equipment policy, not the warehouse policy. Inspect affected items, assessment, events and settlement tabs. For the warehouse illustration, a 60000 annual premium can be allocated in 5000 monthly entries.

3. Check the result

Allocation debits insurance premium expense and credits prepaid insurance in the template. Recovery/receipt types also require a matching claim/policy pair. Claim-stage updates themselves create no journal.

The model does not calculate coverage at incident date, remaining aggregate limits, excesses, renewal notices or insurer accounting. Recognise a recovery only under the organisation's approved accounting policy.

Template scope

Class	Mapped types
Subledger	No type mapped in this seed category
Object	Insurance policy, Insurance claim
Dimension	Insurance cover type, Insurance claim cause
Transactions	Premium invoice, Premium credit, Premium payment, Premium allocation, Premium accrual, Premium accrual reversal, Claim recovery recognition, Claim settlement receipt, Premium refund receipt

Illustrated transaction: Premium allocation

No-tax illustration: DEBIT 5760 Insurance Premium Expense 5,000.00; CREDIT 1250 Prepaid Insurance 5,000.00. Total debits and credits are 5,000.00 each. Enter ordinary amounts; a generated balancing settlement line supplies its amount. Review classifications and optional lines separately.

CLASS & FIELD REFERENCE

Every template type

The following inventory is generated from the canonical seed. It describes recommended fields, not mandatory configuration for every organisation.

Reading the catalogue

Built-in code, name, organisation and owner division are outside custom schemas. Object identification also includes parent/validity fields. Required below means required by this recommended custom schema. Each grid lists its own row requirements separately. IDs/references are stored as identifiers, not the displayed names.

Custom value conventions

Type	What to enter / expect
integer	Whole number; no fractional value.
decimal / currency	Ungrouped decimal text; configured scale is enforced, not rounded. Currency labels do not convert amounts.
reference	Choose an accessible eligible ERP record. Mixed-class references preserve class plus ID.
grid	Add/remove rows, complete required columns, then save the parent record.
object / array	Raw JSON editor; arbitrary nested generated forms/validation are not implemented.

SUBLEDGER TYPES

Bank account

A bank account used for account-level bank movements and financial detail.

Stable type code: bank | Modules: Treasury & Cash, Finance

Recommended type requires a legal entity: Yes. Confirm current organisation settings before Save.

Custom tabs: Bank, Account, International, Contacts, Banking terms

Field / storage key	Type	Template rule
Bank Name bankName	text	Optional; max length 150
Branch Name branchName	text	Optional; max length 150
Branch Code branchCode	short_text	Optional; max length 30
Account Number accountNumber	short_text	Optional; max length 34
Account Name accountName	text	Optional; max length 150
Account Type accountType	select	Optional; max length 150; choices: current, savings, transmission, credit, other
SWIFT Code swiftCode	short_text	Optional; max length 11
IBAN iban	short_text	Optional; max length 34
Currency Code currencyCode	short_text	Optional; max length 3
Contacts contacts	grid	Optional
Banking terms bankingTerms	grid	Optional

Contacts rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Contact name name	text	Required; max length 150
Role role	text	Optional; max length 150
Email email	email	Optional; max length 254
Phone phone	short_text	Optional; max length 30

Banking terms rows

Effective period: effectiveFrom to effectiveTo; group by termType; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Term type termType	select	Required; choices: service_fee, interest, overdraft
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Value value	decimal	Required; min 0; precision 14; scale 4
Value unit unit	select	Required; choices: percent, amount
Currency currencyCode	short_text	Optional; max length 3

SUBLEDGER TYPES

Customer account

A customer account used with receivables and customer receipts.

Stable type code: customer | Modules: Sales, CRM, Finance

Recommended type requires a legal entity: Yes. Confirm current organisation settings before Save.

Custom tabs: General, Contact, Credit, Contacts, Addresses, Commercial terms

Field / storage key	Type	Template rule
Customer Type customerType	text	Optional; max length 150
Registration Number registrationNumber	short_text	Optional; max length 30
Tax Number taxNumber	short_text	Optional; max length 30
Email email	email	Optional; max length 254
Phone phone	short_text	Optional; max length 30
Billing Address billingAddress	long_text	Optional; max length 4000
Payment Terms paymentTerms	text	Optional; max length 150
Credit Limit creditLimit	currency	Optional; min 0; precision 14; scale 2
Currency Code currencyCode	short_text	Optional; max length 3
Contacts contacts	grid	Optional
Addresses addresses	grid	Optional
Commercial terms commercialTerms	grid	Optional

Contacts rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Contact name name	text	Required; max length 150
Role role	text	Optional; max length 150
Email email	email	Optional; max length 254
Phone phone	short_text	Optional; max length 30

Addresses rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Address type addressType	select	Required; choices: billing, delivery, postal, other
Address address	long_text	Required; max length 4000

Commercial terms rows

Effective period: effectiveFrom to effectiveTo; group by termType; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Term type termType	select	Required; choices: credit_limit, payment_days, discount_percent
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Value value	decimal	Required; min 0; precision 14; scale 2
Currency currencyCode	short_text	Optional; max length 3

SUBLEDGER TYPES

Vendor account

A supplier account used with payables and supplier settlements.

Stable type code: vendor | Modules: Procurement, Finance

Recommended type requires a legal entity: Yes. Confirm current organisation settings before Save.

Custom tabs: General, Contact, Payment, Contacts, Addresses, Payment accounts

Field / storage key	Type	Template rule
Vendor Type vendorType	select	Optional; max length 150; choices: goods_supplier, service_provider, contractor, utility_provider, government_tax, other
Registration Number registrationNumber	short_text	Optional; max length 30
Tax Number taxNumber	short_text	Optional; max length 30
Email email	email	Optional; max length 254
Phone phone	short_text	Optional; max length 30
Payment Terms paymentTerms	text	Optional; max length 150
Bank Account Name bankAccountName	text	Optional; max length 150
Bank Account Number bankAccountNumber	short_text	Optional; max length 34
Currency Code currencyCode	short_text	Optional; max length 3
Bank Name bankName	text	Optional; max length 150
Bank Account Type bankAccountType	select	Optional; choices: current, savings, transmission, credit, other
Contacts contacts	grid	Optional
Addresses addresses	grid	Optional
Payment accounts paymentAccounts	grid	Optional

Contacts rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Contact name name	text	Required; max length 150
Role role	text	Optional; max length 150
Email email	email	Optional; max length 254

Column / storage key	Type	Template rule
Phone phone	short_text	Optional; max length 30

Addresses rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Address type addressType	select	Required; choices: billing, delivery, postal, other
Address address	long_text	Required; max length 4000

Payment accounts rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Bank bankName	text	Required; max length 150
Account name accountName	text	Required; max length 150
Account number accountNumber	short_text	Required; max length 34
Currency currencyCode	short_text	Required; max length 3

SUBLEDGER TYPES

Employee

An employee account for configured payroll financial detail.

Stable type code: employee | Modules: HR & Payroll, Finance

Recommended type requires a legal entity: No. Confirm current organisation settings before Save.

Custom tabs: Personal, Contact, Employment, Qualifications, Employment assignments

Field / storage key	Type	Template rule
Employee Number employeeNumber	short_text	Optional; max length 30
First Name firstName	text	Optional; max length 150
Last Name lastName	text	Optional; max length 150
ID Number idNumber	short_text	Optional; max length 30
Email email	email	Optional; max length 254
Phone phone	short_text	Optional; max length 30
Job Title jobTitle	text	Optional; max length 150
Department department	text	Optional; max length 150
Start Date startDate	date	Optional
End Date endDate	date	Optional
Qualifications qualifications	grid	Optional
Employment assignments employmentAssignments	grid	Optional

Qualifications rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Qualification qualification	text	Required; max length 150
Institution institution	text	Optional; max length 150
Award date awardDate	date	Optional
Expiry date expiryDate	date	Optional

Employment assignments rows

Effective period: effectiveFrom to effectiveTo; group by team, department, role; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Team team	reference	Optional; reference: {"class":"accounting_object","types":["team"]}
Department department	text	Optional; max length 150
Role role	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional

SUBLEDGER TYPES

Cash Point

A till, safe, petty-cash or other configured cash location.

Stable type code: cash_point | Modules: Treasury & Cash, Sales, Finance

Recommended type requires a legal entity: No. Confirm current organisation settings before Save.

Custom tabs: General, Operation, Control, Responsibilities, Operating hours

Field / storage key	Type	Template rule
Location Name locationName	text	Optional; max length 150
Location Code locationCode	short_text	Optional; max length 30
Responsible Person responsiblePerson	text	Optional; max length 150
Site Name siteName	text	Optional; max length 150
Reconciliation Frequency reconciliationFrequency	text	Optional; max length 150
Currency Code currencyCode	short_text	Optional; max length 3
Active From activeFrom	date	Optional
Active To activeTo	date	Optional
Notes notes	long_text	Optional; max length 4000
Responsibilities responsibilities	grid	Optional
Operating hours operatingHours	grid	Optional

Responsibilities rows

Effective period: effectiveFrom to effectiveTo; group by resource, responsibility; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Resource resource	reference	Required; reference: {"class":"resource"}
Responsibility responsibility	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional

Operating hours rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Weekday weekday	select	Required; choices: mon, tue, wed, thu, fri, sat, sun
Opens opens	short_text	Required; max length 5
Closes closes	short_text	Required; max length 5

SUBLEDGER TYPES

Asset

An individual asset account used for financial detail and asset attributes.

Stable type code: asset | Modules: Asset Management, Finance

Recommended type requires a legal entity: No. Confirm current organisation settings before Save.

Custom tabs: General, Dates, Assignment, Depreciation, Market values, Components, Measurements

Field / storage key	Type	Template rule
Asset Tag assetTag	short_text	Optional; max length 30
Asset Category assetCategory	text	Optional; max length 150
Serial Number serialNumber	short_text	Optional; max length 30
Purchase Date purchaseDate	date	Optional
Commission Date commissionDate	date	Optional
Custodian custodian	text	Optional; max length 150
Location location	text	Optional; max length 150
Depreciation Method depreciationMethod	text	Optional; max length 150
Useful Life Months usefulLifeMonths	integer	Optional; min 0
Residual Value residualValue	currency	Optional; min 0; precision 14; scale 2
Market values marketValues	grid	Optional
Components components	grid	Optional
Measurements measurements	grid	Optional

Market values rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Valuation date valuationDate	date	Required
Market value amount	currency	Required; min 0; precision 14; scale 2
Currency currencyCode	short_text	Required; max length 3
Valuation method method	reference	Optional; reference: {"class":"accounting_dimension","types":["valuation_method"]}
Valuer valuer	reference	Optional; reference: {"class":"resource"}

Column / storage key	Type	Template rule
Notes notes	long_text	Optional; max length 4000

Components rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Component code componentCode	short_text	Required; max length 30
Description description	text	Required; max length 150
Condition condition	select	Optional; choices: good, fair, poor
Responsible resource responsibleResource	reference	Optional; reference: {"class":"resource"}

Measurements rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Measurement date measurementDate	date	Required
Measurement type measurementType	reference	Required; reference: {"class":"accounting_dimension","types":["measurement_type"]}
Quantity quantity	decimal	Required; min 0; precision 14; scale 4
Unit unit	reference	Required; reference: {"class":"accounting_dimension","types":["measurement_unit"]}

SUBLEDGER TYPES

Capital Project (WIP/AUC)

A capital-work-in-progress account; distinct from an operational project object.

Stable type code: capex_project | Modules: Asset Management, Project Management, Procurement, Finance

Recommended type requires a legal entity: No. Confirm current organisation settings before Save.

Custom tabs: General, Dates, Budget, Milestones, Budget breakdown, Participants

Field / storage key	Type	Template rule
Project Code projectCode	short_text	Optional; max length 30
Project Type projectType	text	Optional; max length 150
Project Manager projectManager	text	Optional; max length 150
Start Date startDate	date	Optional
End Date endDate	date	Optional
Budget Amount budgetAmount	currency	Optional; min 0; precision 14; scale 2
Currency Code currencyCode	short_text	Optional; max length 3
Status status	text	Optional; max length 150
Milestones milestones	grid	Optional
Budget breakdown budgetBreakdown	grid	Optional
Participants participants	grid	Optional

Milestones rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Milestone milestone	text	Required; max length 150
Target date targetDate	date	Required
Status status	select	Optional; choices: planned, in_progress, complete
Notes notes	long_text	Optional; max length 4000

Budget breakdown rows

Effective period: effectiveFrom to effectiveTo; group by category; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Budget category category	text	Required; max length 150

Column / storage key	Type	Template rule
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Planned amount amount	currency	Required; min 0; precision 14; scale 2
Currency currencyCode	short_text	Required; max length 3

Participants rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Resource resource	reference	Required; reference: {"class":"resource"}
Project role role	text	Required; max length 150
Responsibilities notes	long_text	Optional; max length 4000

SUBLEDGER TYPES

Loan account

A loan account for configured borrowing and settlement detail.

Stable type code: loan | Modules: Treasury & Cash, Finance

Recommended type requires a legal entity: Yes. Confirm current organisation settings before Save.

Custom tabs: General, Dates, Terms, Interest terms, Repayment schedule, Securities

Field / storage key	Type	Template rule
Loan Number loanNumber	short_text	Optional; max length 30
Loan Type loanType	text	Optional; max length 150
Counterparty Role counterpartyRole	text	Optional; max length 150
Start Date startDate	date	Optional
Maturity Date maturityDate	date	Optional
Principal Amount principalAmount	currency	Optional; min 0; precision 14; scale 2
Interest Rate interestRate	decimal	Optional; min 0; precision 14; scale 4
Currency Code currencyCode	short_text	Optional; max length 3
Interest terms interestTerms	grid	Optional
Repayment schedule repaymentSchedule	grid	Optional
Securities securities	grid	Optional

Interest terms rows

Effective period: effectiveFrom to effectiveTo; group by rateComponent; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Rate component rateComponent	select	Required; choices: fixed, base, margin
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Annual rate (%) ratePercent	decimal	Required; min 0; precision 14; scale 4

Repayment schedule rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Due date dueDate	date	Required
Planned principal principal	currency	Optional; min 0; precision 14; scale 2
Planned interest interest	currency	Optional; min 0; precision 14; scale 2
Currency currencyCode	short_text	Required; max length 3

Securities rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Security type securityType	text	Required; max length 150
Property property	reference	Optional; reference: {"class":"accounting_object","types":["property"]}
Description description	text	Optional; max length 150
Security value amount	currency	Optional; min 0; precision 14; scale 2
Currency currencyCode	short_text	Optional; max length 3

ACCOUNTING OBJECT TYPES

Property

A property business record with location, valuations, measurements and features.

Stable type code: property | Modules: Property Management, Asset Management, Finance

Custom tabs: General, Location, Market values, Measurements, Features

Field / storage key	Type	Template rule
Property Kind propertyKind	select	Optional; choices: land, site, building, floor, room, wing, leased_store, other
Ownership Status ownershipStatus	select	Optional; choices: owned, leased, managed, right_of_use, other
Usage usage	text	Optional; max length 150
Cadastral / Erf Reference cadastralReference	short_text	Optional; max length 30
Physical Address physicalAddress	long_text	Optional; max length 4000
Area (sqm) areaSqm	decimal	Optional; min 0; precision 14; scale 4
Market values marketValues	grid	Optional
Measurements measurements	grid	Optional
Features features	grid	Optional

Market values rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Valuation date valuationDate	date	Required
Market value amount	currency	Required; min 0; precision 14; scale 2
Currency currencyCode	short_text	Required; max length 3
Valuation method method	reference	Optional; reference: {"class":"accounting_dimension","types":["valuation_method"]}
Valuer valuer	reference	Optional; reference: {"class":"resource"}
Notes notes	long_text	Optional; max length 4000

Measurements rows

Effective period: effectiveFrom to effectiveTo; group by dimensionType; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Dimension type dimensionType	reference	Required; reference: {"class":"accounting_dimension","types":["measurement_type"]}
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Quantity quantity	decimal	Required; min 0; precision 14; scale 4
Unit unit	reference	Required; reference: {"class":"accounting_dimension","types":["measurement_unit"]}

Features rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Feature type featureType	reference	Required; reference: {"class":"accounting_dimension","types":["property_feature_type"]}
Value value	integer	Required; min 0

ACCOUNTING OBJECT TYPES

Team

A team business record with members and responsibilities.

Stable type code: team | Modules: Project Management

Custom tabs: Members, Responsibilities

Field / storage key	Type	Template rule
Members members	grid	Optional
Responsibilities responsibilities	grid	Optional

Members rows

Effective period: effectiveFrom to effectiveTo; group by resource, role; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Resource resource	reference	Required; reference: {"class":"resource"}
Team role role	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Responsibilities notes	long_text	Optional; max length 4000

Responsibilities rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Responsibility type responsibilityType	text	Required; max length 150
Description description	long_text	Optional; max length 4000

ACCOUNTING OBJECT TYPES

Region

An organisational/geographic business context; distinct from MSCOA Region.

Stable type code: region | Modules: Sales, CRM, Procurement, HR & Payroll, Finance

Custom tabs: General, External mappings, Contacts

Field / storage key	Type	Template rule
Region Level regionLevel	select	Optional; choices: national, province, district, municipality, ward, service_area, other
Country Code countryCode	short_text	Optional; max length 2
Responsible Person responsiblePerson	text	Optional; max length 150
External mappings externalIdentifiers	grid	Optional
Contacts contacts	grid	Optional

External mappings rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Coding system codingSystem	short_text	Required; max length 30
External code externalCode	short_text	Required; max length 30
Description description	text	Optional; max length 150

Contacts rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Contact name name	text	Required; max length 150
Role role	text	Optional; max length 150
Email email	email	Optional; max length 254
Phone phone	short_text	Optional; max length 30

ACCOUNTING OBJECT TYPES

Operational Project

An operational project with budget, milestones and participants.

Stable type code: opex_project | Modules: Project Management, Procurement, Finance

Custom tabs: General, Dates and Budget, Milestones, Budget breakdown, Participants

Field / storage key	Type	Template rule
Project Category projectCategory	short_text	Optional; max length 30
Sponsor sponsor	text	Optional; max length 150
Project Manager projectManager	text	Optional; max length 150
Start Date startDate	date	Optional
End Date endDate	date	Optional
Budget Amount budgetAmount	currency	Optional; min 0; precision 14; scale 2
Milestones milestones	grid	Optional
Budget breakdown budgetBreakdown	grid	Optional
Participants participants	grid	Optional

Milestones rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Milestone milestone	text	Required; max length 150
Target date targetDate	date	Required
Status status	select	Optional; choices: planned, in_progress, complete
Notes notes	long_text	Optional; max length 4000

Budget breakdown rows

Effective period: effectiveFrom to effectiveTo; group by category; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Budget category category	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional

Column / storage key	Type	Template rule
Planned amount amount	currency	Required; min 0; precision 14; scale 2
Currency currencyCode	short_text	Required; max length 3

Participants rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Resource resource	reference	Required; reference: {"class":"resource"}
Project role role	text	Required; max length 150
Responsibilities notes	long_text	Optional; max length 4000

ACCOUNTING OBJECT TYPES

Cost Centre

A responsibility context for costs, planning targets and activities.

Stable type code: cost_centre | Modules: Finance, HR & Payroll

Custom tabs: General, Responsibilities, Planning targets

Field / storage key	Type	Template rule
Cost Centre Class costCentreClass	short_text	Optional; max length 30
Manager manager	text	Optional; max length 150
Purpose purpose	long_text	Optional; max length 4000
Responsibilities responsibilities	grid	Optional
Planning targets planningTargets	grid	Optional

Responsibilities rows

Effective period: effectiveFrom to effectiveTo; group by resource, responsibility; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Resource resource	reference	Required; reference: {"class":"resource"}
Responsibility responsibility	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional

Planning targets rows

Effective period: effectiveFrom to effectiveTo; group by targetType; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Target type targetType	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Target quantity quantity	decimal	Optional; min 0; precision 14; scale 2
Unit unit	reference	Optional; reference: {"class":"accounting_dimension","types":["measurement_unit"]}
Target amount amount	currency	Optional; min 0; precision 14; scale 2

Column / storage key	Type	Template rule
Currency currencyCode	short_text	Optional; max length 3

ACCOUNTING OBJECT TYPES

Profit Centre

A responsibility context for revenue and performance analysis.

Stable type code: profit_centre | Modules: Finance, Sales

Custom tabs: General, Responsibilities, Planning targets

Field / storage key	Type	Template rule
Profit Centre Class profitCentreClass	short_text	Optional; max length 30
Manager manager	text	Optional; max length 150
Revenue Responsibility revenueResponsibility	long_text	Optional; max length 4000
Responsibilities responsibilities	grid	Optional
Planning targets planningTargets	grid	Optional

Responsibilities rows

Effective period: effectiveFrom to effectiveTo; group by resource, responsibility; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Resource resource	reference	Required; reference: {"class":"resource"}
Responsibility responsibility	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional

Planning targets rows

Effective period: effectiveFrom to effectiveTo; group by targetType; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Target type targetType	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Target quantity quantity	decimal	Optional; min 0; precision 14; scale 2
Unit unit	reference	Optional; reference: {"class":"accounting_dimension","types":["measurement_unit"]}
Target amount amount	currency	Optional; min 0; precision 14; scale 2

Column / storage key	Type	Template rule
Currency currencyCode	short_text	Optional; max length 3

ACCOUNTING OBJECT TYPES

Contract

A commercial arrangement with dates, parties, fixed charges and milestones.

Stable type code: contract | Modules: Contract Management, Sales, Procurement, HR & Payroll, Asset Management, Finance

Custom tabs: General, Dates, Value, Fixed charges, Parties, Milestones

Field / storage key	Type	Template rule
Contract Number contractNumber	short_text	Optional; max length 30
Contract Type contractType	select	Optional; choices: lease_in, lease_out, service_provision, service_contract, supply_contract, grant_agreement, maintenance_contract, rental_agreement, other
Counterparty Name counterpartyName	text	Optional; max length 150
Start Date startDate	date	Optional
End Date endDate	date	Optional
Renewal Date renewalDate	date	Optional
Contract Value contractValue	currency	Optional; min 0; precision 14; scale 2
Currency Code currencyCode	short_text	Optional; max length 3
Responsible Person responsiblePerson	text	Optional; max length 150
Fixed charges fixedCharges	grid	Optional
Parties parties	grid	Optional
Milestones milestones	grid	Optional

Fixed charges rows

Effective period: effectiveFrom to effectiveTo; group by chargeComponent; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Charge component chargeComponent	reference	Required; reference: {"class":"accounting_dimension","types":["charge_component"]}
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Amount amount	currency	Required; min 0; precision 14; scale 2
Currency currencyCode	short_text	Required; max length 3

Column / storage key	Type	Template rule
Frequency frequency	select	Required; choices: once, monthly, quarterly, annually

Parties rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Party party	reference	Required; reference: {"class":"legal_entity"}
Role role	select	Required; choices: customer, supplier, landlord, tenant, guarantor, other
Notes notes	long_text	Optional; max length 4000

Milestones rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Milestone milestone	text	Required; max length 150
Target date targetDate	date	Required
Status status	select	Optional; choices: planned, in_progress, complete
Notes notes	long_text	Optional; max length 4000

ACCOUNTING OBJECT TYPES

Utility Meter

A meter record with dated cumulative readings and installation information.

Stable type code: utility_meter | Modules: Property Management, Finance

Custom tabs: Readings, Installations

Field / storage key	Type	Template rule
Readings readings	grid	Optional
Installations installations	grid	Optional

Readings rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Reading date/time readingDateTime	date_time	Required
Register type registerType	select	Required; choices: import, export, total
Cumulative reading reading	decimal	Required; min 0; precision 14; scale 4
Unit unit	reference	Required; reference: {"class":"accounting_dimension","types":["measurement_unit"]}
Reading method method	select	Required; choices: actual, estimated
Meter event event	select	Optional; choices: normal, reset, rollover, replacement
Notes notes	long_text	Optional; max length 4000

Installations rows

Effective period: effectiveFrom to effectiveTo; group by installationSlot; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Installation slot installationSlot	short_text	Required; max length 30
Property property	reference	Required; reference: {"class":"accounting_object","types":["property"]}
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Notes notes	long_text	Optional; max length 4000

ACCOUNTING OBJECT TYPES

Insurance policy

A purchased insurance policy with coverage, items, premium schedule and endorsements.

Stable type code: insurance_policy | Modules: Insurance Management

Custom tabs: Policy, Terms, Coverage, Insured items, Premium schedule, Endorsements

Field / storage key	Type	Template rule
Policy number policyNumber	short_text	Required; max length 50
Insurer insurer	reference	Required; reference: {"class":"subledger_account","types":["vendor"]}
Broker broker	reference	Optional; reference: {"class":"subledger_account","types":["vendor"]}
Policyholder policyholder	reference	Required; reference: {"class":"legal_entity"}
Responsible resource responsibleResource	reference	Optional; reference: {"class":"resource"}
Start date startDate	date	Required
Expiry date expiryDate	date	Required
Renewal review date renewalReviewDate	date	Optional
Currency currencyCode	short_text	Required; max length 3
Payment frequency paymentFrequency	select	Optional; choices: annual, quarterly, monthly, other
Cancellation terms cancellationTerms	long_text	Optional; max length 4000
Coverage coverage	grid	Optional
Insured items insuredItems	grid	Optional
Premium schedule premiumSchedule	grid	Optional
Endorsements endorsements	grid	Optional

Coverage rows

Effective period: effectiveFrom to effectiveTo; group by coverType; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Cover type coverType	reference	Required; reference: {"class":"accounting_dimension","types":["insurance_cover_type"]}
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional

Column / storage key	Type	Template rule
Coverage limit limit	currency	Required; min 0; precision 14; scale 2
Excess amount excessAmount	currency	Optional; min 0; precision 14; scale 2
Excess (%) excessPercent	decimal	Optional; min 0; max 100; precision 7; scale 4
Exclusions exclusions	long_text	Optional; max length 4000

Insured items rows

Effective period: effectiveFrom to effectiveTo; group by item, coverType; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Insured item item	reference	Required; reference: {"anyOf":[{"class":"subledger_account","types":["asset"]},{"class":"accounting_object","types":["property"]}]}
Cover type coverType	reference	Required; reference: {"class":"accounting_dimension","types":["insurance_cover_type"]}
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Insured value insuredValue	currency	Required; min 0; precision 14; scale 2
Specific excess specificExcess	currency	Optional; min 0; precision 14; scale 2
Notes notes	long_text	Optional; max length 4000

Premium schedule rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Coverage from coverageFrom	date	Required
Coverage to coverageTo	date	Required
Due date dueDate	date	Required
Premium premium	currency	Required; min 0; precision 14; scale 2
Fees fees	currency	Optional; min 0; precision 14; scale 2
Tax tax	currency	Optional; min 0; precision 14; scale 2
Total total	currency	Required; min 0; precision 14; scale 2

Endorsements rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Endorsement reference reference	short_text	Required; max length 50
Effective date effectiveDate	date	Required
Change description description	long_text	Required; max length 4000
Premium adjustment premiumAdjustment	currency	Optional; precision 14; scale 2

ACCOUNTING OBJECT TYPES

Insurance claim

A case linked to a saved policy, with incident, assessment, events and settlement detail.

Stable type code: insurance_claim | Modules: Insurance Management

Custom tabs: Claim, Incident, Affected items, Assessment, Events, Settlement

Field / storage key	Type	Template rule
Insurance policy policy	reference	Required; reference: {"class":"accounting_object","types":["insurance_policy"]}
Insurer claim reference insurerClaimReference	short_text	Optional; max length 50
Claims handler responsibleResource	reference	Optional; reference: {"class":"resource"}
Incident date incidentDate	date	Required
Incident location location	text	Optional; max length 150
Claim cause cause	reference	Required; reference: {"class":"accounting_dimension","types":["insurance_claim_cause"]}
Incident description description	long_text	Required; max length 4000
Currency currencyCode	short_text	Required; max length 3
Claim stage claimStage	select	Required; choices: reported, submitted, assessing, approved, partially_settled, settled, declined, withdrawn
Affected items affectedItems	grid	Optional
Assessor assessor	reference	Optional; reference: {"class":"resource"}
Assessment date assessmentDate	date	Optional
Approved amount approvedAmount	currency	Optional; min 0; precision 14; scale 2
Excess amount excessAmount	currency	Optional; min 0; precision 14; scale 2
Claim events events	grid	Optional
Settlement breakdown settlementComponents	grid	Optional

Affected items rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Insured item item	reference	Required; reference: {"anyOf":[{"class":"subledger_account","types":["asset"]},{"class":"accounting_object","types":["property"]}]}; saved parent grid membership

Column / storage key	Type	Template rule
Damage description damage	long_text	Required; max length 4000
Estimated loss estimatedLoss	currency	Optional; min 0; precision 14; scale 2
Claimed amount claimedAmount	currency	Required; min 0; precision 14; scale 2

Claim events rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Date date	date	Required
Event type eventType	select	Required; choices: notification, submission, assessment, decision, correspondence, settlement
Resource resource	reference	Optional; reference: {"class":"resource"}
Notes notes	long_text	Required; max length 4000

Settlement breakdown rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Component component	text	Required; max length 150
Approved amount approvedAmount	currency	Required; min 0; precision 14; scale 2
Recipient supplier recipient	reference	Optional; reference: {"class":"subledger_account","types":["vendor"]}
Notes notes	long_text	Optional; max length 4000

ACCOUNTING DIMENSION TYPES

Revenue Type

A reusable classification of revenue activity.

Stable type code: revenue_type | Modules: Sales, Finance

Custom tabs: External mappings

Field / storage key	Type	Template rule
External mappings externalMappings	grid	Optional

External mappings rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Coding system codingSystem	short_text	Required; max length 30
External code externalCode	short_text	Required; max length 30
Description description	text	Optional; max length 150

ACCOUNTING DIMENSION TYPES

Expense Type

A reusable classification of expense activity.

Stable type code: expense_type | Modules: Procurement, Finance

Custom tabs: External mappings

Field / storage key	Type	Template rule
External mappings externalMappings	grid	Optional

External mappings rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Coding system codingSystem	short_text	Required; max length 30
External code externalCode	short_text	Required; max length 30
Description description	text	Optional; max length 150

ACCOUNTING DIMENSION TYPES

MSCOA Fund

A shared MSCOA Fund classification used where configured.

Stable type code: mscoa_fund | Modules: Public Sector, Finance

No custom fields are configured in this seed definition. Built-in identification and configured workflow/access still apply.

ACCOUNTING DIMENSION TYPES

MSCOA Project

A shared MSCOA Project classification used where configured.

Stable type code: mscoa_project | Modules: Public Sector, Project Management, Finance

No custom fields are configured in this seed definition. Built-in identification and configured workflow/access still apply.

ACCOUNTING DIMENSION TYPES

MSCOA Item

A shared MSCOA Item classification used where configured.

Stable type code: mscoa_item | Modules: Public Sector, Finance

No custom fields are configured in this seed definition. Built-in identification and configured workflow/access still apply.

ACCOUNTING DIMENSION TYPES

MSCOA Region

A shared MSCOA Region classification used where configured.

Stable type code: mscoa_region | Modules: Public Sector, Finance

No custom fields are configured in this seed definition. Built-in identification and configured workflow/access still apply.

ACCOUNTING DIMENSION TYPES

MSCOA Function

A shared MSCOA Function classification used where configured.

Stable type code: mscoa_function | Modules: Public Sector, Finance

No custom fields are configured in this seed definition. Built-in identification and configured workflow/access still apply.

ACCOUNTING DIMENSION TYPES

MSCOA Costing

A shared MSCOA Costing classification used where configured.

Stable type code: mscoa_costing | Modules: Public Sector, Finance

No custom fields are configured in this seed definition. Built-in identification and configured workflow/access still apply.

ACCOUNTING DIMENSION TYPES

MSCOA Outcome

A shared MSCOA Outcome classification used where configured.

Stable type code: mscoa_outcome | Modules: Public Sector, Project Management, Finance

No custom fields are configured in this seed definition. Built-in identification and configured workflow/access still apply.

ACCOUNTING DIMENSION TYPES

Service

A shared service classification for service-related scenarios.

Stable type code: service | Modules: Property Management, Finance

Custom tabs: Characteristics

Field / storage key	Type	Template rule
Characteristics characteristics	grid	Optional

Characteristics rows

No effective-period validation configured for this grid. Dates, if present, do not themselves activate that rule.

Column / storage key	Type	Template rule
Characteristic type characteristicType	text	Required; max length 150
Value value	text	Required; max length 150
Unit unit	reference	Optional; reference: {"class":"accounting_dimension","types":["measurement_unit"]}

ACCOUNTING DIMENSION TYPES

Charge Component

A shared charge component for contract/municipal scenarios.

Stable type code: charge_component | Modules: Property Management, Finance

Custom tabs: Reference rates

Field / storage key	Type	Template rule
Reference rates referenceRates	grid	Optional

Reference rates rows

Effective period: effectiveFrom to effectiveTo; group by rateCategory; overlaps prohibited. Endpoints are inclusive; blank end means indefinitely.

Column / storage key	Type	Template rule
Rate category rateCategory	text	Required; max length 150
Effective from effectiveFrom	date	Required
Effective to effectiveTo	date	Optional
Rate amount	currency	Required; min 0; precision 14; scale 2
Currency currencyCode	short_text	Required; max length 3
Charging unit chargingUnit	reference	Optional; reference: {"class":"accounting_dimension","types":["measurement_unit"]}

ACCOUNTING DIMENSION TYPES

Measurement Type

What is measured, such as a configured area measure.

Stable type code: measurement_type | Modules: Property Management, Asset Management, Finance

Field / storage key	Type	Template rule
Description description	long_text	Optional; max length 4000

ACCOUNTING DIMENSION TYPES

Measurement Unit

The unit used for a quantity, separate from measurement type.

Stable type code: measurement_unit | Modules: Property Management, Asset Management, Finance

Field / storage key	Type	Template rule
Description description	long_text	Optional; max length 4000

ACCOUNTING DIMENSION TYPES

Property Feature Type

The kind of counted property feature.

Stable type code: property_feature_type | Modules: Property Management, Asset Management, Finance

Field / storage key	Type	Template rule
Description description	long_text	Optional; max length 4000

ACCOUNTING DIMENSION TYPES

Valuation Method

The selected method describing a market-value observation.

Stable type code: valuation_method | Modules: Property Management, Asset Management, Finance

Field / storage key	Type	Template rule
Description description	long_text	Optional; max length 4000

ACCOUNTING DIMENSION TYPES

Insurance cover type

A shared coverage category used on insurance rows.

Stable type code: insurance_cover_type | Modules: Insurance Management

Field / storage key	Type	Template rule
Description description	long_text	Optional; max length 4000

ACCOUNTING DIMENSION TYPES

Insurance claim cause

A shared cause classification used on claim incidents.

Stable type code: insurance_claim_cause | Modules: Insurance Management

Field / storage key	Type	Template rule
Description description	long_text	Optional; max length 4000

TRANSACTION REFERENCE

Every template posting pattern

A reference to configured starting lines. Actual organisation settings, access, fiscal periods and analysis requirements must be reviewed before capture.

How to read occurrence and amount mode

Required lines form the starting capture. Optional lines are used only when the scenario requires them. Generated balancing lines calculate their amount from the other captured lines. Ordinary lines are manual unless the seed specifies another mode. Account-level requirements may also require a subledger beyond the line flag shown here.

Scope of this reference

These are capture definitions, not accounting advice or a guarantee of automation. Object/dimension requirements are configured separately and checked during Save/posting. The live invoice definition showed no analysis requirements on its two starting lines.

Sales transaction types

Cash sale

cash_sale | Immediate sale settled through till or cash on hand.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Cash received	Cash Point; required / manual
CREDIT 4000 Sales Revenue	Sales revenue	Not required by this seed line; required / manual

Customer invoice

customer_invoice | Sale on account through accounts receivable.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1100 Accounts Receivable	Customer receivable	Customer account; required / manual
CREDIT 4000 Sales Revenue	Sales revenue	Not required by this seed line; required / manual

Customer bank payment

customer_payment | Customer receipt deposited into a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Customer payment deposited	Bank account; required / manual
CREDIT 1100 Accounts Receivable	Customer receivable settlement	Customer account; required / manual

Customer cash payment

customer_cash_payment | Customer receipt into a till or cash location.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Customer cash received	Cash Point; required / manual
CREDIT 1100 Accounts Receivable	Customer receivable settlement	Customer account; required / manual

Purchasing transaction types

Purchase on account

supplier_invoice | Supplier purchase through accounts payable.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5600 Purchase Expense	Purchase expense	Not required by this seed line; required / manual
CREDIT 2000 Accounts Payable	Vendor payable	Vendor account; required / manual

Municipal services invoice

municipal_services_invoice | Proof-of-concept supplier invoice with line-specific GL, object and dimension requirements.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5700 Property Rates	Property rates	Not required by this seed line; optional / manual
CREDIT 5700 Property Rates	Property rates rebate	Not required by this seed line; optional / manual
DEBIT 5710 Electricity Expense	Electricity consumption	Not required by this seed line; optional / manual
DEBIT 5710 Electricity Expense	Electricity network charge	Not required by this seed line; optional / manual
DEBIT 5710 Electricity Expense	Electricity service charge	Not required by this seed line; optional / manual
DEBIT 5720 Water Expense	Water consumption	Not required by this seed line; optional / manual
DEBIT 5720 Water Expense	Demand management levy	Not required by this seed line; optional / manual
DEBIT 5730 Sewerage Expense	Sewerage	Not required by this seed line; optional / manual
DEBIT 5740 Refuse Removal Expense	Refuse removal	Not required by this seed line; optional / manual
DEBIT 5750 Municipal Fees	Pre-termination notice	Not required by this seed line; optional / manual
DEBIT 2200 VAT Input	Input VAT	Not required by this seed line; optional / manual
CREDIT 2000 Accounts Payable	Creditor control	Vendor account; generated / balancing

Supplier bank payment

supplier_payment | Supplier payment from a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2000 Accounts Payable	Vendor payable settlement	Vendor account; required / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; required / manual

Supplier cash payment

supplier_cash_payment | Supplier payment from cash on hand.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2000 Accounts Payable	Vendor payable settlement	Vendor account; required / manual
CREDIT 1000 Cash	Cash paid	Cash Point; required / manual

Banking transaction types

Bank charge

bank_charge | Bank fee or service charge.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5100 Bank Charges	Bank charge expense	Not required by this seed line; required / manual
CREDIT 1010 Bank Clearing	Bank account	Bank account; required / manual

Other bank receipt

bank_receipt_other | Non-customer receipt into a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Bank receipt	Bank account; required / manual
CREDIT 4100 Other Income	Other income	Not required by this seed line; required / manual

Cash deposit to bank

bank_deposit | Transfer from cash on hand or undeposited cash into a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Bank account	Bank account; required / manual
CREDIT 1000 Cash	Cash deposited	Cash Point; required / manual

Cash withdrawal from bank

bank_withdrawal | Transfer from a bank account into cash on hand.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Cash withdrawn	Cash Point; required / manual
CREDIT 1010 Bank Clearing	Bank account	Bank account; required / manual

Cash Management transaction types

POS cash transfer to safe

pos_cash_to_safe | Move counted cash from a point-of-sale till to the management safe.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Safe cash received	Cash Point; required / manual
CREDIT 1000 Cash	POS cash removed	Cash Point; required / manual

Safe cash transfer to POS

safe_cash_to_pos | Issue a till float or cash top-up from the management safe to point of sale.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	POS float issued	Cash Point; required / manual
CREDIT 1000 Cash	Safe cash issued	Cash Point; required / manual

Cash deposit to bank

cash_deposit_to_bank | Bank physical cash from the safe or undeposited cash location.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Bank deposit	Bank account; required / manual
CREDIT 1000 Cash	Cash banked	Cash Point; required / manual

Cash withdrawal from bank

cash_withdrawal_from_bank | Withdraw bank cash into the safe or another cash location.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Cash received from bank	Cash Point; required / manual
CREDIT 1010 Bank Clearing	Bank withdrawal	Bank account; required / manual

Petty cash issue

petty_cash_issue | Issue petty cash from the safe.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Petty cash issued	Cash Point; required / manual
CREDIT 1000 Cash	Safe cash issued	Cash Point; required / manual

Petty cash replenishment

petty_cash_replenishment | Replenish petty cash from the safe or bank clearing.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Petty cash replenished	Cash Point; required / manual
CREDIT 1000 Cash	Cash source	Cash Point; required / manual

Petty cash expense

petty_cash_expense | Record an expense paid from petty cash.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5600 Purchase Expense	Petty cash expense	Not required by this seed line; required / manual
CREDIT 1000 Cash	Petty cash paid	Cash Point; required / manual

Till cash over

till_cash_over | Record a point-of-sale cash count surplus.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Till cash surplus	Cash Point; required / manual
CREDIT 4190 Cash Over Income	Cash over income	Not required by this seed line; required / manual

Till cash short

till_cash_short | Record a point-of-sale cash count shortage.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5190 Cash Short Expense	Cash short expense	Not required by this seed line; required / manual
CREDIT 1000 Cash	Till cash shortage	Cash Point; required / manual

Safe cash over

safe_cash_over | Record a safe cash count surplus.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1000 Cash	Safe cash surplus	Cash Point; required / manual
CREDIT 4190 Cash Over Income	Cash over income	Not required by this seed line; required / manual

Safe cash short

safe_cash_short | Record a safe cash count shortage.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5190 Cash Short Expense	Cash short expense	Not required by this seed line; required / manual
CREDIT 1000 Cash	Safe cash shortage	Cash Point; required / manual

Tax transaction types

Tax accrual

tax_accrual | Tax liability accrual.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5400 Tax Expense	Tax expense	Not required by this seed line; required / manual
CREDIT 2400 Tax Payable	Tax payable	Not required by this seed line; required / manual

Tax bank payment

tax_payment | Payment against tax liability from a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2400 Tax Payable	Tax payable settlement	Not required by this seed line; required / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; required / manual

Payroll transaction types

Payroll accrual

payroll_accrual | Payroll liability recognition.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5200 Payroll Expense	Payroll expense	Not required by this seed line; required / manual
CREDIT 2300 Payroll Liability	Payroll liability	Employee; required / manual

Payroll bank payment

payroll_payment | Payroll settlement from a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2300 Payroll Liability	Payroll liability settlement	Employee; required / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; required / manual

Assets transaction types

Asset purchase bank

asset_purchase_bank | Asset bought and paid immediately from a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1300 Fixed Assets	Fixed asset	Not required by this seed line; required / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; required / manual

Asset purchase cash

asset_purchase_cash | Asset bought and paid immediately from cash on hand.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1300 Fixed Assets	Fixed asset	Not required by this seed line; required / manual
CREDIT 1000 Cash	Cash paid	Cash Point; required / manual

Asset purchase on account

asset_purchase_account | Asset bought through accounts payable.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1300 Fixed Assets	Fixed asset	Not required by this seed line; required / manual
CREDIT 2000 Accounts Payable	Vendor payable	Vendor account; required / manual

Depreciation

depreciation | Periodic depreciation posting.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5300 Depreciation Expense	Depreciation expense	Not required by this seed line; required / manual
CREDIT 1350 Accumulated Depreciation	Accumulated depreciation	Not required by this seed line; required / manual

Capex purchase on account

capex_purchase_account | Capital project purchase posted to WIP, with optional input VAT and a calculated vendor payable.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1320 Capital Work in Progress (Assets Under Construction)	Capital project WIP	Capital Project (WIP/AUC); required / manual
DEBIT 2200 VAT Input	Input VAT	Not required by this seed line; optional / manual
CREDIT 2000 Accounts Payable	Vendor payable	Vendor account; generated / balancing

Capex purchase from bank

capex_purchase_bank | Capital project purchase posted to WIP, with optional input VAT and a calculated bank payment.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1320 Capital Work in Progress (Assets Under Construction)	Capital project WIP	Capital Project (WIP/AUC); required / manual
DEBIT 2200 VAT Input	Input VAT	Not required by this seed line; optional / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; generated / balancing

Capex purchase from cash

capex_purchase_cash | Capital project purchase posted to WIP, with optional input VAT and a calculated cash payment.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1320 Capital Work in Progress (Assets Under Construction)	Capital project WIP	Capital Project (WIP/AUC); required / manual
DEBIT 2200 VAT Input	Input VAT	Not required by this seed line; optional / manual
CREDIT 1000 Cash	Cash payment	Cash Point; generated / balancing

Capex supplier credit note

capex_credit_note | Capital project cost reduction posted against WIP, with optional input VAT reversal and a calculated vendor payable reduction.

Side / GL	Line purpose	Subledger / occurrence
CREDIT 1320 Capital Work in Progress (Assets Under Construction)	Capital project WIP reduction	Capital Project (WIP/AUC); required / manual
CREDIT 2200 VAT Input	Input VAT reversal	Not required by this seed line; optional / manual
DEBIT 2000 Accounts Payable	Vendor payable reduction	Vendor account; generated / balancing

Capex supplier refund to bank

capex_refund_bank | Settle a posted supplier credit note: debit bank and credit vendor payable. WIP and input VAT are reduced by the credit note only.

Side / GL	Line purpose	Subledger / occurrence
CREDIT 2000 Accounts Payable	Vendor credit balance settlement	Vendor account; required / manual
DEBIT 1010 Bank Clearing	Bank refund received	Bank account; generated / balancing

Capex supplier refund to cash

capex_refund_cash | Settle a posted supplier credit note: debit cash and credit vendor payable. WIP and input VAT are reduced by the credit note only.

Side / GL	Line purpose	Subledger / occurrence
CREDIT 2000 Accounts Payable	Vendor credit balance settlement	Vendor account; required / manual
DEBIT 1000 Cash	Cash refund received	Cash Point; generated / balancing

Loans transaction types

Loan received

loan_received | Loan funding received into a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Loan proceeds received	Bank account; required / manual
CREDIT 2500 Loan Payable	Loan payable	Loan account; required / manual

Loan principal bank repayment

loan_repayment_principal | Principal repayment from a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2500 Loan Payable	Loan payable principal	Loan account; required / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; required / manual

Loan interest bank payment

loan_interest_payment | Interest repayment from a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5500 Interest Expense	Interest expense	Loan account; required / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; required / manual

Owner transaction types

Owner deposit

owner_deposit | Owner contribution received into a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Owner funds received	Bank account; required / manual
CREDIT 3000 Owner Equity	Owner contribution	Not required by this seed line; required / manual

Owner withdrawal

owner_withdrawal | Owner draw paid from a bank account.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 3200 Owner Drawings	Owner drawing	Not required by this seed line; required / manual
CREDIT 1010 Bank Clearing	Owner payment	Bank account; required / manual

Journals transaction types

Manual journal

manual_journal | General journal capture.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2999 Suspense	Manual journal debit	Not required by this seed line; required / manual
CREDIT 2999 Suspense	Manual journal credit	Not required by this seed line; required / manual

Insurance transaction types

Premium invoice

insurance_premium_invoice | Supplier invoice for coverage paid in advance; enter tax lines only when supported by the applicable tax treatment.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1250 Prepaid Insurance	Prepaid premium	Not required by this seed line; required / manual
CREDIT 2000 Accounts Payable	Insurer or broker payable	Vendor account; required / manual
DEBIT 5770 Insurance Broker Fees	Separately identified broker fees	Not required by this seed line; optional / manual
DEBIT 2200 VAT Input	Input tax only where applicable and recoverable	Not required by this seed line; optional / manual

Premium credit

insurance_premium_credit | Credit unused prepaid premium; reverse already-expensed portions with appropriate manual lines.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2000 Accounts Payable	Supplier credit	Vendor account; required / manual
CREDIT 1250 Prepaid Insurance	Prepaid premium credit	Not required by this seed line; required / manual
CREDIT 5770 Insurance Broker Fees	Separately identified broker fees	Not required by this seed line; optional / manual
CREDIT 2200 VAT Input	Input tax only where applicable and recoverable	Not required by this seed line; optional / manual

Premium payment

insurance_premium_payment | Settle insurance supplier invoices.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2000 Accounts Payable	Supplier payment	Vendor account; required / manual
CREDIT 1010 Bank Clearing	Bank payment	Bank account; required / manual

Premium allocation

insurance_premium_allocation | Manual allocation of prepaid coverage to current-period expense; no generated journals.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5760 Insurance Premium Expense	Current coverage expense	Not required by this seed line; required / manual

Side / GL	Line purpose	Subledger / occurrence
CREDIT 1250 Prepaid Insurance	Release prepaid premium	Not required by this seed line; required / manual

Premium accrual

insurance_premium_accrual | Record insurance coverage incurred but not invoiced, subject to approved accounting policy.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 5760 Insurance Premium Expense	Insurance expense accrual	Not required by this seed line; required / manual
CREDIT 2060 Insurance Premium Accrual	Accrued premium	Not required by this seed line; required / manual

Premium accrual reversal

insurance_accrual_reversal | Reverse the previously recorded insurance premium accrual.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 2060 Insurance Premium Accrual	Reverse accrued premium	Not required by this seed line; required / manual
CREDIT 5760 Insurance Premium Expense	Reverse insurance expense accrual	Not required by this seed line; required / manual

Claim recovery recognition

insurance_recovery_recognition | Post only when recognition criteria are met and approved; submitting or approving a claim does not create this journal.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1260 Insurance Recoveries Receivable	Recognised recovery receivable	Not required by this seed line; required / manual
CREDIT 4120 Insurance Recoveries	Insurance recovery	Not required by this seed line; required / manual

Claim settlement receipt

insurance_settlement_receipt | Receive a full or partial settlement against a recognised receivable.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Settlement received	Bank account; required / manual
CREDIT 1260 Insurance Recoveries Receivable	Clear recovery receivable	Not required by this seed line; required / manual

Premium refund receipt

insurance_premium_refund | Receive cash for a previously recognised supplier premium credit.

Side / GL	Line purpose	Subledger / occurrence
DEBIT 1010 Bank Clearing	Premium refund received	Bank account; required / manual
CREDIT 2000 Accounts Payable	Clear supplier premium credit	Vendor account; required / manual

REFERENCE

Glossary

Terms that are easy to confuse.

Class

The built-in role of a record: for example subledger, accounting object or dimension.

Type

A reusable business definition inside a class, with mappings and a custom schema where supported.

Record

One actual account, object or classification instance.

Schema JSON

The single custom definition for additional attributes, validation and presentation.

Reference

A stored link to an eligible ERP record, displayed through a selector.

Effective period

An inclusive start/end interval on a grid with explicit period control.

Observation

A dated fact such as a valuation or cumulative reading; not automatically a period or a latest-value calculation.

Resource role

A business responsibility used for assignments.

Security role

A user access definition, separate from resource responsibility.

Workflow

Configured states/transitions and their permitted actions.

Version

A complete read-only snapshot created by a supported successful record Save.

Generated line

A transaction line whose configured amount behaviour supplies a calculated value, such as balancing settlement.

REFERENCE

Verification and maintenance

Know what this edition establishes and what remains to be tested.

Live verification

The Template Organisation was selected by the user. Navigation, setup lists, shared directories, property/insurance tabs, the vendor editor, an unsaved invoice capture form, a type editor and report filter views were observed. Screenshots were captured without deliberately saving or approving business records.

Observed setup gaps

The template dashboard had no fiscal periods/journals. Inventory and Intercompany were absent operationally. DEMO-INSURER and DEMO-BROKER showed no linked legal entity in the vendor list; the opened insurer editor marked legal entity required. Review these before using the records for a saved workflow.

Unverified outcomes

The worked financial amounts are illustrations, not live posted results. Posting, permission enforcement for non-admin users, imports, database migrations and organisation-copy outcomes were not executed for this guide. Live fields may differ from seed definitions when configuration was customised.

Authoritative sources

Use docs/erp/schema-json.md for implemented schema/rendering rules and limitations; docs/erp/insurance-management.md for the buying-insurance scenario; and Volumes/Core-ERP/seeds/template-defaults.json for the recommended business configuration. Frontend forms/navigation and Save/transaction validators were checked for the described behaviours.

Reusable publishing sources

docs/erp/full-guide.json contains editorial sections and business profiles. Tools/ERP/build-full-guide.py renders them, reads current seed inventories and validates deliverable structure. docs/erp/guide-screenshots contains actual screen captures and metadata. Capture-specific files are separate from business definitions.

Maintenance: when navigation, supported field rules, setup behaviour or template scenarios change, update the relevant sections and screenshot evidence. Rebuild, check contents/bookmarks and visually review every page. Organisation-specific policies should be added explicitly as such.