Core-ERP template definitions

Transaction types, posting lines, object types and custom schemas

14 October 2026 | Source-defined inventory

110 transaction types and 305 lines; 48 object types comprising 11 sub-ledgers, 20 accounting objects and 17 accounting dimensions.

Source: seeds/template-defaults.json, interpreted using the existing seeding services. The live template organisation database has not been checked. This report does not change application configuration or database records.

The opening guide explains setup and operation. Part 1 contains every transaction type and line, including classifications and optional example bindings. Part 2 contains every object type definition and its complete schema configuration. Standard database record columns are outside the custom schemas.

Using Core-ERP - process overview

This guide describes the practical sequence from technical preparation to daily accounting. It is based on application source reviewed on 14 October 2026; the sequence is recommended operating guidance, not evidence that a live organisation has been configured or tested.

1. Technical preparation: establish tenant access, initialise the application schema, and initialise the template organisation if a reusable starting configuration is required.

2. Organisation setup: create the operating organisation; copy selected template setup or configure it manually; review divisions, currencies, tax and fiscal calendars.

3. Control configuration: establish permission roles, modules, resource roles and workflows before giving users operational access.

4. Model configuration: review object types and schemas, numbering, the chart of accounts, transaction types and posting lines.

5. Master data: create legal entities, people, dimension records, bank and other sub-ledger accounts, and the accounting objects needed for transactions.

6. Execution: capture balanced transactions, complete the configured workflow, post, reconcile and report.

Readiness check

Keep the operating organisation distinct from TEMPLATE. Use the later reference sections to inspect seeded definitions; seeded names alone do not establish complete business-process automation.

1. Technical initialisation

Perform these steps with the access required by the setup actions. They prepare the ERP application and reusable template, rather than recording normal business activity.

1. Sign in through Core, select the intended tenant and launch Core-ERP. Establish who is responsible for ERP setup administration and confirm that the existing ERP database connection is available.

2. Use Initialise Schema. The application executes schema/erp-schema.sql through its existing API and Broker connection. In development/test, use this action for agreed schema changes; do not use a separate SQL-client update or migration step.

3. Use Initialise Template Org when template defaults are needed. This creates or rebuilds the tenant's TEMPLATE organisation, its root division and seeded configuration. The action requires confirmation and ERP Setup Administrator access.

4. Treat repeated template initialisation as a reset/rebuild operation. The current implementation resets existing template data before rebuilding definitions; do not use it as routine synchronisation of a customised template.

5. Optionally run template example initialisation after TEMPLATE exists. This is a separate administrator action requiring confirmation. It creates example records and then applies example-record bindings to transaction line classifications.

6. Review the resulting template before copying from it. Identify which modules, accounts, types, workflows, fiscal settings and reports are suitable for the new operating organisation.

Readiness check

Schema initialisation has completed successfully; TEMPLATE exists if required; example data was either deliberately added or deliberately omitted. No schema or initialisation action was executed in producing this document.

2. Create and configure the operating organisation

Organisation setup establishes the scope and reference data for business records and transactions.

1. Create a new organisation with a unique code, name and chosen base currency. Leave it as an operating organisation rather than a template. Creation provides a ROOT division and assigns the creator the initial Security Administrator role.

2. Choose between copying selected setup from TEMPLATE and building it manually. In Copy Organisation Setup, confirm source and target and review every selected category. Copying can update matching configuration and can include business records and user-role assignments; do not treat it as definitions-only by default.

3. Review organisation identification and optional icon settings. Establish the division hierarchy and legal responsibility for each operating area. Keep divisions within the organisation and tenant.

4. Configure the countries and currencies needed for operations. Review currency precision and display formatting, then establish the required currency-pair exchange-rate entries and effective dates.

5. Configure tax types and rates for the organisation's actual transactions. Review effective dates and line-level tax expectations; seeded rates are starting configuration, not an approval of tax treatment.

6. Create or review fiscal years and their periods. Replace copied example calendars with the dates and statuses appropriate to the organisation. Establish which periods are available for capture and posting.

7. Select required modules and review financial statement formats and report definitions. Confirm their references to the organisation's chart and object model.

Readiness check

The intended organisation and division can be selected; base currency, tax settings and fiscal calendar are agreed; copied setup has been reviewed before operational use.

3. Roles, access and resources

Permission roles control user access. Resource roles describe business responsibilities assigned to people. Maintain the distinction even where one person performs both roles.

1. Review or create permission roles for setup administration, security administration, record maintenance, transaction capture, review, posting and reporting as required by the organisation.

2. Map roles to modules and configure resource permissions for the relevant organisation, division, object or transaction type, workflow status and permitted action. Module membership alone does not grant every operation.

3. Assign users to permission roles with the intended validity dates. Review copied user assignments explicitly rather than accepting the template's users as the operating organisation's access policy.

4. Set division scope and whether permissions apply to child divisions. Confirm that ordinary users can reach the required modules and that restricted records and actions remain unavailable.

5. Configure separate resource roles, their module/type relationships and assignment expectations. Create the people/resource records needed for ownership, responsibility, approvals and operational assignments.

6. Assign resources to the appropriate objects with applicable validity dates. Resource assignments do not replace permission-role assignments or workflow-action access.

Readiness check

Each operating responsibility has a named owner; user role assignments, division scope, module access and workflow action roles have been reviewed. Perform practical access checks before rollout.

4. Workflows and record readiness

Workflows define how records and transactions move through controlled states. The available steps and action labels depend on the selected configuration.

1. Review workflow statuses, paths, steps and allowed transitions. Define the intended creation, review, approval, rejection and completion routes for the relevant object and transaction classes.

2. Assign permission roles to workflow actions and ensure the users performing those actions also have the applicable module and resource permissions.

3. Connect each supported object type and transaction type to its appropriate workflow path. Confirm the path is active and contains a usable initial state and the intended transitions.

4. For master records, review which configured statuses enable use in transactions. Complete the required workflow before expecting a bank account, asset, accounting object or dimension to be selectable and usable.

5. For financial transactions, review the route to submission and posting. The current journal implementation revalidates the journal, period availability and allocation-record usability on transitions to submitted or posted.

6. Retain action comments and review workflow history when investigating changes. Do not assume that every seeded type uses identical action names or the same approval sequence.

Readiness check

Required paths are attached, actions have assigned roles, and at least one authorised user can perform each necessary transition. Operational master records reach statuses enabled for use.

5. Object types and reusable schemas

Configure definitions before creating the business records they govern. Prefer the shared ERP model to separate feature-specific account models.

1. Review sub-ledger types for balance-sheet allocations: for example bank, customer, vendor, cash point, asset and loan accounts. Set whether legal-entity linkage and other class-specific requirements apply.

2. Review accounting-object types for income-statement allocations: for example property, operational project, contract and maintenance order. Review parent relationships and required links to other records.

3. Review accounting-dimension types for classification across either category: for example service, revenue type, measurement unit and insurance cover type. Dimensions do not replace allocation to sub-ledgers or accounting objects.

4. Review each custom schema's tabs, scalar fields, grids, required markers, allowed values, validation, reference targets and presentation settings. Use the complete schema reference later in this document.

5. Review manual or automatic numbering, ranges and uniqueness expectations. Use the existing numbering mechanism; do not allocate codes independently in spreadsheets or browser code.

6. Map types to the relevant modules, resource roles and workflow paths. Establish the prerequisite reference records for each schema before creating dependent records.

7. Confirm which seeded types are actually needed. A type definition is a reusable record structure; it does not mean depreciation, valuation, lease calculation or every domain workflow is automatically executed.

Readiness check

Required types and schemas are agreed; reference targets and numbering are valid; workflow and module relationships are ready for record creation.

6. Chart of accounts and transaction configuration

GL accounts determine posting and reporting. Object types and dimensions provide separate allocation and classification information.

1. Review GL account types and their financial-reporting categories. Create, import or review all GL accounts required by the organisation's selected processes and reports, rather than every possible seeded account.

2. Set GL-level sub-ledger requirements and any required sub-ledger type. Ensure financial statement formats and reports classify the chart correctly.

3. Review transaction groups and create or adapt the transaction types needed for operations. Set module relationships, workflow paths and whether additional capture lines are permitted.

4. For each transaction type, review every line's order, code, description, GL account, debit/credit side and required, optional or repeatable occurrence.

5. Review amount sources: distinguish manually entered amounts from configured generated balancing amounts. Do not assume that schema values or supporting grid totals automatically generate journal postings.

6. Configure required or permitted sub-ledger types, accounting-object types and dimension types. Review captured, defaulted or fixed value behaviour and any specific record bindings.

7. Resolve defaults pointing to template or example records before using the operating organisation. Verify linked-object consistency where two allocations describe related records.

8. Use representative balanced journals to review the intended accounting result, access, fiscal restrictions and reporting treatment before routine capture.

Readiness check

Every required line references an existing GL account; allocation rules and any record bindings are valid; the workflow can reach posting; representative accounting results are agreed.

7. Create operational master records

Create the full set of records needed for the organisation's selected business processes. Follow the actual schema references; the order below is a practical dependency sequence rather than a universal rule for every type.

1. Complete prerequisite reference configuration: divisions, countries, currencies, taxes, fiscal periods, modules, roles, workflow paths, types and GL accounts.

2. Create all required legal entities, including the operating entity, banks, customers, suppliers and other counterparties where applicable. Capture identifications, addresses and relationships before linking dependent accounts.

3. Create people/resources and the required accounting-dimension records. Populate their custom details, including units, service characteristics, mapping grids and reference rates where relevant.

4. Create required bank and cash-point sub-ledger accounts. Complete bank details, currency, contacts and legal-entity links where the type requires them.

5. Create customer, vendor, employee and loan sub-ledger accounts as needed. Link existing legal entities and resources where applicable and capture the type-specific data.

6. Create asset and capital-project sub-ledger accounts for the relevant balance-sheet allocations. Record acquisition/lifecycle details and supporting grids; these details do not themselves calculate or post journal amounts.

7. Create accounting objects such as properties, cost centres, profit centres, operational projects, contracts, policies and operational records. Create referenced records first, then dependent records; for example establish a policy before a claim that requires it.

8. Complete configured workflow actions so records are enabled for use. Review effective dates, resource assignments, documents and related-object links before transaction capture.

9. Where opening balances are required, define and review the balanced opening journal and its permitted fiscal period, GL accounts and allocations. Creating a master record does not establish an accounting balance.

Readiness check

The required chart, legal entities, resources, dimension records, bank accounts, assets and accounting objects exist in the operating organisation and are usable under their workflows.

8. Capture, progress and post transactions

Transaction capture turns the configured posting structure and operational master records into balanced accounting entries.

1. Select the correct tenant, organisation and source division. Choose the transaction type, journal date, fiscal period, currency, exchange rate and meaningful description.

2. Review the transaction type's configured lines. Include required lines, use optional and repeatable lines as applicable, and add extra lines only where permitted.

3. Enter manual amounts on the configured debit or credit side. Review generated balancing amounts where configured and confirm that the final journal balances.

4. Select required sub-ledger accounts for balance-sheet allocations and accounting objects for income-statement allocations. Select required dimensions for classification. Observe both GL-account and line-definition requirements.

5. Check that all linked records belong to the applicable scope, are enabled for use and are consistent with related allocations. Include supporting documents or notes through the available application facilities where required.

6. Save the journal. The current save path requires balanced debits and credits; do not rely on saving an incomplete, unbalanced draft for later completion.

7. Use the configured workflow actions for submission, review and posting. The exact action labels and intermediate states come from the transaction type's path and the user's permissions.

8. Before submission/posting, confirm the fiscal period permits the action. The current implementation permits open and soft_closed periods and rejects closed or locked periods; define an operating policy consistent with that behaviour.

9. After posting, record the journal reference and review its detail and history. Posted journals cannot be edited or moved to another workflow status through the current journal endpoints; use an authorised corrective transaction where appropriate.

Readiness check

The intended journal is posted, balanced and correctly allocated; currency and period settings are correct; workflow history identifies the actions performed.

9. Reporting, reconciliation and ongoing operation

Use reporting and controlled maintenance to confirm that operational activity produces the intended financial result.

1. Run the trial balance, relevant financial statements and configured operational reports for the intended organisation, division scope and fiscal range. Confirm the report's status and filtering rules rather than assuming every report includes the same journals.

2. Reconcile bank, cash, receivable, payable, asset and loan balances to supporting records. Investigate unexpected GL balances, missing allocations and discrepancies between operational data and posted transactions.

3. Review period status as part of the agreed closing process. Set the next period's availability deliberately and account for the current soft_closed behaviour when designing cut-off controls.

4. Maintain currencies and exchange rates using effective dates. For a correction, use the existing revision/history process and reason; create a new entry if the currency pair or effective date changes.

5. Maintain record versions, effective dates, resource assignments and reference links. A current record view does not replace the historical context of a saved version.

6. Review roles, module access and workflow action assignments as responsibilities change. Keep resource roles separate from access control.

7. Review proposed changes to types, schemas, transaction lines and reports together. In development/test apply agreed database changes using Initialise Schema; template reinitialisation remains a deliberate reset/rebuild, not daily maintenance.

Readiness check

Reports and reconciliations agree with expected accounting results; exceptions have owners; the next operating period and configuration changes are controlled.

Part 1 - Transaction definitions

Classification entries show class/type, requirement, value behaviour and any record binding. None means no explicit line-classification seed. Example bindings are applied by optional example initialisation and are shown separately.

Sales (4 types)

Cash sale - cash_sale

Records a sale settled immediately into a till or other cash location.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / cash_sale_1	Cash received	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / cash_sale_2	Sales revenue	credit	4000 - Sales Revenue	required	manual	Not used	None	None

Customer invoice - customer_invoice

Records a sale on account and the amount receivable from the customer.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / customer_invoice_1	Customer receivable	debit	1100 - Accounts Receivable	required	manual	Mandatory: customer	None	None
2 / customer_invoice_2	Sales revenue	credit	4000 - Sales Revenue	required	manual	Not used	None	None

Customer bank payment - customer_payment

Records a customer receipt into a bank account against the customer’s receivable balance.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / customer_payment_1	Customer payment deposited	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / customer_payment_2	Customer receivable settlement	credit	1100 - Accounts Receivable	required	manual	Mandatory: customer	None	None

Customer cash payment - customer_cash_payment

Records a customer receipt into a till or other cash location against the customer's receivable balance.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / customer_cash_payment_1	Customer cash received	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / customer_cash_payment_2	Customer receivable settlement	credit	1100 - Accounts Receivable	required	manual	Mandatory: customer	None	None

Purchasing (4 types)

Purchase on account - supplier_invoice

Records a supplier purchase on account and the amount payable to the supplier.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / supplier_invoice_1	Purchase expense	debit	5600 - Purchase Expense	required	manual	Not used	None	None
2 / supplier_invoice_2	Vendor payable	credit	2000 - Accounts Payable	required	manual	Mandatory: vendor	None	None

Municipal services invoice - municipal_services_invoice

Demonstrates a municipal services supplier invoice with configured line-specific GL accounts, accounting objects and dimensions.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / property_rates	Property rates	debit	5700 - Property Rates	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record property_rates; accounting_dimension/charge_component: mandatory, fixed, record assessment	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
2 / property_rates_rebate	Property rates rebate	credit	5700 - Property Rates	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record property_rates; accounting_dimension/charge_component: mandatory, fixed, record rebate	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
3 / electricity_consumption	Electricity consumption	debit	5710 - Electricity Expense	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/utility_meter: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record electricity; accounting_dimension/charge_component: mandatory, fixed, record consumption	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
4 / electricity_network	Electricity network charge	debit	5710 - Electricity Expense	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/utility_meter: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record electricity; accounting_dimension/charge_component: mandatory, fixed, record network_charge	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
5 / electricity_service_charge	Electricity service charge	debit	5710 - Electricity Expense	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/utility_meter: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record electricity; accounting_dimension/charge_component: mandatory, fixed, record service_charge	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
6 / water_consumption	Water consumption	debit	5720 - Water Expense	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/utility_meter: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record water; accounting_dimension/charge_component: mandatory, fixed, record consumption	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
7 / water_demand_levy	Demand management levy	debit	5720 - Water Expense	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/utility_meter: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record water; accounting_dimension/charge_component: mandatory, fixed, record demand_levy	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
8 / sewerage	Sewerage	debit	5730 - Sewerage Expense	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record sanitation; accounting_dimension/charge_component: mandatory, fixed, record sewerage	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
9 / refuse_removal	Refuse removal	debit	5740 - Refuse Removal Expense	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record waste_management; accounting_dimension/charge_component: mandatory, fixed, record refuse_collection	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
10 / pretermination_notice	Pre-termination notice	debit	5750 - Municipal Fees	optional	manual	Not used	accounting_object/property: mandatory, captured; accounting_object/cost_centre: mandatory, captured; accounting_dimension/service: mandatory, fixed, record administration; accounting_dimension/charge_component: mandatory, fixed, record notice_fee	accounting_object/cost_centre: mandatory, defaulted, record FACILITIES
11 / input_vat	Input VAT	debit	2200 - VAT Input	optional	manual	Not used	accounting_dimension/service: mandatory, fixed, record tax; accounting_dimension/charge_component: mandatory, fixed, record input_vat	None
12 / creditor_control	Creditor control	credit	2000 - Accounts Payable	generated	balancing	Mandatory: vendor	None	None

Supplier bank payment - supplier_payment

Records payment from a bank account against the supplier’s payable balance.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / supplier_payment_1	Vendor payable settlement	debit	2000 - Accounts Payable	required	manual	Mandatory: vendor	None	None
2 / supplier_payment_2	Bank payment	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Supplier cash payment - supplier_cash_payment

Records payment from a cash location against the supplier’s payable balance.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / supplier_cash_payment_1	Vendor payable settlement	debit	2000 - Accounts Payable	required	manual	Mandatory: vendor	None	None
2 / supplier_cash_payment_2	Cash paid	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Banking (4 types)

Bank charge - bank_charge

Records a bank fee or service charge against a bank account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / bank_charge_1	Bank charge expense	debit	5100 - Bank Charges	required	manual	Not used	None	None
2 / bank_charge_2	Bank account	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Other bank receipt - bank_receipt_other

Records a receipt into a bank account that is not a customer payment.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / bank_receipt_other_1	Bank receipt	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None
2 / bank_receipt_other_2	Other income	credit	4100 - Other Income	required	manual	Not used	None	None

Cash deposit to bank - bank_deposit

Records a transfer from cash on hand or undeposited cash into a bank account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / bank_deposit_1	Bank account	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None
2 / bank_deposit_2	Cash deposited	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Cash withdrawal from bank - bank_withdrawal

Records a transfer from a bank account into cash on hand.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / bank_withdrawal_1	Cash withdrawn	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / bank_withdrawal_2	Bank account	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Cash Management (11 types)

POS cash transfer to safe - pos_cash_to_safe

Records a transfer of counted cash from a point-of-sale till to the management safe.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / pos_cash_to_safe_1	Safe cash received	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / pos_cash_to_safe_2	POS cash removed	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Safe cash transfer to POS - safe_cash_to_pos

Records a till float or cash top-up transferred from the management safe to a point-of-sale till.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / safe_cash_to_pos_1	POS float issued	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / safe_cash_to_pos_2	Safe cash issued	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Cash deposit to bank - cash_deposit_to_bank

Records a deposit of physical cash from a safe or undeposited cash location into a bank account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / cash_deposit_to_bank_1	Bank deposit	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None
2 / cash_deposit_to_bank_2	Cash banked	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Cash withdrawal from bank - cash_withdrawal_from_bank

Records a withdrawal from a bank account into a safe or other cash location.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / cash_withdrawal_from_bank_1	Cash received from bank	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / cash_withdrawal_from_bank_2	Bank withdrawal	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Petty cash issue - petty_cash_issue

Records an issue of cash from the safe to a petty cash fund.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / petty_cash_issue_1	Petty cash issued	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / petty_cash_issue_2	Safe cash issued	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Petty cash replenishment - petty_cash_replenishment

Records replenishment of a petty cash fund from the safe or bank clearing account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / petty_cash_replenishment_1	Petty cash replenished	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / petty_cash_replenishment_2	Cash source	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Petty cash expense - petty_cash_expense

Records an expense paid from a petty cash fund.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / petty_cash_expense_1	Petty cash expense	debit	5600 - Purchase Expense	required	manual	Not used	None	None
2 / petty_cash_expense_2	Petty cash paid	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Till cash over - till_cash_over

Records a point-of-sale cash count surplus and the corresponding cash adjustment.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / till_cash_over_1	Till cash surplus	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / till_cash_over_2	Cash over income	credit	4190 - Cash Over Income	required	manual	Not used	None	None

Till cash short - till_cash_short

Records a point-of-sale cash count shortage and the corresponding cash adjustment.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / till_cash_short_1	Cash short expense	debit	5190 - Cash Short Expense	required	manual	Not used	None	None
2 / till_cash_short_2	Till cash shortage	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Safe cash over - safe_cash_over

Records a safe cash count surplus and the corresponding cash adjustment.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / safe_cash_over_1	Safe cash surplus	debit	1000 - Cash	required	manual	Mandatory: cash_point	None	None
2 / safe_cash_over_2	Cash over income	credit	4190 - Cash Over Income	required	manual	Not used	None	None

Safe cash short - safe_cash_short

Records a safe cash count shortage and the corresponding cash adjustment.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / safe_cash_short_1	Cash short expense	debit	5190 - Cash Short Expense	required	manual	Not used	None	None
2 / safe_cash_short_2	Safe cash shortage	credit	1000 - Cash	required	manual	Mandatory: cash_point	None	None

Tax (2 types)

Tax accrual - tax_accrual

Records an accrued tax liability using the configured posting rules.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / tax_accrual_1	Tax expense	debit	5400 - Tax Expense	required	manual	Not used	None	None
2 / tax_accrual_2	Tax payable	credit	2400 - Tax Payable	required	manual	Not used	None	None

Tax bank payment - tax_payment

Records payment from a bank account against a tax liability.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / tax_payment_1	Tax payable settlement	debit	2400 - Tax Payable	required	manual	Not used	None	None
2 / tax_payment_2	Bank payment	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Payroll (2 types)

Payroll accrual - payroll_accrual

Records payroll costs and the related payroll liability.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / payroll_accrual_1	Payroll expense	debit	5200 - Payroll Expense	required	manual	Not used	None	None
2 / payroll_accrual_2	Payroll liability	credit	2300 - Payroll Liability	required	manual	Mandatory: employee	None	None

Payroll bank payment - payroll_payment

Records payment from a bank account against a payroll liability.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / payroll_payment_1	Payroll liability settlement	debit	2300 - Payroll Liability	required	manual	Mandatory: employee	None	None
2 / payroll_payment_2	Bank payment	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Assets (67 types)

Capex purchase on account - capex_purchase_account

Records capital project costs in work in progress, with optional input VAT and a generated supplier payable.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / project_wip	Capital project WIP	debit	1320 - Capital Work in Progress (Assets Under Construction)	required	manual	Mandatory: capex_project	None	None
2 / input_vat	Input VAT	debit	2200 - VAT Input	optional	manual	Not used	accounting_dimension/service: mandatory, fixed, record tax; accounting_dimension/charge_component: mandatory, fixed, record input_vat	None
3 / settlement	Vendor payable	credit	2000 - Accounts Payable	generated	balancing	Mandatory: vendor	None	None

Capex purchase from bank - capex_purchase_bank

Records capital project costs in work in progress, with optional input VAT and a generated bank payment.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / project_wip	Capital project WIP	debit	1320 - Capital Work in Progress (Assets Under Construction)	required	manual	Mandatory: capex_project	None	None
2 / input_vat	Input VAT	debit	2200 - VAT Input	optional	manual	Not used	accounting_dimension/service: mandatory, fixed, record tax; accounting_dimension/charge_component: mandatory, fixed, record input_vat	None
3 / settlement	Bank payment	credit	1010 - Bank Clearing	generated	balancing	Mandatory: bank	None	None

Capex purchase from cash - capex_purchase_cash

Records capital project costs in work in progress, with optional input VAT and a generated cash payment.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / project_wip	Capital project WIP	debit	1320 - Capital Work in Progress (Assets Under Construction)	required	manual	Mandatory: capex_project	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / input_vat	Input VAT	debit	2200 - VAT Input	optional	manual	Not used	accounting_dimension/service: mandatory, fixed, record tax; accounting_dimension/charge_component: mandatory, fixed, record input_vat	None
3 / settlement	Cash payment	credit	1000 - Cash	generated	balancing	Mandatory: cash_point	None	None

Capex supplier credit note - capex_credit_note

Reduces capital project costs in work in progress, with optional input VAT reversal and a generated reduction in supplier payable.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / project_wip	Capital project WIP reduction	credit	1320 - Capital Work in Progress (Assets Under Construction)	required	manual	Mandatory: capex_project	None	None
2 / input_vat	Input VAT reversal	credit	2200 - VAT Input	optional	manual	Not used	accounting_dimension/service: mandatory, fixed, record tax; accounting_dimension/charge_component: mandatory, fixed, record input_vat	None
3 / settlement	Vendor payable reduction	debit	2000 - Accounts Payable	generated	balancing	Mandatory: vendor	None	None

Capex supplier refund to bank - capex_refund_bank

Records a supplier refund into a bank account against a previously posted credit note; the credit note adjusts work in progress and input VAT.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / vendor_credit	Vendor credit balance settlement	credit	2000 - Accounts Payable	required	manual	Mandatory: vendor	None	None
2 / settlement	Bank refund received	debit	1010 - Bank Clearing	generated	balancing	Mandatory: bank	None	None

Capex supplier refund to cash - capex_refund_cash

Records a supplier refund into a cash location against a previously posted credit note; the credit note adjusts work in progress and input VAT.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / vendor_credit	Vendor credit balance settlement	credit	2000 - Accounts Payable	required	manual	Mandatory: vendor	None	None
2 / settlement	Cash refund received	debit	1000 - Cash	generated	balancing	Mandatory: cash_point	None	None

PPE purchase bank - ppe_purchase_bank

Captures recognised ppe acquisition cost, optional recoverable input VAT and a balancing bank payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_purchase_bank_1	Capitalised acquisition cost	debit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
2 / ppe_purchase_bank_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ppe_purchase_bank_3	Settlement	credit	1010 - Bank Clearing	generated	balancing	Mandatory: bank	None	None

PPE purchase cash - ppe_purchase_cash

Captures recognised ppe acquisition cost, optional recoverable input VAT and a balancing cash payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_purchase_cash_1	Capitalised acquisition cost	debit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
2 / ppe_purchase_cash_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ppe_purchase_cash_3	Settlement	credit	1000 - Cash	generated	balancing	Mandatory: cash_point	None	None

PPE purchase account - ppe_purchase_account

Captures recognised ppe acquisition cost, optional recoverable input VAT and a balancing supplier payable. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_purchase_account_1	Capitalised acquisition cost	debit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
2 / ppe_purchase_account_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ppe_purchase_account_3	Settlement	credit	2000 - Accounts Payable	generated	balancing	Mandatory: vendor	None	None

PPE commissioning from WIP - ppe_commission_wip

Transfers eligible, manually assessed capital-project costs into ppe. Capture when ready for use; this transaction does not calculate capitalisable costs or update lifecycle fields.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_commission_wip_1	Capitalised asset cost	debit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
2 / ppe_commission_wip_2	Release capital-project WIP	credit	1320 - Capital Work in Progress (Assets Under Construction)	generated	balancing	Mandatory: capex_project	None	None

PPE depreciation - ppe_depreciation

Captures a manually calculated depreciation charge for eligible assets. Do not use for non-depreciable assets.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_depreciation_1	Periodic expense	debit	5300 - PPE Depreciation Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / ppe_depreciation_2	Accumulated depreciation	credit	1350 - Asset, PPE - Accumulated Depreciation	generated	balancing	Mandatory: asset_ppe	None	None

PPE impairment - ppe_impairment

Captures a manually assessed impairment loss; no recoverable-amount calculation is performed.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_impairment_1	Impairment expense	debit	5330 - Asset Impairment Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None
2 / ppe_impairment_2	Accumulated impairment	credit	1360 - Asset, PPE - Accumulated Impairment	generated	balancing	Mandatory: asset_ppe	None	None

PPE impairment reversal - ppe_impairment_reversal

Captures a permitted, manually assessed impairment reversal within the applicable IAS 36 limit. Limits are not calculated or enforced by these definitions.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_impairment_reversal_1	Reduce accumulated impairment	debit	1360 - Asset, PPE - Accumulated Impairment	required	manual	Mandatory: asset_ppe	None	None
2 / ppe_impairment_reversal_2	Impairment reversal income	credit	4150 - Asset Impairment Reversals	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

PPE disposal (gain) - ppe_disposal_gain

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing gain. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_disposal_gain_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / ppe_disposal_gain_2	Clear accumulated depreciation/amortisation	debit	1350 - Asset, PPE - Accumulated Depreciation	optional	manual	Mandatory: asset_ppe	None	None
3 / ppe_disposal_gain_3	Clear accumulated impairment	debit	1360 - Asset, PPE - Accumulated Impairment	optional	manual	Mandatory: asset_ppe	None	None
4 / ppe_disposal_gain_4	Derecognise asset cost/carrying amount	credit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
5 / ppe_disposal_gain_5	Disposal gain	credit	4130 - Asset Disposal, Lease Termination and Remeasurement Gains	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

PPE disposal (loss) - ppe_disposal_loss

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing loss. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_disposal_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / ppe_disposal_loss_2	Clear accumulated depreciation/amortisation	debit	1350 - Asset, PPE - Accumulated Depreciation	optional	manual	Mandatory: asset_ppe	None	None
3 / ppe_disposal_loss_3	Clear accumulated impairment	debit	1360 - Asset, PPE - Accumulated Impairment	optional	manual	Mandatory: asset_ppe	None	None
4 / ppe_disposal_loss_4	Derecognise asset cost/carrying amount	credit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
5 / ppe_disposal_loss_5	Disposal loss	debit	5350 - Asset Disposal and Lease Termination Losses	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Investment property (cost model) purchase bank - ip_cost_purchase_bank

Captures recognised investment property (cost model) acquisition cost, optional recoverable input VAT and a balancing bank payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_purchase_bank_1	Capitalised acquisition cost	debit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
2 / ip_cost_purchase_bank_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ip_cost_purchase_bank_3	Settlement	credit	1010 - Bank Clearing	generated	balancing	Mandatory: bank	None	None

Investment property (cost model) purchase cash - ip_cost_purchase_cash

Captures recognised investment property (cost model) acquisition cost, optional recoverable input VAT and a balancing cash payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_purchase_cash_1	Capitalised acquisition cost	debit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
2 / ip_cost_purchase_cash_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ip_cost_purchase_cash_3	Settlement	credit	1000 - Cash	generated	balancing	Mandatory: cash_point	None	None

Investment property (cost model) purchase account - ip_cost_purchase_account

Captures recognised investment property (cost model) acquisition cost, optional recoverable input VAT and a balancing supplier payable. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_purchase_account_1	Capitalised acquisition cost	debit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
2 / ip_cost_purchase_account_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ip_cost_purchase_account_3	Settlement	credit	2000 - Accounts Payable	generated	balancing	Mandatory: vendor	None	None

Investment property (cost model) commissioning from WIP - ip_cost_commission_wip

Transfers eligible, manually assessed capital-project costs into investment property (cost model). Capture when ready for use; this transaction does not calculate capitalisable costs or update lifecycle fields.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_commission_wip_1	Capitalised asset cost	debit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
2 / ip_cost_commission_wip_2	Release capital-project WIP	credit	1320 - Capital Work in Progress (Assets Under Construction)	generated	balancing	Mandatory: capex_project	None	None

Investment property (cost model) depreciation - ip_cost_depreciation

Captures a manually calculated depreciation charge for eligible assets. Do not use for non-depreciable assets.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_depreciation_1	Periodic expense	debit	5301 - Investment property (cost model) Depreciation Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None
2 / ip_cost_depreciation_2	Accumulated depreciation	credit	1450 - Asset, Investment Property - Accumulated Depreciation	generated	balancing	Mandatory: asset_ip	None	None

Investment property (cost model) impairment - ip_cost_impairment

Captures a manually assessed impairment loss; no recoverable-amount calculation is performed.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_impairment_1	Impairment expense	debit	5330 - Asset Impairment Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None
2 / ip_cost_impairment_2	Accumulated impairment	credit	1460 - Asset, Investment Property - Accumulated Impairment	generated	balancing	Mandatory: asset_ip	None	None

Investment property (cost model) impairment reversal - ip_cost_impairment_reversal

Captures a permitted, manually assessed impairment reversal within the applicable IAS 36 limit. Limits are not calculated or enforced by these definitions.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_impairment_reversal_1	Reduce accumulated impairment	debit	1460 - Asset, Investment Property - Accumulated Impairment	required	manual	Mandatory: asset_ip	None	None
2 / ip_cost_impairment_reversal_2	Impairment reversal income	credit	4150 - Asset Impairment Reversals	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Investment property (cost model) disposal (gain) - ip_cost_disposal_gain

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing gain. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_disposal_gain_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / ip_cost_disposal_gain_2	Clear accumulated depreciation/amortisation	debit	1450 - Asset, Investment Property - Accumulated Depreciation	optional	manual	Mandatory: asset_ip	None	None
3 / ip_cost_disposal_gain_3	Clear accumulated impairment	debit	1460 - Asset, Investment Property - Accumulated Impairment	optional	manual	Mandatory: asset_ip	None	None
4 / ip_cost_disposal_gain_4	Derecognise asset cost/carrying amount	credit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
5 / ip_cost_disposal_gain_5	Disposal gain	credit	4130 - Asset Disposal, Lease Termination and Remeasurement Gains	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Investment property (cost model) disposal (loss) - ip_cost_disposal_loss

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing loss. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_disposal_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / ip_cost_disposal_loss_2	Clear accumulated depreciation/amortisation	debit	1450 - Asset, Investment Property - Accumulated Depreciation	optional	manual	Mandatory: asset_ip	None	None
3 / ip_cost_disposal_loss_3	Clear accumulated impairment	debit	1460 - Asset, Investment Property - Accumulated Impairment	optional	manual	Mandatory: asset_ip	None	None
4 / ip_cost_disposal_loss_4	Derecognise asset cost/carrying amount	credit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
5 / ip_cost_disposal_loss_5	Disposal loss	debit	5350 - Asset Disposal and Lease Termination Losses	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Intangible asset purchase bank - intangible_purchase_bank

Captures recognised intangible asset acquisition cost, optional recoverable input VAT and a balancing bank payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_purchase_bank_1	Capitalised acquisition cost	debit	1500 - Asset, Intangibles - Cost	required	manual	Mandatory: asset_intangibles	None	None
2 / intangible_purchase_bank_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / intangible_purchase_bank_3	Settlement	credit	1010 - Bank Clearing	generated	balancing	Mandatory: bank	None	None

Intangible asset purchase cash - intangible_purchase_cash

Captures recognised intangible asset acquisition cost, optional recoverable input VAT and a balancing cash payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_purchase_cash_1	Capitalised acquisition cost	debit	1500 - Asset, Intangibles - Cost	required	manual	Mandatory: asset_intangibles	None	None
2 / intangible_purchase_cash_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / intangible_purchase_cash_3	Settlement	credit	1000 - Cash	generated	balancing	Mandatory: cash_point	None	None

Intangible asset purchase account - intangible_purchase_account

Captures recognised intangible asset acquisition cost, optional recoverable input VAT and a balancing supplier payable. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_purchase_account_1	Capitalised acquisition cost	debit	1500 - Asset, Intangibles - Cost	required	manual	Mandatory: asset_intangibles	None	None
2 / intangible_purchase_account_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / intangible_purchase_account_3	Settlement	credit	2000 - Accounts Payable	generated	balancing	Mandatory: vendor	None	None

Intangible asset commissioning from WIP - intangible_commission_wip

Transfers eligible, manually assessed capital-project costs into intangible asset. Capture when ready for use; this transaction does not calculate capitalisable costs or update lifecycle fields.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_commission_wip_1	Capitalised asset cost	debit	1500 - Asset, Intangibles - Cost	required	manual	Mandatory: asset_intangibles	None	None
2 / intangible_commission_wip_2	Release capital-project WIP	credit	1320 - Capital Work in Progress (Assets Under Construction)	generated	balancing	Mandatory: capex_project	None	None

Intangible asset amortisation - intangible_amortisation

Captures a manually calculated amortisation charge for eligible assets. Finite-life assets only; indefinite-life assets are not amortised.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_amortisation_1	Periodic expense	debit	5310 - Intangible asset Amortisation Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None
2 / intangible_amortisation_2	Accumulated amortisation	credit	1550 - Asset, Intangibles - Accumulated Amortisation	generated	balancing	Mandatory: asset_intangibles	None	None

Intangible asset impairment - intangible_impairment

Captures a manually assessed impairment loss; no recoverable-amount calculation is performed.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_impairment_1	Impairment expense	debit	5330 - Asset Impairment Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None
2 / intangible_impairment_2	Accumulated impairment	credit	1560 - Asset, Intangibles - Accumulated Impairment	generated	balancing	Mandatory: asset_intangibles	None	None

Intangible asset impairment reversal - intangible_impairment_reversal

Captures a permitted, manually assessed impairment reversal within the applicable IAS 36 limit. Limits are not calculated or enforced by these definitions.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_impairment_reversal_1	Reduce accumulated impairment	debit	1560 - Asset, Intangibles - Accumulated Impairment	required	manual	Mandatory: asset_intangibles	None	None
2 / intangible_impairment_reversal_2	Impairment reversal income	credit	4150 - Asset Impairment Reversals	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Intangible asset disposal (gain) - intangible_disposal_gain

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing gain. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_disposal_gain_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / intangible_disposal_gain_2	Clear accumulated depreciation/amortisation	debit	1550 - Asset, Intangibles - Accumulated Amortisation	optional	manual	Mandatory: asset_intangibles	None	None
3 / intangible_disposal_gain_3	Clear accumulated impairment	debit	1560 - Asset, Intangibles - Accumulated Impairment	optional	manual	Mandatory: asset_intangibles	None	None
4 / intangible_disposal_gain_4	Derecognise asset cost/carrying amount	credit	1500 - Asset, Intangibles - Cost	required	manual	Mandatory: asset_intangibles	None	None
5 / intangible_disposal_gain_5	Disposal gain	credit	4130 - Asset Disposal, Lease Termination and Remeasurement Gains	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Intangible asset disposal (loss) - intangible_disposal_loss

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing loss. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_disposal_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / intangible_disposal_loss_2	Clear accumulated depreciation/amortisation	debit	1550 - Asset, Intangibles - Accumulated Amortisation	optional	manual	Mandatory: asset_intangibles	None	None
3 / intangible_disposal_loss_3	Clear accumulated impairment	debit	1560 - Asset, Intangibles - Accumulated Impairment	optional	manual	Mandatory: asset_intangibles	None	None
4 / intangible_disposal_loss_4	Derecognise asset cost/carrying amount	credit	1500 - Asset, Intangibles - Cost	required	manual	Mandatory: asset_intangibles	None	None
5 / intangible_disposal_loss_5	Disposal loss	debit	5350 - Asset Disposal and Lease Termination Losses	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Investment property (fair-value model) purchase bank - ip_fair_value_purchase_bank

Captures recognised investment property (fair-value model) acquisition cost, optional recoverable input VAT and a balancing bank payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_purchase_bank_1	Capitalised acquisition cost	debit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ip_fair_value_purchase_bank_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ip_fair_value_purchase_bank_3	Settlement	credit	1010 - Bank Clearing	generated	balancing	Mandatory: bank	None	None

Investment property (fair-value model) purchase cash - ip_fair_value_purchase_cash

Captures recognised investment property (fair-value model) acquisition cost, optional recoverable input VAT and a balancing cash payment. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_purchase_cash_1	Capitalised acquisition cost	debit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ip_fair_value_purchase_cash_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ip_fair_value_purchase_cash_3	Settlement	credit	1000 - Cash	generated	balancing	Mandatory: cash_point	None	None

Investment property (fair-value model) purchase account - ip_fair_value_purchase_account

Captures recognised investment property (fair-value model) acquisition cost, optional recoverable input VAT and a balancing supplier payable. Recognition and tax eligibility are assessed before capture.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_purchase_account_1	Capitalised acquisition cost	debit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / ip_fair_value_purchase_account_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / ip_fair_value_purchase_account_3	Settlement	credit	2000 - Accounts Payable	generated	balancing	Mandatory: vendor	None	None

Investment property (fair-value model) commissioning from WIP - ip_fair_value_commission_wip

Transfers eligible, manually assessed capital-project costs into investment property (fair-value model). Capture when ready for use; this transaction does not calculate capitalisable costs or update lifecycle fields.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_commission_wip_1	Capitalised asset cost	debit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ip_fair_value_commission_wip_2	Release capital-project WIP	credit	1320 - Capital Work in Progress (Assets Under Construction)	generated	balancing	Mandatory: capex_project	None	None

Investment property (fair-value model) disposal (gain) - ip_fair_value_disposal_gain

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing gain. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_disposal_gain_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / ip_fair_value_disposal_gain_2	Derecognise asset cost/carrying amount	credit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
3 / ip_fair_value_disposal_gain_3	Disposal gain	credit	4130 - Asset Disposal, Lease Termination and Remeasurement Gains	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Investment property (fair-value model) disposal (loss) - ip_fair_value_disposal_loss

Derecognises manually captured gross asset cost and related contra balances against disposal proceeds receivable, with a balancing loss. Use the same asset on all asset balance lines. Settle the customer receivable through existing receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_disposal_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / ip_fair_value_disposal_loss_2	Derecognise asset cost/carrying amount	credit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
3 / ip_fair_value_disposal_loss_3	Disposal loss	debit	5350 - Asset Disposal and Lease Termination Losses	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Investment property fair-value increase - ip_fair_value_increase

Captures a manually assessed fair-value change through profit or loss. For investment property under the fair-value model only; no valuation calculation or model enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_increase_1	Fair-value adjustment	debit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ip_fair_value_increase_2	Fair-value gain	credit	4140 - Investment Property Fair-Value Gains	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Investment property fair-value decrease - ip_fair_value_decrease

Captures a manually assessed fair-value change through profit or loss. For investment property under the fair-value model only; no valuation calculation or model enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_decrease_1	Fair-value adjustment	credit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / ip_fair_value_decrease_2	Fair-value loss	debit	5340 - Investment Property Fair-Value Losses	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

PPE to Investment property (cost model) - asset_ppe_to_asset_ip

Transfers gross cost and accumulated balances following a qualifying change in use between PPE and cost-model investment property. Capture equal gross and contra amounts on each side; aggregate journal balance does not validate each matching pair. Preserve record linkage manually.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / asset_ppe_to_asset_ip_1	Destination gross cost	debit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
2 / asset_ppe_to_asset_ip_2	Source gross cost	credit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
3 / asset_ppe_to_asset_ip_3	Source accumulated depreciation	debit	1350 - Asset, PPE - Accumulated Depreciation	optional	manual	Mandatory: asset_ppe	None	None
4 / asset_ppe_to_asset_ip_4	Destination accumulated depreciation	credit	1450 - Asset, Investment Property - Accumulated Depreciation	optional	manual	Mandatory: asset_ip	None	None
5 / asset_ppe_to_asset_ip_5	Source accumulated impairment	debit	1360 - Asset, PPE - Accumulated Impairment	optional	manual	Mandatory: asset_ppe	None	None
6 / asset_ppe_to_asset_ip_6	Destination accumulated impairment	credit	1460 - Asset, Investment Property - Accumulated Impairment	optional	manual	Mandatory: asset_ip	None	None

Investment property (cost model) to PPE - asset_ip_to_asset_ppe

Transfers gross cost and accumulated balances following a qualifying change in use between PPE and cost-model investment property. Capture equal gross and contra amounts on each side; aggregate journal balance does not validate each matching pair. Preserve record linkage manually.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / asset_ip_to_asset_ppe_1	Destination gross cost	debit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
2 / asset_ip_to_asset_ppe_2	Source gross cost	credit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None
3 / asset_ip_to_asset_ppe_3	Source accumulated depreciation	debit	1450 - Asset, Investment Property - Accumulated Depreciation	optional	manual	Mandatory: asset_ip	None	None
4 / asset_ip_to_asset_ppe_4	Destination accumulated depreciation	credit	1350 - Asset, PPE - Accumulated Depreciation	optional	manual	Mandatory: asset_ppe	None	None
5 / asset_ip_to_asset_ppe_5	Source accumulated impairment	debit	1460 - Asset, Investment Property - Accumulated Impairment	optional	manual	Mandatory: asset_ip	None	None
6 / asset_ip_to_asset_ppe_6	Destination accumulated impairment	credit	1360 - Asset, PPE - Accumulated Impairment	optional	manual	Mandatory: asset_ppe	None	None

Investment property (fair value) to PPE - ip_fair_value_to_ppe

After recording fair-value adjustments to the change-of-use date, transfers the investment-property carrying amount as PPE deemed cost. Record linkage is maintained manually.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_to_ppe_1	PPE deemed cost	debit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None
2 / ip_fair_value_to_ppe_2	Investment-property carrying amount	credit	1410 - Investment Property - Fair Value	generated	balancing	Mandatory: asset_ip	None	None

PPE to investment property (fair value) - ppe_to_ip_fair_value

Transfers PPE carrying amount to investment property following a qualifying change in use. Capture gross cost and contra balances to establish net carrying amount. Record the change-of-use valuation difference separately using the revaluation transaction definitions and applicable IAS 16 treatment; no automatic assessment.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_to_ip_fair_value_1	Investment property at transferred carrying amount	debit	1410 - Investment Property - Fair Value	generated	balancing	Mandatory: asset_ip	None	None
2 / ppe_to_ip_fair_value_2	Clear accumulated depreciation	debit	1350 - Asset, PPE - Accumulated Depreciation	optional	manual	Mandatory: asset_ppe	None	None
3 / ppe_to_ip_fair_value_3	Clear accumulated impairment	debit	1360 - Asset, PPE - Accumulated Impairment	optional	manual	Mandatory: asset_ppe	None	None
4 / ppe_to_ip_fair_value_4	Remove PPE gross cost	credit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None

PPE to investment property: increase to revaluation surplus - ppe_to_ip_increase_reserve

Captures the manually assessed change-of-use valuation increase to revaluation surplus under IAS 16 treatment. Use only with the PPE-to-fair-value-IP transfer; split reserve and profit/loss portions where required. No reserve or reversal-limit enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_to_ip_increase_reserve_1	Change-of-use valuation adjustment	debit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ppe_to_ip_increase_reserve_2	increase to revaluation surplus	credit	3300 - Asset Revaluation Surplus	generated	balancing	Not used	None	None

PPE to investment property: increase reversing a prior expense - ppe_to_ip_increase_profit

Captures the manually assessed change-of-use valuation increase reversing a prior expense under IAS 16 treatment. Use only with the PPE-to-fair-value-IP transfer; split reserve and profit/loss portions where required. No reserve or reversal-limit enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_to_ip_increase_profit_1	Change-of-use valuation adjustment	debit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ppe_to_ip_increase_profit_2	increase reversing a prior expense	credit	4150 - Asset Impairment Reversals	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

PPE to investment property: decrease to expense - ppe_to_ip_decrease_expense

Captures the manually assessed change-of-use valuation decrease to expense under IAS 16 treatment. Use only with the PPE-to-fair-value-IP transfer; split reserve and profit/loss portions where required. No reserve or reversal-limit enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_to_ip_decrease_expense_1	Change-of-use valuation adjustment	credit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ppe_to_ip_decrease_expense_2	decrease to expense	debit	5330 - Asset Impairment Expense	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

PPE to investment property: decrease against revaluation surplus - ppe_to_ip_decrease_reserve

Captures the manually assessed change-of-use valuation decrease against revaluation surplus under IAS 16 treatment. Use only with the PPE-to-fair-value-IP transfer; split reserve and profit/loss portions where required. No reserve or reversal-limit enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_to_ip_decrease_reserve_1	Change-of-use valuation adjustment	credit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None
2 / ppe_to_ip_decrease_reserve_2	decrease against revaluation surplus	debit	3300 - Asset Revaluation Surplus	generated	balancing	Not used	None	None

Right-of-use initial recognition - rou_initial_recognition

Captures manually calculated initial ROU cost and lease liability. Optional bank-paid initial costs and restoration provision are entered separately. Any prepayments or incentives require their applicable configured journals; no present-value calculation.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_initial_recognition_1	Initial right-of-use cost	debit	1600 - Asset, Right-of-use - Cost	required	manual	Mandatory: asset_rou	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / rou_initial_recognition_2	Initial lease liability	credit	2510 - Lease Liability - Non-Current	required	manual	Mandatory: asset_rou	None	None
3 / rou_initial_recognition_3	Initial direct costs paid	credit	1010 - Bank Clearing	optional	manual	Mandatory: bank	None	None
4 / rou_initial_recognition_4	Restoration provision	credit	2080 - Lease Restoration Provision	optional	manual	Mandatory: asset_rou	None	None

Right-of-use depreciation - rou_depreciation

Captures manually calculated ROU depreciation for eligible leased assets; use the same asset for all related lease postings.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_depreciation_1	ROU depreciation expense	debit	5320 - Right-of-use asset Depreciation Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None
2 / rou_depreciation_2	Accumulated ROU depreciation	credit	1650 - Asset, Right-of-use - Accumulated Depreciation	generated	balancing	Mandatory: asset_rou	None	None

Right-of-use impairment - rou_impairment

Captures a manually assessed IAS 36 impairment movement. Applicable reversal limits are assessed outside this definition.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_impairment_1	Accumulated ROU impairment	credit	1660 - Asset, Right-of-use - Accumulated Impairment	required	manual	Mandatory: asset_rou	None	None
2 / rou_impairment_2	Impairment movement	debit	5330 - Asset Impairment Expense	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Right-of-use impairment reversal - rou_impairment_reversal

Captures a manually assessed IAS 36 impairment movement. Applicable reversal limits are assessed outside this definition.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_impairment_reversal_1	Accumulated ROU impairment	debit	1660 - Asset, Right-of-use - Accumulated Impairment	required	manual	Mandatory: asset_rou	None	None
2 / rou_impairment_reversal_2	Impairment movement	credit	4150 - Asset Impairment Reversals	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Lease interest accrual - rou_interest

Captures manually calculated lease interest against the non-current liability; reclassify the due portion separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_interest_1	Lease interest expense	debit	5510 - Lease Interest Expense	required	manual	Not used	accounting_object/cost_centre: optional, captured	None
2 / rou_interest_2	Lease interest accrued	credit	2510 - Lease Liability - Non-Current	generated	balancing	Mandatory: asset_rou	None	None

Lease liability current reclassification - rou_liability_current

Reclassifies the manually assessed current portion. Use the same ROU sub-ledger record on both liability lines.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_liability_current_1	Reduce non-current lease liability	debit	2510 - Lease Liability - Non-Current	required	manual	Mandatory: asset_rou	None	None
2 / rou_liability_current_2	Current lease liability	credit	2070 - Lease Liability - Current	generated	balancing	Mandatory: asset_rou	None	None

Lease liability non-current reclassification - rou_liability_non_current

Reverses an assessed current classification. Use the same ROU sub-ledger record on both liability lines.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_liability_non_current_1	Reduce current lease liability	debit	2070 - Lease Liability - Current	required	manual	Mandatory: asset_rou	None	None
2 / rou_liability_non_current_2	Non-current lease liability	credit	2510 - Lease Liability - Non-Current	generated	balancing	Mandatory: asset_rou	None	None

Lease payment from bank - rou_payment_bank

Pays the recorded current lease liability. Accrue interest and reclassify amounts due before payment; optional recoverable VAT is separately captured when eligible.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_payment_bank_1	Lease liability settled	debit	2070 - Lease Liability - Current	required	manual	Mandatory: asset_rou	None	None
2 / rou_payment_bank_2	Recoverable input VAT	debit	2200 - VAT Input	optional	manual	Not used	None	None
3 / rou_payment_bank_3	Bank payment	credit	1010 - Bank Clearing	generated	balancing	Mandatory: bank	None	None

Lease remeasurement increase - rou_remeasurement_increase

Captures a manually calculated lease-liability remeasurement with the corresponding ROU adjustment. A decrease exceeding the remaining ROU carrying amount requires a separately assessed gain; no calculation or limit enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_remeasurement_increase_1	ROU cost adjustment	debit	1600 - Asset, Right-of-use - Cost	required	manual	Mandatory: asset_rou	None	None
2 / rou_remeasurement_increase_2	Lease liability adjustment	credit	2510 - Lease Liability - Non-Current	generated	balancing	Mandatory: asset_rou	None	None

Lease remeasurement decrease - rou_remeasurement_decrease

Captures a manually calculated lease-liability remeasurement with the corresponding ROU adjustment. A decrease exceeding the remaining ROU carrying amount requires a separately assessed gain; no calculation or limit enforcement.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_remeasurement_decrease_1	ROU cost adjustment	credit	1600 - Asset, Right-of-use - Cost	required	manual	Mandatory: asset_rou	None	None
2 / rou_remeasurement_decrease_2	Lease liability adjustment	debit	2510 - Lease Liability - Non-Current	generated	balancing	Mandatory: asset_rou	None	None

Lease termination (gain) - rou_termination_gain

Derecognises manually assessed ROU balances and lease liabilities on termination, with optional bank settlement and a balancing gain/loss. Use the same leased-asset record on all lease balance lines. Full termination only; assess partial modifications separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_termination_gain_1	Release non-current lease liability	debit	2510 - Lease Liability - Non-Current	optional	manual	Mandatory: asset_rou	None	None
2 / rou_termination_gain_2	Release current lease liability	debit	2070 - Lease Liability - Current	optional	manual	Mandatory: asset_rou	None	None
3 / rou_termination_gain_3	Clear accumulated depreciation	debit	1650 - Asset, Right-of-use - Accumulated Depreciation	optional	manual	Mandatory: asset_rou	None	None
4 / rou_termination_gain_4	Clear accumulated impairment	debit	1660 - Asset, Right-of-use - Accumulated Impairment	optional	manual	Mandatory: asset_rou	None	None
5 / rou_termination_gain_5	Derecognise gross ROU cost	credit	1600 - Asset, Right-of-use - Cost	required	manual	Mandatory: asset_rou	None	None
6 / rou_termination_gain_6	Termination settlement paid	credit	1010 - Bank Clearing	optional	manual	Mandatory: bank	None	None
7 / rou_termination_gain_7	Termination gain	credit	4130 - Asset Disposal, Lease Termination and Remeasurement Gains	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Lease termination (loss) - rou_termination_loss

Derecognises manually assessed ROU balances and lease liabilities on termination, with optional bank settlement and a balancing gain/loss. Use the same leased-asset record on all lease balance lines. Full termination only; assess partial modifications separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_termination_loss_1	Release non-current lease liability	debit	2510 - Lease Liability - Non-Current	optional	manual	Mandatory: asset_rou	None	None
2 / rou_termination_loss_2	Release current lease liability	debit	2070 - Lease Liability - Current	optional	manual	Mandatory: asset_rou	None	None
3 / rou_termination_loss_3	Clear accumulated depreciation	debit	1650 - Asset, Right-of-use - Accumulated Depreciation	optional	manual	Mandatory: asset_rou	None	None
4 / rou_termination_loss_4	Clear accumulated impairment	debit	1660 - Asset, Right-of-use - Accumulated Impairment	optional	manual	Mandatory: asset_rou	None	None
5 / rou_termination_loss_5	Derecognise gross ROU cost	credit	1600 - Asset, Right-of-use - Cost	required	manual	Mandatory: asset_rou	None	None
6 / rou_termination_loss_6	Termination settlement paid	credit	1010 - Bank Clearing	optional	manual	Mandatory: bank	None	None
7 / rou_termination_loss_7	Termination loss	debit	5350 - Asset Disposal and Lease Termination Losses	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

PPE disposal (no gain/loss) - ppe_disposal_no_gain_loss

Derecognises an asset when proceeds equal net carrying amount, or writes off a fully depreciated/impaired asset without a gain/loss. Capture matching balances manually; no zero-value balancing line is generated. Use the same asset on all asset balance lines. Settle proceeds through existing customer receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ppe_disposal_no_gain_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / ppe_disposal_no_gain_loss_2	Clear accumulated depreciation/amortisation	debit	1350 - Asset, PPE - Accumulated Depreciation	optional	manual	Mandatory: asset_ppe	None	None
3 / ppe_disposal_no_gain_loss_3	Clear accumulated impairment	debit	1360 - Asset, PPE - Accumulated Impairment	optional	manual	Mandatory: asset_ppe	None	None
4 / ppe_disposal_no_gain_loss_4	Derecognise asset cost/carrying amount	credit	1300 - Asset, PPE - Cost	required	manual	Mandatory: asset_ppe	None	None

Investment property (cost model) disposal (no gain/loss) - ip_cost_disposal_no_gain_loss

Derecognises an asset when proceeds equal net carrying amount, or writes off a fully depreciated/impaired asset without a gain/loss. Capture matching balances manually; no zero-value balancing line is generated. Use the same asset on all asset balance lines. Settle proceeds through existing customer receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_cost_disposal_no_gain_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / ip_cost_disposal_no_gain_loss_2	Clear accumulated depreciation/amortisation	debit	1450 - Asset, Investment Property - Accumulated Depreciation	optional	manual	Mandatory: asset_ip	None	None
3 / ip_cost_disposal_no_gain_loss_3	Clear accumulated impairment	debit	1460 - Asset, Investment Property - Accumulated Impairment	optional	manual	Mandatory: asset_ip	None	None
4 / ip_cost_disposal_no_gain_loss_4	Derecognise asset cost/carrying amount	credit	1400 - Asset, Investment Property - Cost	required	manual	Mandatory: asset_ip	None	None

Investment property (fair-value model) disposal (no gain/loss) - ip_fair_value_disposal_no_gain_loss

Derecognises an asset when proceeds equal net carrying amount, or writes off a fully depreciated/impaired asset without a gain/loss. Capture matching balances manually; no zero-value balancing line is generated. Use the same asset on all asset balance lines. Settle proceeds through existing customer receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / ip_fair_value_disposal_no_gain_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / ip_fair_value_disposal_no_gain_loss_2	Derecognise asset cost/carrying amount	credit	1410 - Investment Property - Fair Value	required	manual	Mandatory: asset_ip	None	None

Intangible asset disposal (no gain/loss) - intangible_disposal_no_gain_loss

Derecognises an asset when proceeds equal net carrying amount, or writes off a fully depreciated/impaired asset without a gain/loss. Capture matching balances manually; no zero-value balancing line is generated. Use the same asset on all asset balance lines. Settle proceeds through existing customer receipt transactions; capture applicable disposal tax separately.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / intangible_disposal_no_gain_loss_1	Disposal proceeds receivable (excluding tax)	debit	1100 - Accounts Receivable	optional	manual	Mandatory: customer	None	None
2 / intangible_disposal_no_gain_loss_2	Clear accumulated depreciation/amortisation	debit	1550 - Asset, Intangibles - Accumulated Amortisation	optional	manual	Mandatory: asset_intangibles	None	None
3 / intangible_disposal_no_gain_loss_3	Clear accumulated impairment	debit	1560 - Asset, Intangibles - Accumulated Impairment	optional	manual	Mandatory: asset_intangibles	None	None
4 / intangible_disposal_no_gain_loss_4	Derecognise asset cost/carrying amount	credit	1500 - Asset, Intangibles - Cost	required	manual	Mandatory: asset_intangibles	None	None

Lease termination (no gain/loss) - rou_termination_no_gain_loss

Derecognises manually assessed ROU and lease-liability balances where settlement results in no gain/loss. Capture matching balances manually and use the same ROU record on all lease balance lines. Full termination only.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_termination_no_gain_loss_1	Release non-current lease liability	debit	2510 - Lease Liability - Non-Current	optional	manual	Mandatory: asset_rou	None	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / rou_termination_no_gain_loss_2	Release current lease liability	debit	2070 - Lease Liability - Current	optional	manual	Mandatory: asset_rou	None	None
3 / rou_termination_no_gain_loss_3	Clear accumulated depreciation	debit	1650 - Asset, Right-of-use - Accumulated Depreciation	optional	manual	Mandatory: asset_rou	None	None
4 / rou_termination_no_gain_loss_4	Clear accumulated impairment	debit	1660 - Asset, Right-of-use - Accumulated Impairment	optional	manual	Mandatory: asset_rou	None	None
5 / rou_termination_no_gain_loss_5	Derecognise gross ROU cost	credit	1600 - Asset, Right-of-use - Cost	required	manual	Mandatory: asset_rou	None	None
6 / rou_termination_no_gain_loss_6	Termination settlement paid	credit	1010 - Bank Clearing	optional	manual	Mandatory: bank	None	None

Lease remeasurement decrease exceeding ROU carrying amount - rou_remeasurement_decrease_gain

Captures a manually assessed liability decrease exceeding the remaining ROU carrying amount. Reduce the asset only to zero; capture the excess as a balancing gain. Amounts and limits are assessed outside this definition.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / rou_remeasurement_decrease_gain_1	Lease liability reduction	debit	2510 - Lease Liability - Non-Current	required	manual	Mandatory: asset_rou	None	None
2 / rou_remeasurement_decrease_gain_2	ROU reduction to zero	credit	1600 - Asset, Right-of-use - Cost	optional	manual	Mandatory: asset_rou	None	None
3 / rou_remeasurement_decrease_gain_3	Excess remeasurement gain	credit	4130 - Asset Disposal, Lease Termination and Remeasurement Gains	generated	balancing	Not used	accounting_object/cost_centre: optional, captured	None

Loans (3 types)

Loan received - loan_received

Records loan funding received into a bank account and the corresponding loan balance.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / loan_received_1	Loan proceeds received	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None
2 / loan_received_2	Loan payable	credit	2500 - Loan Payable	required	manual	Mandatory: loan	None	None

Loan principal bank repayment - loan_repayment_principal

Records repayment of loan principal from a bank account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / loan_repayment_principal_1	Loan payable principal	debit	2500 - Loan Payable	required	manual	Mandatory: loan	None	None
2 / loan_repayment_principal_2	Bank payment	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Loan interest bank payment - loan_interest_payment

Records payment of loan interest from a bank account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / loan_interest_payment_1	Interest expense	debit	5500 - Interest Expense	required	manual	Mandatory: loan	None	None
2 / loan_interest_payment_2	Bank payment	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Owner (2 types)

Owner deposit - owner_deposit

Records an owner contribution received into a bank account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / owner_deposit_1	Owner funds received	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None
2 / owner_deposit_2	Owner contribution	credit	3000 - Owner Equity	required	manual	Not used	None	None

Owner withdrawal - owner_withdrawal

Records an owner withdrawal paid from a bank account.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / owner_withdrawal_1	Owner drawing	debit	3200 - Owner Drawings	required	manual	Not used	None	None
2 / owner_withdrawal_2	Owner payment	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	None	None

Journals (1 types)

Manual journal - manual_journal

Records a general journal using manually entered lines and the configured posting and classification rules.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / manual_journal_1	Manual journal debit	debit	2999 - Suspense	required	manual	Not used	None	None
2 / manual_journal_2	Manual journal credit	credit	2999 - Suspense	required	manual	Not used	None	None

Insurance (9 types)

Premium invoice - insurance_premium_invoice

Records a supplier invoice for prepaid insurance coverage, with tax lines entered where the applicable tax treatment supports them.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_premium_invoice_1	Prepaid premium	debit	1250 - Prepaid Insurance	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None
2 / insurance_premium_invoice_2	Insurer or broker payable	credit	2000 - Accounts Payable	required	manual	Mandatory: vendor	accounting_object/insurance_policy: mandatory, captured	None
3 / insurance_premium_invoice_3	Separately identified broker fees	debit	5770 - Insurance Broker Fees	optional	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None
4 / insurance_premium_invoice_4	Input tax only where applicable and recoverable	debit	2200 - VAT Input	optional	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None

Premium credit - insurance_premium_credit

Records a supplier credit for unused prepaid insurance coverage; previously expensed amounts require appropriate manual reversal lines.

Additional lines permitted: True.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_premium_credit_1	Supplier credit	debit	2000 - Accounts Payable	required	manual	Mandatory: vendor	accounting_object/insurance_policy: mandatory, captured	None
2 / insurance_premium_credit_2	Prepaid premium credit	credit	1250 - Prepaid Insurance	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None
3 / insurance_premium_credit_3	Separately identified broker fees	credit	5770 - Insurance Broker Fees	optional	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None
4 / insurance_premium_credit_4	Input tax only where applicable and recoverable	credit	2200 - VAT Input	optional	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None

Premium payment - insurance_premium_payment

Records payment against insurance supplier invoices.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_premium_payment_1	Supplier payment	debit	2000 - Accounts Payable	required	manual	Mandatory: vendor	accounting_object/insurance_policy: mandatory, captured	None

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
2 / insurance_premium_payment_2	Bank payment	credit	1010 - Bank Clearing	required	manual	Mandatory: bank	accounting_object/insurance_policy: mandatory, captured	None

Premium allocation - insurance_premium_allocation

Records a manual allocation of prepaid insurance coverage to current-period expense.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_premium_allocation_1	Current coverage expense	debit	5760 - Insurance Premium Expense	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None
2 / insurance_premium_allocation_2	Release prepaid premium	credit	1250 - Prepaid Insurance	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None

Premium accrual - insurance_premium_accrual

Records insurance coverage incurred but not yet invoiced, subject to the approved accounting policy.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_premium_accrual_1	Insurance expense accrual	debit	5760 - Insurance Premium Expense	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None
2 / insurance_premium_accrual_2	Accrued premium	credit	2060 - Insurance Premium Accrual	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None

Premium accrual reversal - insurance_accrual_reversal

Reverses a previously recorded insurance premium accrual.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_accrual_reversal_1	Reverse accrued premium	debit	2060 - Insurance Premium Accrual	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None
2 / insurance_accrual_reversal_2	Reverse insurance expense accrual	credit	5760 - Insurance Premium Expense	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured	None

Claim recovery recognition - insurance_recovery_recognition

Records an approved insurance recovery receivable when recognition criteria are met; claim submission or approval does not create this journal.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_recovery_recognition_1	Recognised recovery receivable	debit	1260 - Insurance Recoveries Receivable	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured; accounting_object/insurance_claim: mandatory, captured	None
2 / insurance_recovery_recognition_2	Insurance recovery	credit	4120 - Insurance Recoveries	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured; accounting_object/insurance_claim: mandatory, captured	None

Claim settlement receipt - insurance_settlement_receipt

Records a full or partial insurance settlement against a recognised recovery receivable.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_settlement_receipt_1	Settlement received	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	accounting_object/insurance_policy: mandatory, captured; accounting_object/insurance_claim: mandatory, captured	None
2 / insurance_settlement_receipt_2	Clear recovery receivable	credit	1260 - Insurance Recoveries Receivable	required	manual	Not used	accounting_object/insurance_policy: mandatory, captured; accounting_object/insurance_claim: mandatory, captured	None

Premium refund receipt - insurance_premium_refund

Records a cash receipt against a previously recognised insurance supplier premium credit.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / insurance_premium_refund_1	Premium refund received	debit	1010 - Bank Clearing	required	manual	Mandatory: bank	accounting_object/insurance_policy: mandatory, captured	None
2 / insurance_premium_refund_2	Clear supplier premium credit	credit	2000 - Accounts Payable	required	manual	Mandatory: vendor	accounting_object/insurance_policy: mandatory, captured	None

Tour sales (1 types)

Tour customer invoice - tour_customer_invoice

Records a draft accounting invoice linked to a tour booking, departure and tour invoice record.

Additional lines permitted: False.

Order / line code	Description	Side	GL account	Occurrence	Amount source	Sub-ledger	Classifications	Example bindings
1 / tour_customer_invoice_1	Customer receivable	debit	1100 - Accounts Receivable	required	balancing	Mandatory: customer	accounting_object/tour_invoice: mandatory, captured; accounting_object/tour_booking: mandatory, captured; accounting_object/tour_departure: mandatory, captured	None
2 / tour_customer_invoice_2	Tour revenue	credit	4000 - Sales Revenue	required	manual	Not used	accounting_object/tour_invoice: mandatory, captured; accounting_object/tour_booking: mandatory, captured; accounting_object/tour_departure: mandatory, captured	None
3 / tour_customer_invoice_3	Output tax	credit	2100 - VAT Output	optional	manual	Not used	accounting_object/tour_invoice: mandatory, captured; accounting_object/tour_booking: mandatory, captured; accounting_object/tour_departure: mandatory, captured	None

Part 2 - Object type definitions and schemas

Sub-ledger / Bank account

Type code: bank

Identifies a bank account for allocating bank balances, receipts, payments and transfers.

Field / grid column	Caption	Type	Required	Configuration / validation
bankName	Bank Name	text	No	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
branchName	Branch Name	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
branchCode	Branch Code	short_text	No	{"maxLength": 30, "sortOrder": 30, "uiWidth": "short"}
accountNumber	Account Number	short_text	No	{"maxLength": 34, "sortOrder": 40, "uiWidth": "short"}
accountName	Account Name	text	No	{"maxLength": 150, "sortOrder": 50, "uiWidth": "medium"}
accountType	Account Type	select	No	{"maxLength": 150, "options": [{"code": "current", "description": "Current / Cheque"}, {"code": "savings", "description": "Savings"}, {"code": "transmission", "description": "Transmission"}, {"code": "credit", "description": "Credit"}, {"code": "other", "description": "Other"}], "sortOrder": 60, "uiWidth": "medium"}
swiftCode	SWIFT Code	short_text	No	{"maxLength": 11, "sortOrder": 70, "uiWidth": "short"}
iban	IBAN	short_text	No	{"maxLength": 34, "sortOrder": 80, "uiWidth": "short"}
currencyCode	Currency Code	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 90, "uiWidth": "short"}
contacts	Contacts	grid	No	{"sortOrder": 100, "uiWidth": "full"}
contacts.name	Contact name	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
contacts.role	Role	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
contacts.email	Email	email	No	{"maxLength": 254, "sortOrder": 30, "uiWidth": "wide"}
contacts.phone	Phone	short_text	No	{"maxLength": 30, "sortOrder": 40, "uiWidth": "short"}
bankingTerms	Banking terms	grid	No	{"helpText": "Reference terms only; no charge or interest calculation.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["termType"], "to": "effectiveTo"}, "sortOrder": 110, "uiWidth": "full"}
bankingTerms.termType	Term type	select	Yes	{"options": [{"code": "service_fee", "description": "Service fee"}, {"code": "interest", "description": "Interest"}, {"code": "overdraft", "description": "Overdraft"}], "sortOrder": 10, "uiWidth": "medium"}
bankingTerms.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
bankingTerms.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
bankingTerms.value	Value	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 40, "uiWidth": "short"}
bankingTerms.unit	Value unit	select	Yes	{"options": [{"code": "percent", "description": "Percent"}, {"code": "amount", "description": "Currency amount"}], "sortOrder": 50, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
bankingTerms.currencyCode	Currency	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 60, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "Bank",
"fields": [
"bankName",
"branchName",
"branchCode"
]
},
{
"label": "Account",
"fields": [
"accountNumber",
"accountName",
"accountType",
"currencyCode"
]
},
{
"label": "International",
"fields": [
"swiftCode",
"iban"
]
},
{
"label": "Contacts",
"fields": [
"contacts"
]
},
{
"label": "Banking terms",
"fields": [
"bankingTerms"
]
}
],
"properties": {
"bankName": {
"type": "text",
"title": "Bank Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10

```
},
"branchName": {
"type": "text",
"title": "Branch Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"branchCode": {
"type": "short_text",
"title": "Branch Code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 30
},
"accountNumber": {
"type": "short_text",
"title": "Account Number",
"maxLength": 34,
"uiWidth": "short",
"sortOrder": 40
},
"accountName": {
"type": "text",
"title": "Account Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 50
},
"accountType": {
"type": "select",
"title": "Account Type",
"maxLength": 150,
"uiWidth": "medium",
"options": [
{
"code": "current",
"description": "Current / Cheque"
},
{
"code": "savings",
"description": "Savings"
},
{
"code": "transmission",
"description": "Transmission"
},
{
"code": "credit",
"description": "Credit"
},
{
"code": "other",
"description": "Other"
}
],
"sortOrder": 60
```

```
},
"swiftCode": {
"type": "short_text",
"title": "SWIFT Code",
"maxLength": 11,
"uiWidth": "short",
"sortOrder": 70
},
"iban": {
"type": "short_text",
"title": "IBAN",
"maxLength": 34,
"uiWidth": "short",
"sortOrder": 80
},
"currencyCode": {
"type": "short_text",
"title": "Currency Code",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 90
},
"contacts": {
"type": "grid",
"title": "Contacts",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"name": {
"type": "text",
"title": "Contact name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "text",
"title": "Role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"email": {
"type": "email",
"title": "Email",
"maxLength": 254,
"uiWidth": "wide",
"sortOrder": 30
},
"phone": {
"type": "short_text",
"title": "Phone",
"maxLength": 30,
"uiWidth": "short",
```

```
"sortOrder": 40
}
},
"required": [
"name"
],
"additionalProperties": false
},
"sortOrder": 100
},
"bankingTerms": {
"type": "grid",
"title": "Banking terms",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"termType": {
"type": "select",
"title": "Term type",
"options": [
{
"code": "service_fee",
"description": "Service fee"
},
{
"code": "interest",
"description": "Interest"
},
{
"code": "overdraft",
"description": "Overdraft"
}
],
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
"value": {
"type": "decimal",
"title": "Value",
"precision": 14,
"scale": 4,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 40
```

```
},
"unit": {
"type": "select",
"title": "Value unit",
"options": [
{
"code": "percent",
"description": "Percent"
},
{
"code": "amount",
"description": "Currency amount"
}
],
"uiWidth": "medium",
"sortOrder": 50
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 60
}
},
"required": [
"termType",
"effectiveFrom",
"value",
"unit"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"termType"
],
"allowOverlap": false
},
"helpText": "Reference terms only; no charge or interest calculation.",
"sortOrder": 110
}
},
"required": [],
"additionalProperties": false
}
```

Sub-ledger / Customer account

Type code: customer

Identifies a customer for allocating accounts receivable, invoices, receipts and adjustments.

Field / grid column	Caption	Type	Required	Configuration / validation
customerType	Customer Type	text	No	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
email	Email	email	No	{"maxLength": 254, "sortOrder": 40, "uiWidth": "wide"}
phone	Phone	short_text	No	{"maxLength": 30, "sortOrder": 50, "uiWidth": "short"}
billingAddress	Billing Address	long_text	No	{"maxLength": 4000, "rows": 4, "sortOrder": 60, "uiWidth": "full"}
paymentTerms	Payment Terms	text	No	{"maxLength": 150, "sortOrder": 70, "uiWidth": "medium"}
creditLimit	Credit Limit	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 80, "uiWidth": "medium"}
currencyCode	Currency Code	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 90, "uiWidth": "short"}
contacts	Contacts	grid	No	{"sortOrder": 100, "uiWidth": "full"}
contacts.name	Contact name	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
contacts.role	Role	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
contacts.email	Email	email	No	{"maxLength": 254, "sortOrder": 30, "uiWidth": "wide"}
contacts.phone	Phone	short_text	No	{"maxLength": 30, "sortOrder": 40, "uiWidth": "short"}
addresses	Addresses	grid	No	{"sortOrder": 110, "uiWidth": "full"}
addresses.addressType	Address type	select	Yes	{"options": [{"code": "billing", "description": "Billing"}, {"code": "delivery", "description": "Delivery"}, {"code": "postal", "description": "Postal"}, {"code": "other", "description": "Other"}], "sortOrder": 10, "uiWidth": "medium"}
addresses.address	Address	long_text	Yes	{"maxLength": 4000, "rows": 3, "sortOrder": 20, "uiWidth": "full"}
commercialTerms	Commercial terms	grid	No	{"helpText": "Reference terms; current creditLimit and paymentTerms remain the primary single-field settings.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["termType"], "to": "effectiveTo"}, "sortOrder": 120, "uiWidth": "full"}
commercialTerms.termType	Term type	select	Yes	{"options": [{"code": "credit_limit", "description": "Credit limit"}, {"code": "payment_days", "description": "Payment days"}, {"code": "discount_percent", "description": "Discount percent"}], "sortOrder": 10, "uiWidth": "medium"}
commercialTerms.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
commercialTerms.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
commercialTerms.value	Value	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "short"}
commercialTerms.currencyCode	Currency	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 50, "uiWidth": "short"}

Complete schema configuration


```
{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"customerType"
]
},
{
"label": "Contact",
"fields": [
"email",
"phone",
"billingAddress"
]
},
{
"label": "Credit",
"fields": [
"paymentTerms",
"creditLimit",
"currencyCode"
]
},
{
"label": "Contacts",
"fields": [
"contacts"
]
},
{
"label": "Addresses",
"fields": [
"addresses"
]
},
{
"label": "Commercial terms",
"fields": [
"commercialTerms"
]
}
],
"properties": {
"customerType": {
"type": "text",
"title": "Customer Type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
```

```
"email": {
"type": "email",
"title": "Email",
"maxLength": 254,
"uiWidth": "wide",
"sortOrder": 40
},
"phone": {
"type": "short_text",
"title": "Phone",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 50
},
"billingAddress": {
"type": "long_text",
"title": "Billing Address",
"maxLength": 4000,
"rows": 4,
"uiWidth": "full",
"sortOrder": 60
},
"paymentTerms": {
"type": "text",
"title": "Payment Terms",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 70
},
"creditLimit": {
"type": "currency",
"title": "Credit Limit",
"precision": 14,
"scale": 2,
"uiWidth": "medium",
"minimum": 0,
"sortOrder": 80
},
"currencyCode": {
"type": "short_text",
"title": "Currency Code",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 90
},
"contacts": {
"type": "grid",
"title": "Contacts",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"name": {
"type": "text",
"title": "Contact name",
```

```
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "text",
"title": "Role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"email": {
"type": "email",
"title": "Email",
"maxLength": 254,
"uiWidth": "wide",
"sortOrder": 30
},
"phone": {
"type": "short_text",
"title": "Phone",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"name"
],
"additionalProperties": false
},
"sortOrder": 100
},
"addresses": {
"type": "grid",
"title": "Addresses",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"addressType": {
"type": "select",
"title": "Address type",
"options": [
{
"code": "billing",
"description": "Billing"
},
{
"code": "delivery",
"description": "Delivery"
},
{
"code": "postal",
"description": "Postal"
},
{
```

```
"code": "other",
"description": "Other"
}
],
"uiWidth": "medium",
"sortOrder": 10
},
"address": {
"type": "long_text",
"title": "Address",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 20
}
},
"required": [
"addressType",
"address"
],
"additionalProperties": false
},
"sortOrder": 110
},
"commercialTerms": {
"type": "grid",
"title": "Commercial terms",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"termType": {
"type": "select",
"title": "Term type",
"options": [
{
"code": "credit_limit",
"description": "Credit limit"
},
{
"code": "payment_days",
"description": "Payment days"
},
{
"code": "discount_percent",
"description": "Discount percent"
}
],
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
```

```
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
"value": {
"type": "decimal",
"title": "Value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 40
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 50
}
},
"required": [
"termType",
"effectiveFrom",
"value"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"termType"
],
"allowOverlap": false
},
"helpText": "Reference terms; current creditLimit and paymentTerms remain the primary single-field settings.",
"sortOrder": 120
}
},
"required": [],
"additionalProperties": false
}
```

Sub-ledger / Vendor account

Type code: vendor

Identifies a supplier for allocating accounts payable, purchases, payments and adjustments.

Field / grid column	Caption	Type	Required	Configuration / validation
vendorType	Vendor Type	select	No	{"maxLength": 150, "options": [{"code": "goods_supplier", "description": "Goods supplier"}, {"code": "service_provider", "description": "Service provider"}, {"code": "contractor", "description": "Contractor"}, {"code": "utility_provider", "description": "Utility provider"}, {"code": "government_tax", "description": "Government / tax authority"}, {"code": "other", "description": "Other"}], "sortOrder": 10, "uiWidth": "medium"}
email	Email	email	No	{"maxLength": 254, "sortOrder": 40, "uiWidth": "wide"}
phone	Phone	short_text	No	{"maxLength": 30, "sortOrder": 50, "uiWidth": "short"}
paymentTerms	Payment Terms	text	No	{"maxLength": 150, "sortOrder": 60, "uiWidth": "medium"}
bankAccountName	Bank Account Name	text	No	{"maxLength": 150, "sortOrder": 70, "uiWidth": "medium"}
bankAccountNumber	Bank Account Number	short_text	No	{"maxLength": 34, "sortOrder": 80, "uiWidth": "short"}
currencyCode	Currency Code	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 90, "uiWidth": "short"}
bankName	Bank Name	text	No	{"maxLength": 150, "sortOrder": 100, "uiWidth": "medium"}
bankAccountType	Bank Account Type	select	No	{"options": [{"code": "current", "description": "Current / Cheque"}, {"code": "savings", "description": "Savings"}, {"code": "transmission", "description": "Transmission"}, {"code": "credit", "description": "Credit"}, {"code": "other", "description": "Other"}], "sortOrder": 110, "uiWidth": "medium"}
contacts	Contacts	grid	No	{"sortOrder": 120, "uiWidth": "full"}
contacts.name	Contact name	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
contacts.role	Role	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
contacts.email	Email	email	No	{"maxLength": 254, "sortOrder": 30, "uiWidth": "wide"}
contacts.phone	Phone	short_text	No	{"maxLength": 30, "sortOrder": 40, "uiWidth": "short"}
addresses	Addresses	grid	No	{"sortOrder": 130, "uiWidth": "full"}
addresses.addressType	Address type	select	Yes	{"options": [{"code": "billing", "description": "Billing"}, {"code": "delivery", "description": "Delivery"}, {"code": "postal", "description": "Postal"}, {"code": "other", "description": "Other"}], "sortOrder": 10, "uiWidth": "medium"}
addresses.address	Address	long_text	Yes	{"maxLength": 4000, "rows": 3, "sortOrder": 20, "uiWidth": "full"}
paymentAccounts	Payment accounts	grid	No	{"helpText": "Alternative reference accounts; primary bank fields remain unchanged. No payment execution.", "sortOrder": 140, "uiWidth": "full"}
paymentAccounts.bankName	Bank	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
paymentAccounts.accountName	Account name	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
paymentAccounts.accountNumber	Account number	short_text	Yes	{"maxLength": 34, "sortOrder": 30, "uiWidth": "short"}
paymentAccounts.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 40, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"vendorType"
]
},
{
"label": "Contact",
"fields": [
"email",
"phone"
]
},
{
"label": "Payment",
"fields": [
"paymentTerms",
"bankName",
"bankAccountName",
"bankAccountNumber",
"bankAccountType",
"currencyCode"
]
},
{
"label": "Contacts",
"fields": [
"contacts"
]
},
{
"label": "Addresses",
"fields": [
"addresses"
]
},
{
"label": "Payment accounts",
"fields": [
"paymentAccounts"

```
]
}
],
"properties": {
"vendorType": {
"type": "select",
"title": "Vendor Type",
"maxLength": 150,
"uiWidth": "medium",
"options": [
{
"code": "goods_supplier",
"description": "Goods supplier"
},
{
"code": "service_provider",
"description": "Service provider"
},
{
"code": "contractor",
"description": "Contractor"
},
{
"code": "utility_provider",
"description": "Utility provider"
},
{
"code": "government_tax",
"description": "Government / tax authority"
},
{
"code": "other",
"description": "Other"
}
],
"sortOrder": 10
},
"email": {
"type": "email",
"title": "Email",
"maxLength": 254,
"uiWidth": "wide",
"sortOrder": 40
},
"phone": {
"type": "short_text",
"title": "Phone",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 50
},
"paymentTerms": {
"type": "text",
"title": "Payment Terms",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 60
```

```
},
"bankAccountName": {
"type": "text",
"title": "Bank Account Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 70
},
"bankAccountNumber": {
"type": "short_text",
"title": "Bank Account Number",
"maxLength": 34,
"uiWidth": "short",
"sortOrder": 80
},
"currencyCode": {
"type": "short_text",
"title": "Currency Code",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 90
},
"bankName": {
"type": "text",
"title": "Bank Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 100
},
"bankAccountType": {
"type": "select",
"title": "Bank Account Type",
"options": [
{
"code": "current",
"description": "Current / Cheque"
},
{
"code": "savings",
"description": "Savings"
},
{
"code": "transmission",
"description": "Transmission"
},
{
"code": "credit",
"description": "Credit"
},
{
"code": "other",
"description": "Other"
}
],
"uiWidth": "medium",
```

```
"sortOrder": 110
},
"contacts": {
"type": "grid",
"title": "Contacts",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"name": {
"type": "text",
"title": "Contact name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "text",
"title": "Role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"email": {
"type": "email",
"title": "Email",
"maxLength": 254,
"uiWidth": "wide",
"sortOrder": 30
},
"phone": {
"type": "short_text",
"title": "Phone",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"name"
],
"additionalProperties": false
},
"sortOrder": 120
},
"addresses": {
"type": "grid",
"title": "Addresses",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"addressType": {
"type": "select",
"title": "Address type",
"options": [
{
```

```
"code": "billing",
"description": "Billing"
},
{
"code": "delivery",
"description": "Delivery"
},
{
"code": "postal",
"description": "Postal"
},
{
"code": "other",
"description": "Other"
}
],
"uiWidth": "medium",
"sortOrder": 10
},
"address": {
"type": "long_text",
"title": "Address",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 20
}
},
"required": [
"addressType",
"address"
],
"additionalProperties": false
},
"sortOrder": 130
},
"paymentAccounts": {
"type": "grid",
"title": "Payment accounts",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"bankName": {
"type": "text",
"title": "Bank",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"accountName": {
"type": "text",
"title": "Account name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
```

```
"accountNumber": {
"type": "short_text",
"title": "Account number",
"maxLength": 34,
"uiWidth": "short",
"sortOrder": 30
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 40
}
},
"required": [
"bankName",
"accountName",
"accountNumber",
"currencyCode"
],
"additionalProperties": false
},
"helpText": "Alternative reference accounts; primary bank fields remain unchanged. No payment execution.",
"sortOrder": 140
}
},
"required": [],
"additionalProperties": false
}
```

Sub-ledger / Employee

Type code: employee

Identifies an employee for allocating employee-related balances, advances and settlements.

Field / grid column	Caption	Type	Required	Configuration / validation
firstName	First Name	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
lastName	Last Name	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium"}
idNumber	ID Number	short_text	No	{"maxLength": 30, "sortOrder": 40, "uiWidth": "short"}
email	Email	email	No	{"maxLength": 254, "sortOrder": 50, "uiWidth": "wide"}
phone	Phone	short_text	No	{"maxLength": 30, "sortOrder": 60, "uiWidth": "short"}
jobTitle	Job Title	text	No	{"maxLength": 150, "sortOrder": 70, "uiWidth": "medium"}
department	Department	text	No	{"maxLength": 150, "sortOrder": 80, "uiWidth": "medium"}
startDate	Start Date	date	No	{"sortOrder": 90, "uiWidth": "short"}
endDate	End Date	date	No	{"sortOrder": 100, "uiWidth": "short"}
qualifications	Qualifications	grid	No	{"sortOrder": 110, "uiWidth": "full"}
qualifications.qualification	Qualification	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
qualifications.institution	Institution	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
qualifications.awardDate	Award date	date	No	{"sortOrder": 30, "uiWidth": "short"}
qualifications.expiryDate	Expiry date	date	No	{"sortOrder": 40, "uiWidth": "short"}
employmentAssignments	Employment assignments	grid	No	{"helpText": "Reference assignments; existing jobTitle and department are current headline details.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["team", "department", "role"], "to": "effectiveTo"}, "sortOrder": 120, "uiWidth": "full"}
employmentAssignments.team	Team	reference	No	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["team"]}, "uiWidth": "medium"}
employmentAssignments.department	Department	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
employmentAssignments.role	Role	text	Yes	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium"}
employmentAssignments.effectiveFrom	Effective from	date	Yes	{"sortOrder": 40, "uiWidth": "short"}
employmentAssignments.effectiveTo	Effective to	date	No	{"sortOrder": 50, "uiWidth": "short"}

Complete schema configuration


```
{
"type": "object",
"tabs": [
{
"label": "Personal",
"fields": [
"firstName",
"lastName",
"idNumber"
]
},
{
"label": "Contact",
"fields": [
"email",
"phone"
]
},
{
"label": "Employment",
"fields": [
"jobTitle",
"department",
"startDate",
"endDate"
]
},
{
"label": "Qualifications",
"fields": [
"qualifications"
]
},
{
"label": "Employment assignments",
"fields": [
"employmentAssignments"
]
}
],
"properties": {
"firstName": {
"type": "text",
"title": "First Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"lastName": {
"type": "text",
"title": "Last Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 30
```

```
},
"idNumber": {
"type": "short_text",
"title": "ID Number",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 40
},
"email": {
"type": "email",
"title": "Email",
"maxLength": 254,
"uiWidth": "wide",
"sortOrder": 50
},
"phone": {
"type": "short_text",
"title": "Phone",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 60
},
"jobTitle": {
"type": "text",
"title": "Job Title",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 70
},
"department": {
"type": "text",
"title": "Department",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 80
},
"startDate": {
"type": "date",
"title": "Start Date",
"uiWidth": "short",
"sortOrder": 90
},
"endDate": {
"type": "date",
"title": "End Date",
"uiWidth": "short",
"sortOrder": 100
},
"qualifications": {
"type": "grid",
"title": "Qualifications",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"qualification": {
"type": "text",
```

```
"title": "Qualification",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"institution": {
"type": "text",
"title": "Institution",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"awardDate": {
"type": "date",
"title": "Award date",
"uiWidth": "short",
"sortOrder": 30
},
"expiryDate": {
"type": "date",
"title": "Expiry date",
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"qualification"
],
"additionalProperties": false
},
"sortOrder": 110
},
"employmentAssignments": {
"type": "grid",
"title": "Employment assignments",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"team": {
"type": "reference",
"title": "Team",
"target": {
"class": "accounting_object",
"types": [
"team"
]
},
"uiWidth": "medium",
"sortOrder": 10
},
"department": {
"type": "text",
"title": "Department",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
```

```
},
"role": {
"type": "text",
"title": "Role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 30
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 40
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 50
}
},
"required": [
"role",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"team",
"department",
"role"
],
"allowOverlap": false
},
"helpText": "Reference assignments; existing jobTitle and department are current headline details.",
"sortOrder": 120
}
},
"required": [],
"additionalProperties": false
}
```

Sub-ledger / Cash Point

Type code: cash_point

Identifies a till, safe, petty cash fund or other cash location for allocating cash balances and movements.

Field / grid column	Caption	Type	Required	Configuration / validation
locationName	Location Name	text	No	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
locationCode	Location Code	short_text	No	{"maxLength": 30, "sortOrder": 20, "uiWidth": "short"}
siteName	Site Name	text	No	{"maxLength": 150, "sortOrder": 40, "uiWidth": "medium"}
reconciliationFrequency	Reconciliation Frequency	text	No	{"maxLength": 150, "sortOrder": 50, "uiWidth": "medium"}
currencyCode	Currency Code	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 60, "uiWidth": "short"}
notes	Notes	long_text	No	{"maxLength": 4000, "rows": 4, "sortOrder": 90, "uiWidth": "full"}
responsibilities	Responsibilities	grid	No	{"helpText": "Responsibility directory; Resources assignments remain authoritative for access and assignment rules.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["resource", "responsibility"], "to": "effectiveTo"}, "sortOrder": 100, "uiWidth": "full"}
responsibilities.resource	Resource	reference	Yes	{"sortOrder": 10, "target": {"class": "resource"}, "uiWidth": "medium"}
responsibilities.responsibility	Responsibility	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
responsibilities.effectiveFrom	Effective from	date	Yes	{"sortOrder": 30, "uiWidth": "short"}
responsibilities.effectiveTo	Effective to	date	No	{"sortOrder": 40, "uiWidth": "short"}
operatingHours	Operating hours	grid	No	{"sortOrder": 110, "uiWidth": "full"}
operatingHours.weekday	Weekday	select	Yes	{"options": [{"code": "mon", "description": "Monday"}, {"code": "tue", "description": "Tuesday"}, {"code": "wed", "description": "Wednesday"}, {"code": "thu", "description": "Thursday"}, {"code": "fri", "description": "Friday"}, {"code": "sat", "description": "Saturday"}, {"code": "sun", "description": "Sunday"}], "sortOrder": 10, "uiWidth": "medium"}
operatingHours.opens	Opens	short_text	Yes	{"maxLength": 5, "pattern": "(?:[01][0-9]|2[0-3]):[0-5][0-9]", "placeholder": "08:00", "sortOrder": 20, "uiWidth": "short"}
operatingHours.closes	Closes	short_text	Yes	{"maxLength": 5, "pattern": "(?:[01][0-9]|2[0-3]):[0-5][0-9]", "placeholder": "17:00", "sortOrder": 30, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"locationName",

```
"locationCode"
]
},
{
"label": "Operation",
"fields": [
"siteName",
"reconciliationFrequency",
"currencyCode"
]
},
{
"label": "Control",
"fields": [
"notes"
]
},
{
"label": "Responsibilities",
"fields": [
"responsibilities"
]
},
{
"label": "Operating hours",
"fields": [
"operatingHours"
]
}
],
"properties": {
"locationName": {
"type": "text",
"title": "Location Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"locationCode": {
"type": "short_text",
"title": "Location Code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 20
},
"siteName": {
"type": "text",
"title": "Site Name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 40
},
"reconciliationFrequency": {
"type": "text",
"title": "Reconciliation Frequency",
"maxLength": 150,
"uiWidth": "medium",
```

```
"sortOrder": 50
},
"currencyCode": {
"type": "short_text",
"title": "Currency Code",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 60
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 4,
"uiWidth": "full",
"sortOrder": 90
},
"responsibilities": {
"type": "grid",
"title": "Responsibilities",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"resource": {
"type": "reference",
"title": "Resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 10
},
"responsibility": {
"type": "text",
"title": "Responsibility",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 30
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"resource",
```

```
"responsibility",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"resource",
"responsibility"
],
"allowOverlap": false
},
"helpText": "Responsibility directory; Resources assignments remain authoritative for access and assignment rules.",
"sortOrder": 100
},
"operatingHours": {
"type": "grid",
"title": "Operating hours",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"weekday": {
"type": "select",
"title": "Weekday",
"options": [
{
"code": "mon",
"description": "Monday"
},
{
"code": "tue",
"description": "Tuesday"
},
{
"code": "wed",
"description": "Wednesday"
},
{
"code": "thu",
"description": "Thursday"
},
{
"code": "fri",
"description": "Friday"
},
{
"code": "sat",
"description": "Saturday"
},
{
"code": "sun",
"description": "Sunday"
}
],
```

```
"uiWidth": "medium",
"sortOrder": 10
},
"opens": {
"type": "short_text",
"title": "Opens",
"maxLength": 5,
"uiWidth": "short",
"pattern": "(?:[01][0-9]|2[0-3]):[0-5][0-9]",
"placeholder": "08:00",
"sortOrder": 20
},
"closes": {
"type": "short_text",
"title": "Closes",
"maxLength": 5,
"uiWidth": "short",
"pattern": "(?:[01][0-9]|2[0-3]):[0-5][0-9]",
"placeholder": "17:00",
"sortOrder": 30
}
},
"required": [
"weekday",
"opens",
"closes"
],
"additionalProperties": false
},
"sortOrder": 110
}
},
"required": [],
"additionalProperties": false
}
```

Sub-ledger / Asset, PPE

Type code: asset_ppe

Identifies an individual ppe for allocating capitalised cost and related balance-sheet movements. Transaction amounts are captured manually; schema fields do not calculate or post journals.

Field / grid column	Caption	Type	Required	Configuration / validation
assetTag	Asset Tag	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
serialNumber	Serial Number	short_text	No	{"maxLength": 30, "sortOrder": 30, "uiWidth": "short"}
purchaseDate	Purchase Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
commissionDate	Commission Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
location	Location	reference	No	{"sortOrder": 70, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "medium"}
depreciationMethod	Depreciation method	select	No	{"helpText": "Descriptive configuration only. Capture calculated charges through the applicable transaction type.", "options": [{"code": "straight_line", "description": "Straight line"}, {"code": "reducing_balance", "description": "Reducing balance"}, {"code": "units_of_production", "description": "Units of production"}, {"code": "not_depreciated", "description": "Not depreciated"}], "sortOrder": 80, "uiWidth": "medium"}
usefulLifeMonths	Useful Life Months	integer	No	{"minimum": 0, "sortOrder": 90, "uiWidth": "short"}
residualValue	Residual Value	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 100, "uiWidth": "medium"}
marketValues	Market values	grid	No	{"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.", "sortOrder": 110, "uiWidth": "full"}
marketValues.valuationDate	Valuation date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
marketValues.amount	Market value	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
marketValues.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 30, "uiWidth": "short"}
marketValues.method	Valuation method	reference	No	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["valuation_method"]}, "uiWidth": "medium"}
marketValues.valuer	Valuer	reference	No	{"sortOrder": 50, "target": {"class": "resource"}, "uiWidth": "medium"}
marketValues.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}
components	Components	grid	No	{"sortOrder": 120, "uiWidth": "full"}
components.componentCode	Component code	short_text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
components.description	Description	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
components.condition	Condition	select	No	{"options": [{"code": "good", "description": "Good"}, {"code": "fair", "description": "Fair"}, {"code": "poor", "description": "Poor"}], "sortOrder": 30, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
components.responsibleResource	Responsible resource	reference	No	{"sortOrder": 40, "target": {"class": "resource"}, "uiWidth": "medium"}
measurements	Measurements	grid	No	{"sortOrder": 130, "uiWidth": "full"}
measurements.measurementDate	Measurement date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
measurements.measurementType	Measurement type	reference	Yes	{"sortOrder": 20, "target": {"class": "accounting_dimension", "types": ["measurement_type"]}, "uiWidth": "medium"}
measurements.quantity	Quantity	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 30, "uiWidth": "short"}
measurements.unit	Unit	reference	Yes	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}
assetClass	Asset class	select	Yes	{"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules.", "options": [{"code": "land", "description": "Land"}, {"code": "buildings", "description": "Buildings"}, {"code": "leasehold_improvements", "description": "Leasehold improvements"}, {"code": "plant_and_machinery", "description": "Plant and machinery"}, {"code": "vehicles", "description": "Vehicles"}, {"code": "computer_equipment", "description": "Computer equipment"}, {"code": "furniture_and_fittings", "description": "Furniture and fittings"}, {"code": "office_equipment", "description": "Office equipment"}, {"code": "tools_and_equipment", "description": "Tools and equipment"}, {"code": "infrastructure", "description": "Infrastructure"}], "sortOrder": 20, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"assetTag",
"assetClass",
"serialNumber"
]
},
{
"label": "Dates",
"fields": [
"purchaseDate",
"commissionDate"
]
},
{
"label": "Assignment",
"fields": [
"location"
]
},
{
"label": "Depreciation",
"fields": [
"depreciationMethod",
"usefulLifeMonths",

```
"residualValue"
]
},
{
"label": "Market values",
"fields": [
"marketValues"
]
},
{
"label": "Components",
"fields": [
"components"
]
},
{
"label": "Measurements",
"fields": [
"measurements"
]
}
],
"properties": {
"assetTag": {
"type": "short_text",
"title": "Asset Tag",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"serialNumber": {
"type": "short_text",
"title": "Serial Number",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 30
},
"purchaseDate": {
"type": "date",
"title": "Purchase Date",
"uiWidth": "short",
"sortOrder": 40
},
"commissionDate": {
"type": "date",
"title": "Commission Date",
"uiWidth": "short",
"sortOrder": 50
},
"location": {
"type": "reference",
"title": "Location",
"target": {
"class": "accounting_object",
"types": [
"property"
]
```

```
},
"uiWidth": "medium",
"sortOrder": 70
},
"depreciationMethod": {
"type": "select",
"title": "Depreciation method",
"options": [
{
"code": "straight_line",
"description": "Straight line"
},
{
"code": "reducing_balance",
"description": "Reducing balance"
},
{
"code": "units_of_production",
"description": "Units of production"
},
{
"code": "not_depreciated",
"description": "Not depreciated"
}
],
"uiWidth": "medium",
"sortOrder": 80,
"helpText": "Descriptive configuration only. Capture calculated charges through the applicable transaction type."
},
"usefulLifeMonths": {
"type": "integer",
"title": "Useful Life Months",
"minimum": 0,
"uiWidth": "short",
"sortOrder": 90
},
"residualValue": {
"type": "currency",
"title": "Residual Value",
"precision": 14,
"scale": 2,
"uiWidth": "medium",
"minimum": 0,
"sortOrder": 100
},
"marketValues": {
"type": "grid",
"title": "Market values",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"valuationDate": {
"type": "date",
"title": "Valuation date",
"uiWidth": "short",
"sortOrder": 10
```

```
},
"amount": {
"type": "currency",
"title": "Market value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 30
},
"method": {
"type": "reference",
"title": "Valuation method",
"target": {
"class": "accounting_dimension",
"types": [
"valuation_method"
]
},
"uiWidth": "medium",
"sortOrder": 40
},
"valuer": {
"type": "reference",
"title": "Valuer",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 50
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 60
}
},
"required": [
"valuationDate",
"amount",
"currencyCode"
],
"additionalProperties": false
},
"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.",
```

```
"sortOrder": 110
},
"components": {
"type": "grid",
"title": "Components",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"componentCode": {
"type": "short_text",
"title": "Component code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"description": {
"type": "text",
"title": "Description",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"condition": {
"type": "select",
"title": "Condition",
"options": [
{
"code": "good",
"description": "Good"
},
{
"code": "fair",
"description": "Fair"
},
{
"code": "poor",
"description": "Poor"
}
],
"uiWidth": "medium",
"sortOrder": 30
},
"responsibleResource": {
"type": "reference",
"title": "Responsible resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"componentCode",
"description"
],
```

```
"additionalProperties": false
},
"sortOrder": 120
},
"measurements": {
"type": "grid",
"title": "Measurements",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"measurementDate": {
"type": "date",
"title": "Measurement date",
"uiWidth": "short",
"sortOrder": 10
},
"measurementType": {
"type": "reference",
"title": "Measurement type",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_type"
]
},
"uiWidth": "medium",
"sortOrder": 20
},
"quantity": {
"type": "decimal",
"title": "Quantity",
"precision": 14,
"scale": 4,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 30
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"measurementDate",
"measurementType",
"quantity",
"unit"
],
```

```
"additionalProperties": false
},
"sortOrder": 130
},
"assetClass": {
"type": "select",
"title": "Asset class",
"options": [
{
"code": "land",
"description": "Land"
},
{
"code": "buildings",
"description": "Buildings"
},
{
"code": "leasehold_improvements",
"description": "Leasehold improvements"
},
{
"code": "plant_and_machinery",
"description": "Plant and machinery"
},
{
"code": "vehicles",
"description": "Vehicles"
},
{
"code": "computer_equipment",
"description": "Computer equipment"
},
{
"code": "furniture_and_fittings",
"description": "Furniture and fittings"
},
{
"code": "office_equipment",
"description": "Office equipment"
},
{
"code": "tools_and_equipment",
"description": "Tools and equipment"
},
{
"code": "infrastructure",
"description": "Infrastructure"
}
],
"uiWidth": "medium",
"sortOrder": 20,
"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules."
}
},
"required": [
"assetClass"
],
```

"additionalProperties": false
}

Sub-ledger / Asset, Investment Property

Type code: asset_ip

Identifies an individual investment property (cost model) for allocating capitalised cost and related balance-sheet movements. Transaction amounts are captured manually; schema fields do not calculate or post journals.

Field / grid column	Caption	Type	Required	Configuration / validation
assetTag	Asset Tag	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
serialNumber	Serial Number	short_text	No	{"maxLength": 30, "sortOrder": 30, "uiWidth": "short"}
purchaseDate	Purchase Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
commissionDate	Commission Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
location	Location	reference	No	{"sortOrder": 70, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "medium"}
depreciationMethod	Depreciation method	select	No	{"helpText": "Descriptive configuration only. Capture calculated charges through the applicable transaction type.", "options": [{"code": "straight_line", "description": "Straight line"}, {"code": "reducing_balance", "description": "Reducing balance"}, {"code": "units_of_production", "description": "Units of production"}, {"code": "not_depreciated", "description": "Not depreciated"}], "sortOrder": 80, "uiWidth": "medium"}
usefulLifeMonths	Useful Life Months	integer	No	{"minimum": 0, "sortOrder": 90, "uiWidth": "short"}
residualValue	Residual Value	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 100, "uiWidth": "medium"}
marketValues	Market values	grid	No	{"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.", "sortOrder": 110, "uiWidth": "full"}
marketValues.valuationDate	Valuation date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
marketValues.amount	Market value	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
marketValues.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 30, "uiWidth": "short"}
marketValues.method	Valuation method	reference	No	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["valuation_method"]}, "uiWidth": "medium"}
marketValues.valuer	Valuer	reference	No	{"sortOrder": 50, "target": {"class": "resource"}, "uiWidth": "medium"}
marketValues.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}
components	Components	grid	No	{"sortOrder": 120, "uiWidth": "full"}
components.componentCode	Component code	short_text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
components.description	Description	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
components.condition	Condition	select	No	{"options": [{"code": "good", "description": "Good"}, {"code": "fair", "description": "Fair"}, {"code": "poor", "description": "Poor"}], "sortOrder": 30, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
components.responsibleResource	Responsible resource	reference	No	{"sortOrder": 40, "target": {"class": "resource"}, "uiWidth": "medium"}
measurements	Measurements	grid	No	{"sortOrder": 130, "uiWidth": "full"}
measurements.measurementDate	Measurement date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
measurements.measurementType	Measurement type	reference	Yes	{"sortOrder": 20, "target": {"class": "accounting_dimension", "types": ["measurement_type"]}, "uiWidth": "medium"}
measurements.quantity	Quantity	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 30, "uiWidth": "short"}
measurements.unit	Unit	reference	Yes	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}
assetClass	Asset class	select	Yes	{"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules.", "options": [{"code": "land", "description": "Land"}, {"code": "buildings", "description": "Buildings"}, {"code": "land_and_buildings", "description": "Land and buildings"}], "sortOrder": 20, "uiWidth": "medium"}
measurementModel	Measurement model	select	Yes	{"helpText": "Record the applicable organisation policy. This field does not enforce policy consistency or restrict transaction selection. Depreciation and impairment transactions are for the cost model only.", "options": [{"code": "cost", "description": "Cost"}, {"code": "fair_value", "description": "Fair value"}], "sortOrder": 25, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"assetTag",
"assetClass",
"measurementModel",
"serialNumber"
]
},
{
"label": "Dates",
"fields": [
"purchaseDate",
"commissionDate"
]
},
{
"label": "Assignment",
"fields": [
"location"
]
},
{
"label": "Depreciation",
"fields": [
"depreciationMethod",

```
"usefulLifeMonths",
"residualValue"
]
},
{
"label": "Market values",
"fields": [
"marketValues"
]
},
{
"label": "Components",
"fields": [
"components"
]
},
{
"label": "Measurements",
"fields": [
"measurements"
]
}
],
"properties": {
"assetTag": {
"type": "short_text",
"title": "Asset Tag",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"serialNumber": {
"type": "short_text",
"title": "Serial Number",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 30
},
"purchaseDate": {
"type": "date",
"title": "Purchase Date",
"uiWidth": "short",
"sortOrder": 40
},
"commissionDate": {
"type": "date",
"title": "Commission Date",
"uiWidth": "short",
"sortOrder": 50
},
"location": {
"type": "reference",
"title": "Location",
"target": {
"class": "accounting_object",
"types": [
"property"
```

```
]
},
"uiWidth": "medium",
"sortOrder": 70
},
"depreciationMethod": {
"type": "select",
"title": "Depreciation method",
"options": [
{
"code": "straight_line",
"description": "Straight line"
},
{
"code": "reducing_balance",
"description": "Reducing balance"
},
{
"code": "units_of_production",
"description": "Units of production"
},
{
"code": "not_depreciated",
"description": "Not depreciated"
}
],
"uiWidth": "medium",
"sortOrder": 80,
"helpText": "Descriptive configuration only. Capture calculated charges through the applicable transaction type."
},
"usefulLifeMonths": {
"type": "integer",
"title": "Useful Life Months",
"minimum": 0,
"uiWidth": "short",
"sortOrder": 90
},
"residualValue": {
"type": "currency",
"title": "Residual Value",
"precision": 14,
"scale": 2,
"uiWidth": "medium",
"minimum": 0,
"sortOrder": 100
},
"marketValues": {
"type": "grid",
"title": "Market values",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"valuationDate": {
"type": "date",
"title": "Valuation date",
"uiWidth": "short",
```

```
"sortOrder": 10
},
"amount": {
"type": "currency",
"title": "Market value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 30
},
"method": {
"type": "reference",
"title": "Valuation method",
"target": {
"class": "accounting_dimension",
"types": [
"valuation_method"
]
},
"uiWidth": "medium",
"sortOrder": 40
},
"valuer": {
"type": "reference",
"title": "Valuer",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 50
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 60
}
},
"required": [
"valuationDate",
"amount",
"currencyCode"
],
"additionalProperties": false
},
```

```
"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.",
"sortOrder": 110
},
"components": {
"type": "grid",
"title": "Components",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"componentCode": {
"type": "short_text",
"title": "Component code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"description": {
"type": "text",
"title": "Description",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"condition": {
"type": "select",
"title": "Condition",
"options": [
{
"code": "good",
"description": "Good"
},
{
"code": "fair",
"description": "Fair"
},
{
"code": "poor",
"description": "Poor"
}
],
"uiWidth": "medium",
"sortOrder": 30
},
"responsibleResource": {
"type": "reference",
"title": "Responsible resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"componentCode",
"description"
```

```
],
"additionalProperties": false
},
"sortOrder": 120
},
"measurements": {
"type": "grid",
"title": "Measurements",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"measurementDate": {
"type": "date",
"title": "Measurement date",
"uiWidth": "short",
"sortOrder": 10
},
"measurementType": {
"type": "reference",
"title": "Measurement type",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_type"
]
},
"uiWidth": "medium",
"sortOrder": 20
},
"quantity": {
"type": "decimal",
"title": "Quantity",
"precision": 14,
"scale": 4,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 30
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"measurementDate",
"measurementType",
"quantity",
"unit"
```

```
],
"additionalProperties": false
},
"sortOrder": 130
},
"assetClass": {
"type": "select",
"title": "Asset class",
"options": [
{
"code": "land",
"description": "Land"
},
{
"code": "buildings",
"description": "Buildings"
},
{
"code": "land_and_buildings",
"description": "Land and buildings"
}
],
"uiWidth": "medium",
"sortOrder": 20,
"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules."
},
"measurementModel": {
"type": "select",
"title": "Measurement model",
"options": [
{
"code": "cost",
"description": "Cost"
},
{
"code": "fair_value",
"description": "Fair value"
}
],
"uiWidth": "medium",
"sortOrder": 25,
"helpText": "Record the applicable organisation policy. This field does not enforce policy consistency or restrict transaction selection. Depreciation and impairment transactions are for the cost model only."
}
},
"required": [
"assetClass",
"measurementModel"
],
"additionalProperties": false
}
```

Sub-ledger / Asset, Intangibles

Type code: asset_intangibles

Identifies an individual intangible asset for allocating capitalised cost and related balance-sheet movements. Transaction amounts are captured manually; schema fields do not calculate or post journals.

Field / grid column	Caption	Type	Required	Configuration / validation
assetTag	Asset Tag	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
purchaseDate	Purchase Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
commissionDate	Commission Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
location	Location	reference	No	{"sortOrder": 70, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "medium"}
usefulLifeMonths	Useful Life Months	integer	No	{"minimum": 0, "sortOrder": 90, "uiWidth": "short"}
residualValue	Residual Value	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 100, "uiWidth": "medium"}
marketValues	Market values	grid	No	{"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.", "sortOrder": 110, "uiWidth": "full"}
marketValues.valuationDate	Valuation date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
marketValues.amount	Market value	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
marketValues.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 30, "uiWidth": "short"}
marketValues.method	Valuation method	reference	No	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["valuation_method"]}, "uiWidth": "medium"}
marketValues.valuer	Valuer	reference	No	{"sortOrder": 50, "target": {"class": "resource"}, "uiWidth": "medium"}
marketValues.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}
assetClass	Asset class	select	Yes	{"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules.", "options": [{"code": "software", "description": "Software"}, {"code": "patents", "description": "Patents"}, {"code": "trademarks", "description": "Trademarks"}, {"code": "copyrights", "description": "Copyrights"}, {"code": "licences_and_rights", "description": "Licences and rights"}, {"code": "development_costs", "description": "Development costs"}], "sortOrder": 20, "uiWidth": "medium"}
usefulLife	Useful life	select	Yes	{"helpText": "Indefinite-life assets are not amortised. Policy and impairment assessment are handled outside these seed definitions.", "options": [{"code": "finite", "description": "Finite"}, {"code": "indefinite", "description": "Indefinite"}], "sortOrder": 75, "uiWidth": "medium"}
amortisationMethod	Amortisation method	select	No	{"helpText": "Descriptive configuration only; no automatic amortisation calculation.", "options": [{"code": "straight_line", "description": "Straight line"}, {"code": "units_of_production", "description": "Units of production"}, {"code": "not_amortised", "description": "Not amortised"}], "sortOrder": 80, "uiWidth": "medium"}

Complete schema configuration

```
{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"assetTag",
"assetClass"
]
},
{
"label": "Dates",
"fields": [
"purchaseDate",
"commissionDate"
]
},
{
"label": "Assignment",
"fields": [
"location"
]
},
{
"label": "Amortisation",
"fields": [
"usefulLife",
"amortisationMethod",
"usefulLifeMonths",
"residualValue"
]
},
{
"label": "Market values",
"fields": [
"marketValues"
]
}
],
"properties": {
"assetTag": {
"type": "short_text",
"title": "Asset Tag",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"purchaseDate": {
"type": "date",
"title": "Purchase Date",
"uiWidth": "short",
"sortOrder": 40
},
"commissionDate": {
"type": "date",
"title": "Commission Date",
"uiWidth": "short",
```

```
"sortOrder": 50
},
"location": {
"type": "reference",
"title": "Location",
"target": {
"class": "accounting_object",
"types": [
"property"
]
},
"uiWidth": "medium",
"sortOrder": 70
},
"usefulLifeMonths": {
"type": "integer",
"title": "Useful Life Months",
"minimum": 0,
"uiWidth": "short",
"sortOrder": 90
},
"residualValue": {
"type": "currency",
"title": "Residual Value",
"precision": 14,
"scale": 2,
"uiWidth": "medium",
"minimum": 0,
"sortOrder": 100
},
"marketValues": {
"type": "grid",
"title": "Market values",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"valuationDate": {
"type": "date",
"title": "Valuation date",
"uiWidth": "short",
"sortOrder": 10
},
"amount": {
"type": "currency",
"title": "Market value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
```

```
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 30
},
"method": {
"type": "reference",
"title": "Valuation method",
"target": {
"class": "accounting_dimension",
"types": [
"valuation_method"
]
},
"uiWidth": "medium",
"sortOrder": 40
},
"valuer": {
"type": "reference",
"title": "Valuer",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 50
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 60
}
},
"required": [
"valuationDate",
"amount",
"currencyCode"
],
"additionalProperties": false
},
"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.",
"sortOrder": 110
},
"assetClass": {
"type": "select",
"title": "Asset class",
"options": [
{
"code": "software",
"description": "Software"
},
{
"code": "patents",
"description": "Patents"
},
{
```

```
"code": "trademarks",
"description": "Trademarks"
},
{
"code": "copyrights",
"description": "Copyrights"
},
{
"code": "licences_and_rights",
"description": "Licences and rights"
},
{
"code": "development_costs",
"description": "Development costs"
}
],
"uiWidth": "medium",
"sortOrder": 20,
"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules."
},
"usefulLife": {
"type": "select",
"title": "Useful life",
"options": [
{
"code": "finite",
"description": "Finite"
},
{
"code": "indefinite",
"description": "Indefinite"
}
],
"uiWidth": "medium",
"sortOrder": 75,
"helpText": "Indefinite-life assets are not amortised. Policy and impairment assessment are handled outside these seed definitions."
},
"amortisationMethod": {
"type": "select",
"title": "Amortisation method",
"options": [
{
"code": "straight_line",
"description": "Straight line"
},
{
"code": "units_of_production",
"description": "Units of production"
},
{
"code": "not_amortised",
"description": "Not amortised"
}
],
"uiWidth": "medium",
"sortOrder": 80,
"helpText": "Descriptive configuration only; no automatic amortisation calculation."
```

```
}
},
"required": [
"assetClass",
"usefulLife"
],
"additionalProperties": false
}
```

Sub-ledger / Asset, Right-of-use

Type code: asset_rou

Identifies an individual right-of-use asset for allocating capitalised cost and related balance-sheet movements. Transaction amounts are captured manually; schema fields do not calculate or post journals.

Field / grid column	Caption	Type	Required	Configuration / validation
assetTag	Asset Tag	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
serialNumber	Serial Number	short_text	No	{"maxLength": 30, "sortOrder": 30, "uiWidth": "short"}
purchaseDate	Purchase Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
commissionDate	Commission Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
location	Location	reference	No	{"sortOrder": 70, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "medium"}
depreciationMethod	Depreciation method	select	No	{"helpText": "Descriptive configuration only. Capture calculated charges through the applicable transaction type.", "options": [{"code": "straight_line", "description": "Straight line"}, {"code": "reducing_balance", "description": "Reducing balance"}, {"code": "units_of_production", "description": "Units of production"}, {"code": "not_depreciated", "description": "Not depreciated"}], "sortOrder": 80, "uiWidth": "medium"}
usefulLifeMonths	Useful Life Months	integer	No	{"minimum": 0, "sortOrder": 90, "uiWidth": "short"}
residualValue	Residual Value	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 100, "uiWidth": "medium"}
marketValues	Market values	grid	No	{"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.", "sortOrder": 110, "uiWidth": "full"}
marketValues.valuationDate	Valuation date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
marketValues.amount	Market value	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
marketValues.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 30, "uiWidth": "short"}
marketValues.method	Valuation method	reference	No	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["valuation_method"]}, "uiWidth": "medium"}
marketValues.valuer	Valuer	reference	No	{"sortOrder": 50, "target": {"class": "resource"}, "uiWidth": "medium"}
marketValues.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}
components	Components	grid	No	{"sortOrder": 120, "uiWidth": "full"}
components.componentCode	Component code	short_text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
components.description	Description	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
components.condition	Condition	select	No	{"options": [{"code": "good", "description": "Good"}, {"code": "fair", "description": "Fair"}, {"code": "poor", "description": "Poor"}], "sortOrder": 30, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
components.responsibleResource	Responsible resource	reference	No	{"sortOrder": 40, "target": {"class": "resource"}, "uiWidth": "medium"}
measurements	Measurements	grid	No	{"sortOrder": 130, "uiWidth": "full"}
measurements.measurementDate	Measurement date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
measurements.measurementType	Measurement type	reference	Yes	{"sortOrder": 20, "target": {"class": "accounting_dimension", "types": ["measurement_type"]}, "uiWidth": "medium"}
measurements.quantity	Quantity	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 30, "uiWidth": "short"}
measurements.unit	Unit	reference	Yes	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}
assetClass	Asset class	select	Yes	{"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules.", "options": [{"code": "land", "description": "Land"}, {"code": "buildings", "description": "Buildings"}, {"code": "plant_and_machinery", "description": "Plant and machinery"}, {"code": "vehicles", "description": "Vehicles"}, {"code": "computer_equipment", "description": "Computer equipment"}, {"code": "furniture_and_fittings", "description": "Furniture and fittings"}, {"code": "office_equipment", "description": "Office equipment"}, {"code": "other_equipment", "description": "Other equipment"}], "sortOrder": 20, "uiWidth": "medium"}
lessor	Lessor	reference	No	{"sortOrder": 140, "target": {"class": "subledger_account", "types": ["vendor"]}, "uiWidth": "medium"}
leaseReference	Lease reference	text	No	{"maxLength": 150, "sortOrder": 150, "uiWidth": "medium"}
leaseStartDate	Lease commencement date	date	No	{"sortOrder": 160, "uiWidth": "short"}
leaseEndDate	Lease end date	date	No	{"sortOrder": 170, "uiWidth": "short"}
discountRate	Discount rate (%)	decimal	No	{"helpText": "Stored for reference only; no lease liability or interest calculation.", "minimum": 0, "precision": 9, "scale": 6, "sortOrder": 180, "uiWidth": "short"}
initialLeaseLiability	Initial lease liability	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 190, "uiWidth": "medium"}
leasePayments	Lease payment schedule	grid	No	{"helpText": "Manually maintained schedule; does not generate postings or recalculate liabilities.", "sortOrder": 200, "uiWidth": "full"}
leasePayments.paymentDate	Payment date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
leasePayments.paymentAmount	Payment amount	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
leasePayments.principal	Principal	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 30, "uiWidth": "medium"}
leasePayments.interest	Interest	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"assetTag",

```
"assetClass",
"serialNumber"
]
},
{
"label": "Dates",
"fields": [
"purchaseDate",
"commissionDate"
]
},
{
"label": "Assignment",
"fields": [
"location"
]
},
{
"label": "Depreciation",
"fields": [
"depreciationMethod",
"usefulLifeMonths",
"residualValue"
]
},
{
"label": "Market values",
"fields": [
"marketValues"
]
},
{
"label": "Components",
"fields": [
"components"
]
},
{
"label": "Measurements",
"fields": [
"measurements"
]
},
{
"label": "Lease",
"fields": [
"lessor",
"leaseReference",
"leaseStartDate",
"leaseEndDate",
"discountRate",
"initialLeaseLiability",
"leasePayments"
]
}
],
"properties": {
```

```
"assetTag": {
"type": "short_text",
"title": "Asset Tag",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"serialNumber": {
"type": "short_text",
"title": "Serial Number",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 30
},
"purchaseDate": {
"type": "date",
"title": "Purchase Date",
"uiWidth": "short",
"sortOrder": 40
},
"commissionDate": {
"type": "date",
"title": "Commission Date",
"uiWidth": "short",
"sortOrder": 50
},
"location": {
"type": "reference",
"title": "Location",
"target": {
"class": "accounting_object",
"types": [
"property"
]
},
"uiWidth": "medium",
"sortOrder": 70
},
"depreciationMethod": {
"type": "select",
"title": "Depreciation method",
"options": [
{
"code": "straight_line",
"description": "Straight line"
},
{
"code": "reducing_balance",
"description": "Reducing balance"
},
{
"code": "units_of_production",
"description": "Units of production"
},
{
"code": "not_depreciated",
"description": "Not depreciated"
```

```
}
],
"uiWidth": "medium",
"sortOrder": 80,
"helpText": "Descriptive configuration only. Capture calculated charges through the applicable transaction type."
},
"usefulLifeMonths": {
"type": "integer",
"title": "Useful Life Months",
"minimum": 0,
"uiWidth": "short",
"sortOrder": 90
},
"residualValue": {
"type": "currency",
"title": "Residual Value",
"precision": 14,
"scale": 2,
"uiWidth": "medium",
"minimum": 0,
"sortOrder": 100
},
"marketValues": {
"type": "grid",
"title": "Market values",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"valuationDate": {
"type": "date",
"title": "Valuation date",
"uiWidth": "short",
"sortOrder": 10
},
"amount": {
"type": "currency",
"title": "Market value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 30
},
"method": {
"type": "reference",
"title": "Valuation method",
"target": {
```

```
"class": "accounting_dimension",
"types": [
"valuation_method"
]
},
"uiWidth": "medium",
"sortOrder": 40
},
"valuer": {
"type": "reference",
"title": "Valuer",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 50
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 60
}
},
"required": [
"valuationDate",
"amount",
"currencyCode"
],
"additionalProperties": false
},
"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.",
"sortOrder": 110
},
"components": {
"type": "grid",
"title": "Components",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"componentCode": {
"type": "short_text",
"title": "Component code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"description": {
"type": "text",
"title": "Description",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
```

```
"condition": {
"type": "select",
"title": "Condition",
"options": [
{
"code": "good",
"description": "Good"
},
{
"code": "fair",
"description": "Fair"
},
{
"code": "poor",
"description": "Poor"
}
],
"uiWidth": "medium",
"sortOrder": 30
},
"responsibleResource": {
"type": "reference",
"title": "Responsible resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"componentCode",
"description"
],
"additionalProperties": false
},
"sortOrder": 120
},
"measurements": {
"type": "grid",
"title": "Measurements",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"measurementDate": {
"type": "date",
"title": "Measurement date",
"uiWidth": "short",
"sortOrder": 10
},
"measurementType": {
"type": "reference",
"title": "Measurement type",
"target": {
"class": "accounting_dimension",
"types": [
```

```
"measurement_type"
]
},
"uiWidth": "medium",
"sortOrder": 20
},
"quantity": {
"type": "decimal",
"title": "Quantity",
"precision": 14,
"scale": 4,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 30
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"measurementDate",
"measurementType",
"quantity",
"unit"
],
"additionalProperties": false
},
"sortOrder": 130
},
"assetClass": {
"type": "select",
"title": "Asset class",
"options": [
{
"code": "land",
"description": "Land"
},
{
"code": "buildings",
"description": "Buildings"
},
{
"code": "plant_and_machinery",
"description": "Plant and machinery"
},
{
"code": "vehicles",
"description": "Vehicles"
```

```
},
{
"code": "computer_equipment",
"description": "Computer equipment"
},
{
"code": "furniture_and_fittings",
"description": "Furniture and fittings"
},
{
"code": "office_equipment",
"description": "Office equipment"
},
{
"code": "other_equipment",
"description": "Other equipment"
}
],
"uiWidth": "medium",
"sortOrder": 20,
"helpText": "Classification within this sub-ledger type; does not automatically select GL accounts or posting rules."
},
"lessor": {
"type": "reference",
"title": "Lessor",
"target": {
"class": "subledger_account",
"types": [
"vendor"
]
},
"uiWidth": "medium",
"sortOrder": 140
},
"leaseReference": {
"type": "text",
"title": "Lease reference",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 150
},
"leaseStartDate": {
"type": "date",
"title": "Lease commencement date",
"uiWidth": "short",
"sortOrder": 160
},
"leaseEndDate": {
"type": "date",
"title": "Lease end date",
"uiWidth": "short",
"sortOrder": 170
},
"discountRate": {
"type": "decimal",
"title": "Discount rate (%)",
"precision": 9,
```

```
"scale": 6,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 180,
"helpText": "Stored for reference only; no lease liability or interest calculation."
},
"initialLeaseLiability": {
"type": "currency",
"title": "Initial lease liability",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 190
},
"leasePayments": {
"type": "grid",
"title": "Lease payment schedule",
"uiWidth": "full",
"sortOrder": 200,
"helpText": "Manually maintained schedule; does not generate postings or recalculate liabilities.",
"rowSchema": {
"type": "object",
"properties": {
"paymentDate": {
"type": "date",
"title": "Payment date",
"uiWidth": "short",
"sortOrder": 10
},
"paymentAmount": {
"type": "currency",
"title": "Payment amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"principal": {
"type": "currency",
"title": "Principal",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 30
},
"interest": {
"type": "currency",
"title": "Interest",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
}
```

```
},
"required": [
"paymentDate",
"paymentAmount"
],
"additionalProperties": false
}
}
},
"required": [
"assetClass"
],
"additionalProperties": false
}
```

Sub-ledger / Capital Project (WIP/AUC)

Type code: capex_project

Identifies a capital project for accumulating work-in-progress or assets-under-construction costs before capitalisation.

Field / grid column	Caption	Type	Required	Configuration / validation
projectType	Project Type	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
startDate	Start Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
endDate	End Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
budgetAmount	Budget Amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 60, "uiWidth": "medium"}
currencyCode	Currency Code	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 70, "uiWidth": "short"}
milestones	Milestones	grid	No	{"sortOrder": 90, "uiWidth": "full"}
milestones.milestone	Milestone	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
milestones.targetDate	Target date	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
milestones.status	Status	select	No	{"options": [{"code": "planned", "description": "Planned"}, {"code": "in_progress", "description": "In progress"}, {"code": "complete", "description": "Complete"}], "sortOrder": 30, "uiWidth": "medium"}
milestones.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 40, "uiWidth": "full"}
budgetBreakdown	Budget breakdown	grid	No	{"helpText": "Planning reference only; no postings. The built-in budget amount remains the headline budget.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["category"], "to": "effectiveTo"}, "sortOrder": 100, "uiWidth": "full"}
budgetBreakdown.category	Budget category	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
budgetBreakdown.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
budgetBreakdown.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
budgetBreakdown.amount	Planned amount	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
budgetBreakdown.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 50, "uiWidth": "short"}
participants	Participants	grid	No	{"helpText": "Reference directory; these rows do not grant permissions or replace Resources assignments.", "sortOrder": 110, "uiWidth": "full"}
participants.resource	Resource	reference	Yes	{"sortOrder": 10, "target": {"class": "resource"}, "uiWidth": "medium"}
participants.role	Project role	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
participants.notes	Responsibilities	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 30, "uiWidth": "full"}

Complete schema configuration


```
{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"projectType"
]
},
{
"label": "Dates",
"fields": [
"startDate",
"endDate"
]
},
{
"label": "Budget",
"fields": [
"budgetAmount",
"currencyCode"
]
},
{
"label": "Milestones",
"fields": [
"milestones"
]
},
{
"label": "Budget breakdown",
"fields": [
"budgetBreakdown"
]
},
{
"label": "Participants",
"fields": [
"participants"
]
}
],
"properties": {
"projectType": {
"type": "text",
"title": "Project Type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"startDate": {
"type": "date",
"title": "Start Date",
"uiWidth": "short",
```

```
"sortOrder": 40
},
"endDate": {
"type": "date",
"title": "End Date",
"uiWidth": "short",
"sortOrder": 50
},
"budgetAmount": {
"type": "currency",
"title": "Budget Amount",
"precision": 14,
"scale": 2,
"uiWidth": "medium",
"minimum": 0,
"sortOrder": 60
},
"currencyCode": {
"type": "short_text",
"title": "Currency Code",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 70
},
"milestones": {
"type": "grid",
"title": "Milestones",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"milestone": {
"type": "text",
"title": "Milestone",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"targetDate": {
"type": "date",
"title": "Target date",
"uiWidth": "short",
"sortOrder": 20
},
"status": {
"type": "select",
"title": "Status",
"options": [
{
"code": "planned",
"description": "Planned"
},
{
"code": "in_progress",
"description": "In progress"
```

```
},
{
"code": "complete",
"description": "Complete"
}
],
"uiWidth": "medium",
"sortOrder": 30
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 40
}
},
"required": [
"milestone",
"targetDate"
],
"additionalProperties": false
},
"sortOrder": 90
},
"budgetBreakdown": {
"type": "grid",
"title": "Budget breakdown",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"category": {
"type": "text",
"title": "Budget category",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
"amount": {
"type": "currency",
"title": "Planned amount",
"precision": 14,
"scale": 2,
```

```
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 50
}
},
"required": [
"category",
"effectiveFrom",
"amount",
"currencyCode"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"category"
],
"allowOverlap": false
},
"helpText": "Planning reference only; no postings. The built-in budget amount remains the headline budget.",
"sortOrder": 100
},
"participants": {
"type": "grid",
"title": "Participants",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"resource": {
"type": "reference",
"title": "Resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "text",
"title": "Project role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"notes": {
```

```
"type": "long_text",
"title": "Responsibilities",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 30
}
},
"required": [
"resource",
"role"
],
"additionalProperties": false
},
"helpText": "Reference directory; these rows do not grant permissions or replace Resources assignments.",
"sortOrder": 110
}
},
"required": [],
"additionalProperties": false
}
```

Sub-ledger / Loan account

Type code: loan

Identifies a borrowing or lending arrangement for allocating outstanding principal and related balance-sheet movements.

Field / grid column	Caption	Type	Required	Configuration / validation
loanNumber	Loan Number	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
loanType	Loan Type	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
counterpartyRole	Counterparty Role	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium"}
startDate	Start Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
maturityDate	Maturity Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
principalAmount	Principal Amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 60, "uiWidth": "medium"}
interestRate	Interest Rate	decimal	No	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 70, "uiWidth": "short"}
currencyCode	Currency Code	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 80, "uiWidth": "short"}
interestTerms	Interest terms	grid	No	{"helpText": "Rates are percentages (7.5 means 7.5%); reference only. Current interestRate remains unchanged.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["rateComponent"], "to": "effectiveTo"}, "sortOrder": 90, "uiWidth": "full"}
interestTerms.rateComponent	Rate component	select	Yes	{"options": [{"code": "fixed", "description": "Fixed rate"}, {"code": "base", "description": "Base rate"}, {"code": "margin", "description": "Margin"}], "sortOrder": 10, "uiWidth": "medium"}
interestTerms.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
interestTerms.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
interestTerms.ratePercent	Annual rate (%)	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 40, "uiWidth": "short"}
repaymentSchedule	Repayment schedule	grid	No	{"helpText": "Planned repayments; actual payments remain transactions.", "sortOrder": 100, "uiWidth": "full"}
repaymentSchedule.dueDate	Due date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
repaymentSchedule.principal	Planned principal	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
repaymentSchedule.interest	Planned interest	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 30, "uiWidth": "medium"}
repaymentSchedule.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 40, "uiWidth": "short"}
securities	Securities	grid	No	{"sortOrder": 110, "uiWidth": "full"}
securities.securityType	Security type	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
securities.property	Property	reference	No	{"sortOrder": 20, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
securities.description	Description	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium"}
securities.amount	Security value	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
securities.currencyCode	Currency	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 50, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"loanNumber",
"loanType",
"counterpartyRole"
]
},
{
"label": "Dates",
"fields": [
"startDate",
"maturityDate"
]
},
{
"label": "Terms",
"fields": [
"principalAmount",
"interestRate",
"currencyCode"
]
},
{
"label": "Interest terms",
"fields": [
"interestTerms"
]
},
{
"label": "Repayment schedule",
"fields": [
"repaymentSchedule"
]
},
{
"label": "Securities",
"fields": [
"securities"
]

```
}
],
"properties": {
"loanNumber": {
"type": "short_text",
"title": "Loan Number",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"loanType": {
"type": "text",
"title": "Loan Type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"counterpartyRole": {
"type": "text",
"title": "Counterparty Role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 30
},
"startDate": {
"type": "date",
"title": "Start Date",
"uiWidth": "short",
"sortOrder": 40
},
"maturityDate": {
"type": "date",
"title": "Maturity Date",
"uiWidth": "short",
"sortOrder": 50
},
"principalAmount": {
"type": "currency",
"title": "Principal Amount",
"precision": 14,
"scale": 2,
"uiWidth": "medium",
"minimum": 0,
"sortOrder": 60
},
"interestRate": {
"type": "decimal",
"title": "Interest Rate",
"precision": 14,
"scale": 4,
"uiWidth": "short",
"minimum": 0,
"sortOrder": 70
},
"currencyCode": {
"type": "short_text",
"title": "Currency Code",
```

```
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 80
},
"interestTerms": {
"type": "grid",
"title": "Interest terms",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"rateComponent": {
"type": "select",
"title": "Rate component",
"options": [
{
"code": "fixed",
"description": "Fixed rate"
},
{
"code": "base",
"description": "Base rate"
},
{
"code": "margin",
"description": "Margin"
}
],
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
"ratePercent": {
"type": "decimal",
"title": "Annual rate (%)",
"precision": 14,
"scale": 4,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"rateComponent",
```

```
"effectiveFrom",
"ratePercent"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"rateComponent"
],
"allowOverlap": false
},
"helpText": "Rates are percentages (7.5 means 7.5%); reference only. Current interestRate remains unchanged.",
"sortOrder": 90
},
"repaymentSchedule": {
"type": "grid",
"title": "Repayment schedule",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"dueDate": {
"type": "date",
"title": "Due date",
"uiWidth": "short",
"sortOrder": 10
},
"principal": {
"type": "currency",
"title": "Planned principal",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"interest": {
"type": "currency",
"title": "Planned interest",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 30
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 40
}
},
```

```
"required": [
"dueDate",
"currencyCode"
],
"additionalProperties": false
},
"helpText": "Planned repayments; actual payments remain transactions.",
"sortOrder": 100
},
"securities": {
"type": "grid",
"title": "Securities",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"securityType": {
"type": "text",
"title": "Security type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"property": {
"type": "reference",
"title": "Property",
"target": {
"class": "accounting_object",
"types": [
"property"
]
},
"uiWidth": "medium",
"sortOrder": 20
},
"description": {
"type": "text",
"title": "Description",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 30
},
"amount": {
"type": "currency",
"title": "Security value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
```

```
"placeholder": "ZAR",
"sortOrder": 50
}
},
"required": [
"securityType"
],
"additionalProperties": false
},
"sortOrder": 110
}
},
"required": [],
"additionalProperties": false
}
```

Accounting Object / Property

Type code: property

Records a property and its supporting details for allocating property-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
propertyKind	Property Kind	select	No	{"enum": ["land", "site", "building", "floor", "room", "wing", "leased_store", "other"], "sortOrder": 10, "uiWidth": "short", "x-listView": true, "x-searchable": true}
ownershipStatus	Ownership Status	select	No	{"enum": ["owned", "leased", "managed", "right_of_use", "other"], "sortOrder": 20, "uiWidth": "short", "x-reportable": true}
usage	Usage	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium", "x-searchable": true}
cadastralReference	Cadastral / Erf Reference	short_text	No	{"maxLength": 30, "sortOrder": 40, "uiWidth": "short", "x-searchable": true}
physicalAddress	Physical Address	long_text	No	{"maxLength": 4000, "rows": 4, "sortOrder": 50, "uiWidth": "full", "x-searchable": true}
areaSqm	Area (sqm)	decimal	No	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 60, "uiWidth": "short"}
marketValues	Market values	grid	No	{"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.", "sortOrder": 70, "uiWidth": "full"}
marketValues.valuationDate	Valuation date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
marketValues.amount	Market value	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
marketValues.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 30, "uiWidth": "short"}
marketValues.method	Valuation method	reference	No	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["valuation_method"]}, "uiWidth": "medium"}
marketValues.valuer	Valuer	reference	No	{"sortOrder": 50, "target": {"class": "resource"}, "uiWidth": "medium"}
marketValues.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}
measurements	Measurements	grid	No	{"helpText": "Period-based measurements grouped by dimension type. Existing areaSqm is a headline area; these rows describe specifically named measurements.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["dimensionType"], "to": "effectiveTo"}, "sortOrder": 80, "uiWidth": "full"}
measurements.dimensionType	Dimension type	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_dimension", "types": ["measurement_type"]}, "uiWidth": "medium"}
measurements.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
measurements.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
measurements.quantity	Quantity	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 40, "uiWidth": "short"}
measurements.unit	Unit	reference	Yes	{"sortOrder": 50, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}
features	Features	grid	No	{"helpText": "Counts such as bedrooms, bathrooms and garages. No period control.", "showif": {"field": "propertyKind", "operator": "notIn", "value": ["land", "site"]}, "sortOrder": 90, "uiWidth": "full"}

Field / grid column	Caption	Type	Required	Configuration / validation
features.featureType	Feature type	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_dimension", "types": ["property_feature_type"]}, "uiWidth": "medium"}
features.value	Value	integer	Yes	{"minimum": 0, "sortOrder": 20, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"propertyKind",
"ownershipStatus",
"usage"
]
},
{
"label": "Location",
"fields": [
"cadastralReference",
"physicalAddress",
"areaSqm"
]
},
{
"label": "Market values",
"fields": [
"marketValues"
]
},
{
"label": "Measurements",
"fields": [
"measurements"
]
},
{
"label": "Features",
"fields": [
"features"
],
"showif": {
"field": "propertyKind",
"operator": "notIn",
"value": [
"land",
"site"
]
}
}

```
],
"properties": {
"propertyKind": {
"type": "select",
"title": "Property Kind",
"enum": [
"land",
"site",
"building",
"floor",
"room",
"wing",
"leased_store",
"other"
],
"x-listView": true,
"x-searchable": true,
"uiWidth": "short",
"sortOrder": 10
},
"ownershipStatus": {
"type": "select",
"title": "Ownership Status",
"enum": [
"owned",
"leased",
"managed",
"right_of_use",
"other"
],
"x-reportable": true,
"uiWidth": "short",
"sortOrder": 20
},
"usage": {
"type": "text",
"title": "Usage",
"x-searchable": true,
"uiWidth": "medium",
"maxLength": 150,
"sortOrder": 30
},
"cadastralReference": {
"type": "short_text",
"title": "Cadastral / Erf Reference",
"x-searchable": true,
"uiWidth": "short",
"maxLength": 30,
"sortOrder": 40
},
"physicalAddress": {
"type": "long_text",
"title": "Physical Address",
"x-searchable": true,
"uiWidth": "full",
"maxLength": 4000,
"rows": 4,
```

```
"sortOrder": 50
},
"areaSqm": {
"type": "decimal",
"title": "Area (sqm)",
"uiWidth": "short",
"precision": 14,
"scale": 4,
"minimum": 0,
"sortOrder": 60
},
"marketValues": {
"type": "grid",
"title": "Market values",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"valuationDate": {
"type": "date",
"title": "Valuation date",
"uiWidth": "short",
"sortOrder": 10
},
"amount": {
"type": "currency",
"title": "Market value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 30
},
"method": {
"type": "reference",
"title": "Valuation method",
"target": {
"class": "accounting_dimension",
"types": [
"valuation_method"
]
},
"uiWidth": "medium",
"sortOrder": 40
},
"valuer": {
"type": "reference",
"title": "Valuer",
```

```
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 50
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 60
}
},
"required": [
"valuationDate",
"amount",
"currencyCode"
],
"additionalProperties": false
},
"helpText": "Dated valuation observations; corrections are preserved in whole-object versions. No automatic financial postings.",
"sortOrder": 70
},
"measurements": {
"type": "grid",
"title": "Measurements",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"dimensionType": {
"type": "reference",
"title": "Dimension type",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_type"
]
},
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
"quantity": {
```

```
"type": "decimal",
"title": "Quantity",
"precision": 14,
"scale": 4,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 40
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 50
}
},
"required": [
"dimensionType",
"effectiveFrom",
"quantity",
"unit"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"dimensionType"
],
"allowOverlap": false
},
"helpText": "Period-based measurements grouped by dimension type. Existing areaSqm is a headline area; these rows describe specifically named measurements.",
"sortOrder": 80
},
"features": {
"type": "grid",
"title": "Features",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"featureType": {
"type": "reference",
"title": "Feature type",
"target": {
"class": "accounting_dimension",
"types": [
"property_feature_type"
]
},
"uiWidth": "medium",
```

"sortOrder": 10
},
"value": {
"type": "integer",
"title": "Value",
"minimum": 0,
"uiWidth": "short",
"sortOrder": 20
}
},
"required": [
"featureType",
"value"
],
"additionalProperties": false
},
"helpText": "Counts such as bedrooms, bathrooms and garages. No period control.",
"sortOrder": 90,
"showif": {
"field": "propertyKind",
"operator": "notIn",
"value": [
"land",
"site"
]
}
}
},
"required": [],
"additionalProperties": false
}

UI schema configuration

{
"sections": [
{
"label": "General",
"fields": [
"propertyKind",
"ownershipStatus",
"usage"
]
},
{
"label": "Location",
"fields": [
"cadastralReference",
"physicalAddress",
"areaSqm"
]
}
]
}

Accounting Object / Team

Type code: team

Identifies a team for allocating income and expenses associated with its activities.

Field / grid column	Caption	Type	Required	Configuration / validation
members	Members	grid	No	{"helpText": "Membership directory; rows do not change permissions or replace Resources assignments.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["resource", "role"], "to": "effectiveTo"}, "sortOrder": 10, "uiWidth": "full"}
members.resource	Resource	reference	Yes	{"sortOrder": 10, "target": {"class": "resource"}, "uiWidth": "medium"}
members.role	Team role	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
members.effectiveFrom	Effective from	date	Yes	{"sortOrder": 30, "uiWidth": "short"}
members.effectiveTo	Effective to	date	No	{"sortOrder": 40, "uiWidth": "short"}
members.notes	Responsibilities	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 50, "uiWidth": "full"}
responsibilities	Responsibilities	grid	No	{"sortOrder": 20, "uiWidth": "full"}
responsibilities.responsibilityType	Responsibility type	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
responsibilities.description	Description	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 20, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"members": {
"type": "grid",
"title": "Members",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"resource": {
"type": "reference",
"title": "Resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "text",
"title": "Team role",

```
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 30
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 40
},
"notes": {
"type": "long_text",
"title": "Responsibilities",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 50
}
},
"required": [
"resource",
"role",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"resource",
"role"
],
"allowOverlap": false
},
"helpText": "Membership directory; rows do not change permissions or replace Resources assignments.",
"sortOrder": 10
},
"responsibilities": {
"type": "grid",
"title": "Responsibilities",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"responsibilityType": {
"type": "text",
"title": "Responsibility type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
```

```
},
"description": {
"type": "long_text",
"title": "Description",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 20
}
},
"required": [
"responsibilityType"
],
"additionalProperties": false
},
"sortOrder": 20
}
},
"required": [],
"additionalProperties": false,
"tabs": [
{
"label": "Members",
"fields": [
"members"
]
},
{
"label": "Responsibilities",
"fields": [
"responsibilities"
]
}
]
}
```

Accounting Object / Region

Type code: region

Identifies an operating region for allocating geographically attributable income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
regionLevel	Region Level	select	No	{"enum": ["national", "province", "district", "municipality", "ward", "service_area", "other"], "sortOrder": 10, "uiWidth": "short", "x-listView": true, "x-reportable": true}
countryCode	Country Code	short_text	No	{"maxLength": 2, "pattern": "[A-Z]{2}", "placeholder": "ZA", "sortOrder": 20, "uiWidth": "short"}
externalIdentifiers	External mappings	grid	No	{"sortOrder": 40, "uiWidth": "full"}
externalIdentifiers.codingSystem	Coding system	short_text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
externalIdentifiers.externalCode	External code	short_text	Yes	{"maxLength": 30, "sortOrder": 20, "uiWidth": "short"}
externalIdentifiers.description	Description	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium"}
contacts	Contacts	grid	No	{"sortOrder": 50, "uiWidth": "full"}
contacts.name	Contact name	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
contacts.role	Role	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
contacts.email	Email	email	No	{"maxLength": 254, "sortOrder": 30, "uiWidth": "wide"}
contacts.phone	Phone	short_text	No	{"maxLength": 30, "sortOrder": 40, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"regionLevel",
"countryCode"
]
},
{
"label": "External mappings",
"fields": [
"externalIdentifiers"
]
},
{
"label": "Contacts",

```
"fields": [
"contacts"
]
}
],
"properties": {
"regionLevel": {
"type": "select",
"title": "Region Level",
"enum": [
"national",
"province",
"district",
"municipality",
"ward",
"service_area",
"other"
],
"x-listView": true,
"x-reportable": true,
"uiWidth": "short",
"sortOrder": 10
},
"countryCode": {
"type": "short_text",
"title": "Country Code",
"uiWidth": "short",
"maxLength": 2,
"pattern": "[A-Z]{2}",
"placeholder": "ZA",
"sortOrder": 20
},
"externalIdentifiers": {
"type": "grid",
"title": "External mappings",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"codingSystem": {
"type": "short_text",
"title": "Coding system",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"externalCode": {
"type": "short_text",
"title": "External code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 20
},
"description": {
"type": "text",
"title": "Description",
"maxLength": 150,
```

```
"uiWidth": "medium",
"sortOrder": 30
}
},
"required": [
"codingSystem",
"externalCode"
],
"additionalProperties": false
},
"sortOrder": 40
},
"contacts": {
"type": "grid",
"title": "Contacts",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"name": {
"type": "text",
"title": "Contact name",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "text",
"title": "Role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"email": {
"type": "email",
"title": "Email",
"maxLength": 254,
"uiWidth": "wide",
"sortOrder": 30
},
"phone": {
"type": "short_text",
"title": "Phone",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"name"
],
"additionalProperties": false
},
"sortOrder": 50
}
},
"required": [],
```

"additionalProperties": false
}

UI schema configuration

{
"sections": [
{
"label": "General",
"fields": [
"regionLevel",
"countryCode"
]
}
]
}

Accounting Object / Operational Project

Type code: opex_project

Records an operational project for allocating project-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
projectCategory	Project Category	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short", "x-listView": true, "x-reportable": true}
sponsor	Sponsor	text	No	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium", "x-searchable": true}
startDate	Start Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
endDate	End Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
budgetAmount	Budget Amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 60, "uiWidth": "medium"}
milestones	Milestones	grid	No	{"sortOrder": 70, "uiWidth": "full"}
milestones.milestone	Milestone	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
milestones.targetDate	Target date	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
milestones.status	Status	select	No	{"options": [{"code": "planned", "description": "Planned"}, {"code": "in_progress", "description": "In progress"}, {"code": "complete", "description": "Complete"}], "sortOrder": 30, "uiWidth": "medium"}
milestones.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 40, "uiWidth": "full"}
budgetBreakdown	Budget breakdown	grid	No	{"helpText": "Planning reference only; no postings. The built-in budget amount remains the headline budget.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["category"], "to": "effectiveTo"}, "sortOrder": 80, "uiWidth": "full"}
budgetBreakdown.category	Budget category	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
budgetBreakdown.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
budgetBreakdown.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
budgetBreakdown.amount	Planned amount	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
budgetBreakdown.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 50, "uiWidth": "short"}
participants	Participants	grid	No	{"helpText": "Reference directory; these rows do not grant permissions or replace Resources assignments.", "sortOrder": 90, "uiWidth": "full"}
participants.resource	Resource	reference	Yes	{"sortOrder": 10, "target": {"class": "resource"}, "uiWidth": "medium"}
participants.role	Project role	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
participants.notes	Responsibilities	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 30, "uiWidth": "full"}

Complete schema configuration


```
{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"projectCategory",
"sponsor"
]
},
{
"label": "Dates and Budget",
"fields": [
"startDate",
"endDate",
"budgetAmount"
]
},
{
"label": "Milestones",
"fields": [
"milestones"
]
},
{
"label": "Budget breakdown",
"fields": [
"budgetBreakdown"
]
},
{
"label": "Participants",
"fields": [
"participants"
]
}
],
"properties": {
"projectCategory": {
"type": "short_text",
"title": "Project Category",
"x-listView": true,
"x-reportable": true,
"uiWidth": "short",
"maxLength": 30,
"sortOrder": 10
},
"sponsor": {
"type": "text",
"title": "Sponsor",
"x-searchable": true,
"uiWidth": "medium",
"maxLength": 150,
"sortOrder": 20
```

```
},
"startDate": {
"type": "date",
"title": "Start Date",
"uiWidth": "short",
"sortOrder": 40
},
"endDate": {
"type": "date",
"title": "End Date",
"uiWidth": "short",
"sortOrder": 50
},
"budgetAmount": {
"type": "currency",
"title": "Budget Amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 60
},
"milestones": {
"type": "grid",
"title": "Milestones",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"milestone": {
"type": "text",
"title": "Milestone",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"targetDate": {
"type": "date",
"title": "Target date",
"uiWidth": "short",
"sortOrder": 20
},
"status": {
"type": "select",
"title": "Status",
"options": [
{
"code": "planned",
"description": "Planned"
},
{
"code": "in_progress",
"description": "In progress"
},
{
"code": "complete",
"description": "Complete"
```

```
}
],
"uiWidth": "medium",
"sortOrder": 30
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 40
}
},
"required": [
"milestone",
"targetDate"
],
"additionalProperties": false
},
"sortOrder": 70
},
"budgetBreakdown": {
"type": "grid",
"title": "Budget breakdown",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"category": {
"type": "text",
"title": "Budget category",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
"amount": {
"type": "currency",
"title": "Planned amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
},
```

```
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 50
}
},
"required": [
"category",
"effectiveFrom",
"amount",
"currencyCode"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"category"
],
"allowOverlap": false
},
"helpText": "Planning reference only; no postings. The built-in budget amount remains the headline budget.",
"sortOrder": 80
},
"participants": {
"type": "grid",
"title": "Participants",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"resource": {
"type": "reference",
"title": "Resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "text",
"title": "Project role",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"notes": {
"type": "long_text",
"title": "Responsibilities",
"maxLength": 4000,
"rows": 3,
```

"uiWidth": "full",
"sortOrder": 30
}
},
"required": [
"resource",
"role"
],
"additionalProperties": false
},
"helpText": "Reference directory; these rows do not grant permissions or replace Resources assignments.",
"sortOrder": 90
}
},
"required": [],
"additionalProperties": false
}

UI schema configuration

{
"sections": [
{
"label": "General",
"fields": [
"projectCategory",
"sponsor"
]
},
{
"label": "Dates and Budget",
"fields": [
"startDate",
"endDate",
"budgetAmount"
]
}
]
}

Accounting Object / Cost Centre

Type code: cost_centre

Identifies a unit of cost responsibility for allocating and reporting expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
costCentreClass	Cost Centre Class	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short", "x-listView": true, "x-reportable": true}
purpose	Purpose	long_text	No	{"maxLength": 4000, "rows": 4, "sortOrder": 30, "uiWidth": "full"}
responsibilities	Responsibilities	grid	No	{"helpText": "Responsibility directory; Resources assignments remain authoritative for access and assignment rules.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["resource", "responsibility"], "to": "effectiveTo"}, "sortOrder": 40, "uiWidth": "full"}
responsibilities.resource	Resource	reference	Yes	{"sortOrder": 10, "target": {"class": "resource"}, "uiWidth": "medium"}
responsibilities.responsibility	Responsibility	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
responsibilities.effectiveFrom	Effective from	date	Yes	{"sortOrder": 30, "uiWidth": "short"}
responsibilities.effectiveTo	Effective to	date	No	{"sortOrder": 40, "uiWidth": "short"}
planningTargets	Planning targets	grid	No	{"helpText": "Reference targets only. Quantity/unit or amount/currency may be supplied as appropriate.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["targetType"], "to": "effectiveTo"}, "sortOrder": 50, "uiWidth": "full"}
planningTargets.targetType	Target type	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
planningTargets.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
planningTargets.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
planningTargets.quantity	Target quantity	decimal	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "short"}
planningTargets.unit	Unit	reference	No	{"sortOrder": 50, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}
planningTargets.amount	Target amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 60, "uiWidth": "medium"}
planningTargets.currencyCode	Currency	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 70, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"costCentreClass",
"purpose"

```
]
},
{
"label": "Responsibilities",
"fields": [
"responsibilities"
]
},
{
"label": "Planning targets",
"fields": [
"planningTargets"
]
}
],
"properties": {
"costCentreClass": {
"type": "short_text",
"title": "Cost Centre Class",
"x-listView": true,
"x-reportable": true,
"uiWidth": "short",
"maxLength": 30,
"sortOrder": 10
},
"purpose": {
"type": "long_text",
"title": "Purpose",
"uiWidth": "full",
"maxLength": 4000,
"rows": 4,
"sortOrder": 30
},
"responsibilities": {
"type": "grid",
"title": "Responsibilities",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"resource": {
"type": "reference",
"title": "Resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 10
},
"responsibility": {
"type": "text",
"title": "Responsibility",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"effectiveFrom": {
```

```
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 30
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"resource",
"responsibility",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"resource",
"responsibility"
],
"allowOverlap": false
},
"helpText": "Responsibility directory; Resources assignments remain authoritative for access and assignment rules.",
"sortOrder": 40
},
"planningTargets": {
"type": "grid",
"title": "Planning targets",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"targetType": {
"type": "text",
"title": "Target type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
```

```
"quantity": {
"type": "decimal",
"title": "Target quantity",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 40
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 50
},
"amount": {
"type": "currency",
"title": "Target amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 60
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 70
}
},
"required": [
"targetType",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"targetType"
],
"allowOverlap": false
},
"helpText": "Reference targets only. Quantity/unit or amount/currency may be supplied as appropriate.",
"sortOrder": 50
}
```

```
},
"required": [],
"additionalProperties": false
}
```

UI schema configuration

```
{
"sections": [
{
"label": "General",
"fields": [
"costCentreClass",
"purpose"
]
}
]
}
```

Accounting Object / Profit Centre

Type code: profit_centre

Identifies a unit of financial responsibility for allocating and reporting income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
profitCentreClass	Profit Centre Class	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short", "x-listView": true, "x-reportable": true}
revenueResponsibility	Revenue Responsibility	long_text	No	{"maxLength": 4000, "rows": 4, "sortOrder": 30, "uiWidth": "full"}
responsibilities	Responsibilities	grid	No	{"helpText": "Responsibility directory; Resources assignments remain authoritative for access and assignment rules.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["resource", "responsibility"], "to": "effectiveTo"}, "sortOrder": 40, "uiWidth": "full"}
responsibilities.resource	Resource	reference	Yes	{"sortOrder": 10, "target": {"class": "resource"}, "uiWidth": "medium"}
responsibilities.responsibility	Responsibility	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
responsibilities.effectiveFrom	Effective from	date	Yes	{"sortOrder": 30, "uiWidth": "short"}
responsibilities.effectiveTo	Effective to	date	No	{"sortOrder": 40, "uiWidth": "short"}
planningTargets	Planning targets	grid	No	{"helpText": "Reference targets only. Quantity/unit or amount/currency may be supplied as appropriate.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["targetType"], "to": "effectiveTo"}, "sortOrder": 50, "uiWidth": "full"}
planningTargets.targetType	Target type	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
planningTargets.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
planningTargets.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
planningTargets.quantity	Target quantity	decimal	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "short"}
planningTargets.unit	Unit	reference	No	{"sortOrder": 50, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}
planningTargets.amount	Target amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 60, "uiWidth": "medium"}
planningTargets.currencyCode	Currency	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 70, "uiWidth": "short"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"profitCentreClass",
"revenueResponsibility"

```
]
},
{
"label": "Responsibilities",
"fields": [
"responsibilities"
]
},
{
"label": "Planning targets",
"fields": [
"planningTargets"
]
}
],
"properties": {
"profitCentreClass": {
"type": "short_text",
"title": "Profit Centre Class",
"x-listView": true,
"x-reportable": true,
"uiWidth": "short",
"maxLength": 30,
"sortOrder": 10
},
"revenueResponsibility": {
"type": "long_text",
"title": "Revenue Responsibility",
"uiWidth": "full",
"maxLength": 4000,
"rows": 4,
"sortOrder": 30
},
"responsibilities": {
"type": "grid",
"title": "Responsibilities",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"resource": {
"type": "reference",
"title": "Resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 10
},
"responsibility": {
"type": "text",
"title": "Responsibility",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"effectiveFrom": {
```

```
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 30
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 40
}
},
"required": [
"resource",
"responsibility",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"resource",
"responsibility"
],
"allowOverlap": false
},
"helpText": "Responsibility directory; Resources assignments remain authoritative for access and assignment rules.",
"sortOrder": 40
},
"planningTargets": {
"type": "grid",
"title": "Planning targets",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"targetType": {
"type": "text",
"title": "Target type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
```

```
"quantity": {
"type": "decimal",
"title": "Target quantity",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 40
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 50
},
"amount": {
"type": "currency",
"title": "Target amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 60
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 70
}
},
"required": [
"targetType",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"targetType"
],
"allowOverlap": false
},
"helpText": "Reference targets only. Quantity/unit or amount/currency may be supplied as appropriate.",
"sortOrder": 50
}
```

```
},
"required": [],
"additionalProperties": false
}
```

UI schema configuration

```
{
"sections": [
{
"label": "General",
"fields": [
"profitCentreClass",
"revenueResponsibility"
]
}
]
}
```

Accounting Object / Contract

Type code: contract

Records an agreement, its parties and terms for allocating contract-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
contractNumber	Contract Number	short_text	No	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short", "x-listView": true, "x-searchable": true}
contractType	Contract Type	select	No	{"options": [{"code": "lease_in", "description": "Lease in"}, {"code": "lease_out", "description": "Lease out"}, {"code": "service_provision", "description": "Service provision"}, {"code": "service_contract", "description": "Service contract"}, {"code": "supply_contract", "description": "Supply contract"}, {"code": "grant_agreement", "description": "Grant agreement"}, {"code": "maintenance_contract", "description": "Maintenance contract"}, {"code": "rental_agreement", "description": "Rental agreement"}, {"code": "other", "description": "Other"}], "sortOrder": 20, "uiWidth": "medium", "x-reportable": true}
counterpartyName	Counterparty Name	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium", "x-searchable": true}
startDate	Start Date	date	No	{"sortOrder": 40, "uiWidth": "short"}
endDate	End Date	date	No	{"sortOrder": 50, "uiWidth": "short"}
renewalDate	Renewal Date	date	No	{"showif": {"field": "contractType", "operator": "in", "value": ["lease_in", "lease_out", "maintenance_contract", "rental_agreement"]}, "sortOrder": 60, "uiWidth": "short"}
contractValue	Contract Value	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 70, "uiWidth": "medium"}
currencyCode	Currency Code	short_text	No	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 80, "uiWidth": "short"}
fixedCharges	Fixed charges	grid	No	{"helpText": "Reference charges only; no automatic billing or postings.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["chargeComponent"], "to": "effectiveTo"}, "showif": {"field": "contractType", "operator": "in", "value": ["lease_in", "lease_out", "rental_agreement"]}, "sortOrder": 100, "uiWidth": "full"}
fixedCharges.chargeComponent	Charge component	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_dimension", "types": ["charge_component"]}, "uiWidth": "medium"}
fixedCharges.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
fixedCharges.effectiveTo	Effective to	date	No	{"showif": {"field": "frequency", "operator": "ne", "scope": "row", "value": "once"}, "sortOrder": 30, "uiWidth": "short"}
fixedCharges.amount	Amount	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
fixedCharges.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 50, "uiWidth": "short"}
fixedCharges.frequency	Frequency	select	Yes	{"options": [{"code": "once", "description": "Once"}, {"code": "monthly", "description": "Monthly"}, {"code": "quarterly", "description": "Quarterly"}, {"code": "annually", "description": "Annually"}], "sortOrder": 60, "uiWidth": "medium"}
parties	Parties	grid	No	{"sortOrder": 110, "uiWidth": "full"}
parties.party	Party	reference	Yes	{"sortOrder": 10, "target": {"class": "legal_entity"}, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
parties.role	Role	select	Yes	{"options": [{"code": "customer", "description": "Customer"}, {"code": "supplier", "description": "Supplier"}, {"code": "landlord", "description": "Landlord"}, {"code": "tenant", "description": "Tenant"}, {"code": "guarantor", "description": "Guarantor"}, {"code": "other", "description": "Other"}], "sortOrder": 20, "uiWidth": "medium"}
parties.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 30, "uiWidth": "full"}
milestones	Milestones	grid	No	{"sortOrder": 120, "uiWidth": "full"}
milestones.milestone	Milestone	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
milestones.targetDate	Target date	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
milestones.status	Status	select	No	{"options": [{"code": "planned", "description": "Planned"}, {"code": "in_progress", "description": "In progress"}, {"code": "complete", "description": "Complete"}], "sortOrder": 30, "uiWidth": "medium"}
milestones.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 40, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "General",
"fields": [
"contractNumber",
"contractType",
"counterpartyName"
]
},
{
"label": "Dates",
"fields": [
"startDate",
"endDate",
"renewalDate"
]
},
{
"label": "Value",
"fields": [
"contractValue",
"currencyCode"
]
},
{
"label": "Fixed charges",
"fields": [
"fixedCharges"
],
"showif": {

```
"field": "contractType",
"operator": "in",
"value": [
"lease_in",
"lease_out",
"rental_agreement"
]
}
},
{
"label": "Parties",
"fields": [
"parties"
]
},
{
"label": "Milestones",
"fields": [
"milestones"
],
"showif": {
"field": "contractType",
"operator": "in",
"value": [
"service_provision",
"service_contract",
"supply_contract",
"grant_agreement",
"maintenance_contract"
]
}
}
],
"properties": {
"contractNumber": {
"type": "short_text",
"title": "Contract Number",
"x-listView": true,
"x-searchable": true,
"uiWidth": "short",
"maxLength": 30,
"sortOrder": 10
},
"contractType": {
"type": "select",
"title": "Contract Type",
"x-reportable": true,
"uiWidth": "medium",
"options": [
{
"code": "lease_in",
"description": "Lease in"
},
{
"code": "lease_out",
"description": "Lease out"
},
```

```
{
"code": "service_provision",
"description": "Service provision"
},
{
"code": "service_contract",
"description": "Service contract"
},
{
"code": "supply_contract",
"description": "Supply contract"
},
{
"code": "grant_agreement",
"description": "Grant agreement"
},
{
"code": "maintenance_contract",
"description": "Maintenance contract"
},
{
"code": "rental_agreement",
"description": "Rental agreement"
},
{
"code": "other",
"description": "Other"
}
],
"sortOrder": 20
},
"counterpartyName": {
"type": "text",
"title": "Counterparty Name",
"x-searchable": true,
"uiWidth": "medium",
"maxLength": 150,
"sortOrder": 30
},
"startDate": {
"type": "date",
"title": "Start Date",
"uiWidth": "short",
"sortOrder": 40
},
"endDate": {
"type": "date",
"title": "End Date",
"uiWidth": "short",
"sortOrder": 50
},
"renewalDate": {
"type": "date",
"title": "Renewal Date",
"uiWidth": "short",
"sortOrder": 60,
"showif": {
```

```
"field": "contractType",
"operator": "in",
"value": [
"lease_in",
"lease_out",
"maintenance_contract",
"rental_agreement"
]
}
},
"contractValue": {
"type": "currency",
"title": "Contract Value",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 70
},
"currencyCode": {
"type": "short_text",
"title": "Currency Code",
"uiWidth": "short",
"maxLength": 3,
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 80
},
"fixedCharges": {
"type": "grid",
"title": "Fixed charges",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"chargeComponent": {
"type": "reference",
"title": "Charge component",
"target": {
"class": "accounting_dimension",
"types": [
"charge_component"
]
},
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
```

```
"sortOrder": 30,
"showif": {
"scope": "row",
"field": "frequency",
"operator": "ne",
"value": "once"
}
},
"amount": {
"type": "currency",
"title": "Amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 50
},
"frequency": {
"type": "select",
"title": "Frequency",
"options": [
{
"code": "once",
"description": "Once"
},
{
"code": "monthly",
"description": "Monthly"
},
{
"code": "quarterly",
"description": "Quarterly"
},
{
"code": "annually",
"description": "Annually"
}
],
"uiWidth": "medium",
"sortOrder": 60
}
},
"required": [
"chargeComponent",
"effectiveFrom",
"amount",
"currencyCode",
"frequency"
```

```
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"chargeComponent"
],
"allowOverlap": false
},
"helpText": "Reference charges only; no automatic billing or postings.",
"sortOrder": 100,
"showif": {
"field": "contractType",
"operator": "in",
"value": [
"lease_in",
"lease_out",
"rental_agreement"
]
}
},
"parties": {
"type": "grid",
"title": "Parties",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"party": {
"type": "reference",
"title": "Party",
"target": {
"class": "legal_entity"
},
"uiWidth": "medium",
"sortOrder": 10
},
"role": {
"type": "select",
"title": "Role",
"options": [
{
"code": "customer",
"description": "Customer"
},
{
"code": "supplier",
"description": "Supplier"
},
{
"code": "landlord",
"description": "Landlord"
},
{
"code": "tenant",
```

```
"description": "Tenant"
},
{
"code": "guarantor",
"description": "Guarantor"
},
{
"code": "other",
"description": "Other"
}
],
"uiWidth": "medium",
"sortOrder": 20
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 30
}
},
"required": [
"party",
"role"
],
"additionalProperties": false
},
"sortOrder": 110
},
"milestones": {
"type": "grid",
"title": "Milestones",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"milestone": {
"type": "text",
"title": "Milestone",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"targetDate": {
"type": "date",
"title": "Target date",
"uiWidth": "short",
"sortOrder": 20
},
"status": {
"type": "select",
"title": "Status",
"options": [
{
"code": "planned",
```

"description": "Planned"
},
{
"code": "in_progress",
"description": "In progress"
},
{
"code": "complete",
"description": "Complete"
}
],
"uiWidth": "medium",
"sortOrder": 30
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 40
}
},
"required": [
"milestone",
"targetDate"
],
"additionalProperties": false
},
"sortOrder": 120
}
},
"required": [],
"additionalProperties": false
}

UI schema configuration

{
"sections": [
{
"label": "General",
"fields": [
"contractNumber",
"contractType",
"counterpartyName"
]
},
{
"label": "Dates",
"fields": [
"startDate",
"endDate",
"renewalDate"
]
},

```
{
"label": "Value",
"fields": [
"contractValue",
"currencyCode"
]
}
]
}
```

Accounting Object / Utility Meter

Type code: utility_meter

Records a utility meter and its readings for allocating associated service income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
readings	Readings	grid	No	{"helpText": "Dated cumulative readings, not consumption. No automatic consumption calculation; resets and replacements must be recorded.", "sortOrder": 10, "uiWidth": "full"}
readings.readingDateTime	Reading date/time	date_time	Yes	{"sortOrder": 10, "uiWidth": "medium"}
readings.registerType	Register type	select	Yes	{"options": [{"code": "import", "description": "Import"}, {"code": "export", "description": "Export"}, {"code": "total", "description": "Total"}], "sortOrder": 20, "uiWidth": "medium"}
readings.reading	Cumulative reading	decimal	Yes	{"minimum": 0, "precision": 14, "scale": 4, "sortOrder": 30, "uiWidth": "short"}
readings.unit	Unit	reference	Yes	{"sortOrder": 40, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}
readings.method	Reading method	select	Yes	{"options": [{"code": "actual", "description": "Actual"}, {"code": "estimated", "description": "Estimated"}], "sortOrder": 50, "uiWidth": "medium"}
readings.event	Meter event	select	No	{"options": [{"code": "normal", "description": "Normal"}, {"code": "reset", "description": "Reset"}, {"code": "rollover", "description": "Rollover"}, {"code": "replacement", "description": "Replacement"}], "sortOrder": 60, "uiWidth": "medium"}
readings.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 70, "uiWidth": "full"}
installations	Installations	grid	No	{"periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["installationSlot"], "to": "effectiveTo"}, "sortOrder": 20, "uiWidth": "full"}
installations.installationSlot	Installation slot	short_text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
installations.property	Property	reference	Yes	{"sortOrder": 20, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "medium"}
installations.effectiveFrom	Effective from	date	Yes	{"sortOrder": 30, "uiWidth": "short"}
installations.effectiveTo	Effective to	date	No	{"sortOrder": 40, "uiWidth": "short"}
installations.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 50, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"readings": {
"type": "grid",
"title": "Readings",
"uiWidth": "full",
"rowSchema": {

```
"type": "object",
"properties": {
"readingDateTime": {
"type": "date_time",
"title": "Reading date/time",
"uiWidth": "medium",
"sortOrder": 10
},
"registerType": {
"type": "select",
"title": "Register type",
"options": [
{
"code": "import",
"description": "Import"
},
{
"code": "export",
"description": "Export"
},
{
"code": "total",
"description": "Total"
}
],
"uiWidth": "medium",
"sortOrder": 20
},
"reading": {
"type": "decimal",
"title": "Cumulative reading",
"precision": 14,
"scale": 4,
"minimum": 0,
"uiWidth": "short",
"sortOrder": 30
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 40
},
"method": {
"type": "select",
"title": "Reading method",
"options": [
{
"code": "actual",
"description": "Actual"
},
```

```
{
"code": "estimated",
"description": "Estimated"
}
],
"uiWidth": "medium",
"sortOrder": 50
},
"event": {
"type": "select",
"title": "Meter event",
"options": [
{
"code": "normal",
"description": "Normal"
},
{
"code": "reset",
"description": "Reset"
},
{
"code": "rollover",
"description": "Rollover"
},
{
"code": "replacement",
"description": "Replacement"
}
],
"uiWidth": "medium",
"sortOrder": 60
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 70
}
},
"required": [
"readingDateTime",
"registerType",
"reading",
"unit",
"method"
],
"additionalProperties": false
},
"helpText": "Dated cumulative readings, not consumption. No automatic consumption calculation; resets and replacements must be recorded.",
"sortOrder": 10
},
"installations": {
"type": "grid",
"title": "Installations",
"uiWidth": "full",
```

```
"rowSchema": {
"type": "object",
"properties": {
"installationSlot": {
"type": "short_text",
"title": "Installation slot",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"property": {
"type": "reference",
"title": "Property",
"target": {
"class": "accounting_object",
"types": [
"property"
]
},
"uiWidth": "medium",
"sortOrder": 20
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 30
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 40
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 50
}
},
"required": [
"installationSlot",
"property",
"effectiveFrom"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"installationSlot"
],
"allowOverlap": false
```

```
},
"sortOrder": 20
}
},
"required": [],
"additionalProperties": false,
"tabs": [
{
"label": "Readings",
"fields": [
"readings"
]
},
{
"label": "Installations",
"fields": [
"installations"
]
}
]
}
```

Accounting Object / Insurance policy

Type code: insurance_policy

Records insurance coverage, policy terms and insured interests for allocating policy-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
policyNumber	Policy number	short_text	Yes	{"maxLength": 50, "sortOrder": 10, "uiWidth": "short"}
insurer	Insurer	reference	Yes	{"sortOrder": 20, "target": {"class": "subledger_account", "types": ["vendor"]}, "uiWidth": "medium"}
broker	Broker	reference	No	{"sortOrder": 30, "target": {"class": "subledger_account", "types": ["vendor"]}, "uiWidth": "medium"}
policyholder	Policyholder	reference	Yes	{"sortOrder": 40, "target": {"class": "legal_entity"}, "uiWidth": "medium"}
responsibleResource	Responsible resource	reference	No	{"sortOrder": 50, "target": {"class": "resource"}, "uiWidth": "medium"}
startDate	Start date	date	Yes	{"sortOrder": 60, "uiWidth": "short"}
expiryDate	Expiry date	date	Yes	{"sortOrder": 70, "uiWidth": "short"}
renewalReviewDate	Renewal review date	date	No	{"sortOrder": 80, "uiWidth": "short"}
currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 90, "uiWidth": "short"}
paymentFrequency	Payment frequency	select	No	{"options": [{"code": "annual", "description": "Annual"}, {"code": "quarterly", "description": "Quarterly"}, {"code": "monthly", "description": "Monthly"}, {"code": "other", "description": "Other"}], "sortOrder": 100, "uiWidth": "medium"}
cancellationTerms	Cancellation terms	long_text	No	{"maxLength": 4000, "rows": 2, "sortOrder": 110, "uiWidth": "full"}
coverage	Coverage	grid	No	{"helpText": "Limits and excesses are reference terms, not automatic claim calculations. State shared limits in exclusions/notes; insured value differs from book and market value.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["coverType"], "to": "effectiveTo"}, "sortOrder": 120, "uiWidth": "full"}
coverage.coverType	Cover type	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_dimension", "types": ["insurance_cover_type"]}, "uiWidth": "medium"}
coverage.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
coverage.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
coverage.limit	Coverage limit	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
coverage.excessAmount	Excess amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 50, "uiWidth": "medium"}
coverage.excessPercent	Excess (%)	decimal	No	{"maximum": 100, "minimum": 0, "precision": 7, "scale": 4, "sortOrder": 60, "uiWidth": "short"}
coverage.exclusions	Exclusions	long_text	No	{"maxLength": 4000, "rows": 2, "sortOrder": 70, "uiWidth": "full"}
insuredItems	Insured items	grid	No	{"periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["item", "coverType"], "to": "effectiveTo"}, "sortOrder": 130, "uiWidth": "full"}

Field / grid column	Caption	Type	Required	Configuration / validation
insuredItems.item	Insured item	reference	Yes	{"sortOrder": 10, "target": {"anyOf": [{"class": "subledger_account", "types": ["asset_ppe", "asset_ip", "asset_rou"]}, {"class": "accounting_object", "types": ["property"]}]}, "uiWidth": "wide"}
insuredItems.coverType	Cover type	reference	Yes	{"sortOrder": 20, "target": {"class": "accounting_dimension", "types": ["insurance_cover_type"]}, "uiWidth": "medium"}
insuredItems.effectiveFrom	Effective from	date	Yes	{"sortOrder": 30, "uiWidth": "short"}
insuredItems.effectiveTo	Effective to	date	No	{"sortOrder": 40, "uiWidth": "short"}
insuredItems.insuredValue	Insured value	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 50, "uiWidth": "medium"}
insuredItems.specificExcess	Specific excess	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 60, "uiWidth": "medium"}
insuredItems.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 2, "sortOrder": 70, "uiWidth": "full"}
premiumSchedule	Premium schedule	grid	No	{"helpText": "Reference schedule in policy currency. Amounts are entered explicitly; totals, journals and tax are not calculated automatically.", "sortOrder": 140, "uiWidth": "full"}
premiumSchedule.coverageFrom	Coverage from	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
premiumSchedule.coverageTo	Coverage to	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
premiumSchedule.dueDate	Due date	date	Yes	{"sortOrder": 30, "uiWidth": "short"}
premiumSchedule.premium	Premium	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
premiumSchedule.fees	Fees	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 50, "uiWidth": "medium"}
premiumSchedule.tax	Tax	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 60, "uiWidth": "medium"}
premiumSchedule.total	Total	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 70, "uiWidth": "medium"}
endorsements	Endorsements	grid	No	{"sortOrder": 150, "uiWidth": "full"}
endorsements.reference	Endorsement reference	short_text	Yes	{"maxLength": 50, "sortOrder": 10, "uiWidth": "short"}
endorsements.effectiveDate	Effective date	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
endorsements.description	Change description	long_text	Yes	{"maxLength": 4000, "rows": 2, "sortOrder": 30, "uiWidth": "full"}
endorsements.premiumAdjustment	Premium adjustment	currency	No	{"precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"properties": {
"policyNumber": {
"type": "short_text",

```
"title": "Policy number",
"maxLength": 50,
"uiWidth": "short",
"sortOrder": 10
},
"insurer": {
"type": "reference",
"title": "Insurer",
"target": {
"class": "subledger_account",
"types": [
"vendor"
]
},
"uiWidth": "medium",
"sortOrder": 20
},
"broker": {
"type": "reference",
"title": "Broker",
"target": {
"class": "subledger_account",
"types": [
"vendor"
]
},
"uiWidth": "medium",
"sortOrder": 30
},
"policyholder": {
"type": "reference",
"title": "Policyholder",
"target": {
"class": "legal_entity"
},
"uiWidth": "medium",
"sortOrder": 40
},
"responsibleResource": {
"type": "reference",
"title": "Responsible resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 50
},
"startDate": {
"type": "date",
"title": "Start date",
"uiWidth": "short",
"sortOrder": 60
},
"expiryDate": {
"type": "date",
"title": "Expiry date",
"uiWidth": "short",
```

```
"sortOrder": 70
},
"renewalReviewDate": {
"type": "date",
"title": "Renewal review date",
"uiWidth": "short",
"sortOrder": 80
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 90
},
"paymentFrequency": {
"type": "select",
"title": "Payment frequency",
"options": [
{
"code": "annual",
"description": "Annual"
},
{
"code": "quarterly",
"description": "Quarterly"
},
{
"code": "monthly",
"description": "Monthly"
},
{
"code": "other",
"description": "Other"
}
],
"uiWidth": "medium",
"sortOrder": 100
},
"cancellationTerms": {
"type": "long_text",
"title": "Cancellation terms",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 110
},
"coverage": {
"type": "grid",
"title": "Coverage",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"coverType": {
```

```
"type": "reference",
"title": "Cover type",
"target": {
"class": "accounting_dimension",
"types": [
"insurance_cover_type"
]
},
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 30
},
"limit": {
"type": "currency",
"title": "Coverage limit",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
},
"excessAmount": {
"type": "currency",
"title": "Excess amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 50
},
"excessPercent": {
"type": "decimal",
"title": "Excess (%)",
"precision": 7,
"scale": 4,
"minimum": 0,
"maximum": 100,
"uiWidth": "short",
"sortOrder": 60
},
"exclusions": {
"type": "long_text",
"title": "Exclusions",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
```

```
"sortOrder": 70
}
},
"required": [
"coverType",
"effectiveFrom",
"limit"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"coverType"
],
"allowOverlap": false
},
"helpText": "Limits and excesses are reference terms, not automatic claim calculations. State shared limits in exclusions/notes; insured value differs from book and market value.",
"sortOrder": 120
},
"insuredItems": {
"type": "grid",
"title": "Insured items",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"item": {
"type": "reference",
"title": "Insured item",
"target": {
"anyOf": [
{
"class": "subledger_account",
"types": [
"asset_ppe",
"asset_ip",
"asset_rou"
]
},
{
"class": "accounting_object",
"types": [
"property"
]
}
]
},
"uiWidth": "wide",
"sortOrder": 10
},
"coverType": {
"type": "reference",
"title": "Cover type",
"target": {
"class": "accounting_dimension",
```

```
"types": [
"insurance_cover_type"
]
},
"uiWidth": "medium",
"sortOrder": 20
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 30
},
"effectiveTo": {
"type": "date",
"title": "Effective to",
"uiWidth": "short",
"sortOrder": 40
},
"insuredValue": {
"type": "currency",
"title": "Insured value",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 50
},
"specificExcess": {
"type": "currency",
"title": "Specific excess",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 60
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 70
}
},
"required": [
"item",
"coverType",
"effectiveFrom",
"insuredValue"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
```

```
"groupBy": [
"item",
"coverType"
],
"allowOverlap": false
},
"sortOrder": 130
},
"premiumSchedule": {
"type": "grid",
"title": "Premium schedule",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"coverageFrom": {
"type": "date",
"title": "Coverage from",
"uiWidth": "short",
"sortOrder": 10
},
"coverageTo": {
"type": "date",
"title": "Coverage to",
"uiWidth": "short",
"sortOrder": 20
},
"dueDate": {
"type": "date",
"title": "Due date",
"uiWidth": "short",
"sortOrder": 30
},
"premium": {
"type": "currency",
"title": "Premium",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
},
"fees": {
"type": "currency",
"title": "Fees",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 50
},
"tax": {
"type": "currency",
"title": "Tax",
"precision": 14,
"scale": 2,
"minimum": 0,
```

```
"uiWidth": "medium",
"sortOrder": 60
},
"total": {
"type": "currency",
"title": "Total",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 70
}
},
"required": [
"coverageFrom",
"coverageTo",
"dueDate",
"premium",
"total"
],
"additionalProperties": false
},
"helpText": "Reference schedule in policy currency. Amounts are entered explicitly; totals, journals and tax are not calculated automatically.",
"sortOrder": 140
},
"endorsements": {
"type": "grid",
"title": "Endorsements",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"reference": {
"type": "short_text",
"title": "Endorsement reference",
"maxLength": 50,
"uiWidth": "short",
"sortOrder": 10
},
"effectiveDate": {
"type": "date",
"title": "Effective date",
"uiWidth": "short",
"sortOrder": 20
},
"description": {
"type": "long_text",
"title": "Change description",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 30
},
"premiumAdjustment": {
"type": "currency",
"title": "Premium adjustment",
"precision": 14,
```

```
"scale": 2,
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"reference",
"effectiveDate",
"description"
],
"additionalProperties": false
},
"sortOrder": 150
}
},
"required": [
"policyNumber",
"insurer",
"policyholder",
"startDate",
"expiryDate",
"currencyCode"
],
"additionalProperties": false,
"tabs": [
{
"label": "Policy",
"fields": [
"policyNumber",
"insurer",
"broker",
"policyholder",
"responsibleResource"
]
},
{
"label": "Terms",
"fields": [
"startDate",
"expiryDate",
"renewalReviewDate",
"currencyCode",
"paymentFrequency",
"cancellationTerms"
]
},
{
"label": "Coverage",
"fields": [
"coverage"
]
},
{
"label": "Insured items",
"fields": [
"insuredItems"
]
```

```
},
{
"label": "Premium schedule",
"fields": [
"premiumSchedule"
]
},
{
"label": "Endorsements",
"fields": [
"endorsements"
]
}
]
}
```

Accounting Object / Insurance claim

Type code: insurance_claim

Records an insurance incident, claim progress and settlements for allocating claim-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
policy	Insurance policy	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["insurance_policy"]}, "uiWidth": "medium"}
insurerClaimReference	Insurer claim reference	short_text	No	{"maxLength": 50, "sortOrder": 20, "uiWidth": "short"}
responsibleResource	Claims handler	reference	No	{"sortOrder": 30, "target": {"class": "resource"}, "uiWidth": "medium"}
incidentDate	Incident date	date	Yes	{"sortOrder": 40, "uiWidth": "short"}
location	Incident location	text	No	{"maxLength": 150, "sortOrder": 50, "uiWidth": "medium"}
cause	Claim cause	reference	Yes	{"sortOrder": 60, "target": {"class": "accounting_dimension", "types": ["insurance_claim_cause"]}, "uiWidth": "medium"}
description	Incident description	long_text	Yes	{"maxLength": 4000, "rows": 2, "sortOrder": 70, "uiWidth": "full"}
currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 80, "uiWidth": "short"}
affectedItems	Affected items	grid	No	{"helpText": "Items must be listed on the saved selected policy. Estimates and claimed amounts do not recognise receivables or post journals.", "sortOrder": 100, "uiWidth": "full"}
affectedItems.item	Insured item	reference	Yes	{"referenceSource": {"column": "item", "field": "policy", "grid": "insuredItems"}, "sortOrder": 10, "target": {"anyOf": [{"class": "subledger_account", "types": ["asset_ppe", "asset_ip", "asset_rou"]}, {"class": "accounting_object", "types": ["property"]}]}, "uiWidth": "wide"}
affectedItems.damage	Damage description	long_text	Yes	{"maxLength": 4000, "rows": 2, "sortOrder": 20, "uiWidth": "full"}
affectedItems.estimatedLoss	Estimated loss	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 30, "uiWidth": "medium"}
affectedItems.claimedAmount	Claimed amount	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
assessor	Assessor	reference	No	{"sortOrder": 110, "target": {"class": "resource"}, "uiWidth": "medium"}
assessmentDate	Assessment date	date	No	{"sortOrder": 120, "uiWidth": "short"}
approvedAmount	Approved amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 130, "uiWidth": "medium"}
excessAmount	Excess amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 140, "uiWidth": "medium"}
events	Claim events	grid	No	{"sortOrder": 150, "uiWidth": "full"}
events.date	Date	date	Yes	{"sortOrder": 10, "uiWidth": "short"}
events.eventType	Event type	select	Yes	{"options": [{"code": "notification", "description": "Notification"}, {"code": "submission", "description": "Submission"}, {"code": "assessment", "description": "Assessment"}, {"code": "decision", "description": "Decision"}, {"code": "correspondence", "description": "Correspondence"}, {"code": "settlement", "description": "Settlement"}], "sortOrder": 20, "uiWidth": "medium"}

Field / grid column	Caption	Type	Required	Configuration / validation
events.resource	Resource	reference	No	{"sortOrder": 30, "target": {"class": "resource"}, "uiWidth": "medium"}
events.notes	Notes	long_text	Yes	{"maxLength": 4000, "rows": 2, "sortOrder": 40, "uiWidth": "full"}
settlementComponents	Settlement breakdown	grid	No	{"helpText": "Approved settlement breakdown only. Actual receipts and payments remain claim-linked accounting transactions.", "sortOrder": 160, "uiWidth": "full"}
settlementComponents.component	Component	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
settlementComponents.approvedAmount	Approved amount	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 20, "uiWidth": "medium"}
settlementComponents.recipient	Recipient supplier	reference	No	{"sortOrder": 30, "target": {"class": "subledger_account", "types": ["vendor"]}, "uiWidth": "medium"}
settlementComponents.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 2, "sortOrder": 40, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"policy": {
"type": "reference",
"title": "Insurance policy",
"target": {
"class": "accounting_object",
"types": [
"insurance_policy"
]
},
"uiWidth": "medium",
"sortOrder": 10
},
"insurerClaimReference": {
"type": "short_text",
"title": "Insurer claim reference",
"maxLength": 50,
"uiWidth": "short",
"sortOrder": 20
},
"responsibleResource": {
"type": "reference",
"title": "Claims handler",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 30
},
"incidentDate": {
"type": "date",

```
"title": "Incident date",
"uiWidth": "short",
"sortOrder": 40
},
"location": {
"type": "text",
"title": "Incident location",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 50
},
"cause": {
"type": "reference",
"title": "Claim cause",
"target": {
"class": "accounting_dimension",
"types": [
"insurance_claim_cause"
]
},
"uiWidth": "medium",
"sortOrder": 60
},
"description": {
"type": "long_text",
"title": "Incident description",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 70
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 80
},
"affectedItems": {
"type": "grid",
"title": "Affected items",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"item": {
"type": "reference",
"title": "Insured item",
"target": {
"anyOf": [
{
"class": "subledger_account",
"types": [
"asset_ppe",
"asset_ip",
```

```
"asset_rou"
]
},
{
"class": "accounting_object",
"types": [
"property"
]
}
]
},
"uiWidth": "wide",
"referenceSource": {
"field": "policy",
"grid": "insuredItems",
"column": "item"
},
"sortOrder": 10
},
"damage": {
"type": "long_text",
"title": "Damage description",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 20
},
"estimatedLoss": {
"type": "currency",
"title": "Estimated loss",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 30
},
"claimedAmount": {
"type": "currency",
"title": "Claimed amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
}
},
"required": [
"item",
"damage",
"claimedAmount"
],
"additionalProperties": false
},
"helpText": "Items must be listed on the saved selected policy. Estimates and claimed amounts do not recognise receivables or post journals.",
"sortOrder": 100
},
"assessor": {
```

```
"type": "reference",
"title": "Assessor",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 110
},
"assessmentDate": {
"type": "date",
"title": "Assessment date",
"uiWidth": "short",
"sortOrder": 120
},
"approvedAmount": {
"type": "currency",
"title": "Approved amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 130
},
"excessAmount": {
"type": "currency",
"title": "Excess amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 140
},
"events": {
"type": "grid",
"title": "Claim events",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"date": {
"type": "date",
"title": "Date",
"uiWidth": "short",
"sortOrder": 10
},
"eventType": {
"type": "select",
"title": "Event type",
"options": [
{
"code": "notification",
"description": "Notification"
},
{
"code": "submission",
"description": "Submission"
},
```

```
{
"code": "assessment",
"description": "Assessment"
},
{
"code": "decision",
"description": "Decision"
},
{
"code": "correspondence",
"description": "Correspondence"
},
{
"code": "settlement",
"description": "Settlement"
}
],
"uiWidth": "medium",
"sortOrder": 20
},
"resource": {
"type": "reference",
"title": "Resource",
"target": {
"class": "resource"
},
"uiWidth": "medium",
"sortOrder": 30
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 40
}
},
"required": [
"date",
"eventType",
"notes"
],
"additionalProperties": false
},
"sortOrder": 150
},
"settlementComponents": {
"type": "grid",
"title": "Settlement breakdown",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"component": {
"type": "text",
"title": "Component",
```

```
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"approvedAmount": {
"type": "currency",
"title": "Approved amount",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 20
},
"recipient": {
"type": "reference",
"title": "Recipient supplier",
"target": {
"class": "subledger_account",
"types": [
"vendor"
]
},
"uiWidth": "medium",
"sortOrder": 30
},
"notes": {
"type": "long_text",
"title": "Notes",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 40
}
},
"required": [
"component",
"approvedAmount"
],
"additionalProperties": false
},
"helpText": "Approved settlement breakdown only. Actual receipts and payments remain claim-linked accounting transactions.",
"sortOrder": 160
}
},
"required": [
"policy",
"incidentDate",
"cause",
"description",
"currencyCode"
],
"additionalProperties": false,
"tabs": [
{
"label": "Claim",
"fields": [
"policy",
```

```
"insurerClaimReference",
"responsibleResource",
"currencyCode"
]
},
{
"label": "Incident",
"fields": [
"incidentDate",
"location",
"cause",
"description"
]
},
{
"label": "Affected items",
"fields": [
"affectedItems"
]
},
{
"label": "Assessment",
"fields": [
"assessor",
"assessmentDate",
"approvedAmount",
"excessAmount"
]
},
{
"label": "Events",
"fields": [
"events"
]
},
{
"label": "Settlement",
"fields": [
"settlementComponents"
]
}
]
}
```

Accounting Object / Tour

Type code: tour

Defines a tour offering and its operating details for allocating related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
tourMode	Tour mode	select	Yes	{"options": [{"code": "scheduled", "description": "Scheduled"}, {"code": "private", "description": "Private"}, {"code": "both", "description": "Both"}], "sortOrder": 10, "uiWidth": "medium"}
description	Description	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 20, "uiWidth": "full"}
durationDays	Duration (days)	integer	No	{"maximum": 100000, "minimum": 1, "sortOrder": 30, "uiWidth": "short"}
itinerary	Itinerary	grid	No	{"sortOrder": 40, "uiWidth": "full"}
itinerary.day	Day	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 10, "uiWidth": "short"}
itinerary.activity	Activity	text	Yes	{"maxLength": 200, "sortOrder": 20, "uiWidth": "medium"}
itinerary.location	Location	text	No	{"maxLength": 200, "sortOrder": 30, "uiWidth": "medium"}
itinerary.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 40, "uiWidth": "full"}
inclusions	Inclusions	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 50, "uiWidth": "full"}
exclusions	Exclusions	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"tourMode": {
"type": "select",
"title": "Tour mode",
"uiWidth": "medium",
"options": [
{
"code": "scheduled",
"description": "Scheduled"
},
{
"code": "private",
"description": "Private"
},
{
"code": "both",
"description": "Both"
}

```
],
"sortOrder": 10
},
"description": {
"type": "long_text",
"title": "Description",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 20
},
"durationDays": {
"type": "integer",
"title": "Duration (days)",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 30
},
"itinerary": {
"type": "grid",
"title": "Itinerary",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"day": {
"type": "integer",
"title": "Day",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 10
},
"activity": {
"type": "text",
"title": "Activity",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 20
},
"location": {
"type": "text",
"title": "Location",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 30
},
"notes": {
"type": "long_text",
"title": "Notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 40
}
},
```

```
"required": [
"day",
"activity"
],
"additionalProperties": false
},
"sortOrder": 40
},
"inclusions": {
"type": "long_text",
"title": "Inclusions",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 50
},
"exclusions": {
"type": "long_text",
"title": "Exclusions",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 60
}
},
"required": [
"tourMode"
],
"additionalProperties": false,
"tabs": [
{
"label": "Tour",
"fields": [
"tourMode",
"description",
"durationDays",
"inclusions",
"exclusions"
]
},
{
"label": "Itinerary",
"fields": [
"itinerary"
]
}
]
}
```

Accounting Object / Tour guide

Type code: tour_guide

Records a tour guide and relevant operating details for allocating guide-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
resource	Guide resource	reference	Yes	{"sortOrder": 10, "target": {"class": "resource"}, "uiWidth": "wide"}
phone	Phone	text	No	{"maxLength": 200, "sortOrder": 20, "uiWidth": "medium"}
registrationNumber	Guide registration	text	No	{"maxLength": 200, "sortOrder": 30, "uiWidth": "medium"}
registrationExpiry	Registration expiry	date	No	{"sortOrder": 40, "uiWidth": "medium"}
languages	Languages	text	No	{"maxLength": 200, "sortOrder": 50, "uiWidth": "medium"}
qualifications	Qualifications	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}
notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 70, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"resource": {
"type": "reference",
"title": "Guide resource",
"uiWidth": "wide",
"target": {
"class": "resource"
},
"sortOrder": 10
},
"phone": {
"type": "text",
"title": "Phone",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 20
},
"registrationNumber": {
"type": "text",
"title": "Guide registration",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 30
},
"registrationExpiry": {

```
"type": "date",
"title": "Registration expiry",
"uiWidth": "medium",
"sortOrder": 40
},
"languages": {
"type": "text",
"title": "Languages",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 50
},
"qualifications": {
"type": "long_text",
"title": "Qualifications",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 60
},
"notes": {
"type": "long_text",
"title": "Notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 70
}
},
"required": [
"resource"
],
"additionalProperties": false
}
```

Accounting Object / Tour vehicle

Type code: tour_vehicle

Records a vehicle used for tours and its operating details for allocating tour transport income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
passengerSeats	Passenger seats (excluding driver/guide)	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 20, "uiWidth": "short"}
asset	Asset account	reference	No	{"sortOrder": 30, "target": {"class": "subledger_account", "types": ["asset_ppe", "asset_rou"]}, "uiWidth": "wide"}
licenceExpiry	Vehicle licence expiry	date	No	{"sortOrder": 40, "uiWidth": "medium"}
notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 50, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"passengerSeats": {
"type": "integer",
"title": "Passenger seats (excluding driver/guide)",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 20
},
"asset": {
"type": "reference",
"title": "Asset account",
"uiWidth": "wide",
"target": {
"class": "subledger_account",
"types": [
"asset_ppe",
"asset_rou"
]
},
"sortOrder": 30
},
"licenceExpiry": {
"type": "date",
"title": "Vehicle licence expiry",
"uiWidth": "medium",
"sortOrder": 40
},
"notes": {
"type": "long_text",
"title": "Notes",

```
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 50
}
},
"required": [
"passengerSeats"
],
"additionalProperties": false
}
```

Accounting Object / Tour departure

Type code: tour_departure

Records a scheduled or private instance of a tour for allocating departure-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
tour	Tour	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["tour"]}, "uiWidth": "wide"}
departureMode	Departure mode	select	Yes	{"options": [{"code": "scheduled", "description": "Scheduled"}, {"code": "private", "description": "Private"}], "sortOrder": 20, "uiWidth": "medium"}
startAt	Start	date_time	Yes	{"helpText": "Organisation local time. Use the same local time convention on all departures.", "sortOrder": 30, "uiWidth": "medium"}
endAt	End	date_time	Yes	{"helpText": "Organisation local time. Use the same local time convention on all departures.", "sortOrder": 40, "uiWidth": "medium"}
capacity	Passenger capacity	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 50, "uiWidth": "short"}
meetingPoint	Meeting point	text	No	{"maxLength": 200, "sortOrder": 60, "uiWidth": "medium"}
notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 80, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"tour": {
"type": "reference",
"title": "Tour",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour"
]
},
"sortOrder": 10
},
"departureMode": {
"type": "select",
"title": "Departure mode",
"uiWidth": "medium",
"options": [
{
"code": "scheduled",
"description": "Scheduled"
},
{
"code": "private",

```
"description": "Private"
}
],
"sortOrder": 20
},
"startAt": {
"type": "date_time",
"title": "Start",
"uiWidth": "medium",
"helpText": "Organisation local time. Use the same local time convention on all departures.",
"sortOrder": 30
},
"endAt": {
"type": "date_time",
"title": "End",
"uiWidth": "medium",
"helpText": "Organisation local time. Use the same local time convention on all departures.",
"sortOrder": 40
},
"capacity": {
"type": "integer",
"title": "Passenger capacity",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 50
},
"meetingPoint": {
"type": "text",
"title": "Meeting point",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 60
},
"notes": {
"type": "long_text",
"title": "Notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 80
}
},
"required": [
"tour",
"departureMode",
"startAt",
"endAt",
"capacity"
],
"additionalProperties": false
}
```

Accounting Object / Tour booking

Type code: tour_booking

Records a customer booking and its tour arrangements for allocating booking-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
departure	Departure	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["tour_departure"]}, "uiWidth": "wide"}
customer	Customer	reference	Yes	{"sortOrder": 20, "target": {"class": "subledger_account", "types": ["customer"]}, "uiWidth": "wide"}
passengerCount	Passengers	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 30, "uiWidth": "short"}
contactName	Contact name	text	No	{"maxLength": 200, "sortOrder": 40, "uiWidth": "medium"}
contactEmail	Contact email	email	No	{"maxLength": 254, "sortOrder": 50, "uiWidth": "medium"}
contactPhone	Contact phone	text	No	{"maxLength": 200, "sortOrder": 60, "uiWidth": "medium"}
sourceQuote	Accepted quote	reference	No	{"sortOrder": 80, "target": {"class": "accounting_object", "types": ["tour_quote"]}, "uiWidth": "wide"}
currencyCode	Currency	select	No	{"options": [{"code": "USD", "description": "USD"}, {"code": "GBP", "description": "GBP"}, {"code": "EUR", "description": "EUR"}, {"code": "ZAR", "description": "ZAR"}], "sortOrder": 90, "uiWidth": "medium"}
documentDate	Document date	date	No	{"sortOrder": 100, "uiWidth": "medium"}
taxInclusive	Prices include tax	boolean	No	{"default": false, "sortOrder": 110, "uiWidth": "medium"}
lines	Price lines	grid	No	{"maxRows": 200, "sortOrder": 120, "uiWidth": "full"}
lines.description	Description	text	Yes	{"maxLength": 200, "sortOrder": 10, "uiWidth": "medium"}
lines.pricingBasis	Pricing basis	select	Yes	{"options": [{"code": "per_person", "description": "Per person"}, {"code": "per_tour", "description": "Per tour"}], "sortOrder": 20, "uiWidth": "medium"}
lines.quantity	Tour quantity	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 30, "uiWidth": "short"}
lines.unitPrice	Unit price	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
lines.taxCode	Tax code	select	Yes	{"options": [{"code": "VOS", "description": "VOS"}, {"code": "VOZ", "description": "VOZ"}, {"code": "VE", "description": "VE"}], "sortOrder": 50, "uiWidth": "medium"}
netAmount	Net amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 130, "uiWidth": "medium"}
taxAmount	Tax amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 140, "uiWidth": "medium"}
totalAmount	Total amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 150, "uiWidth": "medium"}
commercialNotes	Commercial terms	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 160, "uiWidth": "full"}
passengers	Passenger manifest	grid	No	{"maxRows": 10000, "sortOrder": 170, "uiWidth": "full"}

Field / grid column	Caption	Type	Required	Configuration / validation
passengers.name	Name	text	Yes	{"maxLength": 200, "sortOrder": 10, "uiWidth": "medium"}
passengers.phone	Phone	text	No	{"maxLength": 200, "sortOrder": 20, "uiWidth": "medium"}
passengers.requirements	Requirements	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 30, "uiWidth": "full"}
payments	Manual deposits and refunds	grid	No	{"sortOrder": 180, "uiWidth": "full"}
payments.date	Date	date	Yes	{"sortOrder": 10, "uiWidth": "medium"}
payments.kind	Movement	select	Yes	{"options": [{"code": "deposit", "description": "Deposit"}, {"code": "payment", "description": "Payment"}, {"code": "refund", "description": "Refund"}], "sortOrder": 20, "uiWidth": "medium"}
payments.amount	Amount	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 30, "uiWidth": "medium"}
payments.reference	Payment reference	text	Yes	{"maxLength": 200, "sortOrder": 40, "uiWidth": "medium"}
payments.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 50, "uiWidth": "full"}
notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 190, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"departure": {
"type": "reference",
"title": "Departure",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_departure"
]
},
"sortOrder": 10
},
"customer": {
"type": "reference",
"title": "Customer",
"uiWidth": "wide",
"target": {
"class": "subledger_account",
"types": [
"customer"
]
},
"sortOrder": 20
},

```
"passengerCount": {
"type": "integer",
"title": "Passengers",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 30
},
"contactName": {
"type": "text",
"title": "Contact name",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 40
},
"contactEmail": {
"type": "email",
"title": "Contact email",
"uiWidth": "medium",
"maxLength": 254,
"sortOrder": 50
},
"contactPhone": {
"type": "text",
"title": "Contact phone",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 60
},
"sourceQuote": {
"type": "reference",
"title": "Accepted quote",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_quote"
]
},
"sortOrder": 80
},
"currencyCode": {
"type": "select",
"title": "Currency",
"uiWidth": "medium",
"options": [
{
"code": "USD",
"description": "USD"
},
{
"code": "GBP",
"description": "GBP"
},
{
"code": "EUR",
"description": "EUR"
```

```
},
{
"code": "ZAR",
"description": "ZAR"
}
],
"sortOrder": 90
},
"documentDate": {
"type": "date",
"title": "Document date",
"uiWidth": "medium",
"sortOrder": 100
},
"taxInclusive": {
"type": "boolean",
"title": "Prices include tax",
"uiWidth": "medium",
"default": false,
"sortOrder": 110
},
"lines": {
"type": "grid",
"title": "Price lines",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"description": {
"type": "text",
"title": "Description",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 10
},
"pricingBasis": {
"type": "select",
"title": "Pricing basis",
"uiWidth": "medium",
"options": [
{
"code": "per_person",
"description": "Per person"
},
{
"code": "per_tour",
"description": "Per tour"
}
],
"sortOrder": 20
},
"quantity": {
"type": "integer",
"title": "Tour quantity",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
```

```
"sortOrder": 30
},
"unitPrice": {
"type": "currency",
"title": "Unit price",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 40
},
"taxCode": {
"type": "select",
"title": "Tax code",
"uiWidth": "medium",
"options": [
{
"code": "VOS",
"description": "VOS"
},
{
"code": "VOZ",
"description": "VOZ"
},
{
"code": "VE",
"description": "VE"
}
],
"sortOrder": 50
}
},
"required": [
"description",
"pricingBasis",
"quantity",
"unitPrice",
"taxCode"
],
"additionalProperties": false
},
"maxRows": 200,
"sortOrder": 120
},
"netAmount": {
"type": "currency",
"title": "Net amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 130
},
"taxAmount": {
"type": "currency",
"title": "Tax amount",
"uiWidth": "medium",
```

```
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 140
},
"totalAmount": {
"type": "currency",
"title": "Total amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 150
},
"commercialNotes": {
"type": "long_text",
"title": "Commercial terms",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 160
},
"passengers": {
"type": "grid",
"title": "Passenger manifest",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"name": {
"type": "text",
"title": "Name",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 10
},
"phone": {
"type": "text",
"title": "Phone",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 20
},
"requirements": {
"type": "long_text",
"title": "Requirements",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 30
}
},
"required": [
"name"
],
"additionalProperties": false
},
```

```
"maxRows": 10000,
"sortOrder": 170
},
"payments": {
"type": "grid",
"title": "Manual deposits and refunds",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"date": {
"type": "date",
"title": "Date",
"uiWidth": "medium",
"sortOrder": 10
},
"kind": {
"type": "select",
"title": "Movement",
"uiWidth": "medium",
"options": [
{
"code": "deposit",
"description": "Deposit"
},
{
"code": "payment",
"description": "Payment"
},
{
"code": "refund",
"description": "Refund"
}
],
"sortOrder": 20
},
"amount": {
"type": "currency",
"title": "Amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 30
},
"reference": {
"type": "text",
"title": "Payment reference",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 40
},
"notes": {
"type": "long_text",
"title": "Notes",
"uiWidth": "full",
"maxLength": 4000,
```

```
"rows": 3,
"sortOrder": 50
}
},
"required": [
"date",
"kind",
"amount",
"reference"
],
"additionalProperties": false
},
"sortOrder": 180
},
"notes": {
"type": "long_text",
"title": "Notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 190
}
},
"required": [
"departure",
"customer",
"passengerCount"
],
"additionalProperties": false,
"tabs": [
{
"label": "Booking",
"fields": [
"departure",
"customer",
"passengerCount",
"contactName",
"contactEmail",
"contactPhone",
"sourceQuote",
"notes"
]
},
{
"label": "Pricing",
"fields": [
"currencyCode",
"documentDate",
"taxInclusive",
"lines",
"netAmount",
"taxAmount",
"totalAmount",
"commercialNotes"
]
},
{
```

```
"label": "Passengers",
"fields": [
"passengers"
]
},
{
"label": "Payments",
"fields": [
"payments"
]
}
]
}
```

Accounting Object / Tour job card

Type code: tour_job_card

Records operating instructions and assigned resources for a tour departure, supporting allocation of related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
departure	Departure	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["tour_departure"]}, "uiWidth": "wide"}
guides	Allocated guides	grid	No	{"sortOrder": 30, "uiWidth": "full", "uniqueBy": ["guide"]}
guides.guide	Guide	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["tour_guide"]}, "uiWidth": "wide"}
guides.duty	Duty	text	No	{"maxLength": 200, "sortOrder": 20, "uiWidth": "medium"}
vehicles	Allocated vehicles	grid	No	{"sortOrder": 40, "uiWidth": "full", "uniqueBy": ["vehicle"]}
vehicles.vehicle	Vehicle	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["tour_vehicle"]}, "uiWidth": "wide"}
vehicles.notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 20, "uiWidth": "full"}
instructions	Instructions	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 50, "uiWidth": "full"}
completionNotes	Completion notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 60, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"departure": {
"type": "reference",
"title": "Departure",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_departure"
]
},
"sortOrder": 10
},
"guides": {
"type": "grid",
"title": "Allocated guides",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"guide": {

```
"type": "reference",
"title": "Guide",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_guide"
]
},
"sortOrder": 10
},
"duty": {
"type": "text",
"title": "Duty",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 20
}
},
"required": [
"guide"
],
"additionalProperties": false
},
"uniqueBy": [
"guide"
],
"sortOrder": 30
},
"vehicles": {
"type": "grid",
"title": "Allocated vehicles",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"vehicle": {
"type": "reference",
"title": "Vehicle",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_vehicle"
]
},
"sortOrder": 10
},
"notes": {
"type": "long_text",
"title": "Notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 20
}
},
```

```
"required": [
"vehicle"
],
"additionalProperties": false
},
"uniqueBy": [
"vehicle"
],
"sortOrder": 40
},
"instructions": {
"type": "long_text",
"title": "Instructions",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 50
},
"completionNotes": {
"type": "long_text",
"title": "Completion notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 60
}
},
"required": [
"departure"
],
"additionalProperties": false,
"tabs": [
{
"label": "Job",
"fields": [
"departure",
"instructions",
"completionNotes"
]
},
{
"label": "Guides",
"fields": [
"guides"
]
},
{
"label": "Vehicles",
"fields": [
"vehicles"
]
}
]
}
```

Accounting Object / Tour quote

Type code: tour_quote

Records proposed tour services and pricing for reference when allocating related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
departure	Departure	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["tour_departure"]}, "uiWidth": "wide"}
customer	Customer	reference	Yes	{"sortOrder": 20, "target": {"class": "subledger_account", "types": ["customer"]}, "uiWidth": "wide"}
passengerCount	Passengers	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 30, "uiWidth": "short"}
booking	Origin booking	reference	No	{"sortOrder": 40, "target": {"class": "accounting_object", "types": ["tour_booking"]}, "uiWidth": "wide"}
acceptedBooking	Accepted booking	reference	No	{"sortOrder": 50, "target": {"class": "accounting_object", "types": ["tour_booking"]}, "uiWidth": "wide"}
validUntil	Valid until	date	No	{"sortOrder": 60, "uiWidth": "medium"}
currencyCode	Currency	select	No	{"options": [{"code": "USD", "description": "USD"}, {"code": "GBP", "description": "GBP"}, {"code": "EUR", "description": "EUR"}, {"code": "ZAR", "description": "ZAR"}], "sortOrder": 80, "uiWidth": "medium"}
documentDate	Document date	date	No	{"sortOrder": 90, "uiWidth": "medium"}
taxInclusive	Prices include tax	boolean	No	{"default": false, "sortOrder": 100, "uiWidth": "medium"}
lines	Price lines	grid	No	{"maxRows": 200, "sortOrder": 110, "uiWidth": "full"}
lines.description	Description	text	Yes	{"maxLength": 200, "sortOrder": 10, "uiWidth": "medium"}
lines.pricingBasis	Pricing basis	select	Yes	{"options": [{"code": "per_person", "description": "Per person"}, {"code": "per_tour", "description": "Per tour"}], "sortOrder": 20, "uiWidth": "medium"}
lines.quantity	Tour quantity	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 30, "uiWidth": "short"}
lines.unitPrice	Unit price	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
lines.taxCode	Tax code	select	Yes	{"options": [{"code": "VOS", "description": "VOS"}, {"code": "VOZ", "description": "VOZ"}, {"code": "VE", "description": "VE"}], "sortOrder": 50, "uiWidth": "medium"}
netAmount	Net amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 120, "uiWidth": "medium"}
taxAmount	Tax amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 130, "uiWidth": "medium"}
totalAmount	Total amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 140, "uiWidth": "medium"}
commercialNotes	Commercial terms	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 150, "uiWidth": "full"}

Complete schema configuration

```
{
"type": "object",
"properties": {
"departure": {
"type": "reference",
"title": "Departure",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_departure"
]
},
"sortOrder": 10
},
"customer": {
"type": "reference",
"title": "Customer",
"uiWidth": "wide",
"target": {
"class": "subledger_account",
"types": [
"customer"
]
},
"sortOrder": 20
},
"passengerCount": {
"type": "integer",
"title": "Passengers",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 30
},
"booking": {
"type": "reference",
"title": "Origin booking",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_booking"
]
},
"sortOrder": 40
},
"acceptedBooking": {
"type": "reference",
"title": "Accepted booking",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_booking"
]
},
```

```
"sortOrder": 50
},
"validUntil": {
"type": "date",
"title": "Valid until",
"uiWidth": "medium",
"sortOrder": 60
},
"currencyCode": {
"type": "select",
"title": "Currency",
"uiWidth": "medium",
"options": [
{
"code": "USD",
"description": "USD"
},
{
"code": "GBP",
"description": "GBP"
},
{
"code": "EUR",
"description": "EUR"
},
{
"code": "ZAR",
"description": "ZAR"
}
],
"sortOrder": 80
},
"documentDate": {
"type": "date",
"title": "Document date",
"uiWidth": "medium",
"sortOrder": 90
},
"taxInclusive": {
"type": "boolean",
"title": "Prices include tax",
"uiWidth": "medium",
"default": false,
"sortOrder": 100
},
"lines": {
"type": "grid",
"title": "Price lines",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"description": {
"type": "text",
"title": "Description",
"uiWidth": "medium",
"maxLength": 200,
```

```
"sortOrder": 10
},
"pricingBasis": {
"type": "select",
"title": "Pricing basis",
"uiWidth": "medium",
"options": [
{
"code": "per_person",
"description": "Per person"
},
{
"code": "per_tour",
"description": "Per tour"
}
],
"sortOrder": 20
},
"quantity": {
"type": "integer",
"title": "Tour quantity",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 30
},
"unitPrice": {
"type": "currency",
"title": "Unit price",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 40
},
"taxCode": {
"type": "select",
"title": "Tax code",
"uiWidth": "medium",
"options": [
{
"code": "VOS",
"description": "VOS"
},
{
"code": "VOZ",
"description": "VOZ"
},
{
"code": "VE",
"description": "VE"
}
],
"sortOrder": 50
}
},
"required": [
```

```
"description",
"pricingBasis",
"quantity",
"unitPrice",
"taxCode"
],
"additionalProperties": false
},
"maxRows": 200,
"sortOrder": 110
},
"netAmount": {
"type": "currency",
"title": "Net amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 120
},
"taxAmount": {
"type": "currency",
"title": "Tax amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 130
},
"totalAmount": {
"type": "currency",
"title": "Total amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 140
},
"commercialNotes": {
"type": "long_text",
"title": "Commercial terms",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 150
}
},
"required": [
"departure",
"customer",
"passengerCount"
],
"additionalProperties": false,
"tabs": [
{
"label": "Quote",
"fields": [
```

```
"departure",
"customer",
"passengerCount",
"booking",
"acceptedBooking",
"validUntil"
]
},
{
"label": "Pricing",
"fields": [
"currencyCode",
"documentDate",
"taxInclusive",
"lines",
"netAmount",
"taxAmount",
"totalAmount",
"commercialNotes"
]
}
]
}
```

Accounting Object / Tour invoice

Type code: tour_invoice

Records tour billing details and related booking references for allocating tour income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
booking	Booking	reference	Yes	{"sortOrder": 10, "target": {"class": "accounting_object", "types": ["tour_booking"]}, "uiWidth": "wide"}
departure	Departure	reference	Yes	{"sortOrder": 20, "target": {"class": "accounting_object", "types": ["tour_departure"]}, "uiWidth": "wide"}
customer	Customer	reference	Yes	{"sortOrder": 30, "target": {"class": "subledger_account", "types": ["customer"]}, "uiWidth": "wide"}
passengerCount	Passengers	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 40, "uiWidth": "short"}
dueDate	Due date	date	No	{"sortOrder": 50, "uiWidth": "medium"}
exchangeRate	Exchange rate to base currency	decimal	No	{"minimum": 1e-08, "precision": 18, "scale": 8, "sortOrder": 70, "uiWidth": "medium"}
transactionId	Accounting transaction	short_text	No	{"helpText": "Created by the Draft transaction action.", "maxLength": 36, "sortOrder": 80, "uiWidth": "wide"}
currencyCode	Currency	select	No	{"options": [{"code": "USD", "description": "USD"}, {"code": "GBP", "description": "GBP"}, {"code": "EUR", "description": "EUR"}, {"code": "ZAR", "description": "ZAR"}], "sortOrder": 90, "uiWidth": "medium"}
documentDate	Document date	date	No	{"sortOrder": 100, "uiWidth": "medium"}
taxInclusive	Prices include tax	boolean	No	{"default": false, "sortOrder": 110, "uiWidth": "medium"}
lines	Price lines	grid	No	{"maxRows": 200, "sortOrder": 120, "uiWidth": "full"}
lines.description	Description	text	Yes	{"maxLength": 200, "sortOrder": 10, "uiWidth": "medium"}
lines.pricingBasis	Pricing basis	select	Yes	{"options": [{"code": "per_person", "description": "Per person"}, {"code": "per_tour", "description": "Per tour"}], "sortOrder": 20, "uiWidth": "medium"}
lines.quantity	Tour quantity	integer	Yes	{"maximum": 100000, "minimum": 1, "sortOrder": 30, "uiWidth": "short"}
lines.unitPrice	Unit price	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
lines.taxCode	Tax code	select	Yes	{"options": [{"code": "VOS", "description": "VOS"}, {"code": "VOZ", "description": "VOZ"}, {"code": "VE", "description": "VE"}], "sortOrder": 50, "uiWidth": "medium"}
netAmount	Net amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 130, "uiWidth": "medium"}
taxAmount	Tax amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 140, "uiWidth": "medium"}
totalAmount	Total amount	currency	No	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 150, "uiWidth": "medium"}
commercialNotes	Commercial terms	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 160, "uiWidth": "full"}

Complete schema configuration


```
{
"type": "object",
"properties": {
"booking": {
"type": "reference",
"title": "Booking",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_booking"
]
},
"sortOrder": 10
},
"departure": {
"type": "reference",
"title": "Departure",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"tour_departure"
]
},
"sortOrder": 20
},
"customer": {
"type": "reference",
"title": "Customer",
"uiWidth": "wide",
"target": {
"class": "subledger_account",
"types": [
"customer"
]
},
"sortOrder": 30
},
"passengerCount": {
"type": "integer",
"title": "Passengers",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 40
},
"dueDate": {
"type": "date",
"title": "Due date",
"uiWidth": "medium",
"sortOrder": 50
},
"exchangeRate": {
```

```
"type": "decimal",
"title": "Exchange rate to base currency",
"uiWidth": "medium",
"precision": 18,
"scale": 8,
"minimum": 1e-08,
"sortOrder": 70
},
"transactionId": {
"type": "short_text",
"title": "Accounting transaction",
"uiWidth": "wide",
"maxLength": 36,
"helpText": "Created by the Draft transaction action.",
"sortOrder": 80
},
"currencyCode": {
"type": "select",
"title": "Currency",
"uiWidth": "medium",
"options": [
{
"code": "USD",
"description": "USD"
},
{
"code": "GBP",
"description": "GBP"
},
{
"code": "EUR",
"description": "EUR"
},
{
"code": "ZAR",
"description": "ZAR"
}
],
"sortOrder": 90
},
"documentDate": {
"type": "date",
"title": "Document date",
"uiWidth": "medium",
"sortOrder": 100
},
"taxInclusive": {
"type": "boolean",
"title": "Prices include tax",
"uiWidth": "medium",
"default": false,
"sortOrder": 110
},
"lines": {
"type": "grid",
"title": "Price lines",
"uiWidth": "full",
```

```
"rowSchema": {
"type": "object",
"properties": {
"description": {
"type": "text",
"title": "Description",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 10
},
"pricingBasis": {
"type": "select",
"title": "Pricing basis",
"uiWidth": "medium",
"options": [
{
"code": "per_person",
"description": "Per person"
},
{
"code": "per_tour",
"description": "Per tour"
}
],
"sortOrder": 20
},
"quantity": {
"type": "integer",
"title": "Tour quantity",
"uiWidth": "short",
"minimum": 1,
"maximum": 100000,
"sortOrder": 30
},
"unitPrice": {
"type": "currency",
"title": "Unit price",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 40
},
"taxCode": {
"type": "select",
"title": "Tax code",
"uiWidth": "medium",
"options": [
{
"code": "VOS",
"description": "VOS"
},
{
"code": "VOZ",
"description": "VOZ"
},
{
```

```
"code": "VE",
"description": "VE"
}
],
"sortOrder": 50
}
},
"required": [
"description",
"pricingBasis",
"quantity",
"unitPrice",
"taxCode"
],
"additionalProperties": false
},
"maxRows": 200,
"sortOrder": 120
},
"netAmount": {
"type": "currency",
"title": "Net amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 130
},
"taxAmount": {
"type": "currency",
"title": "Tax amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 140
},
"totalAmount": {
"type": "currency",
"title": "Total amount",
"uiWidth": "medium",
"precision": 14,
"scale": 2,
"minimum": 0,
"sortOrder": 150
},
"commercialNotes": {
"type": "long_text",
"title": "Commercial terms",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 160
}
},
"required": [
"booking",
```

```
"departure",
"customer",
"passengerCount"
],
"additionalProperties": false,
"tabs": [
{
"label": "Invoice",
"fields": [
"booking",
"departure",
"customer",
"passengerCount",
"dueDate",
"exchangeRate",
"transactionId"
]
},
{
"label": "Pricing",
"fields": [
"currencyCode",
"documentDate",
"taxInclusive",
"lines",
"netAmount",
"taxAmount",
"totalAmount",
"commercialNotes"
]
}
]
}
```

Accounting Object / Maintenance Order

Type code: work_order

Records property, equipment and fleet maintenance requests, planning and completion for allocating maintenance-related income and expenses.

Field / grid column	Caption	Type	Required	Configuration / validation
workArea	Work Area	select	Yes	{"options": [{"code": "property", "description": "Property"}, {"code": "equipment", "description": "Equipment"}, {"code": "fleet", "description": "Fleet"}], "sortOrder": 10, "uiWidth": "medium"}
property	Property	reference	No	{"showif": {"field": "workArea", "operator": "eq", "value": "property"}, "sortOrder": 20, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "wide"}
asset	Asset	reference	No	{"showif": {"field": "workArea", "operator": "eq", "value": "equipment"}, "sortOrder": 30, "target": {"class": "subledger_account", "types": ["asset_ppe", "asset_rou"]}, "uiWidth": "wide"}
vehicle	Vehicle	reference	No	{"showif": {"field": "workArea", "operator": "eq", "value": "fleet"}, "sortOrder": 40, "target": {"class": "accounting_object", "types": ["fleet_vehicle"]}, "uiWidth": "wide"}
requestDescription	Description	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 50, "uiWidth": "full"}
reportedDate	Reported date	date	No	{"sortOrder": 60, "uiWidth": "short"}
priority	Priority	select	No	{"options": [{"code": "low", "description": "Low"}, {"code": "normal", "description": "Normal"}, {"code": "high", "description": "High"}, {"code": "urgent", "description": "Urgent"}], "sortOrder": 70, "uiWidth": "medium"}
category	Maintenance category	select	No	{"options": [{"code": "preventive", "description": "Preventive"}, {"code": "corrective", "description": "Corrective"}, {"code": "inspection", "description": "Inspection"}], "sortOrder": 80, "uiWidth": "medium"}
targetCompletionDate	Target completion date	date	No	{"sortOrder": 90, "uiWidth": "short"}
plannedStartDate	Planned start	date	No	{"sortOrder": 100, "uiWidth": "short"}
plannedEndDate	Planned end	date	No	{"sortOrder": 110, "uiWidth": "short"}
actualCompletionDate	Actual completion date	date	No	{"sortOrder": 120, "uiWidth": "short"}
resolutionNotes	Resolution notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 130, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "Request",
"fields": [
"workArea",
"property",
"asset",

```
"vehicle",
"requestDescription",
"reportedDate",
"priority",
"category"
]
},
{
"label": "Planning",
"fields": [
"targetCompletionDate",
"plannedStartDate",
"plannedEndDate"
]
},
{
"label": "Completion",
"fields": [
"actualCompletionDate",
"resolutionNotes"
]
}
],
"properties": {
"workArea": {
"type": "select",
"title": "Work Area",
"uiWidth": "medium",
"sortOrder": 10,
"options": [
{
"code": "property",
"description": "Property"
},
{
"code": "equipment",
"description": "Equipment"
},
{
"code": "fleet",
"description": "Fleet"
}
]
},
"property": {
"type": "reference",
"title": "Property",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"property"
]
},
"sortOrder": 20,
"showif": {
"field": "workArea",
```

```
"operator": "eq",
"value": "property"
}
},
"asset": {
"type": "reference",
"title": "Asset",
"uiWidth": "wide",
"target": {
"class": "subledger_account",
"types": [
"asset_ppe",
"asset_rou"
]
},
"sortOrder": 30,
"showif": {
"field": "workArea",
"operator": "eq",
"value": "equipment"
}
},
"vehicle": {
"type": "reference",
"title": "Vehicle",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"fleet_vehicle"
]
},
"sortOrder": 40,
"showif": {
"field": "workArea",
"operator": "eq",
"value": "fleet"
}
},
"requestDescription": {
"type": "long_text",
"title": "Description",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 50
},
"reportedDate": {
"type": "date",
"title": "Reported date",
"uiWidth": "short",
"sortOrder": 60
},
"priority": {
"type": "select",
"title": "Priority",
"uiWidth": "medium",
```

```
"sortOrder": 70,
"options": [
{
"code": "low",
"description": "Low"
},
{
"code": "normal",
"description": "Normal"
},
{
"code": "high",
"description": "High"
},
{
"code": "urgent",
"description": "Urgent"
}
]
},
"category": {
"type": "select",
"title": "Maintenance category",
"uiWidth": "medium",
"sortOrder": 80,
"options": [
{
"code": "preventive",
"description": "Preventive"
},
{
"code": "corrective",
"description": "Corrective"
},
{
"code": "inspection",
"description": "Inspection"
}
]
},
"targetCompletionDate": {
"type": "date",
"title": "Target completion date",
"uiWidth": "short",
"sortOrder": 90
},
"plannedStartDate": {
"type": "date",
"title": "Planned start",
"uiWidth": "short",
"sortOrder": 100
},
"plannedEndDate": {
"type": "date",
"title": "Planned end",
"uiWidth": "short",
"sortOrder": 110
```

```
},
"actualCompletionDate": {
"type": "date",
"title": "Actual completion date",
"uiWidth": "short",
"sortOrder": 120
},
"resolutionNotes": {
"type": "long_text",
"title": "Resolution notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 130
}
},
"required": [
"workArea"
],
"additionalProperties": false
}
```

Accounting Object / Fleet Vehicle

Type code: fleet_vehicle

Records fleet vehicle details and operating information for allocating vehicle-related income and expenses. The linked asset account holds balance-sheet allocations.

Field / grid column	Caption	Type	Required	Configuration / validation
registration	Registration	text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "medium"}
vin	VIN / chassis number	text	No	{"maxLength": 50, "sortOrder": 20, "uiWidth": "medium"}
make	Make	text	Yes	{"maxLength": 200, "sortOrder": 30, "uiWidth": "medium"}
model	Model	text	Yes	{"maxLength": 200, "sortOrder": 40, "uiWidth": "medium"}
modelYear	Model year	integer	No	{"maximum": 9999, "minimum": 1900, "sortOrder": 50, "uiWidth": "short"}
vehicleCategory	Vehicle category	select	No	{"options": [{"code": "car", "description": "Car"}, {"code": "van", "description": "Van"}, {"code": "truck", "description": "Truck"}, {"code": "bus", "description": "Bus"}, {"code": "motorcycle", "description": "Motorcycle"}, {"code": "trailer", "description": "Trailer"}, {"code": "other", "description": "Other"}], "sortOrder": 60, "uiWidth": "medium"}
fuelType	Fuel type	select	No	{"options": [{"code": "petrol", "description": "Petrol"}, {"code": "diesel", "description": "Diesel"}, {"code": "electric", "description": "Electric"}, {"code": "hybrid", "description": "Hybrid"}, {"code": "other", "description": "Other"}], "sortOrder": 70, "uiWidth": "medium"}
odometerReading	Odometer reading	number	No	{"minimum": 0, "sortOrder": 80, "uiWidth": "short"}
odometerUnit	Odometer unit	select	No	{"options": [{"code": "km", "description": "km"}, {"code": "miles", "description": "miles"}], "sortOrder": 90, "uiWidth": "medium"}
inServiceDate	In-service date	date	No	{"sortOrder": 100, "uiWidth": "short"}
baseProperty	Base property	reference	No	{"sortOrder": 110, "target": {"class": "accounting_object", "types": ["property"]}, "uiWidth": "wide"}
licenceExpiry	Licence expiry	date	No	{"sortOrder": 120, "uiWidth": "short"}
roadworthyExpiry	Roadworthy expiry	date	No	{"sortOrder": 130, "uiWidth": "short"}
insurancePolicy	Insurance policy	reference	No	{"sortOrder": 140, "target": {"class": "accounting_object", "types": ["insurance_policy"]}, "uiWidth": "wide"}
assetAccount	Asset account	reference	No	{"sortOrder": 150, "target": {"class": "subledger_account", "types": ["asset_ppe", "asset_rou"]}, "uiWidth": "wide"}
notes	Notes	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 160, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"tabs": [
{
"label": "Vehicle",

```
"fields": [
"registration",
"vin",
"make",
"model",
"modelYear",
"vehicleCategory"
]
},
{
"label": "Operation",
"fields": [
"fuelType",
"odometerReading",
"odometerUnit",
"inServiceDate",
"baseProperty"
]
},
{
"label": "Compliance",
"fields": [
"licenceExpiry",
"roadworthyExpiry",
"insurancePolicy"
]
},
{
"label": "Accounting",
"fields": [
"assetAccount"
]
},
{
"label": "Notes",
"fields": [
"notes"
]
}
],
"properties": {
"registration": {
"type": "text",
"title": "Registration",
"uiWidth": "medium",
"maxLength": 30,
"sortOrder": 10
},
"vin": {
"type": "text",
"title": "VIN / chassis number",
"uiWidth": "medium",
"maxLength": 50,
"sortOrder": 20
},
"make": {
"type": "text",
```

```
"title": "Make",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 30
},
"model": {
"type": "text",
"title": "Model",
"uiWidth": "medium",
"maxLength": 200,
"sortOrder": 40
},
"modelYear": {
"type": "integer",
"title": "Model year",
"uiWidth": "short",
"minimum": 1900,
"maximum": 9999,
"sortOrder": 50
},
"vehicleCategory": {
"type": "select",
"title": "Vehicle category",
"uiWidth": "medium",
"sortOrder": 60,
"options": [
{
"code": "car",
"description": "Car"
},
{
"code": "van",
"description": "Van"
},
{
"code": "truck",
"description": "Truck"
},
{
"code": "bus",
"description": "Bus"
},
{
"code": "motorcycle",
"description": "Motorcycle"
},
{
"code": "trailer",
"description": "Trailer"
},
{
"code": "other",
"description": "Other"
}
]
},
"fuelType": {
```

```
"type": "select",
"title": "Fuel type",
"uiWidth": "medium",
"sortOrder": 70,
"options": [
{
"code": "petrol",
"description": "Petrol"
},
{
"code": "diesel",
"description": "Diesel"
},
{
"code": "electric",
"description": "Electric"
},
{
"code": "hybrid",
"description": "Hybrid"
},
{
"code": "other",
"description": "Other"
}
]
},
"odometerReading": {
"type": "number",
"title": "Odometer reading",
"uiWidth": "short",
"minimum": 0,
"sortOrder": 80
},
"odometerUnit": {
"type": "select",
"title": "Odometer unit",
"uiWidth": "medium",
"sortOrder": 90,
"options": [
{
"code": "km",
"description": "km"
},
{
"code": "miles",
"description": "miles"
}
]
},
"inServiceDate": {
"type": "date",
"title": "In-service date",
"uiWidth": "short",
"sortOrder": 100
},
"baseProperty": {
```

```
"type": "reference",
"title": "Base property",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"property"
]
},
"sortOrder": 110
},
"licenceExpiry": {
"type": "date",
"title": "Licence expiry",
"uiWidth": "short",
"sortOrder": 120
},
"roadworthyExpiry": {
"type": "date",
"title": "Roadworthy expiry",
"uiWidth": "short",
"sortOrder": 130
},
"insurancePolicy": {
"type": "reference",
"title": "Insurance policy",
"uiWidth": "wide",
"target": {
"class": "accounting_object",
"types": [
"insurance_policy"
]
},
"sortOrder": 140
},
"assetAccount": {
"type": "reference",
"title": "Asset account",
"uiWidth": "wide",
"target": {
"class": "subledger_account",
"types": [
"asset_ppe",
"asset_rou"
]
},
"sortOrder": 150
},
"notes": {
"type": "long_text",
"title": "Notes",
"uiWidth": "full",
"maxLength": 4000,
"rows": 3,
"sortOrder": 160
}
},
```

```
"required": [
"registration",
"make",
"model"
],
"additionalProperties": false
}
```

Accounting Dimension / Revenue Type

Type code: revenue_type

Classifies income transactions by the nature or source of revenue.

Field / grid column	Caption	Type	Required	Configuration / validation
externalMappings	External mappings	grid	No	{"sortOrder": 10, "uiWidth": "full"}
externalMappings.codingSystem	Coding system	short_text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
externalMappings.externalCode	External code	short_text	Yes	{"maxLength": 30, "sortOrder": 20, "uiWidth": "short"}
externalMappings.description	Description	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"properties": {
"externalMappings": {
"type": "grid",
"title": "External mappings",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"codingSystem": {
"type": "short_text",
"title": "Coding system",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"externalCode": {
"type": "short_text",
"title": "External code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 20
},
"description": {
"type": "text",
"title": "Description",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 30
}
},
"required": [
"codingSystem",

```
"externalCode"
],
"additionalProperties": false
},
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false,
"tabs": [
{
"label": "External mappings",
"fields": [
"externalMappings"
]
}
]
}
```

Accounting Dimension / Expense Type

Type code: expense_type

Classifies expense transactions by the nature or purpose of expenditure.

Field / grid column	Caption	Type	Required	Configuration / validation
externalMappings	External mappings	grid	No	{"sortOrder": 10, "uiWidth": "full"}
externalMappings.codingSystem	Coding system	short_text	Yes	{"maxLength": 30, "sortOrder": 10, "uiWidth": "short"}
externalMappings.externalCode	External code	short_text	Yes	{"maxLength": 30, "sortOrder": 20, "uiWidth": "short"}
externalMappings.description	Description	text	No	{"maxLength": 150, "sortOrder": 30, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"properties": {
"externalMappings": {
"type": "grid",
"title": "External mappings",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"codingSystem": {
"type": "short_text",
"title": "Coding system",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 10
},
"externalCode": {
"type": "short_text",
"title": "External code",
"maxLength": 30,
"uiWidth": "short",
"sortOrder": 20
},
"description": {
"type": "text",
"title": "Description",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 30
}
},
"required": [
"codingSystem",

```
"externalCode"
],
"additionalProperties": false
},
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false,
"tabs": [
{
"label": "External mappings",
"fields": [
"externalMappings"
]
}
]
}
```

Accounting Dimension / MSCOA Fund

Type code: mscoa_fund

Classifies transactions by funding source within the configured MSCOA structure.

No custom schema fields.

Complete schema configuration

{
"type": "object",
"properties": {},
"required": [],
"additionalProperties": false
}

Accounting Dimension / MSCOA Project

Type code: mscoa_project

Classifies transactions by project within the configured MSCOA structure.

No custom schema fields.

Complete schema configuration

{
"type": "object",
"properties": {},
"required": [],
"additionalProperties": false
}

Accounting Dimension / MSCOA Item

Type code: mscoa_item

Classifies transactions by financial item within the configured MSCOA structure.

No custom schema fields.

Complete schema configuration

{
"type": "object",
"properties": {},
"required": [],
"additionalProperties": false
}

Accounting Dimension / MSCOA Region

Type code: mscoa_region

Classifies transactions by geographic area within the configured MSCOA structure.

No custom schema fields.

Complete schema configuration


```
{
"type": "object",
"properties": {},
"required": [],
"additionalProperties": false
}
```

Accounting Dimension / MSCOA Function

Type code: mscoa_function

Classifies transactions by municipal function or service responsibility within the configured MSCOA structure.

No custom schema fields.

Complete schema configuration


```
{
"type": "object",
"properties": {},
"required": [],
"additionalProperties": false
}
```

Accounting Dimension / MSCOA Costing

Type code: mscoa_costing

Classifies transactions by costing and cost-allocation category within the configured MSCOA structure.

No custom schema fields.

Complete schema configuration

{
"type": "object",
"properties": {},
"required": [],
"additionalProperties": false
}

Accounting Dimension / MSCOA Outcome

Type code: mscoa_outcome

Classifies transactions by intended outcome within the configured MSCOA structure.

No custom schema fields.

Complete schema configuration

{
"type": "object",
"properties": {},
"required": [],
"additionalProperties": false
}

Accounting Dimension / Service

Type code: service

Classifies transactions and related records by the service provided or received.

Field / grid column	Caption	Type	Required	Configuration / validation
characteristics	Characteristics	grid	No	{"sortOrder": 10, "uiWidth": "full"}
characteristics.characteristicType	Characteristic type	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
characteristics.value	Value	text	Yes	{"maxLength": 150, "sortOrder": 20, "uiWidth": "medium"}
characteristics.unit	Unit	reference	No	{"sortOrder": 30, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"properties": {
"characteristics": {
"type": "grid",
"title": "Characteristics",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"characteristicType": {
"type": "text",
"title": "Characteristic type",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"value": {
"type": "text",
"title": "Value",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 20
},
"unit": {
"type": "reference",
"title": "Unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",

```
"sortOrder": 30
}
},
"required": [
"characteristicType",
"value"
],
"additionalProperties": false
},
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false,
"tabs": [
{
"label": "Characteristics",
"fields": [
"characteristics"
]
}
]
}
```

Accounting Dimension / Charge Component

Type code: charge_component

Classifies individual components of a charge, such as consumption, fixed fees or surcharges.

Field / grid column	Caption	Type	Required	Configuration / validation
referenceRates	Reference rates	grid	No	{"helpText": "Reference rates only; contract-specific amounts are held on the contract.", "periodControl": {"allowOverlap": false, "from": "effectiveFrom", "groupBy": ["rateCategory"], "to": "effectiveTo"}, "sortOrder": 10, "uiWidth": "full"}
referenceRates.rateCategory	Rate category	text	Yes	{"maxLength": 150, "sortOrder": 10, "uiWidth": "medium"}
referenceRates.effectiveFrom	Effective from	date	Yes	{"sortOrder": 20, "uiWidth": "short"}
referenceRates.effectiveTo	Effective to	date	No	{"sortOrder": 30, "uiWidth": "short"}
referenceRates.amount	Rate	currency	Yes	{"minimum": 0, "precision": 14, "scale": 2, "sortOrder": 40, "uiWidth": "medium"}
referenceRates.currencyCode	Currency	short_text	Yes	{"maxLength": 3, "pattern": "[A-Z]{3}", "placeholder": "ZAR", "sortOrder": 50, "uiWidth": "short"}
referenceRates.chargingUnit	Charging unit	reference	No	{"sortOrder": 60, "target": {"class": "accounting_dimension", "types": ["measurement_unit"]}, "uiWidth": "medium"}

Complete schema configuration

{
"type": "object",
"properties": {
"referenceRates": {
"type": "grid",
"title": "Reference rates",
"uiWidth": "full",
"rowSchema": {
"type": "object",
"properties": {
"rateCategory": {
"type": "text",
"title": "Rate category",
"maxLength": 150,
"uiWidth": "medium",
"sortOrder": 10
},
"effectiveFrom": {
"type": "date",
"title": "Effective from",
"uiWidth": "short",
"sortOrder": 20
},
"effectiveTo": {
"type": "date",
"title": "Effective to",

```
"uiWidth": "short",
"sortOrder": 30
},
"amount": {
"type": "currency",
"title": "Rate",
"precision": 14,
"scale": 2,
"minimum": 0,
"uiWidth": "medium",
"sortOrder": 40
},
"currencyCode": {
"type": "short_text",
"title": "Currency",
"maxLength": 3,
"uiWidth": "short",
"pattern": "[A-Z]{3}",
"placeholder": "ZAR",
"sortOrder": 50
},
"chargingUnit": {
"type": "reference",
"title": "Charging unit",
"target": {
"class": "accounting_dimension",
"types": [
"measurement_unit"
]
},
"uiWidth": "medium",
"sortOrder": 60
}
},
"required": [
"rateCategory",
"effectiveFrom",
"amount",
"currencyCode"
],
"additionalProperties": false
},
"periodControl": {
"from": "effectiveFrom",
"to": "effectiveTo",
"groupBy": [
"rateCategory"
],
"allowOverlap": false
},
"helpText": "Reference rates only; contract-specific amounts are held on the contract.",
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false,
"tabs": [
```

```
{
"label": "Reference rates",
"fields": [
"referenceRates"
]
}
]
}
```

Accounting Dimension / Measurement Type

Type code: measurement_type

Classifies recorded measurements by the quantity or characteristic being measured.

Field / grid column	Caption	Type	Required	Configuration / validation
description	Description	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 10, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"description": {
"type": "long_text",
"title": "Description",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false
}

Accounting Dimension / Measurement Unit

Type code: measurement_unit

Defines the unit used to express a recorded measurement or quantity.

Field / grid column	Caption	Type	Required	Configuration / validation
description	Description	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 10, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"description": {
"type": "long_text",
"title": "Description",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false
}

Accounting Dimension / Property Feature Type

Type code: property_feature_type

Classifies property features, facilities and characteristics.

Field / grid column	Caption	Type	Required	Configuration / validation
description	Description	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 10, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"description": {
"type": "long_text",
"title": "Description",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false
}

Accounting Dimension / Valuation Method

Type code: valuation_method

Classifies the method used to determine a recorded value.

Field / grid column	Caption	Type	Required	Configuration / validation
description	Description	long_text	No	{"maxLength": 4000, "rows": 3, "sortOrder": 10, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"description": {
"type": "long_text",
"title": "Description",
"maxLength": 4000,
"rows": 3,
"uiWidth": "full",
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false
}

Accounting Dimension / Insurance cover type

Type code: insurance_cover_type

Classifies insurance coverage by the risk or protection provided.

Field / grid column	Caption	Type	Required	Configuration / validation
description	Description	long_text	No	{"maxLength": 4000, "rows": 2, "sortOrder": 10, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"description": {
"type": "long_text",
"title": "Description",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false,
"tabs": []
}

Accounting Dimension / Insurance claim cause

Type code: insurance_claim_cause

Classifies insurance claims by the event or cause giving rise to the claim.

Field / grid column	Caption	Type	Required	Configuration / validation
description	Description	long_text	No	{"maxLength": 4000, "rows": 2, "sortOrder": 10, "uiWidth": "full"}

Complete schema configuration

{
"type": "object",
"properties": {
"description": {
"type": "long_text",
"title": "Description",
"maxLength": 4000,
"rows": 2,
"uiWidth": "full",
"sortOrder": 10
}
},
"required": [],
"additionalProperties": false,
"tabs": []
}