

Applying a template




Figure 1: The user Right-Clicks on an asset (or a selection of Assets) in the canvas. A contextual menu displays the list of available templates, organized per category

The image shows a modal dialog box titled "Analysis Parameters" with a subtitle "TEMPLATE: STRIDE THREAT MODEL". It contains two main sections: "SYSTEM BOUNDARY" and "CRITICALITY LEVEL". The "SYSTEM BOUNDARY" section has a text input field with the placeholder "Type here..." and a hint "Define the perimeter of the analysis." The "CRITICALITY LEVEL" section has a dropdown menu currently showing "Low" and a hint "Impact on business operations." At the bottom are "CANCEL" and "START ANALYSIS" buttons.

Analysis Parameters
TEMPLATE: STRIDE THREAT MODEL

SYSTEM BOUNDARY *

Type here...

Define the perimeter of the analysis.

CRITICALITY LEVEL *

Low

Impact on business operations.

CANCEL START ANALYSIS

Figure 2: Based on the definition of the template, the user may have to enter some values (for a defined variable) or to select in a list (for list-type variables)

This image is similar to Figure 2, but the "CRITICALITY LEVEL" dropdown menu is open, displaying a list of options: "Low", "Medium", "High", and "Critical". The "Low" option is currently selected and highlighted in blue.

Analysis Parameters
TEMPLATE: STRIDE THREAT MODEL

SYSTEM BOUNDARY *

Type here...

Define the perimeter of the analysis.

CRITICALITY LEVEL *

Low

Low
Medium
High
Critical

CANCEL START ANALYSIS

Figure 3: Example of a list




Figure 4: When Starting the execution, the template's pipeline is executed




Figure 5: Ultimately the report is displayed including (on the left side) the report itself that can include text or:and diagrams... And on the left panel, the evidences that support the analysis




Figure 6: The user can click on an evidence ti jump to the source. There is also the reasoning logic.