

PRODUCT TOUR

Fleetfolio

Device State You Can Query. Evidence You Can Prove.

SQL-native endpoint detection, continuous posture management, and audit-grade evidence — built for security leaders who need to prove control effectiveness, not just claim it.

Today's Tour

01

Compliant Insecurity

Why passing audits doesn't mean you're secure

02

The Architecture

SQL-native EDR and the evidence-first difference

03

The Ecosystem

Fleetfolio + Opsfolio Suite + Qualityfolio

04

Feature Tour

Detection, posture, reconciliation, TEM, cloud costs

05

SQL Evidence

Every detection is a query. Every query is evidence.

06

Deploy & Close

Integration, deployment models, and next steps

Compliant Insecurity

Most organizations pass their annual audit — and still get breached.

Why It Happens

Evidence Decay

Screenshots and exports are stale the moment they're captured. Auditors sample a past state.

Audit-Time Heroics

Teams scramble to assemble evidence when the auditor arrives. Controls exist on paper only.

Policy-Reality Gap

Documented controls don't reflect operational enforcement. No one knows what's actually running.

Tool Fragmentation

osquery, MDM, CMDB, monitoring — each a silo. None speaks compliance. AI can't JOIN them.

The Result

Audit-ready.
Breach-prone.

Controls are documented but not continuously verified. Detection tools fire alerts that vanish. Evidence is assembled, not generated. The gap between the audit and the breach grows invisible.

SQL-Native EDR: A Different Architecture

Traditional EDR detects threats. Fleetfolio detects threats AND proves what happened.

Traditional EDR

- Alerts fire — then vanish into a SIEM queue
- Evidence is a screenshot or export, assembled later
- Detection rules are proprietary, opaque, untestable
- Compliance reports generated manually from alert data
- No native understanding of audit requirements
- Every detection is ephemeral — no audit chain
- AI can't query alerts that live in a proprietary log format

Fleetfolio

- Every detection rule is a SQL query — version-controlled, testable
- Every alert is a timestamped, immutable evidence artifact
- Detection = evidence: one query serves SOC 2 AND security ops
- Compliance mapping built into every rule at authoring time
- Audit packages generated by querying evidence, not assembling PDFs
- Full audit chain: who, when, before/after, cryptographic hash
- AI can SELECT from device_posture, device_inventory right now

Fleetfolio in the Opsfolio Ecosystem

Fleet telemetry flows directly into Opsfolio Suite's Evidence Warehouse and Asset Intelligence.

Fleetfolio

SQL-Native EDR + Fleet Management

- Endpoint posture: encryption, firewall, patches
- Asset reconciliation: MATCHED / MISSING / UNEXPECTED
- Vulnerability findings from Nessus, Trivy, OpenVAS
- Cloud resource inventory (AWS, Azure, GCP)
- Pen test findings via Threat Exposure Management
- Network device telemetry via SNMP

Opsfolio Suite

GRC Engineering Platform

Asset Intelligence

Live fleet posture feeds directly into asset inventory

Evidence Warehouse

Fleet telemetry becomes compliance evidence, auto-mapped to controls

Audit Center

Fleetfolio evidence populates SOC 2, CMMC, FedRAMP audit packages

Threat Management

TEM findings flow into the threat and incident modules

Controls Library

Fleet posture checks map to executable control predicates

Qualityfolio

*Test Management
as Code (TMaC)*

- Git-versioned test artifacts
- Immutable SQL evidence (surveilr)
- Feeds Quality Intelligence in Opsfolio
- Maps to SOC 2, HIPAA, FDA 21 CFR

qualityfolio.dev

Expected vs. Observed

Every asset has what you think exists — and what agents actually find. Fleetfolio reconciles them continuously.

Expected Assets

Design-Time Intent

What your organization believes should exist. Defined in the asset registry: servers, workstations, cloud instances, network devices.

Source: CMDB / asset registry

Observed Assets

Runtime Reality

What agents actually discover on the network right now. Continuous check-ins via osquery, SNMP, cloud APIs — timestamped, immutable.

Source: surveilr evidence store

Reconciliation

Operational Truth™ via SQL

FULL OUTER JOIN produces four states: MATCHED (governance working) · MISSING (reliability or security failure) · UNEXPECTED (shadow IT or compromise) · RELOCATED (location drift).

```
SELECT hostname, status FROM
asset_comparison_report
```

In Opsfolio Suite: every MATCHED asset feeds Asset Intelligence in real time. Every UNEXPECTED asset triggers a gap signal in the Operational Truth™ invariant.

Endpoint Detection & Response

Every detection rule is SQL. Every alert is evidence.

- SQL-native detection: rules are version-controlled queries, not opaque signatures
- Configuration drift detection: disk encryption, firewall, patch level
- Unauthorized local admin detection via SQL query against local_admins table
- Vulnerable software: CVE correlation against installed package versions
- Incident evidence collection with full provenance: who, when, before/after

SQL

Detection Engine

Auto

Evidence Chain

Live

Alert → Evidence



fleetfolio.dev/product/detection

 Fleetfolio[Home](#) [Expected Assets](#) [Discovered Assets](#) [Boundaries](#) [Diverger](#)[Home](#) / [Discovered Assets](#)

Discovered Assets

These are the infrastructure assets that have been actively discovered by osQuery Management Server (MS). Discovered assets represent what IS actually running in your environment right now.

HOST_IDENTIFIER	BOUNDARY	STATUS	OSQUERY VERSION	OS	DISK SPACE	IP ADDRESS	LAST SEEN
ASRockrack-F7-4800U-02	Netspective FCR Trust Boundary	Offline	5.21.0	Debian GNU/Linux	544.55 GB	192.168.2.36	31 days ago
ax101.hetzner.net.netspective.com	Netspective HETZNER Trust Boundary	Online	5.10.2	Debian GNU/Linux	917.07 GB	-	9 seconds ago
ax161-hetzner02	-	Online	5.17.0	Debian GNU/Linux	368.05 GB	-	11 seconds ago
ax161-production.netspective.com	Netspective HETZNER Trust Boundary	Online	5.9.1	Debian GNU/Linux	724.95 GB	-	15 seconds ago
beelink-ser5pro-01	Netspective FCR Trust Boundary	Online	5.15.0	Debian GNU/Linux	697.3 GB	192.168.2.46	5 seconds ago
home	Netspective DigitalOcean Trust Boundary	Online	5.12.1	Ubuntu	13.61 GB	10.13.0.7	16 seconds ago

(Page 1 of 1)

Fleet Asset Discovery

Inventory fresh within minutes. Shadow IT detected automatically.

- Agent-based and agentless: SNMP, SSH, WMI, cloud APIs — all devices, all surfaces
- Continuous check-ins with last_seen timestamps — no quarterly exports
- FULL OUTER JOIN reconciliation: MATCHED / MISSING / UNEXPECTED / RELOCATED
- Shadow IT: unknown devices detected and flagged as unauthorized attack surface
- Owner assignment, tagging, criticality, boundary mapping — all queryable in SQL

Live


Asset State

4

Recon. States

SQL

One JOIN



Expected Assets

These are the infrastructure assets that you have defined and registered in your system. Expected assets represent what SHOULD exist in your environment according to your IT inventory and planning.

Search...

HOST	DESCRIPTION	ASSET TAG	TYPE	ASSIGNMENT	BOUNDARIES
VPN Gateway	OpenVPN server for remote access	CORP-VPN-001	Network Device	Organization	Corporate Environment
Domain Controller	Active Directory domain controller and DNS	CORP-DC-001	Physical Server	Organization	Corporate Environment
Development App Server	Node.js development server for engineers	DEV-APP-001	Virtual Machine	Department	Development Environment
Production Database Primary	PostgreSQL primary database with customer data	PROD-DB-001	Database Instance	Organization	Production Environment
Production Cache Server	Redis cache for sessions and application data	PROD-CACHE-001	Virtual Machine	Organization	Production Environment
Development Kubernetes Cluster	Single-node K8s for container development	DEV-K8S-001	Kubernetes Cluster	Department	Development Environment
CI/CD Server	Jenkins server for continuous integration	DEV-CI-001	Virtual Machine	Department	Development Environment
QA Testing Server	Selenium grid for automated testing	QA-TEST-001	Virtual Machine	Department	Development Environment
Production Database Replica	PostgreSQL read replica for scaling	PROD-DB-002	Database Instance	Organization	Production Environment
Print Server	CUPS print server for office printers	CORP-PRINT-001	Physical Server	Organization	Corporate Environment
Staging Environment	Pre-production staging server	STAGING-001	Virtual Machine	Department	Development Environment
Email Server	Corporate email server	CORP-MAIL-001	Physical Server	Organization	Corporate Environment
Production Web Server 2	Secondary nginx web server for load distribution	PROD-WEB-002	Virtual Machine	Organization	Production Environment

Actual dashboard: your expected asset inventory with host, type, assignment, and boundary.

Fleetfolio

HomeExpected AssetsDiscovered AssetsBoundariesDivergence

Home / Boundaries

Boundaries

A boundary refers to a defined collection of servers and assets that work together to provide a specific function or service. It typically represents a perimeter or a framework within which are rganized, managed, and controlled.

Corporate Environment

Development Environment

Production Environment

AWS Trust Boundary

Boundaries group assets by function: Corporate, Development, Production, and cloud trust boundaries.

SHADOW IT DISCOVERED BUT NOT EXPECTED

These assets were discovered by osQuery but are not registered in your expected asset inventory. This could indicate unauthorized devices, forgotten resources, or gaps in your asset management process.

Search...

OBSERVED_HOSTNAME	BOUNDARY	OS	IP ADDRESS	FIRST SEEN	LAST SEEN
dev-qa-01.polyglot.internal		Debian GNU/Linux		2026-02-17 20:28:18	2026-02-17 20:28:34
dev-qa-01.polyglot.internal		Debian GNU/Linux		2026-02-17 20:28:18	2026-02-17 20:28:34
dev-qa-01.polyglot.internal				2026-02-17 20:28:18	2026-02-17 20:28:34
dev-qa-01.polyglot.internal	development			2026-02-17 20:28:19	2026-02-17 20:28:35
dev-qa-01.polyglot.internal	development			2026-02-17 20:28:19	2026-02-17 20:28:35
dev-qa-01.polyglot.internal	development			2026-02-17 20:28:19	2026-02-17 20:28:35
dev-qa-01.polyglot.internal	development			2026-02-17 20:28:19	2026-02-17 20:28:35
dev-qa-01.polyglot.internal	development			2026-02-17 20:28:19	2026-02-17 20:28:35
dev-qa-01.polyglot.internal	development			2026-02-17 20:28:19	2026-02-17 20:28:35
dev-qa-01.polyglot.internal	development			2026-02-17 20:28:19	2026-02-17 20:28:35

MISSING ASSETS (EXPECTED BUT NOT DISCOVERED)

These assets are registered in your expected inventory but have not been discovered by osQuery. This could indicate offline devices, decommissioned resources, or monitoring gaps.

Search...

HOSTNAME	DESCRIPTION	ASSET TAG	TYPE	ASSIGNMENT	BOUNDARIES
VPN Gateway	OpenVPN server for remote access	CORP-VPN-001	Network Device	Organization	Corporate Environment
Domain Controller	Active Directory domain controller and DNS	CORP-DC-001	Physical Server	Organization	Corporate Environment
Development App Server	Node.js development server for engineers	DEV-APP-001	Virtual Machine	Department	Development Environment
Production Database Primary	PostgreSQL primary database with customer data	PROD-DB-001	Database Instance	Organization	Production Environment
Production Cache Server	Redis cache for sessions and application data	PROD-CACHE-001	Virtual Machine	Organization	Production Environment
Development Kubernetes Cluster	Single-node K8s for container development	DEV-K8S-001	Kubernetes Cluster	Department	Development Environment
CI/CD Server	Jenkins server for continuous integration	DEV-CI-001	Virtual Machine	Department	Development Environment
QA Testing Server	Selenium grid for automated testing	QA-TEST-001	Virtual Machine	Department	Development Environment
Production Database Replica	PostgreSQL read replica for scaling	PROD-DB-002	Database Instance	Organization	Production Environment
Print Server	CUPS print server for office printers	CORP-PRINT-001	Physical Server	Organization	Corporate Environment

Security Posture & Config Management

Policy-as-SQL: version-controlled, testable, drift-detecting.

- Disk encryption, firewall status, OS version, patch level — all boolean SQL fields
- Drift detection: devices that were compliant and are now not — with timestamps and audit trail
- Before/after evidence snapshots for every posture change
- Compliance control mapping built into each policy query (ISO 27001, SOC 2, NIST)
- Alert on regression: when a device drops below baseline, a gap signal is immediately asserted

Drift

Auto-Detected

Hash

Proof of State

Live

Posture Baseline

fleetfolio.dev/product/posture

Fleetfolio

Home Expected Assets Discovered Assets Boundaries Divergence

Home / Divergence Report

Infrastructure Assurance: Divergence Report

This report compares your expected assets against discovered assets to identify discrepancies. Shadow IT represents discovered assets that were not registered. Missing assets represent expected assets that were not discovered.

Shadow IT Detected

Discovered assets not in expected inventory

Missing Assets

Expected assets not discovered by monitoring

Matched Assets

Assets that match expected inventory

SHADOW IT (DISCOVERED BUT NOT EXPECTED)

These assets were discovered by orgQuery but are not registered in your expected asset inventory. This could indicate unauthorized devices, forgotten resources, or gaps in your asset management process.

Search...

No data

HOSTNAME	STATUS	DESCRIPTION	ASSET TAG	IP ADDRESS	OPERATING SYSTEM	LAST OBSERVED
ASRhost	Matched	Service used for	ASRho	192.	Debian GNU/Linux	2025-04-04 07:23:53
az102	Matched	Service used for	az102	.com	Debian GNU/Linux	2025-05-08 11:25:49
az105	Matched	Service used for	az105		Debian GNU/Linux	2025-05-08 11:25:46
ax105	Matched	Service used for	ax105	.com	Debian GNU/Linux	2025-05-08 11:25:44
home	Matched	Service used for	home	10.	Ubuntu	2025-05-08 11:25:48
mf-db	Missing	Service used for	mf-d			
prime.d	Missing	Service used for	prime.d	.com		
prime.d	Missing	Service used for	prime.d			
beedr	Matched	Service used for	beedr	192.	Debian GNU/Linux	2025-05-08 11:25:46

MISSING ASSETS (EXPECTED BUT NOT DISCOVERED)

These assets are registered in your expected inventory but have not been discovered by orgQuery. This could indicate offline devices, decommissioned resources, or monitoring gaps.

Search...


HOSTNAME	DESCRIPTION	ASSET TAG	TYPE	ASSIGNMENT	BOUNDARIES
prime.dcp	Service used for prime.dcp.	prime.dcp.	Virtual Machine	Organization	Trust Boundary
prime.dci	Service used for prime.dci.	prime.dci.	Virtual Machine	Organization	Trust Boundary
mf-dc	Service used for mf-dc.	mf-dc.	Physical Server	Organization	Trust Boundary

fleetfolio.dev · Confidential

Threat Exposure Management

Pen test findings structured as evidence, not PDFs.

- Ingests Nessus, Trivy, OpenVAS, and manual pentest output — normalized to SQL
- Real-time TEM dashboard: live findings, not stale reports. No more waiting for PDFs
- CVSS/EPSS-based prioritization — focus remediation on actual risk, not noise
- Lifecycle tracking: Open → In Progress → Remediated → Validated → Closed
- Auto-generates POA&M items mapped to SOC 2, ISO, CMMC, HIPAA, FedRAMP



Auto

POA&M Generation

Live

Finding Dashboard

5-Stage

Remediation Flow

Cloud Cost Visibility

Waste is a governance gap. Fleetfolio proves it with dollar amounts.

- Scans AWS, Azure, GCP — orphaned resources, oversized instances, idle services
- Maps every waste category to a governance gap and compliance control
- Savings quantified: monthly and annual projections, per resource
- Connects cost waste to configuration drift — governance failures cost money
- Three-command setup: set credentials, run surveilr ingest, query savings

3

Cloud Providers

SQL

Savings Query

\$\$\$

Quantified Waste

fleetfolio.dev/product/cloud-costs

Home / Cloud Cost

Cloud Cost Discovery

Automated discovery of cloud cost waste across AWS, Azure, and GCP. Each finding represents an actionable savings opportunity with dollar amounts, confidence levels, and remediation recommendations.

Total Monthly Savings

\$

\$1922.13

Total Yearly Savings

\$

\$23065.56

Opportunities Found

68

High Confidence Savings

\$392.89/mo

SAVINGS BY WASTE CATEGORY

Idle Resources

zZ

4 found

Oversized Resources

31 found

Unused Resources

31 found

Underutilized

2 found

Misconfigured

0 found

DETAILED CATEGORY BREAKDOWN

Search...

WASTE CATEGORY ↕	COUNT ↕	CURRENT MONTHLY COST ↕	MONTHLY SAVINGS ↕	YEARLY SAVINGS ↕	SAVINGS % ↕
oversized	31	\$1587.2	\$793.6	\$9523.2	50.0%
idle	4	\$660.64	\$660.64	\$7927.68	100.0%
unused	31	\$447.89	\$447.89	\$5374.68	100.0%

fleetfolio.dev · Confidential

Every Detection Is a Query. Every Query Is Evidence.

Standard SQL — testable, version-controllable, audit-defensible.

Posture: Detect unencrypted laptops

```
SELECT hostname, disk_encrypted, last_checked
FROM device_posture dp
JOIN device_inventory di ON dp.device_id =
di.device_id
WHERE di.device_type = 'laptop' AND disk_encrypted
= FALSE;
```

Maps to: SOC 2 CC6.1 · ISO A.10.1 · NIST SC-28

Drift: Encryption disabled since last check

```
SELECT hostname, changed_at, old_value AS
was_encrypted,
      new_value AS now_encrypted, evidence_before,
evidence_after
FROM device_posture_changes
WHERE field = 'disk_encrypted' AND old_value =
TRUE
      AND new_value = FALSE ORDER BY changed_at DESC;
```

Full audit trail — who, when, before/after snapshots

Shadow IT: Unknown devices on the network

```
SELECT o.host_identifier, o.ip_address,
o.first_seen,
      o.last_seen, o.operating_system
FROM shadow_it_hosts o
WHERE o.first_seen >= date('now', '-7 days')
ORDER BY o.first_seen DESC;
```

Evidence artifact: unauthorized attack surface

Built-In Compliance Mapping

Every detection rule maps to a control. Audit packages are a SQL query, not a sprint.

SOC 2 Type I & II

CC6.1, CC6.2, CC7.1, CC8.1

FedRAMP Low/Mod/High

AC-2, CM-6, CM-7, SI-2, SC-28

HIPAA

§164.312(a)(1), §164.312(c)(1)

NIST 800-53

AC-2, CM-8, SI-3, SI-7, RA-5

CMMC Level 2+

AC.1.001, CM.2.061, SI.1.210

ISO 27001

A.8.1, A.9.4, A.10.1, A.12.6

How This Reaches Opsfolio Suite

- Fleetfolio posture checks and TEM findings are ingested into the Opsfolio Suite Evidence Warehouse automatically.
- Each piece of evidence is tagged with framework controls at ingest time — SOC 2, CMMC, FedRAMP in one record.
- The Opsfolio Audit Center queries Fleetfolio evidence to populate audit packages on demand. No manual assembly.
- Coverage gaps surface as Operational Truth™ gap signals — uninstrumented controls are never silently assumed compliant.

Sovereign by Design

Your data never leaves your control. Deploy where your security policy requires.

ONPREM

On-Premises / Self-Hosted

Full control. No internet required. surveilr runs on your own hardware. Data never leaves the building. Ideal for regulated environments.

- No internet required
- Your infrastructure
- Maximum control
- CMMC / FedRAMP compliant

VPC

Private Cloud / VPC

Deploy in your AWS, Azure, or GCP private network. Cloud elasticity with your security controls intact.

- Cloud elasticity
- Network isolation
- Your cloud account
- Multi-region capable

AIRGAP

Air-Gapped / Sovereign

Maximum security for classified or restricted environments. Manual data transfer. Offline operation. Sync when connected.

- No external network
- Manual transfer
- Offline operation
- Sync when permitted

EDGE

Edge / Remote Sites

Lightweight agents at branch offices, factory floors, or remote sites. Local ingestion, synchronized to central surveilr on reconnect.

- Lightweight agents
- Intermittent connectivity
- Local evidence store
- Central aggregation

Bring Your Existing Tools

All connectors land as normalized SQL tables in surveilr. One schema. All sources.

Endpoints

- osquery
- cnquery
- Steampipe
- WMI (Windows)
- SSH probes

Network

- SNMP polling + traps
- Syslog ingestion
- JSONL feeds
- Network switch APIs

Cloud

- AWS (CloudTrail, Config)
- Azure Monitor
- GCP Logging
- Kubernetes APIs

Vuln. Scanners

- Nessus
- Trivy
- OpenVAS
- Pen-test output (JSON/XML/CSV)

Workflow & Ticketing

- Jira (auto-ticket findings)
- ServiceNow
- Slack / Teams alerts
- OSCAL export

Our Guarantee

“We guarantee your audit outcome. If you follow our process and don’t pass, we keep working — at our cost — until you do.”

98%

Audit Pass Rate

Months

To Audit-Ready

SQL

Evidence on Demand

CaaS

Delivery Model

Compliance as a Service (CaaS) Delivery

Netspective deploys Fleetfolio against your primary cloud provider, identity provider, and endpoints. Standard control templates cover 60–70% of SOC 2 technical surface from day one. We deliver compliance engineering capability — not just a license.

Ready to Query Your Fleet?

Fleetfolio · Opsfolio Suite · Qualityfolio

1

Connect Your Fleet

Deploy osquery agents and point Steampipe at your cloud. Fleet posture goes live in hours, not weeks.

2

Run Your First Query

```
SELECT * FROM device_posture
WHERE disk_encrypted = FALSE.
```

See your actual exposure in seconds.

3

Audit Package

Within 90 days: generate your first SOC 2 or CMMC audit package by query. No sprint. No screenshots.

Contact Us

Fleet: fleetfolio.dev

Suite: opsfolio.com

Email: sales@opsfolio.com

QA: qualityfolio.dev

[Schedule a Live Demo](#)