

```
# HELP collector_cache_buffer_overrun
collector_cache_buffer_overrun
# TYPE collector_cache_buffer_overrun counter
collector_cache_buffer_overrun 0
# HELP collector_cache_capacity collector_cache_capacity
# TYPE collector_cache_capacity gauge
collector_cache_capacity 1000
# HELP collector_cache_entries collector_cache_entries
# TYPE collector_cache_entries histogram
collector_cache_entries_bucket{le="1"} 717
collector_cache_entries_bucket{le="4"} 717
collector_cache_entries_bucket{le="16"} 717
collector_cache_entries_bucket{le="64"} 717
collector_cache_entries_bucket{le="256"} 717
collector_cache_entries_bucket{le="1024"} 717
collector_cache_entries_bucket{le="4096"} 717
collector_cache_entries_bucket{le="16384"} 717
collector_cache_entries_bucket{le="65536"} 717
collector_cache_entries_bucket{le="262144"} 717
collector_cache_entries_bucket{le="1.048576e+06"} 717
collector_cache_entries_bucket{le="4.194304e+06"} 717
collector_cache_entries_bucket{le="1.6777216e+07"} 717
collector_cache_entries_bucket{le="6.7108864e+07"} 717
collector_cache_entries_bucket{le="2.68435456e+08"} 717
collector_cache_entries_bucket{le="1.073741824e+09"} 717
collector_cache_entries_bucket{le="+Inf"} 717
collector_cache_entries_sum 21
collector_cache_entries_count 717
# HELP collector_cache_size collector_cache_size
# TYPE collector_cache_size gauge
collector_cache_size 0
# HELP collector_incoming_queue collector_incoming_queue
# TYPE collector_incoming_queue histogram
collector_incoming_queue_bucket{le="1"} 719
collector_incoming_queue_bucket{le="4"} 719
collector_incoming_queue_bucket{le="16"} 719
collector_incoming_queue_bucket{le="64"} 719
collector_incoming_queue_bucket{le="256"} 719
collector_incoming_queue_bucket{le="1024"} 719
collector_incoming_queue_bucket{le="4096"} 719
collector_incoming_queue_bucket{le="16384"} 719
collector_incoming_queue_bucket{le="65536"} 719
collector_incoming_queue_bucket{le="262144"} 719
collector_incoming_queue_bucket{le="1.048576e+06"} 719
collector_incoming_queue_bucket{le="4.194304e+06"} 719
collector_incoming_queue_bucket{le="1.6777216e+07"} 719
collector_incoming_queue_bucket{le="6.7108864e+07"} 719
```

```
collector_incoming_queue_bucket{le="2.68435456e+08"} 719
collector_incoming_queue_bucket{le="1.073741824e+09"} 719
collector_incoming_queue_bucket{le="+Inf"} 719
collector_incoming_queue_sum 0
collector_incoming_queue_count 719
# HELP collector_info Version Of Tracing-Proxy Running
# TYPE collector_info gauge
collector_info{version="dev"} 0
# HELP collector_peer_queue collector_peer_queue
# TYPE collector_peer_queue histogram
collector_peer_queue_bucket{le="1"} 719
collector_peer_queue_bucket{le="4"} 719
collector_peer_queue_bucket{le="16"} 719
collector_peer_queue_bucket{le="64"} 719
collector_peer_queue_bucket{le="256"} 719
collector_peer_queue_bucket{le="1024"} 719
collector_peer_queue_bucket{le="4096"} 719
collector_peer_queue_bucket{le="16384"} 719
collector_peer_queue_bucket{le="65536"} 719
collector_peer_queue_bucket{le="262144"} 719
collector_peer_queue_bucket{le="1.048576e+06"} 719
collector_peer_queue_bucket{le="4.194304e+06"} 719
collector_peer_queue_bucket{le="1.6777216e+07"} 719
collector_peer_queue_bucket{le="6.7108864e+07"} 719
collector_peer_queue_bucket{le="2.68435456e+08"} 719
collector_peer_queue_bucket{le="1.073741824e+09"} 719
collector_peer_queue_bucket{le="+Inf"} 719
collector_peer_queue_sum 0
collector_peer_queue_count 719
# HELP go_gc_duration_seconds A summary of the pause duration
of garbage collection cycles.
# TYPE go_gc_duration_seconds summary
go_gc_duration_seconds{quantile="0"} 0.000173001
go_gc_duration_seconds{quantile="0.25"} 0.000184209
go_gc_duration_seconds{quantile="0.5"} 0.000212583
go_gc_duration_seconds{quantile="0.75"} 0.000241457
go_gc_duration_seconds{quantile="1"} 0.001211418
go_gc_duration_seconds_sum 0.002022668
go_gc_duration_seconds_count 5
# HELP go_goroutines Number of goroutines that currently
exist.
# TYPE go_goroutines gauge
go_goroutines 58
# HELP go_info Information about the Go environment.
# TYPE go_info gauge
go_info{version="go1.22.1"} 1
# HELP go_memstats_alloc_bytes Number of bytes allocated and
```

still in use.

```
# TYPE go_memstats_alloc_bytes gauge
go_memstats_alloc_bytes 2.94916e+06
# HELP go_memstats_alloc_bytes_total Total number of bytes
allocated, even if freed.
# TYPE go_memstats_alloc_bytes_total counter
go_memstats_alloc_bytes_total 1.0291168e+07
# HELP go_memstats_buck_hash_sys_bytes Number of bytes used
by the profiling bucket hash table.
# TYPE go_memstats_buck_hash_sys_bytes gauge
go_memstats_buck_hash_sys_bytes 1.454677e+06
# HELP go_memstats_frees_total Total number of frees.
# TYPE go_memstats_frees_total counter
go_memstats_frees_total 56161
# HELP go_memstats_gc_sys_bytes Number of bytes used for
garbage collection system metadata.
# TYPE go_memstats_gc_sys_bytes gauge
go_memstats_gc_sys_bytes 3.401792e+06
# HELP go_memstats_heap_alloc_bytes Number of heap bytes
allocated and still in use.
# TYPE go_memstats_heap_alloc_bytes gauge
go_memstats_heap_alloc_bytes 2.94916e+06
# HELP go_memstats_heap_idle_bytes Number of heap bytes
waiting to be used.
# TYPE go_memstats_heap_idle_bytes gauge
go_memstats_heap_idle_bytes 6.201344e+06
# HELP go_memstats_heap_inuse_bytes Number of heap bytes that
are in use.
# TYPE go_memstats_heap_inuse_bytes gauge
go_memstats_heap_inuse_bytes 5.267456e+06
# HELP go_memstats_heap_objects Number of allocated objects.
# TYPE go_memstats_heap_objects gauge
go_memstats_heap_objects 11774
# HELP go_memstats_heap_released_bytes Number of heap bytes
released to OS.
# TYPE go_memstats_heap_released_bytes gauge
go_memstats_heap_released_bytes 4.13696e+06
# HELP go_memstats_heap_sys_bytes Number of heap bytes
obtained from system.
# TYPE go_memstats_heap_sys_bytes gauge
go_memstats_heap_sys_bytes 1.14688e+07
# HELP go_memstats_last_gc_time_seconds Number of seconds
since 1970 of last garbage collection.
# TYPE go_memstats_last_gc_time_seconds gauge
go_memstats_last_gc_time_seconds 1.712732899355896e+09
# HELP go_memstats_lookups_total Total number of pointer
lookups.
```

```
# TYPE go_memstats_lookups_total counter
go_memstats_lookups_total 0
# HELP go_memstats_mallocs_total Total number of mallocs.
# TYPE go_memstats_mallocs_total counter
go_memstats_mallocs_total 67935
# HELP go_memstats_mcache_inuse_bytes Number of bytes in use
by mcache structures.
# TYPE go_memstats_mcache_inuse_bytes gauge
go_memstats_mcache_inuse_bytes 14400
# HELP go_memstats_mcache_sys_bytes Number of bytes used for
mcache structures obtained from system.
# TYPE go_memstats_mcache_sys_bytes gauge
go_memstats_mcache_sys_bytes 15600
# HELP go_memstats_mspan_inuse_bytes Number of bytes in use
by mspan structures.
# TYPE go_memstats_mspan_inuse_bytes gauge
go_memstats_mspan_inuse_bytes 156480
# HELP go_memstats_mspan_sys_bytes Number of bytes used for
mspan structures obtained from system.
# TYPE go_memstats_mspan_sys_bytes gauge
go_memstats_mspan_sys_bytes 163200
# HELP go_memstats_next_gc_bytes Number of heap bytes when
next garbage collection will take place.
# TYPE go_memstats_next_gc_bytes gauge
go_memstats_next_gc_bytes 5.869952e+06
# HELP go_memstats_other_sys_bytes Number of bytes used for
other system allocations.
# TYPE go_memstats_other_sys_bytes gauge
go_memstats_other_sys_bytes 1.667075e+06
# HELP go_memstats_stack_inuse_bytes Number of bytes in use
by the stack allocator.
# TYPE go_memstats_stack_inuse_bytes gauge
go_memstats_stack_inuse_bytes 1.114112e+06
# HELP go_memstats_stack_sys_bytes Number of bytes obtained
from system for stack allocator.
# TYPE go_memstats_stack_sys_bytes gauge
go_memstats_stack_sys_bytes 1.114112e+06
# HELP go_memstats_sys_bytes Number of bytes obtained from
system.
# TYPE go_memstats_sys_bytes gauge
go_memstats_sys_bytes 1.9285256e+07
# HELP go_threads Number of OS threads created.
# TYPE go_threads gauge
go_threads 17
# HELP incoming_router_batch incoming_router_batch
# TYPE incoming_router_batch counter
incoming_router_batch 1
```

```
# HELP incoming_router_dropped incoming_router_dropped
# TYPE incoming_router_dropped counter
incoming_router_dropped 0
# HELP incoming_router_event incoming_router_event
# TYPE incoming_router_event counter
incoming_router_event 0
# HELP incoming_router_nonspan incoming_router_nonspan
# TYPE incoming_router_nonspan counter
incoming_router_nonspan 0
# HELP incoming_router_peer incoming_router_peer
# TYPE incoming_router_peer counter
incoming_router_peer 0
# HELP incoming_router_span incoming_router_span
# TYPE incoming_router_span counter
incoming_router_span 1
# HELP memory_heap_allocation memory_heap_allocation
# TYPE memory_heap_allocation gauge
memory_heap_allocation 2.921224e+06
# HELP peer_enqueue_errors peer_enqueue_errors
# TYPE peer_enqueue_errors counter
peer_enqueue_errors 0
# HELP peer_response_20x peer_response_20x
# TYPE peer_response_20x counter
peer_response_20x 0
# HELP peer_response_errors peer_response_errors
# TYPE peer_response_errors counter
peer_response_errors 0
# HELP peer_router_batch peer_router_batch
# TYPE peer_router_batch counter
peer_router_batch 0
# HELP peer_router_dropped peer_router_dropped
# TYPE peer_router_dropped counter
peer_router_dropped 0
# HELP peer_router_event peer_router_event
# TYPE peer_router_event counter
peer_router_event 0
# HELP peer_router_nonspan peer_router_nonspan
# TYPE peer_router_nonspan counter
peer_router_nonspan 0
# HELP peer_router_peer peer_router_peer
# TYPE peer_router_peer counter
peer_router_peer 0
# HELP peer_router_span peer_router_span
# TYPE peer_router_span counter
peer_router_span 0
# HELP promhttp_metric_handler_errors_total Total number of
internal errors encountered by the promhttp metric handler.
```

```
# TYPE promhttp_metric_handler_errors_total counter
promhttp_metric_handler_errors_total{cause="encoding"} 0
promhttp_metric_handler_errors_total{cause="gathering"} 0
# HELP trace_accepted trace_accepted
# TYPE trace_accepted counter
trace_accepted 1
# HELP trace_apdex_latency span latency in milliseconds by
service, operation and app
# TYPE trace_apdex_latency histogram
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
ategory="unknown",transaction_sub_category="unknown",tran
saction_type="non-web",le="125"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
ategory="unknown",transaction_sub_category="unknown",tran
saction_type="non-web",le="166.66666666666666"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
ategory="unknown",transaction_sub_category="unknown",tran
saction_type="non-web",le="250"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
ategory="unknown",transaction_sub_category="unknown",tran
saction_type="non-web",le="500"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
ategory="unknown",transaction_sub_category="unknown",tran
saction_type="non-web",le="666.66666666666666"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
ategory="unknown",transaction_sub_category="unknown",tran
saction_type="non-web",le="1000"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
ategory="unknown",transaction_sub_category="unknown",tran
saction_type="non-web",le="2000"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="de
fault",error="false",instance="unknown",language="unknown
",operation="/ping",service_name="go-gonic",transaction_c
```

```
category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="8000"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="default",error="false",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="16000"} 1
trace_apdex_latency_bucket{apdex_threshold="2000",app="default",error="false",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="+Inf"} 1
trace_apdex_latency_sum{apdex_threshold="2000",app="default",error="false",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 0.041216
trace_apdex_latency_count{apdex_threshold="2000",app="default",error="false",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 1
# HELP trace_operations_failed Number of Error events in spans wrt each trace operation
# TYPE trace_operations_failed counter
trace_operations_failed{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 0
# HELP trace_operations_latency span latency in microseconds(µs) by service, operation and app
# TYPE trace_operations_latency histogram
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="100"} 1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="200"} 1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="300"} 1
```

```
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="400"}
1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="500"}
1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="600"}
1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="700"}
1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="800"}
1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="900"}
1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="1000"}
} 1
trace_operations_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="+Inf"}
} 1
trace_operations_latency_sum{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 0.041216
trace_operations_latency_count{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub
```



```
_category="unknown",transaction_type="non-web"} 1
# HELP trace_operations_succeeded Number of Succeeded events
in spans wrt each trace operation
# TYPE trace_operations_succeeded counter
trace_operations_succeeded{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 1
# HELP trace_operations_total Total Number of events in spans
wrt each trace operation
# TYPE trace_operations_total counter
trace_operations_total{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 1
# HELP trace_root_operation_latency root span latency in
microseconds( $\mu$ s) by service, operation and app
# TYPE trace_root_operation_latency histogram
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="100"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="200"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="300"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="400"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="500"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="600"} 1
```

```
00"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="700"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="800"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="900"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="1000"} 1
trace_root_operation_latency_bucket{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web",le="+Inf"} 1
trace_root_operation_latency_sum{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 0.041216
trace_root_operation_latency_count{app="default",instance="unknown",language="unknown",operation="/ping",service_name="go-gonic",transaction_category="unknown",transaction_sub_category="unknown",transaction_type="non-web"} 1
# HELP trace_send_dropped trace_send_dropped
# TYPE trace_send_dropped counter
trace_send_dropped 0
# HELP trace_send_ejected_full trace_send_ejected_full
# TYPE trace_send_ejected_full counter
trace_send_ejected_full 0
# HELP trace_send_ejected_memsized trace_send_ejected_memsized
# TYPE trace_send_ejected_memsized counter
trace_send_ejected_memsized 0
# HELP trace_send_expired trace_send_expired
# TYPE trace_send_expired counter
trace_send_expired 0
```

```
# HELP trace_send_got_root trace_send_got_root
# TYPE trace_send_got_root counter
trace_send_got_root 1
# HELP trace_send_has_root trace_send_has_root
# TYPE trace_send_has_root counter
trace_send_has_root 1
# HELP trace_send_kept trace_send_kept
# TYPE trace_send_kept counter
trace_send_kept 1
# HELP trace_send_no_root trace_send_no_root
# TYPE trace_send_no_root counter
trace_send_no_root 0
# HELP trace_sent_cache_hit trace_sent_cache_hit
# TYPE trace_sent_cache_hit counter
trace_sent_cache_hit 0
# HELP upstream_enqueue_errors upstream_enqueue_errors
# TYPE upstream_enqueue_errors counter
upstream_enqueue_errors 0
# HELP upstream_response_20x upstream_response_20x
# TYPE upstream_response_20x counter
upstream_response_20x 0
# HELP upstream_response_errors upstream_response_errors
# TYPE upstream_response_errors counter
upstream_response_errors 0
```