Déjà Vu in Reproducibility of Differential Fault Attacks

Aikata, Anup Kumar Kundu

- We work at the intersection of cryptography and hardware.

- Cryptographic attacks often **cannot be reproduced** → déjà vu.



- We work at the intersection of cryptography and hardware.

- Cryptographic attacks often **cannot be reproduced** → déjà vu.

- E.g.: Our Fault Attack Artifacts could not be reproduced in one go!

- We work at the intersection of cryptography and hardware.

- Cryptographic attacks often **cannot be reproduced** → déjà vu.

- E.g.: Our Fault Attack Artifacts could not be reproduced in one go!

- Open Source helps! - **HOW?**

Open source breaks the déjà vu cycle.

With open artifacts, results are transparent, reproducible, and extendable.
The community can audit, improve, and sustain the work.



Open source breaks the déjà vu cycle.

With open artifacts, results are transparent, reproducible, and extendable.
The community can audit, improve, and sustain the work.



In our work, we convinced the reviewers - and, by extension, the readers - of the **gravity of fault injections** and the **reality of key recovery** by demonstrating it **in practice**.



In our work, we convinced the reviewers - and, by extension, the readers - of the **gravity of fault injections** and the **reality of key recovery** by demonstrating it **in practice**.

By open-sourcing, the community can both validate our work and use it as a **launchpad**. They can start where we finished!

In our work, we convinced the reviewers - and, by extension, the readers - of the **gravity of fault injections** and the **reality of key recovery** by demonstrating it **in practice**.

By open-sourcing, the community can both validate our work and use it as a **launchpad**. They can start where we finished!

Datasets are important!

Déjà Vu in Reproducibility of Differential Fault Attacks

Aikata, Anup Kumar Kundu