## All API information:

By Anirban das

01817184370

```
Git repo: https://github.com/opuanirban1/shamoliatask.git
API 1: user registration
Method: post
End point: http://localhost:8090/api/v1/auth/signup/system-admin
Request: {
    "email": "opu.anirban@gmail.com",
    "username": "opu.anirban@gmail.com",
    "address": "test",
    "phoneNo": "0133255429",
    "password": "Aesl@12345"
}
Response: {
    "id": 1,
    "email": "opu.anirban@gmail.com",
    "username": "opu.anirban@gmail.com",
    "address": "test",
    "phoneNo": "0133255429",
    "businessName": null,
    "businessEmail": null,
    "businessMobileNumber": null,
    "createdAt": "2024-11-25T15:55:36.396527",
    "updatedAt": "2024-11-25T15:55:36.396527",
    "roles": [
       "ROLE SYSTEM ADMIN"
    ]
}
CURL:
curl --location 'http://localhost:8090/api/v1/auth/signup/system-admin' \
--header 'Content-Type: application/json' \
--data-raw '{
 "email": "opu.anirban@gmail.com",
```

```
"username": "opu.anirban@gmail.com",
 "address": "test",
  "phoneNo": "0133255429",
 "password": "Aesl@12345"
}'
API 2: login
Method: post
End point: http://localhost:8090/api/v1/auth/logi
Request: '{
 "email": "opu.anirban@gmail.com",
 "password": "Aesl@12345"
}'
Response:
CURL:
curl --location 'http://localhost:8090/api/v1/auth/login' \
--header 'Content-Type: application/json' \
--data-raw '{
 "email": "opu.anirban@gmail.com",
 "password": "Aesl@12345"
}'
API 3: insert update trip info
```

Method: post

```
End point: 'http://localhost:8090/api/v1/insertUpdateTripInfo
Request: {
 "id": 0,
  "pickuplocation": "new22",
  "pickuplat": 34.88888882,
  "pickuplong": 34.88888882,
  "droplat": 34.88888882,
  "droplong": 34.88888882,
  "droplocation": "new22222",
  "status": "new22222222222222",
  "customername": "test"
}'
Response:
CURL:
curl --location 'http://localhost:8090/api/v1/insertUpdateTripInfo' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzl1NiJ9.eyJzdWliOiJvcHUuYW5pcmJhbkBnbWFpbC5jb20iLCJpYXQiOjE3Mzl
1MTA3NjIsImV4cCl6MTczMjc2OTk2Mn0.FdFwMVUNBX7gU3FLCOLILdq9HxjW47NYFM837
FkLjJI'\
--data '{
 "id": 0,
  "pickuplocation": "new22",
  "pickuplat": 34.8888882,
  "pickuplong": 34.88888882,
  "droplat": 34.88888882,
```

```
"droplong": 34.88888882,
 "droplocation": "new22222",
 "status": "new22222222222222",
 "customername": "test"
}'
API 4: get all trip info
Method: get
End point: http://localhost:8090/api/v1/getAllTripInfo'
Request:
data '{
 "id": 0,
 "pickuplocation": "new22",
 "pickuplat": 34.8888882,
 "pickuplong": 34.8888882,
 "droplat": 34.8888882,
 "droplong": 34.88888882,
 "droplocation": "new22222",
 "status": "new22222222222222",
 "customername": "test"
}'
Response:
```

CURL:

```
curl --location --request GET 'http://localhost:8090/api/v1/getAllTripInfo' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzl1NiJ9.eyJzdWliOiJvcHUuYW5pcmJhbkBnbWFpbC5jb20iLCJpYXQiOjE3Mzl
1MTA3NjIsImV4cCl6MTczMjc2OTk2Mn0.FdFwMVUNBX7gU3FLCOLILdq9HxjW47NYFM837
FkLjJl'\
--data '{
 "id": 0,
  "pickuplocation": "new22",
  "pickuplat": 34.88888882,
  "pickuplong": 34.88888882,
  "droplat": 34.88888882,
  "droplong": 34.88888882,
  "droplocation": "new22222",
  "status": "new22222222222222",
  "customername": "test"
}'
API 5: insert update transporter
Method: post
End point: http://localhost:8090/api/v1/getAllTripInfo
Request: {
 "id": 0,
  "pickuplocation": "new22",
  "pickuplat": 34.88888882,
  "pickuplong": 34.88888882,
```

```
"droplat": 34.8888882,
  "droplong": 34.88888882,
  "droplocation": "new22222",
  "status": "new22222222222222",
  "customername": "test"
}'
Response:
CURL: curl --location --request GET 'http://localhost:8090/api/v1/getAllTripInfo' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzl1NiJ9.eyJzdWliOiJvcHUuYW5pcmJhbkBnbWFpbC5jb20iLCJpYXQiOjE3Mzl
1MTA3NjIsImV4cCl6MTczMjc2OTk2Mn0.FdFwMVUNBX7gU3FLCOLILdq9HxjW47NYFM837
FkLjJl'\
--data '{
 "id": 0,
  "pickuplocation": "new22",
  "pickuplat": 34.8888882,
  "pickuplong": 34.88888882,
  "droplat": 34.8888882,
  "droplong": 34.88888882,
  "droplocation": "new22222",
  "status": "new22222222222222",
  "customername": "test"
}'
```

API 6: insert update location track Method: post End point: 'http://localhost:8090/api/v1/insertUpdateLocationTrack' Request Response: **CURL:** curl --location 'http://localhost:8090/api/v1/insertUpdateLocationTrack' \ --header 'Content-Type: application/json' \ --header 'Authorization: Bearer eyJhbGciOiJIUzI1NiJ9.eyJzdWliOiJvcHUuYW5pcmJhbkBnbWFpbC5jb20iLCJpYXQiOjE3Mzl 1MTA3NjIsImV4cCl6MTczMjc2OTk2Mn0.FdFwMVUNBX7gU3FLCOLILdq9HxjW47NYFM837 FkLjJI'\ --data '{ "locationlat": 32.000000, "locationlong": 32.1213123, 0:"bi" }' API 7: get all transporter info Method: get End point: http://localhost:8090/api/v1/getAllTransporterInf Request Response: CURL: curl --location 'http://localhost:8090/api/v1/getAllTransporterInfo' \

```
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiJ9.eyJzdWliOiJvcHUuYW5pcmJhbkBnbWFpbC5jb20iLCJpYXQiOjE3MzI
1MTA3NjIsImV4cCl6MTczMjc2OTk2Mn0.FdFwMVUNBX7gU3FLCOLILdq9HxjW47NYFM837
FkLjJI'
API 8: assign transporter book trip
Method: post
End point: 'http://localhost:8090/api/v1/getAllTransporterInfo
Request
Response:
CURL: curl --location 'http://localhost:8090/api/v1/assignTransporterBook' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzl1NiJ9.eyJzdWliOiJvcHUuYW5pcmJhbkBnbWFpbC5jb20iLCJpYXQiOjE3Mzl
1MTA3NjIsImV4cCl6MTczMjc2OTk2Mn0.FdFwMVUNBX7gU3FLCOLILdq9HxjW47NYFM837
FkLjJl'\
--data '{
 "tripid": 1,
 "transporterid":1,
  "status": "Bokked"
```

}'

