

+ Code + Text
✓ RAM Disk


## Extracting and Visualizing Stock Data

### Description

Extracting essential data from a dataset and displaying it is a necessary part of data science; therefore individuals can make correct decisions based on the data. In this assignment, you will extract some stock data, you will then display this data in a graph.

### Table of Contents

- Define a Function that Makes a Graph
- Question 1: Use yfinance to Extract Stock Data
- Question 2: Use Webscraping to Extract Tesla Revenue Data
- Question 3: Use yfinance to Extract Stock Data
- Question 4: Use Webscraping to Extract GME Revenue Data
- Question 5: Plot Tesla Stock Graph
- Question 6: Plot GameStop Stock Graph

Estimated Time Needed: **30 min**

```

24s [1] !pip install yfinance==0.1.67
!mamba install bs4==4.10.0 -y
!pip install nbformat==4.2.0

Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/
Collecting yfinance==0.1.67
  Downloading yfinance-0.1.67-py2.py3-none-any.whl (25 kB)
Requirement already satisfied: numpy>=1.15 in /usr/local/lib/python3.8/dist-packages (from yfinance==0.1.67) (1.22.4)
Requirement already satisfied: multitasking>=0.0.7 in /usr/local/lib/python3.8/dist-packages (from yfinance==0.1.67) (0.0.11)
Requirement already satisfied: requests>=2.20 in /usr/local/lib/python3.8/dist-packages (from yfinance==0.1.67) (2.25.1)
Requirement already satisfied: lxml>=4.5.1 in /usr/local/lib/python3.8/dist-packages (from yfinance==0.1.67) (4.9.2)
Requirement already satisfied: pandas>=0.24 in /usr/local/lib/python3.8/dist-packages (from yfinance==0.1.67) (1.3.5)
Requirement already satisfied: pytz>=2017.3 in /usr/local/lib/python3.8/dist-packages (from pandas>=0.24->yfinance==0.1.67) (2022.7.1)
Requirement already satisfied: python-dateutil>=2.7.3 in /usr/local/lib/python3.8/dist-packages (from pandas>=0.24->yfinance==0.1.67) (2.8.2)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.8/dist-packages (from requests>=2.20->yfinance==0.1.67) (2022.12.7)
Requirement already satisfied: idna>3,>=2.5 in /usr/local/lib/python3.8/dist-packages (from requests>=2.20->yfinance==0.1.67) (2.10)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in /usr/local/lib/python3.8/dist-packages (from requests>=2.20->yfinance==0.1.67) (1.26.14)
Requirement already satisfied: chardet>5,>=3.0.2 in /usr/local/lib/python3.8/dist-packages (from requests>=2.20->yfinance==0.1.67) (4.0.0)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.8/dist-packages (from python-dateutil>=2.7.3->pandas>=0.24->yfinance==0.1.67) (1.15.0)
Installing collected packages: yfinance
Successfully installed yfinance-0.1.67
/bin/bash: mamba: command not found
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/
Collecting nbformat==4.2.0
  Downloading nbformat-4.2.0-py2.py3-none-any.whl (153 kB)
  153.3/153.3 KB 1.6 MB/s eta 0:00:00
Requirement already satisfied: ipython-genutils in /usr/local/lib/python3.8/dist-packages (from nbformat==4.2.0) (0.2.0)
Requirement already satisfied: jupyter-core in /usr/local/lib/python3.8/dist-packages (from nbformat==4.2.0) (5.2.0)
Requirement already satisfied: jsonschema!=2.5.0,>=2.4 in /usr/local/lib/python3.8/dist-packages (from nbformat==4.2.0) (4.3.3)
Requirement already satisfied: traitlets>=4.1 in /usr/local/lib/python3.8/dist-packages (from nbformat==4.2.0) (5.7.1)
Requirement already satisfied: importlib-resources>=1.4.0 in /usr/local/lib/python3.8/dist-packages (from jsonschema!=2.5.0,>=2.4->nbformat==4.2.0) (5.12.0)
Requirement already satisfied: attrs>=17.4.0 in /usr/local/lib/python3.8/dist-packages (from jsonschema!=2.5.0,>=2.4->nbformat==4.2.0) (22.2.0)
Requirement already satisfied: pyrsistent!=0.17.0,!0.17.1,!0.17.2,>=0.14.0 in /usr/local/lib/python3.8/dist-packages (from jsonschema!=2.5.0,>=2.4->nbformat==4.2.0) (0.19.3)
Requirement already satisfied: platformdirs>=2.5 in /usr/local/lib/python3.8/dist-packages (from jupyter-core->nbformat==4.2.0) (3.0.0)
Requirement already satisfied: zip!=3.1.0 in /usr/local/lib/python3.8/dist-packages (from importlib-resources>=1.4.0->jsonschema!=2.5.0,>=2.4->nbformat==4.2.0) (3.15.0)
Installing collected packages: nbformat
  Attempting uninstall: nbformat
    Found existing installation: nbformat 5.7.3
    Uninstalling nbformat-5.7.3:
     Successfully uninstalled nbformat-5.7.3
ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.
nbconvert 6.5.4 requires nbformat>=5.1, but you have nbformat 4.2.0 which is incompatible.
nbclient 0.7.2 requires nbformat>=5.1, but you have nbformat 4.2.0 which is incompatible.
Successfully installed nbformat-4.2.0

2s [2] import yfinance as yf
import pandas as pd
import requests
from bs4 import BeautifulSoup
import plotly.graph_objects as go
from plotly.subplots import make_subplots

```

### Define Graphing Function

In this section, we define the function `make_graph`. You don't have to know how the function works, you should only care about the inputs. It takes a dataframe with stock data (dataframe must contain Date and Close columns), a dataframe with revenue data (dataframe must contain Date and Revenue columns), and the name of the stock.

```

0s [3] def make_graph(stock_data, revenue_data, stock):
    fig = make_subplots(rows=2, cols=1, shared_xaxes=True, subplot_titles=("Historical Share Price", "Historical Revenue"), vertical_spacing = .3)
    stock_data_specific = stock_data[stock_data.Date <= '2021-06-14']
    revenue_data_specific = revenue_data[revenue_data.Date <= '2021-04-30']
    fig.add_trace(go.Scatter(x=pd.to_datetime(stock_data_specific.Date, infer_datetime_format=True), y=stock_data_specific.Close.astype("float"), name="Share Price"), row=1, col=1)

```

```

fig.add_trace(go.Scatter(x=pd.to_datetime(revenue_data_specific.Date, infer_datetime_format=True), y=revenue_data_specific.Revenue.astype("float"), name="Revenue"), row=2, col=1)
fig.update_xaxes(title_text="Date", row=1, col=1)
fig.update_xaxes(title_text="Date", row=2, col=1)
fig.update_yaxes(title_text="Price ($US)", row=1, col=1)
fig.update_yaxes(title_text="Revenue ($US Millions)", row=2, col=1)
fig.update_layout(showlegend=False,
height=900,
title=stock,
xaxis_rangeslider_visible=True)
fig.show()

```

## ▼ Question 1: Use yfinance to Extract Stock Data

Using the `Ticker` function enter the ticker symbol of the stock we want to extract data on to create a `ticker` object. The stock is Tesla and its ticker symbol is `TSLA`.

```
✓ [4] tslaTKR = yf.Ticker("TSLA")
```

Using the `ticker` object and the function `history` extract stock information and save it in a dataframe named `tesla_data`. Set the `period` parameter to `max` so we get information for the maximum amount of time.

```
✓ [5] tesla_data = tslaTKR.history(period="max")
```

**Reset the index** using the `reset_index(inplace=True)` function on the `tesla_data` DataFrame and display the first five rows of the `tesla_data` dataframe using the `head` function. Take a screenshot of the results and code from the beginning of Question 1 to the results below.

```
✓ [7] tesla_data.reset_index(inplace=True)
tesla_data.head()
```

index	Date	Open	High	Low	Close	Volume	Dividends	Stock Splits	
0	2010-06-29	1.266667	1.666667	1.169333	1.592667	281494500	0	0.0	
1	2010-06-30	1.719333	2.028000	1.553333	1.588667	257806500	0	0.0	
2	2010-07-01	1.666667	1.728000	1.351333	1.464000	123282000	0	0.0	
3	2010-07-02	1.533333	1.540000	1.247333	1.280000	77097000	0	0.0	
4	2010-07-06	1.333333	1.333333	1.055333	1.074000	103003500	0	0.0	

## ▼ Question 2: Use Webscraping to Extract Tesla Revenue Data

Use the `requests` library to download the webpage <https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDriverSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/revenue.htm> Save the text of the response as a variable named `html_data`.

```
✓ [9] url = "https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDriverSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/revenue.htm"
html_data = requests.get(url).text
```

Parse the html data using `beautiful_soup`.

```
✓ [11] soup = BeautifulSoup(html_data, 'html5lib')
```

Using `BeautifulSoup` or the `read_html` function extract the table with `Tesla Quarterly Revenue` and store it into a dataframe named `tesla_revenue`. The dataframe should have columns `Date` and `Revenue`.

► Click here if you need help locating the table

```
✓ [12] tesla_revenue = pd.DataFrame(columns=["Date", "Revenue"])

for row in soup.find("tbody").find_all("tr"):
    col = row.find_all("td")
    date = col[0].text
    revenue = col[1].text

    tesla_revenue = tesla_revenue.append({"Date":date, "Revenue":revenue}, ignore_index=True)
```

Execute the following line to remove the comma and dollar sign from the `Revenue` column.

```
✓ [13] tesla_revenue["Revenue"] = tesla_revenue['Revenue'].str.replace(',|\$',"")
<ipython-input-13-2aef5327de36>:1: FutureWarning: The default value of regex will change from True to False in a future version.
tesla_revenue["Revenue"] = tesla_revenue['Revenue'].str.replace(',|\$', "")
```

Execute the following lines to remove an null or empty strings in the `Revenue` column.

```
✓ [14] tesla_revenue.dropna(inplace=True)

tesla_revenue = tesla_revenue[tesla_revenue['Revenue'] != ""]
```

Display the last 5 row of the `tesla_revenue` dataframe using the `tail` function. Take a screenshot of the results.

```
✓ [25] tesla_revenue.tail(5)
```

	Date	Revenue
8	2013	2013
9	2012	413
10	2011	204
11	2010	117
12	2009	112

#### ▼ Question 3: Use yfinance to Extract Stock Data

Using the `Ticker` function enter the ticker symbol of the stock we want to extract data on to create a `ticker` object. The stock is GameStop and its ticker symbol is `GME`.

```
✓ [17] GameStop = yf.Ticker("GME")
```

Using the `ticker` object and the function `history` extract stock information and save it in a dataframe named `gme_data`. Set the `period` parameter to `max` so we get information for the maximum amount of time.

```
✓ [18] gme_data = GameStop.history(period="max")
```

Reset the index using the `reset_index(inplace=True)` function on the `gme_data` DataFrame and display the first five rows of the `gme_data` dataframe using the `head` function. Take a screenshot of the results and code from the beginning of Question 3 to the results below.

```
✓ [19] gme_data.reset_index(inplace=True)  
gme_data.head(5)
```

	Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
0	2002-02-13	1.620129	1.693350	1.603296	1.691667	76216000	0.0	0.0
1	2002-02-14	1.712707	1.716074	1.670626	1.683250	11021600	0.0	0.0
2	2002-02-15	1.683250	1.687458	1.658002	1.674834	8389600	0.0	0.0
3	2002-02-19	1.666418	1.666418	1.578047	1.607504	7410400	0.0	0.0
4	2002-02-20	1.615920	1.662210	1.603296	1.662210	6892800	0.0	0.0

#### ▼ Question 4: Use Webscraping to Extract GME Revenue Data

Use the `requests` library to download the webpage <https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDriverSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/stock.html>. Save the text of the response as a variable named `html_data`.

```
✓ [20] url = "https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDriverSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/stock.html"  
html_data = requests.get(url).text
```

Parse the html data using `beautiful_soup`.

```
✓ [21] soup = BeautifulSoup(html_data, 'html5lib')
```

Using `BeautifulSoup` or the `read_html` function extract the table with GameStop Quarterly Revenue and store it into a dataframe named `gme_revenue`. The dataframe should have columns `Date` and `Revenue`. Make sure the comma and dollar sign is removed from the `Revenue` column using a method similar to what you did in Question 2.

► Click here if you need help locating the table

```
✓ [24] gme_revenue = pd.DataFrame(columns=["Date", "Revenue"])  
  
for row in soup.find("tbody").find_all("tr"): FutureWarning: The default value of regex will change from True to False in a future version.  
gme_revenue["Revenue"] = gme_revenue['Revenue'].str.replace(',|\$', '')  
    col = row.find_all("td")  
    date = col[0].text  
    revenue = col[1].text  
  
    gme_revenue = gme_revenue.append({"Date":date, "Revenue":revenue}, ignore_index=True)  
    gme_revenue["Revenue"] = gme_revenue['Revenue'].str.replace(',|\$', '')  
  
gme_revenue.dropna(inplace=True)  
  
gme_revenue = gme_revenue[gme_revenue['Revenue'] != ""]
```

<ipython-input-24-d7afc279a4c4>:9: FutureWarning: The default value of regex will change from True to False in a future version.  
gme\_revenue["Revenue"] = gme\_revenue['Revenue'].str.replace(',|\\$', '')

Display the last five rows of the `gme_revenue` dataframe using the `tail` function. Take a screenshot of the results.

```
✓ [26] gme_revenue.tail(5)
```


	Date	Revenue
11	2009	8806

12	2008	7094
13	2007	5319
14	2006	3092
15	2005	1843



#### ▼ Question 5: Plot Tesla Stock Graph

Use the `make_graph` function to graph the Tesla Stock Data, also provide a title for the graph. The structure to call the `make_graph` function is `make_graph(tesla_data, tesla_revenue, 'Tesla')`. Note the graph will only show data upto June 2021.

```
[32] tesla_data.plot(x="Date", y="Open")
make_graph(tesla_data, tesla_revenue, 'Tesla Graph')
```




Historical Revenue




#### ▼ Question 6: Plot GameStop Stock Graph

Use the `make_graph` function to graph the GameStop Stock Data, also provide a title for the graph. The structure to call the `make_graph` function is `make_graph(gme_data, gme_revenue, 'GameStop')`. Note the graph will only show data upto June 2021.

```
[15] gme_data.plot(x="Date", y="Open")
make_graph(gme_data, gme_revenue, 'GameStop Graph')
```





## About the Authors:

[Joseph Santarcangelo](#) has a PhD in Electrical Engineering, his research focused on using machine learning, signal processing, and computer vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

Azim Hirjani

## Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2022-02-28	1.2	Lakshmi Holla	Changed the URL of GameStop
2020-11-10	1.1	Malika Singla	Deleted the Optional part
2020-08-27	1.0	Malika Singla	Added lab to GitLab

© IBM Corporation 2020. All rights reserved.

[Colab paid products - Cancel contracts here](#)

✓ 0s completed at 11:01 AM

