

Statistical Inference Course Project (Part 2)

Jeffrey M. Hunter

10 May, 2019

Contents

Overview	1
Environment Setup	1
Basic Data Summary	2
Exploratory Data Analysis	3
Confidence Intervals	3
Hypothesis Test	3
Conclusion	3

Overview

In this second part of a two-part project assignment, we are being asked to investigate the effect of vitamin C on tooth growth in guinea pigs.

This analysis will compare the effects of different doses of vitamin C using two delivery methods to study the tooth growth in guinea pigs. The sample will consist of 60 guinea pigs. Each guinea pig will receive one of three dose levels of vitamin C (0.5, 1, and 2 mg/day) by one of two delivery methods, orange juice or ascorbic acid.

The study will be performed using the ToothGrowth dataset which is included in the R `datasets` package. The dataset is a data frame that contains 60 observations and 3 variables:

- `len` - A numeric vector indicating the measurement of tooth length after Vitamin C delivery
- `supp` - A factor vector describing the delivery method used. Either Orange Juice (OJ) or Ascorbic Acid (VC)
- `dose` - A numeric vector indicating the dosage level in milligrams (0.5, 1, or 2mg)

Further information on the ToothGrowth dataset can be found in the R documentation using `?ToothGrowth`.

Environment Setup

Load packages used in this analysis.

```
if (!require(ggplot2)) {  
  install.packages("ggplot2", repos = "http://cran.us.r-project.org")  
  library(ggplot2)  
}
```

```
## Loading required package: ggplot2
```

```
if (!require(dplyr, warn.conflicts = FALSE)) {  
  install.packages("dplyr", repos = "http://cran.us.r-project.org")  
  library(dplyr, warn.conflicts = FALSE)  
}
```

```
## Loading required package: dplyr
```

Load ToothGrowth dataset.

```
library(datasets)
data(ToothGrowth)
```

Basic Data Summary

After loading the ToothGrowth dataset, provide a basic summary of the data.

```
str(ToothGrowth)
```

```
## 'data.frame': 60 obs. of 3 variables:
## $ len : num 4.2 11.5 7.3 5.8 6.4 10 11.2 11.2 5.2 7 ...
## $ supp: Factor w/ 2 levels "OJ","VC": 2 2 2 2 2 2 2 2 2 2 ...
## $ dose: num 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 ...
```

```
summary(ToothGrowth)
```

```
##      len      supp      dose
## Min.   : 4.20   OJ:30   Min.    :0.500
## 1st Qu.:13.07   VC:30   1st Qu.:0.500
## Median :19.25           Median :1.000
## Mean   :18.81           Mean   :1.167
## 3rd Qu.:25.27           3rd Qu.:2.000
## Max.   :33.90           Max.    :2.000
```

```
head(ToothGrowth)
```

len	supp	dose
4.2	VC	0.5
11.5	VC	0.5
7.3	VC	0.5
5.8	VC	0.5
6.4	VC	0.5
10.0	VC	0.5

unique observations grouped by delivery method and dosage level

```
ToothGrowth %>% select(supp, dose) %>% group_by(supp, dose) %>% summarize(count=n())
```

supp	dose	count
OJ	0.5	10
OJ	1.0	10
OJ	2.0	10
VC	0.5	10
VC	1.0	10
VC	2.0	10

summary of tooth length data grouped by delivery method and dosage level

```
by(data = ToothGrowth$len, INDICES = list(ToothGrowth$supp, ToothGrowth$dose), summary)
```

```
## : OJ
## : 0.5
##   Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
```

```

##      8.20      9.70      12.25      13.23      16.18      21.50
## -----
## : VC
## : 0.5
##      Min. 1st Qu.  Median      Mean 3rd Qu.      Max.
##      4.20      5.95      7.15      7.98      10.90      11.50
## -----
## : OJ
## : 1
##      Min. 1st Qu.  Median      Mean 3rd Qu.      Max.
##      14.50     20.30     23.45     22.70     25.65     27.30
## -----
## : VC
## : 1
##      Min. 1st Qu.  Median      Mean 3rd Qu.      Max.
##      13.60     15.28     16.50     16.77     17.30     22.50
## -----
## : OJ
## : 2
##      Min. 1st Qu.  Median      Mean 3rd Qu.      Max.
##      22.40     24.57     25.95     26.06     27.07     30.90
## -----
## : VC
## : 2
##      Min. 1st Qu.  Median      Mean 3rd Qu.      Max.
##      18.50     23.38     25.95     26.14     28.80     33.90

```

Exploratory Data Analysis

Perform some basic exploratory data analyses of the data.

Confidence Intervals

Hypothesis Test

Conclusion