


이럴때는



해쉬조인으로 유도하자 ! 첫번째

▣ 학습 내용

1. 해쉬조인의 원리를 이해합니다.
2. 검색조건이 있었을때의 해쉬조인 순서를 지정하는 방법을 이해합니다.

▣ 학습 목표

해쉬조인으로 대용량 테이블의 조인 성능을 높일 수 있습니다.

1. 해쉬조인의 원리

```
select /*+ gather_plan_statistics leading(d e) use_hash(e) */ e.ename, d.loc
from emp e, dept d
where e.deptno = d.deptno ;
```

PROB 테이블

emp 테이블

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		1981-11-17	5000		10
7698	BLAKE	MANAGER	7839	1981-05-01	2850		30
7782	CLARK	MANAGER	7839	1981-05-09	2450		10
7566	JONES	MANAGER	7839	1981-04-01	2975		20
7654	MARTIN	SALESMAN	7698	1981-09-10	1250	1400	30
7499	ALLEN	SALESMAN	7698	1981-02-11	1600	300	30
7844	TURNER	SALESMAN	7698	1981-08-21	1500	0	30
7900	JAMES	CLERK	7698	1981-12-11	950		30
7521	WARD	SALESMAN	7698	1981-02-23	1250	500	30
7902	FORD	ANALYST	7566	1981-12-11	3000		20
7369	SMITH	CLERK	7902	1980-12-09	800		20
7788	SCOTT	ANALYST	7566	1982-12-22	3000		20
7876	ADAMS	CLERK	7788	1983-01-15	1100		20
7934	MILLER	CLERK	7782	1982-01-11	1300		10

해쉬 함수

오라클 메모리 영역 PGA

해쉬 테이블

해쉬값	DEPTNO	DNAME	LOC
kdl21fnae..	10	ACCOUNTING	NEW YORK
fekfh32en..	20	RESEARCH	DALLAS
dkfle21jfn..	30	SALES	CHICAGO
EEKfn09dn...	40	OPERATIONS	BOSTON

dept 테이블

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

2. 어느 테이블을 해쉬 테이블로 구성해야할까? buffer 10887 개

```
select /*+ gather_plan_statistics leading(e d) use_hash(d) */ e.ename, d.loc
from emp e, dept d
where e.deptno = d.deptno ;
```

emp 테이블

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		1981-11-17	5000		10
7698	BLAKE	MANAGER	7839	1981-05-01	2850		30
7782	CLARK	MANAGER	7839	1981-05-09	2450		10
7566	JONES	MANAGER	7839	1981-04-01	2975		20
7654	MARTIN	SALESMAN	7698	1981-09-10	1250	1400	30
7499	ALLEN	SALESMAN	7698	1981-02-11	1600	300	30
7844	TURNER	SALESMAN	7698	1981-08-21	1500	0	30
7900	JAMES	CLERK	7698	1981-12-11	950		30
7521	WARD	SALESMAN	7698	1981-02-23	1250	500	30
7902	FORD	ANALYST	7566	1981-12-11	3000		20
7369	SMITH	CLERK	7902	1980-12-09	800		20
7788	SCOTT	ANALYST	7566	1982-12-22	3000		20
7876	ADAMS	CLERK	7788	1983-01-15	1100		20
7934	MILLER	CLERK	7782	1982-01-11	1300		10

오라클 메모리 영역 PGA


해쉬 테이블

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		1981-11-17	5000		10
7698	BLAKE	MANAGER	7839	1981-05-01	2850		30
7782	CLARK	MANAGER	7839	1981-05-09	2450		10
7566	JONES	MANAGER	7839	1981-04-01	2975		20
7654	MARTIN	SALESMAN	7698	1981-09-10	1250	1400	30

PROB 테이블

dept 테이블

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON



temp disk

3.dept 테이블을 해쉬 테이블로 구성한다면?

buffer 13 개

```
select /*+ gather_plan_statistics leading(d e) use_hash(e) */ e.ename, d.loc
from emp e, dept d
where e.deptno = d.deptno ;
```

오라클 메모리 영역 PGA

PROB 테이블

emp 테이블

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		1981-11-17	5000		10
7698	BLAKE	MANAGER	7839	1981-05-01	2850		30
7782	CLARK	MANAGER	7839	1981-05-09	2450		10
7566	JONES	MANAGER	7839	1981-04-01	2975		20
7654	MARTIN	SALESMAN	7698	1981-09-10	1250	1400	30
7499	ALLEN	SALESMAN	7698	1981-02-11	1600	300	30
7844	TURNER	SALESMAN	7698	1981-08-21	1500	0	30
7900	JAMES	CLERK	7698	1981-12-11	950		30
7521	WARD	SALESMAN	7698	1981-02-23	1250	500	30
7902	FORD	ANALYST	7566	1981-12-11	3000		20
7369	SMITH	CLERK	7902	1980-12-09	800		20
7788	SCOTT	ANALYST	7566	1982-12-22	3000		20
7876	ADAMS	CLERK	7788	1983-01-15	1100		20
7934	MILLER	CLERK	7782	1982-01-11	1300		10

해쉬 테이블

해쉬값	DEPTNO	DNAME	LOC
kdl21fnae..	10	ACCOUNTING	NEW YORK
fekfh32en..	20	RESEARCH	DALLAS
dkfle21jfn..	30	SALES	CHICAGO
EEKfn09dn...	40	OPERATIONS	BOSTON



dept 테이블

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

4. 검색조건이 있었을때의 해쉬조인 순서

```
select /*+ gather_plan_statistics leading(d e) use_hash(e) */ e.ename, d.loc
from emp e, dept d
where e.deptno = d.deptno and e.job='SALESMAN'
and d.loc='CHICAGO';
```

PROB 테이블 **emp 테이블**

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		1981-11-17	5000		10
7698	BLAKE	MANAGER	7839	1981-05-01	2850		30
7782	CLARK	MANAGER	7839	1981-05-09	2450		10
7566	JONES	MANAGER	7839	1981-04-01	2975		20
7654	MARTIN	SALESMAN	7698	1981-09-10	1250	1400	30
7499	ALLEN	SALESMAN	7698	1981-02-11	1600	300	30
7844	TURNER	SALESMAN	7698	1981-08-21	1500	0	30
7900	JAMES	CLERK	7698	1981-12-11	950		30
7521	WARD	SALESMAN	7698	1981-02-23	1250	500	30
7902	FORD	ANALYST	7566	1981-12-11	3000		20
7369	SMITH	CLERK	7902	1980-12-09	800		20
7788	SCOTT	ANALYST	7566	1982-12-22	3000		20
7876	ADAMS	CLERK	7788	1983-01-15	1100		20
7934	MILLER	CLERK	7782	1982-01-11	1300		10

오라클 메모리 영역 PGA

해쉬 테이블

해쉬값	DEPTNO	DNAME	LOC
dkfle21jfn..	30	SALES	CHICAGO



dept 테이블

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON