
Example: Carbon Ion Treatment Plan

Table of Contents

.....	1
Patient Data Import	1
Treatment Plan	1
Generate Beam Geometry STF	2
Dose Calculation	3
Inverse Optimization for IMPT based on RBE-weighted dose	3
Plot the Resulting Dose Slice	10
Inverse Optimization for IMPT based on biological effect	11
Visualize differences	15
Change Radiosensitivity	16
Recalculate Plan	16
Result Comparison	17

%%%

Copyright 2017 the matRad development team.

This file is part of the matRad project. It is subject to the license terms in the LICENSE file found in the top-level directory of this distribution and at <https://github.com/e0404/matRad/LICENSES.txt>. No part of the matRad project, including this file, may be copied, modified, propagated, or distributed except according to the terms contained in the LICENSE file.

%%%

In this example we will show (i) how to load patient data into matRad (ii) how to setup a carbon ion dose calculation plan including variable RBE optimization (iii) how to inversely optimize the pencil beam intensities based on the RBE-weighted dose (iv) how to inversely optimize the pencil beam intensities based on the biological effect (v) how to change the tissues' radiobiological characteristics (vi) how to recalculate the dose considering the previously optimized pencil beam intensities (vii) how to compare the two results

Patient Data Import

Let's begin with a clear Matlab environment and import the liver patient into your workspace.

```
clc,clear,close all;  
load('LIVER.mat');
```

Treatment Plan

The next step is to define your treatment plan labeled as 'pln'. This structure requires input from the treatment planner and defines the most important cornerstones of your treatment plan.

First of all, we need to define what kind of radiation modality we would like to use. Possible values are photons, protons or carbon. In this example we would like to use carbon ions for treatment planning. Next, we need to define a treatment machine to correctly load the corresponding base data. matRad features generic base data in the file 'carbon_Generic.mat'; consequently the machine has to be set accordingly

```
pln.radiationMode = 'carbon';
pln.machine       = 'Generic';
```

Define the flavor of biological optimization for treatment planning along with the quantity that should be used for optimization. Possible values are (none: physical optimization; const_RBExD: constant RBE of 1.1; LEMIV_effect: effect-based optimization; LEMIV_RBExD: optimization of RBE-weighted dose. As we use carbon ions, we decide to use base data from the local effect model IV and want to optimize the RBE-weighted dose. Therefore we set bioOptimization to LEMIV_RBExD

```
pln.propOpt.bioOptimization = 'LEMIV_RBExD';
```

The remaining plan parameters are set like in the previous example files

```
pln.numOfFractions      = 30;
pln.propStf.gantryAngles = 315;
pln.propStf.couchAngles  = 0;
pln.propStf.bixelWidth   = 3;
pln.propStf.numOfBeams    = numel(pln.propStf.gantryAngles);
pln.propStf.isoCenter     = ones(pln.propStf.numOfBeams,1) *
    matRad_getIsoCenter(cst,ct,0);
pln.propOpt.runDAO        = 0;
pln.propOpt.runSequencing = 0;
```

Generate Beam Geometry STF

```
stf = matRad_generateStf(ct,cst,pln);
```

```
matRad: Generating stf struct... Warning: Could not find HLUT GE
MEDICAL SYSTEMS-Discovery CT590
RT-ConvolutionKernel-STANDARD_carbon.hlut in hlutLibrary folder.
matRad default
HLUT loaded
Progress: 100.00 %
```

Let's have a closer look on the stf.ray sub-structure which contains the actual beam/ray geometry information. For illustration purposes we want to show ray # 100. Besides geometrical information about the position and orientation of the ray, we can also find pencil beam information. If the ray coincides with the target, pencil beams were defined along the ray from target entry to target exit.

```
display(stf.ray(100));

    rayPos_bev: [-21 0 27]
targetPoint_bev: [-42 10000 54]
    rayPos: [-14.8492 14.8492 27]
targetPoint: [7.0414e+03 7.1008e+03 54]
    energy: [1x8 double]
    focusIx: [1 1 1 1 1 1 1 1]
rangeShifter: [1x8 struct]
```

Here are the energies selected on ray # 100:

```
display(stf.ray(100).energy);

Columns 1 through 7

157.1200 160.2600 163.3500 166.4100 169.4300 172.4100 175.3700
```

Column 8

178.2800

Dose Calculation

```

diJ = matRad_calcParticleDose(ct,stf,pln,cst);

Warning: Could not find HLUT GE MEDICAL SYSTEMS-Discovery CT590
RT-ConvolutionKernel-STANDARD_carbon.hlut in hlutLibrary folder.
  matRad default
  HLUT loaded
  matRad: loading biological base data... done.
  matRad: Particle dose calculation...
  Beam 1 of 1:
  matRad: calculate radiological depth cube...done.
  matRad: calculate lateral cutoff...done.
  Progress: 100.00 %

```

Inverse Optimization for IMPT based on RBE-weighted dose

The goal of the fluence optimization is to find a set of bixel/spot weights which yield the best possible dose distribution according to the clinical objectives and constraints underlying the radiation treatment.

```

resultGUI = matRad_fluenceOptimization(diJ,cst,pln);

```

```

Optimization initiating...
Press q to terminate the optimization...

```

```

*****
This program contains Ipopt, a library for large-scale nonlinear
optimization.
Ipopt is released as open source code under the Eclipse Public
License (EPL).
For more information visit http://projects.coin-or.org/Ipopt
*****

```

```

This is Ipopt version 3.11.8, running with linear solver ma57.

```

```

Number of nonzeros in equality constraint Jacobian...:      0
Number of nonzeros in inequality constraint Jacobian.:      0
Number of nonzeros in Lagrangian Hessian.....:          0

Total number of variables.....:      11746
    variables with only lower bounds:      11746
    variables with lower and upper bounds:      0
    variables with only upper bounds:      0
Total number of equality constraints.....:      0
Total number of inequality constraints.....:      0

```

Example: Carbon Ion Treatment Plan

inequality constraints with only lower bounds: 0
 inequality constraints with lower and upper bounds: 0
 inequality constraints with only upper bounds: 0

iter	objective	inf_pr	inf_du	lg(mu)	d	lg(rg)	alpha_du
alpha_pr	ls						
0	4.3212467e+002	0.00e+000	9.11e+000	0.0	0.00e+000	-	0.00e
+000	0.00e+000	0					
1	7.9203913e+003	0.00e+000	9.42e+000	-0.4	5.54e-001	-	
1.16e-001	5.00e-001f	2					
2	1.5932000e+003	0.00e+000	5.67e+000	-0.9	1.46e-001	-	1.00e
+000	1.00e+000f	1					
3	8.1545425e+001	0.00e+000	3.26e+000	-0.9	2.02e-001	-	1.00e
+000	6.85e-001f	1					
4	9.3140111e+001	0.00e+000	1.29e+000	-1.3	3.73e-002	-	1.00e
+000	1.00e+000f	1					
5	5.9937370e+001	0.00e+000	5.25e-001	-1.5	1.07e-002	-	1.00e
+000	1.00e+000f	1					
6	1.4922628e+001	0.00e+000	3.88e-001	-2.6	2.47e-002	-	1.00e
+000	1.00e+000f	1					
7	1.0529189e+001	0.00e+000	3.51e-001	-3.2	9.84e-003	-	1.00e
+000	1.00e+000f	1					
8	7.3029975e+000	0.00e+000	2.82e-001	-4.0	1.30e-002	-	1.00e
+000	1.00e+000f	1					
9	5.1175861e+000	0.00e+000	2.10e-001	-3.5	1.78e-002	-	1.00e
+000	1.00e+000f	1					
10	4.0143011e+000	0.00e+000	2.80e-001	-3.6	2.38e-002	-	1.00e
+000	9.32e-001f	1					
11	3.4530331e+000	0.00e+000	2.63e-001	-4.0	1.71e-002	-	1.00e
+000	6.08e-001f	1					
12	5.8197111e+000	0.00e+000	6.74e-001	-2.4	3.72e-002	-	
7.42e-001	1.00e+000f	1					
13	3.9196656e+000	0.00e+000	1.34e-001	-2.6	1.90e-002	-	1.00e
+000	1.00e+000f	1					
14	3.3376736e+000	0.00e+000	1.15e-001	-2.6	1.27e-002	-	1.00e
+000	1.00e+000f	1					
15	2.3218205e+000	0.00e+000	1.15e-001	-3.3	2.68e-002	-	1.00e
+000	1.00e+000f	1					
16	2.0802587e+000	0.00e+000	8.57e-002	-4.2	1.56e-002	-	1.00e
+000	1.00e+000f	1					
17	2.0056115e+000	0.00e+000	1.98e-001	-4.8	1.68e-002	-	1.00e
+000	3.60e-001f	1					
18	1.8672808e+000	0.00e+000	2.04e-001	-5.3	3.66e-002	-	1.00e
+000	3.03e-001f	1					
19	1.6511289e+000	0.00e+000	1.48e-001	-3.5	2.24e-002	-	
8.03e-001	8.70e-001f	1					
20	1.5413994e+000	0.00e+000	1.28e-001	-3.8	7.43e-003	-	1.00e
+000	9.31e-001f	1					
21	1.4943856e+000	0.00e+000	3.08e-001	-4.8	1.04e-002	-	1.00e
+000	5.48e-001f	1					

Example: Carbon Ion Treatment Plan

```

22 1.4507023e+000 0.00e+000 2.42e-001 -5.8 2.12e-002 -
8.63e-001 2.61e-001f 1
23 1.3811969e+000 0.00e+000 1.77e-001 -4.2 2.74e-002 -
7.22e-001 3.37e-001f 1
24 1.3229031e+000 0.00e+000 2.64e-001 -3.6 2.76e-002 -
4.00e-001 9.42e-001f 1
25 1.2805318e+000 0.00e+000 3.08e-001 -4.6 1.90e-002 -
9.36e-001 3.12e-001f 1
26 1.2515544e+000 0.00e+000 2.56e-001 -4.4 1.24e-002 -
8.09e-001 3.70e-001f 1
27 1.2234903e+000 0.00e+000 1.79e-001 -4.8 1.98e-002 -
7.49e-001 2.33e-001f 1
28 1.1634019e+000 0.00e+000 1.34e-001 -4.7 2.75e-002 -
9.40e-001 3.77e-001f 1
29 1.1415768e+000 0.00e+000 3.71e-001 -3.9 3.88e-002 -
4.78e-001 6.43e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
30 1.1220968e+000 0.00e+000 2.99e-001 -4.2 1.02e-002 -
7.56e-001 2.71e-001f 1
31 1.0839633e+000 0.00e+000 1.55e-001 -4.4 1.50e-002 -
7.43e-001 4.13e-001f 1
32 1.0609757e+000 0.00e+000 1.27e-001 -5.0 1.77e-002 -
8.96e-001 2.38e-001f 1
33 1.0379480e+000 0.00e+000 2.83e-001 -5.6 2.14e-002 -
9.77e-001 2.10e-001f 1
34 1.0078392e+000 0.00e+000 2.42e-001 -6.0 2.34e-002 -
6.96e-001 2.88e-001f 1
35 9.9621414e-001 0.00e+000 3.01e-001 -5.0 1.67e-002 -
9.06e-001 1.50e-001f 1
36 9.7632027e-001 0.00e+000 1.89e-001 -4.4 1.43e-002 -
5.72e-001 2.92e-001f 1
37 9.7460739e-001 0.00e+000 8.09e-002 -3.9 1.19e-002 -
5.45e-001 1.00e+000f 1
38 9.5899063e-001 0.00e+000 1.01e-001 -4.4 1.06e-002 -
8.34e-001 2.77e-001f 1
39 9.3896502e-001 0.00e+000 1.80e-001 -4.6 1.32e-002 - 1.00e
+000 2.93e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
40 9.2275621e-001 0.00e+000 2.27e-001 -5.2 1.45e-002 -
8.88e-001 2.36e-001f 1
41 9.0825277e-001 0.00e+000 1.73e-001 -6.3 1.43e-002 -
7.03e-001 2.36e-001f 1
42 8.9438531e-001 0.00e+000 2.76e-001 -6.9 1.69e-002 -
8.33e-001 2.18e-001f 1
43 8.8217010e-001 0.00e+000 1.60e-001 -7.6 2.17e-002 -
8.63e-001 1.59e-001f 1
44 8.6481469e-001 0.00e+000 2.80e-001 -8.3 2.63e-002 -
8.70e-001 2.13e-001f 1
45 8.5759196e-001 0.00e+000 1.91e-001 -5.1 2.21e-002 -
8.53e-001 1.05e-001f 1
46 8.4569914e-001 0.00e+000 1.94e-001 -4.7 1.78e-002 -
6.09e-001 2.27e-001f 1

```

Example: Carbon Ion Treatment Plan

```

47 8.6196740e-001 0.00e+000 9.31e-002 -4.1 1.12e-002 -
5.54e-001 1.00e+000f 1
48 8.5268512e-001 0.00e+000 4.30e-002 -4.3 1.24e-002 -
8.41e-001 1.99e-001f 1
49 8.2862807e-001 0.00e+000 1.08e-001 -4.3 1.26e-002 -
5.90e-001 5.80e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
50 8.1935375e-001 0.00e+000 3.51e-001 -5.2 1.00e-002 -
8.50e-001 2.85e-001f 1
51 8.1222059e-001 0.00e+000 2.66e-001 -5.2 1.24e-002 -
8.75e-001 2.07e-001f 1
52 8.0047092e-001 0.00e+000 3.91e-001 -5.8 1.57e-002 -
9.64e-001 2.95e-001f 1
53 7.9288222e-001 0.00e+000 2.18e-001 -5.1 1.56e-002 -
9.14e-001 2.17e-001f 1
54 7.8768612e-001 0.00e+000 1.31e-001 -11.0 2.45e-002 -
6.70e-001 9.95e-002f 1
55 7.7511800e-001 0.00e+000 1.26e-001 -6.1 3.21e-002 - 1.00e
+000 1.90e-001f 1
56 7.6760504e-001 0.00e+000 1.61e-001 -4.9 2.82e-002 - 1.00e
+000 1.35e-001f 1
57 7.6161699e-001 0.00e+000 1.90e-001 -10.9 2.04e-002 -
3.78e-001 1.49e-001f 1
58 7.7368687e-001 0.00e+000 9.10e-002 -4.2 1.81e-002 -
5.61e-001 9.06e-001f 1
59 7.6143215e-001 0.00e+000 8.92e-002 -4.5 7.85e-003 -
2.97e-001 3.74e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
60 7.5286735e-001 0.00e+000 1.24e-001 -4.7 1.01e-002 -
6.11e-001 2.52e-001f 1
61 7.4507468e-001 0.00e+000 1.38e-001 -4.7 8.69e-003 -
6.06e-001 3.17e-001f 1
62 7.4128976e-001 0.00e+000 2.63e-001 -5.0 7.32e-003 -
8.56e-001 1.98e-001f 1
63 7.3229960e-001 0.00e+000 2.25e-001 -5.1 9.65e-003 -
9.94e-001 4.53e-001f 1
64 7.2734268e-001 0.00e+000 1.70e-001 -5.4 9.81e-003 - 1.00e
+000 3.18e-001f 1
65 7.2584387e-001 0.00e+000 2.95e-001 -5.7 1.17e-002 - 1.00e
+000 8.69e-002f 1
66 7.1777429e-001 0.00e+000 1.93e-001 -6.0 2.13e-002 -
9.17e-001 2.76e-001f 1
67 7.1205463e-001 0.00e+000 2.08e-001 -6.2 2.28e-002 -
9.46e-001 2.00e-001f 1
68 7.0659682e-001 0.00e+000 1.84e-001 -6.4 3.41e-002 -
9.72e-001 1.30e-001f 1
69 7.0107370e-001 0.00e+000 1.70e-001 -5.6 3.58e-002 -
5.82e-001 1.32e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
70 6.9558441e-001 0.00e+000 1.84e-001 -4.8 1.87e-002 -
7.88e-001 2.78e-001f 1

```

```

71 6.9277075e-001 0.00e+000 1.39e-001 -10.9 1.85e-002 -
4.66e-001 1.38e-001f 1
72 6.8968311e-001 0.00e+000 1.10e-001 -4.9 2.09e-002 -
4.23e-001 1.50e-001f 1
73 6.8649099e-001 0.00e+000 1.13e-001 -11.0 2.97e-002 -
3.14e-001 1.08e-001f 1
74 6.8147525e-001 0.00e+000 1.51e-001 -5.5 4.10e-002 -
7.60e-001 1.33e-001f 1
75 6.7383574e-001 0.00e+000 1.27e-001 -6.2 4.02e-002 -
4.70e-001 2.17e-001f 1
76 6.7032228e-001 0.00e+000 6.87e-002 -5.6 3.73e-002 -
2.92e-001 1.14e-001f 1
77 6.6624527e-001 0.00e+000 7.15e-002 -11.0 4.83e-002 -
2.36e-001 1.06e-001f 1
78 6.5994405e-001 0.00e+000 8.63e-002 -5.2 6.62e-002 -
9.27e-001 1.76e-001f 1
79 6.5810764e-001 0.00e+000 8.88e-002 -5.2 1.51e-002 -
1.39e-001 1.56e-001f 1
iter   objective   inf_pr   inf_du lg(mu)  ||d||  lg(rg) alpha_du
alpha_pr ls
80 6.5448753e-001 0.00e+000 7.14e-002 -11.0 4.74e-002 -
1.35e-001 9.43e-002f 1
81 6.4953972e-001 0.00e+000 9.28e-002 -5.3 5.09e-002 -
4.12e-001 1.31e-001f 1
82 6.4738530e-001 0.00e+000 1.00e-001 -5.4 3.23e-002 -
4.01e-001 8.68e-002f 1
83 6.4410659e-001 0.00e+000 7.72e-002 -6.0 3.71e-002 -
3.11e-001 1.18e-001f 1
84 6.4190966e-001 0.00e+000 1.21e-001 -5.2 2.58e-002 -
3.66e-001 1.17e-001f 1
85 6.3801796e-001 0.00e+000 1.24e-001 -5.8 2.98e-002 -
2.28e-001 1.88e-001f 1
86 6.3662816e-001 0.00e+000 1.42e-001 -5.5 3.00e-002 -
5.92e-001 7.02e-002f 1
87 6.3090687e-001 0.00e+000 1.37e-001 -5.2 4.52e-002 -
6.91e-001 2.10e-001f 1
88 6.2784489e-001 0.00e+000 1.10e-001 -5.0 3.28e-002 -
4.13e-001 1.72e-001f 1
89 6.2538138e-001 0.00e+000 1.09e-001 -7.2 3.77e-002 -
3.72e-001 1.16e-001f 1
iter   objective   inf_pr   inf_du lg(mu)  ||d||  lg(rg) alpha_du
alpha_pr ls
90 6.2243814e-001 0.00e+000 1.23e-001 -5.9 5.85e-002 -
5.59e-001 9.48e-002f 1
91 6.1827962e-001 0.00e+000 1.45e-001 -5.6 3.99e-002 -
5.61e-001 1.95e-001f 1
92 6.1440236e-001 0.00e+000 1.12e-001 -5.9 5.50e-002 -
6.34e-001 1.39e-001f 1
93 6.1255129e-001 0.00e+000 9.60e-002 -5.3 5.32e-002 -
4.46e-001 6.96e-002f 1
94 6.0873153e-001 0.00e+000 1.97e-001 -5.2 3.84e-002 -
5.96e-001 2.13e-001f 1
95 6.2372616e-001 0.00e+000 1.15e-001 -4.4 3.61e-002 -
6.53e-001 4.52e-001f 1

```

Example: Carbon Ion Treatment Plan

```

96 6.1698162e-001 0.00e+000 8.32e-002 -4.6 8.11e-003 -
2.67e-001 3.62e-001f 1
97 6.0798584e-001 0.00e+000 6.81e-002 -4.6 1.14e-002 -
2.31e-001 5.50e-001f 1
98 6.0641974e-001 0.00e+000 1.20e-001 -4.9 8.50e-003 -
8.40e-001 1.72e-001f 1
99 6.0153746e-001 0.00e+000 1.45e-001 -5.0 9.85e-003 -
8.82e-001 6.10e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
100 6.0052076e-001 0.00e+000 1.54e-001 -5.6 8.20e-003 - 1.00e
+000 1.87e-001f 1
101 5.9854053e-001 0.00e+000 1.15e-001 -5.2 1.08e-002 - 1.00e
+000 2.90e-001f 1
102 5.9627202e-001 0.00e+000 1.55e-001 -5.4 1.34e-002 - 1.00e
+000 2.86e-001f 1
103 5.9476305e-001 0.00e+000 1.04e-001 -5.6 1.83e-002 -
9.77e-001 1.55e-001f 1
104 5.9197521e-001 0.00e+000 1.77e-001 -5.2 1.99e-002 -
9.78e-001 2.87e-001f 1
105 5.9007188e-001 0.00e+000 9.47e-002 -4.8 2.09e-002 -
6.85e-001 2.51e-001f 1
106 5.8910072e-001 0.00e+000 1.57e-001 -10.9 2.39e-002 -
3.68e-001 9.73e-002f 1
107 5.8519508e-001 0.00e+000 1.03e-001 -5.5 5.44e-002 -
3.75e-001 1.93e-001f 1
108 5.8383070e-001 0.00e+000 8.44e-002 -5.6 5.43e-002 -
7.31e-001 5.73e-002f 1
109 5.8217955e-001 0.00e+000 1.67e-001 -7.0 2.80e-002 -
3.30e-001 1.33e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
110 5.7866264e-001 0.00e+000 1.23e-001 -5.4 4.72e-002 -
5.01e-001 1.89e-001f 1
111 6.1250506e-001 0.00e+000 3.36e-001 -4.2 3.84e-002 -
5.60e-001 1.00e+000f 1
112 5.9933955e-001 0.00e+000 4.23e-002 -4.5 2.81e-002 -
8.89e-001 4.51e-001f 1
113 5.9179881e-001 0.00e+000 1.21e-001 -4.5 1.72e-002 -
8.70e-001 3.46e-001f 1
114 5.8450074e-001 0.00e+000 7.25e-002 -4.5 1.48e-002 -
9.29e-001 5.73e-001f 1
115 5.8290619e-001 0.00e+000 1.13e-001 -4.5 7.07e-003 -
5.71e-001 8.56e-001f 1
116 5.8436066e-001 0.00e+000 1.12e-001 -4.5 9.06e-003 -
7.29e-001 1.00e+000f 1
117 5.8684706e-001 0.00e+000 4.21e-002 -4.5 1.43e-002 -
7.19e-001 9.92e-001f 1
118 5.9120456e-001 0.00e+000 7.84e-002 -4.5 1.77e-002 -
9.59e-001 1.00e+000f 1
119 5.8861106e-001 0.00e+000 3.85e-002 -4.5 3.84e-003 - 1.00e
+000 1.00e+000f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls

```



```

120 5.8771886e-001 0.00e+000 2.64e-002 -4.5 4.26e-003 -
7.55e-001 1.00e+000f 1
121 5.8752368e-001 0.00e+000 1.44e-002 -4.5 3.58e-003 - 1.00e
+000 1.00e+000f 1
122 5.8690086e-001 0.00e+000 1.81e-002 -4.5 7.30e-003 -
9.61e-001 1.00e+000f 1


```

Number of Iterations.....: 122

	(scaled)	(unscaled)
Objective.....:	5.8690086123591856e-001	
	5.8690086123591856e-001	
Dual infeasibility.....:	1.8066950608328639e-002	
	1.8066950608328639e-002	
Constraint violation.....:	0.0000000000000000e+000	
	0.0000000000000000e+000	
Complementarity.....:	3.4099294541645421e-005	
	3.4099294541645421e-005	
Overall NLP error.....:	1.8066950608328639e-002	
	1.8066950608328639e-002	

Number of objective function evaluations	=	128
Number of objective gradient evaluations	=	123
Number of equality constraint evaluations	=	0
Number of inequality constraint evaluations	=	0
Number of equality constraint Jacobian evaluations	=	0
Number of inequality constraint Jacobian evaluations	=	0
Number of Lagrangian Hessian evaluations	=	0
Total CPU secs in IPOPT (w/o function evaluations)	=	12.795
Total CPU secs in NLP function evaluations	=	203.121


EXIT: Solved To Acceptable Level.
Calculating final cubes...



Plot the Resulting Dose Slice

Let's plot the transversal iso-center dose slice

```
slice = round(pln.propStf.isoCenter(3)./ct.resolution.z);
figure,
imagesc(resultGUI.RBExDose (:,:,slice)),colorbar, colormap(jet);
```



Inverse Optimization for IMPT based on biological effect

To perform a dose optimization for carbon ions we can also use the biological effect instead of the RBE-weighted dose. Therefore we have to change the optimization mode and restart the optimization

```
pln.propOpt.bioOptimization = 'LEMIV_effect';
resultGUI_effect = matRad_fluenceOptimization(dij,cst,pln);
```

```
Optimization initiating...
Press q to terminate the optimization...
```

```
*****
This program contains Ipopt, a library for large-scale nonlinear
optimization.
Ipopt is released as open source code under the Eclipse Public
License (EPL).
For more information visit http://projects.coin-or.org/Ipopt
*****
```

```
This is Ipopt version 3.11.8, running with linear solver ma57.
```

```
Number of nonzeros in equality constraint Jacobian...:      0
Number of nonzeros in inequality constraint Jacobian.:      0
```

```

Number of nonzeros in Lagrangian Hessian.....:      0

Total number of variables.....:    11746
      variables with only lower bounds:    11746
      variables with lower and upper bounds:      0
      variables with only upper bounds:      0
Total number of equality constraints.....:      0
Total number of inequality constraints.....:      0
      inequality constraints with only lower bounds:      0
      inequality constraints with lower and upper bounds:      0
      inequality constraints with only upper bounds:      0

iter   objective   inf_pr   inf_du lg(mu)  ||d||  lg(rg) alpha_du
alpha_pr  ls
   0 5.1855427e+000 0.00e+000 1.11e+000   0.0 0.00e+000   - 0.00e
+000 0.00e+000   0
   1 4.2755000e+002 0.00e+000 1.06e+000  -0.9 1.18e-001   -
9.98e-001 1.00e+000f 1
   2 3.1348617e+001 0.00e+000 1.41e-001  -1.8 9.66e-002   - 1.00e
+000 1.00e+000f 1
   3 8.6317660e+000 0.00e+000 4.55e-002  -2.7 2.35e-002   - 1.00e
+000 1.00e+000f 1
   4 3.7591916e+000 0.00e+000 4.35e-002  -2.7 1.31e-002   - 1.00e
+000 1.00e+000f 1
   5 1.2108609e+000 0.00e+000 2.57e-002  -3.6 1.68e-002   -
9.99e-001 1.00e+000f 1
   6 7.6516399e-001 0.00e+000 2.46e-002  -4.7 1.04e-002   - 1.00e
+000 1.00e+000f 1
   7 5.8442629e-001 0.00e+000 1.96e-002  -5.3 1.00e-002   - 1.00e
+000 1.00e+000f 1
   8 4.0530974e-001 0.00e+000 1.44e-002  -5.2 1.73e-002   - 1.00e
+000 1.00e+000f 1
   9 3.0181281e-001 0.00e+000 1.91e-002  -5.3 2.44e-002   - 1.00e
+000 9.90e-001f 1
iter   objective   inf_pr   inf_du lg(mu)  ||d||  lg(rg) alpha_du
alpha_pr  ls
  10 2.5782560e-001 0.00e+000 1.27e-002  -5.1 2.28e-002   - 1.00e
+000 5.96e-001f 1
  11 2.3743469e-001 0.00e+000 3.37e-002  -4.5 8.54e-003   - 1.00e
+000 1.00e+000f 1
  12 2.0958394e-001 0.00e+000 7.36e-003  -4.6 9.43e-003   -
7.98e-001 1.00e+000f 1
  13 1.8488168e-001 0.00e+000 9.89e-003  -4.6 1.81e-002   - 1.00e
+000 1.00e+000f 1
  14 1.6957651e-001 0.00e+000 1.29e-002  -5.3 1.65e-002   - 1.00e
+000 3.68e-001f 1
  15 1.5725484e-001 0.00e+000 3.16e-002  -5.3 1.60e-002   - 1.00e
+000 3.77e-001f 1
  16 1.4098214e-001 0.00e+000 1.54e-002  -5.7 1.78e-002   - 1.00e
+000 6.89e-001f 1
  17 1.3508370e-001 0.00e+000 7.60e-003  -6.2 1.44e-002   - 1.00e
+000 4.05e-001f 1
  18 1.3057202e-001 0.00e+000 8.91e-003  -6.4 2.25e-002   - 1.00e
+000 1.80e-001f 1

```

```

19 1.2056887e-001 0.00e+000 1.37e-002 -4.7 2.31e-002 -
6.74e-001 4.33e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
20 1.1218996e-001 0.00e+000 1.44e-002 -4.6 1.09e-002 -
6.23e-001 1.00e+000f 1
21 1.0733473e-001 0.00e+000 6.24e-003 -5.5 1.45e-002 -
7.85e-001 3.73e-001f 1
22 1.0342589e-001 0.00e+000 2.40e-002 -5.7 1.94e-002 - 1.00e
+000 2.76e-001f 1
23 9.6066702e-002 0.00e+000 1.09e-002 -5.9 3.03e-002 - 1.00e
+000 3.95e-001f 1
24 9.7944339e-002 0.00e+000 2.72e-002 -4.7 5.26e-002 -
7.94e-001 9.23e-001f 1
25 8.9174618e-002 0.00e+000 2.59e-002 -4.8 8.72e-003 - 1.00e
+000 1.00e+000f 1
26 8.5897334e-002 0.00e+000 5.83e-003 -5.0 6.20e-003 -
8.86e-001 1.00e+000f 1
27 8.4348766e-002 0.00e+000 1.34e-002 -5.7 1.21e-002 - 1.00e
+000 3.22e-001f 1
28 8.0838902e-002 0.00e+000 1.54e-002 -6.0 2.38e-002 - 1.00e
+000 3.76e-001f 1
29 7.7778555e-002 0.00e+000 1.25e-002 -6.5 3.09e-002 -
8.85e-001 2.66e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
30 7.5379852e-002 0.00e+000 1.68e-002 -7.8 3.82e-002 -
7.59e-001 1.78e-001f 1
31 7.2002404e-002 0.00e+000 1.39e-002 -5.5 2.94e-002 -
7.25e-001 3.32e-001f 1
32 7.1195720e-002 0.00e+000 9.70e-003 -5.0 1.54e-002 -
6.17e-001 1.00e+000f 1
33 6.8157527e-002 0.00e+000 3.62e-003 -5.5 1.15e-002 -
8.11e-001 6.99e-001f 1
34 6.7523722e-002 0.00e+000 9.14e-003 -5.5 8.03e-003 - 1.00e
+000 2.07e-001f 1
35 6.5282594e-002 0.00e+000 1.38e-002 -6.1 1.43e-002 -
7.41e-001 4.49e-001f 1
36 6.4681890e-002 0.00e+000 1.52e-002 -6.6 1.39e-002 -
9.73e-001 1.42e-001f 1
37 6.3038959e-002 0.00e+000 1.12e-002 -5.8 1.65e-002 -
7.60e-001 3.20e-001f 1
38 6.2313039e-002 0.00e+000 8.17e-003 -11.0 1.93e-002 -
5.15e-001 1.28e-001f 1
39 6.1420010e-002 0.00e+000 2.11e-002 -6.9 2.42e-002 -
8.25e-001 1.25e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
40 5.9678287e-002 0.00e+000 1.04e-002 -5.9 3.05e-002 -
7.52e-001 1.88e-001f 1
41 5.8747349e-002 0.00e+000 1.40e-002 -7.1 2.00e-002 -
4.51e-001 1.56e-001f 1
42 5.7550921e-002 0.00e+000 1.11e-002 -6.4 2.85e-002 -
7.54e-001 1.44e-001f 1

```

```

43 5.6762409e-002 0.00e+000 1.12e-002 -7.3 1.98e-002 -
2.77e-001 1.26e-001f 1
44 5.5009283e-002 0.00e+000 8.54e-003 -6.4 3.11e-002 -
8.78e-001 1.94e-001f 1
45 5.3956283e-002 0.00e+000 7.45e-003 -6.4 3.70e-002 -
5.84e-001 9.41e-002f 1
46 5.3573327e-002 0.00e+000 8.65e-003 -11.0 1.13e-002 -
1.16e-001 1.17e-001f 1
47 5.2681151e-002 0.00e+000 6.65e-003 -7.2 2.42e-002 -
3.18e-001 1.34e-001f 1
48 5.1599911e-002 0.00e+000 5.76e-003 -5.9 3.38e-002 -
7.09e-001 1.56e-001f 1
49 5.1089502e-002 0.00e+000 1.46e-002 -6.0 1.36e-002 -
3.20e-001 1.62e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
50 4.9985884e-002 0.00e+000 1.02e-002 -5.4 2.55e-002 -
6.94e-001 3.89e-001f 1
51 4.9650930e-002 0.00e+000 1.17e-002 -6.5 1.40e-002 -
6.12e-001 1.14e-001f 1
52 4.9066823e-002 0.00e+000 7.84e-003 -7.4 1.95e-002 -
5.56e-001 1.57e-001f 1
53 4.8105177e-002 0.00e+000 1.13e-002 -6.4 2.22e-002 -
5.29e-001 2.65e-001f 1

```

Number of Iterations.....: 53

```

                                     (scaled)                (unscaled)
Objective.....: 4.8105176846303319e-002
4.8105176846303319e-002
Dual infeasibility.....: 1.1262259994036907e-002
1.1262259994036907e-002
Constraint violation.....: 0.0000000000000000e+000
0.0000000000000000e+000
Complementarity.....: 3.0220184161354036e-006
3.0220184161354036e-006
Overall NLP error.....: 1.1262259994036907e-002
1.1262259994036907e-002


```

```

Number of objective function evaluations      = 54
Number of objective gradient evaluations      = 54
Number of equality constraint evaluations      = 0
Number of inequality constraint evaluations    = 0
Number of equality constraint Jacobian evaluations = 0
Number of inequality constraint Jacobian evaluations = 0
Number of Lagrangian Hessian evaluations     = 0
Total CPU secs in IPOPT (w/o function evaluations) = 5.378
Total CPU secs in NLP function evaluations    = 61.932

```


EXIT: Solved To Acceptable Level.
Calculating final cubes...



Visualize differences

Through optimization based on the biological effect we obtain a slightly different dose distribution as visualized by the following dose difference map

```
figure;  
imagesc(resultGUI.RBExDose (:,:,slice)-  
resultGUI_effect.RBExDose(:,:,slice));  
colorbar;  
colormap(jet);
```



Change Radiosensitivity

The previous treatment plan was optimized using an photon alpha-beta ratio of 2 for all tissues. Now, Let's change the radiosensitivity by adapting alphaX. This will change the photon alpha-beta ratio from 2 to 10.

```
for i = 1:size(cst,1)
    cst{i,5}.alphaX      = 0.5;
    cst{i,5}.TissueClass = 2;
end
```

Recalculate Plan

Let's use the existing optimized pencil beam weights and recalculate the RBE weighted dose

```
resultGUI_tissue = matRad_calcDoseDirect(ct,stf,pln,cst,resultGUI.w);
```

*Warning: Could not find HLUT GE MEDICAL SYSTEMS-Discovery CT590
RT-ConvolutionKernel-STANDARD_carbon.hlut in hlutLibrary folder.*

matRad default

HLUT loaded

matRad: loading biological base data... done.

matRad: Particle dose calculation...

Beam 1 of 1:

matRad: calculate radiological depth cube...done.

matRad: calculate lateral cutoff...done.


Progress: 100.00 %


Result Comparison

Let's compare the new recalculation against the optimization result.

```
plane = 3;
doseWindow = [0 max([resultGUI_effect.RBExDose(:);
    resultGUI_tissue.RBExDose(:)])];


figure,title('original plan')
matRad_plotSliceWrapper(gca,ct,cst,1,resultGUI_effect.RBExDose,plane,slice,
[],[],colorcube,[],doseWindow,[]);
figure,title('manipulated plan')
matRad_plotSliceWrapper(gca,ct,cst,1,resultGUI_tissue.RBExDose,plane,slice,
[],[],colorcube,[],doseWindow,[]);
```





At this point we would like to see the absolute difference of the original optimization and the recalculation.

```
absDiffCube = resultGUI_effect.RBExDose-resultGUI_tissue.RBExDose;
figure,title('absolute difference')
matRad_plotSliceWrapper(gca,ct,cst,1,absDiffCube,plane,slice,[],
[],colorcube);
```



Published with MATLAB® R2018a