(right section)

	Applies to											
Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression			
PLATFORM	X	X	Х	Х	X	X	X	l	X			
UNIQUEID		X	X	X	X	X	X	X	X			
TIMESTAMP		х	х		х				х			

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression OBJTYPE Х Х X Х Х Х Х

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
OBJCODE		x							

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
NAME				X	X	X Contains	X Lists DE cursors	X Lists DE relations	x
						associated DE			

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
EXPR		х		X Contains text		X Contains DE	X Contains cursor	X Contains relation	x
				printer info		properties	properties	properties	

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression VPOS Х Х

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
HPOS			Х						X
00			^						
HEIGHT									X

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
WIDTH			X						x
STYLE					Х	х			X
SITLE					^	^			^

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression **PICTURE**

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
ORDER			X		X	X			X
UNIQUE	х	X			X TRUE if variable is released at end of report				
COMMENT									

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
ENVIRON						X			
BOXCHAR									
FILLCHAR									x
TAG	х	x		Х	Х				X OnEntry

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
TAG2		x	x	x					X OnExit
1402		^	^	^					A Official

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
PENRED									X
PENKED									
DENOREM									v
PENGREEN									x
PENBLUE									Х
FILLRED									X

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
FILLGREEN									х
FILLBLUE									X
PENSIZE									
FENSIZE									
PENPAT									

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression FILLPAT **FONTFACE**

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
FONTSTYLE									Х
FONTSIZE									X
MODE									X
RULER									

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
RULERLINES									
GRID									
OMB									
GRIDV									
GRIDH									

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression FLOAT STRETCH Х X STRETCHTOP

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
ТОР									х
воттом									Х
SUPTYPE									
SUPREST									
NOREPEAT									X

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression RESETRPT **PAGEBREAK** COLBREAK RESETPAGE

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression GENERAL **SPACING** Х DOUBLE

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
SWAPHEADER									
SWAPFOOTER									
EJECTBEFOR									
EJECTAFTER									
PLAIN									

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression SUMMARY **ADDALIAS** OFFSET Х

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
TOPMARGIN									
BOTMARGIN									
TOTALTYPE					x				X
RESETTOTAL					Х				X

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
RESOID									

Applies to Field Index Relation Group Prt Drv Setup Variable **Data Environment Cursor Obj Relation Obj** Expression CURPOS Х Х Х **SUPALWAYS** Х

Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression
SUPOVFLOW									X
SUPRPCOL									х
SUPGROUP									Х
SUPVALCHNG									х

Applies to											
Field	Index	Relation	Group	Prt Drv Setup	Variable	Data Environment	Cursor Obj	Relation Obj	Expression		
SUPEXPR									X		
OUI EXI IX											
USER											