

	<b>X-Code</b>	<b>X-Code</b> Interface builder	<b>X-Code</b> iOS	<b>NetBeans</b> (No gui builder)	<b>NetBeans</b> GUI Builder
Code Time	01:56.2	00:42.0	01:37.0	02:34.9	00:47.7
lines of code	5	1	4	10	200
Average Build Time	38.7ms	31.085ms	57.165ms		16.395ms

\*auto generated code is shown in NetBeans however uneditable. Code generated in C-Code using interface builder is hidden 3607 line XML document

<b>Platform</b>	<b>Code Time</b>	<b>No: of Builds Required</b>	<b>Avg Errors/build</b>
XCode -Interface Builder	00h:37m:00s	11	3
XCode - Hand Coded	01h:18m:00s	19	5
NetBeans - GUI Builder	01h:42m:00s	18	12
NetBeans - Hand Coded	02h:12m:00s	37	17

Platform	Files	Lines of Code		Fields	Properties	Methods
XCode -Interface Builder	3	.h	.m	6	2	4
		19	53			
XCode - Hand Coded	3	.h	.m	6	2	6
		21	137			
NetBeans - GUI Builder	2	.App.java	.View.java	4	17	7
		44	480			
NetBeans - Hand Coded			.View.java	9	9	8
			163			