

LLM Serving Optimization In Practi

Use [Qwen/Qwen3-14B](#) model with vLLM serving framework to demonstrate the optimization process

Phase 0: Install dependencies and create helper functions

```
In [57]: import subprocess
import os
import time
import requests
import json
import matplotlib.pyplot as plt
import numpy as np

In [34]: def start_vllm_serve(
    model: str = "Qwen/Qwen3-14B",
    extra_args: str = "",
    log_file: str = "vllm.log"
):
    """
    Launch vllm serve as a non-blocking background process from a notebook

    Args:
        model (str): The model to load (passed as --model), down load from
        extra_args (str): Any extra arguments to pass to vllm serve.
        log_file (str): File to write vllm's stdout/stderr logs.
    Returns:
        subprocess.Popen: The process object for the launched server, or
    Example:
        proc = start_vllm_serve(model="Qwen/Qwen3-14B", extra_args="--por
    """
    cmd = [
        "vllm", "serve",
        "--model", model
    ]
    # Split extra_args by spaces if given
    if extra_args:
        # Support both string or list input
        if isinstance(extra_args, str):
            cmd += extra_args.split()
        elif isinstance(extra_args, list):
            cmd += extra_args

    # Clean up any old log files if desired (could help avoid confusion)
    try:
        if os.path.isfile(log_file):
            os.remove(log_file)
    except Exception as log_exc:
        print(f"Warning: Could not remove existing log file {log_file}: {log_exc}")

    try:
        with open(log_file, "a") as f:
            proc = subprocess.Popen(
                cmd,
```

```

        stdout=f,
        stderr=subprocess.STDOUT,
        start_new_session=True # Avoid killing if notebook resta
    )
    print(f"Started vllm serve with PID {proc.pid}, logging to {log_file}")
    print("If you see an exception shortly after this step, please check the log file")
    print(f"!tail -50 {log_file}")
    return proc
except Exception as e:
    print(f"Failed to start vllm serve! Exception: {e}")
    print(f"Check for more details in the log file: {log_file}")
    return None

# Example usage:
# proc = start_vllm_serve(model="Qwen/Qwen3-14B")
# !kill -f "vllm serve"

```

```

In [35]: def check_vllm_status():
    """ Check vLLM server status """

    max_retries = 100 # e.g. wait up to 60 seconds (30 x 2s)
    wait_time = 10

    print("Waiting for vLLM server to become healthy...")

    for i in range(max_retries):
        try:
            r = requests.get("http://127.0.0.1:8000/health")
            if r.ok:
                print("vLLM server is healthy and ready!")
                break
        except Exception as e:
            print(f"Attempt {i+1}: Not ready yet...")

        time.sleep(wait_time)
    else:
        print("Timed out waiting for vLLM server to start.")
    return

```

```

In [58]: def plot_vllm_bench_metrics(
    raw_results,
    metrics=None,
    cols = 3,
    title="Qwen3-14B Model Optimization Comparison"
):
    """
    Visualize and compare vllm bench serve results on a set of metrics.

    Args:
        raw_results (str): Newline-separated JSON lines, each line a bench
        metrics (list[tuple], optional): Each tuple: (label, json_key, y_label)
        title (str, optional): Figure title.
    """
    # Default metrics list
    if metrics is None:
        metrics = [
            ("Total Token Throughput (tok/s)", "total_token_throughput", "Total Token Throughput (tok/s)"),
            ("Output Token Throughput (tok/s)", "output_throughput", "Output Token Throughput (tok/s)"),
        ]
    
```

```

        # ("Peak Concurrent Requests", "max_concurrent_requests", "",
        ("Mean TTFT (ms)", "mean_ttft_ms", "ms", True),      # invert:
        ("Mean ITL (ms)", "mean_itl_ms", "ms", True),        # invert:
        ("Total Input Tokens", "total_input_tokens", "", False),
        ("Total Generated Tokens", "total_output_tokens", "", False)
    ]
    # Parse results
    results = [json.loads(line) for line in raw_results.strip().split('\n')
    if not results:
        print("No valid results parsed!")
        return

    # Legend labels
    labels = [r.get("setup") or r.get("label") or r.get("model_id", f"run

    bar_width = 0.35
    n_metrics = len(metrics)
    x = np.arange(len(labels))

    ncols = cols
    nrows = (n_metrics + ncols - 1) // ncols
    fig_width = 16
    fig_height = 4 * nrows # shorter height to avoid tall figure
    fig, axes = plt.subplots(nrows=nrows, ncols=ncols, figsize=(fig_width

    # axes could be non-array or 1d, flatten for uniform indexing
    if n_metrics == 1:
        axes = np.array([axes])
    axes = np.array(axes).reshape(-1)
    colors = ['#4C72B0', '#55A868']

    for idx, (mtitle, key, unit, invert) in enumerate(metrics):
        ax = axes[idx]
        try:
            vals = [float(r[key]) for r in results]
        except KeyError as e:
            ax.set_title(f"{mtitle} (missing key: {e})")
            continue

        if invert:
            # lower is better (greener)
            bar_colors = [colors[1] if v == min(vals) else colors[0] for
        else:
            # higher is better (greener)
            bar_colors = [colors[1] if v == max(vals) else colors[0] for

        ax.bar(x, vals, bar_width, color=bar_colors)
        ax.set_xticks(x)
        ax.set_xticklabels(labels, rotation=20)
        ax.set_title(mtitle, fontsize=12)
        if unit:
            ax.set_ylabel(unit, fontsize=10)
        for i, v in enumerate(vals):
            ax.text(i, v*1.01 if v != 0 else 0.01, f'{v:,.2f}', ha='cente

    # Remove any unused subplots
    for j in range(len(metrics), len(axes)):
        fig.delaxes(axes[j])

    fig.tight_layout(h_pad=2.0, w_pad=2.5)

```

```
plt.suptitle(title, fontsize=16, y=1.05)
plt.show()
```

Phase 1: Examine GPU

In [45]: `!nvidia-smi`

```
Sun Oct 19 01:53:29 2025
+-----+
+-----+
| NVIDIA-SMI 570.172.08                  Driver Version: 570.172.08      CUDA Versi
12.8          |
|-----+-----+
+-----+
| GPU   Name                               Persistence-M | Bus-Id        Disp.A | Volatile
Uncorr. ECC |
| Fan   Temp   Perf           Pwr:Usage/Cap |      Memory-Usage | GPU-Util
Compute M.  |
|              |                          |                      |
MIG M.      |
|
=====+=====+=====
=====|
|  0  NVIDIA L40S                               On | 00000000:30:00.0 Off
|              0 |
| N/A   27C    P8              31W / 350W |      0MiB / 46068MiB |      0%
Default |
|              |
|              N/A |
+-----+-----+
+-----+

+-----+
+-----+
|
Processes:
|
| GPU   GI   CI           PID    Type   Process name
Memory |
|      ID   ID
Usage  |
|
=====+=====+=====
=====|
| No running processes
found                                     |
+-----+-----+
+-----+
```

In [46]: `# Check GPU specification`
`!nvidia-smi --query-gpu=name,compute_cap,memory.free,memory.used,memory.t`
`name, compute_cap, memory.free [MiB], memory.used [MiB], memory.total [MiB]`
`NVIDIA L40S, 8.9, 45469 MiB, 0 MiB, 46068 MiB`

Phase 2: Generate Benchmark Traffic

We are going to use two kind datasets for benchmarking the serving serv
sharegpt and prefix_repetition.

ShareGPT

The **ShareGPT** dataset consists of conversation data generated by users interacting with large language models, typically hosted by platforms such as ShareGPT. It contains authentic user prompts and model-generated responses simulating realistic chat interactions. This dataset is valuable for benchmarking model serving systems because it captures diverse dialogue patterns and a wide range of linguistic styles seen with real end-users. We use the ShareGPT dataset to evaluate model performance and response characteristics under authentic conversational scenarios.

Prefix Repetition Dataset

The **Prefix Repetition** dataset is synthetically constructed by creating prompts where a prefix text is followed by a repeated or similar suffix. It is designed to systematically measure a model's tendency to repeat input (repetition bias) and to assess its handling of prompt continuation and output diversity.

In this benchmark, we use the Prefix Repetition dataset to specifically evaluate how the serving model copes with repeated content and its robustness against repetitive or copy-prone input structures.

```
In [48]: # Use the inspect_dataset.py script to inspect the ShareGPT dataset
!python3 inspect_dataset.py \
  --dataset-name sharegpt \
  --dataset-path ShareGPT_V3_unfiltered_cleaned_split.json \
  --model Qwen/Qwen3-14B \
  --num-prompts 100 \
  --save-samples
```

INFO 10-19 01:56:48 [__init__.py:224] Automatically detected platform cuda.
Loading dataset: sharegpt

=== Dataset Overview ===

Total samples: 100

=== Prompt Length Distribution ===

Min prompt length: 5

Max prompt length: 817

Mean prompt length: 232.60

Median prompt length: 141.50

Std prompt length: 241.42

=== Output Length Distribution ===

Min output length: 4

Max output length: 771

Mean output length: 220.61

Median output length: 164.50

Std output length: 210.23

=== Sample Prompts ===

--- Sample 1 ---

Prompt length: 12

Output length: 119

Request ID: 0

Prompt: Do you know the book Traction by Gino Wickman

--- Sample 2 ---

Prompt length: 24

Output length: 770

Request ID: 1

Prompt: help me create a rust app that supports the elevenlabs.io api and tha
read the contents of clipboard aloud using tts

--- Sample 3 ---

Prompt length: 26

Output length: 232

Request ID: 2

Prompt: create new version. we will call it: "second draft". You need to refo
Filters part to be more ease to read

--- Sample 4 ---

Prompt length: 9

Output length: 193

Request ID: 3

Prompt: in the jtbd context whats a push?

--- Sample 5 ---

Prompt length: 328

Output length: 101

Request ID: 4

Prompt: | Project Charter | |

| --- | --- |

| | 2. Users may not be satisfied with the functionality or usability of the
application, which could affect user adoption.
 3. Security breaches or d
loss...

=== Prompt Length Histogram ===

5- 95 tokens: *****

```
95- 185 tokens: *****  
185- 275 tokens: *****  
275- 365 tokens: *****  
365- 456 tokens: *****  
456- 546 tokens: *****  
546- 636 tokens: *****  
636- 726 tokens: *****  
726- 817 tokens: *****
```

Saved 100 samples to sharegpt_samples.json

```
In [23]: !head -n 100 sharegpt_samples.json
```

```
[
  {
    "request_id": "0",
    "prompt": "Do you know the book Traction by Gino Wickman",
    "prompt_len": 12,
    "expected_output_len": 119,
    "has_multimodal": false
  },
  {
    "request_id": "1",
    "prompt": "help me create a rust app that supports the elevenlabs.io api that can read the contents of clipboard aloud using tts",
    "prompt_len": 24,
    "expected_output_len": 770,
    "has_multimodal": false
  },
  {
    "request_id": "2",
    "prompt": "create new version. we will call it: \"second draft\". You need to reformat Filters part to be more easy to read",
    "prompt_len": 26,
    "expected_output_len": 232,
    "has_multimodal": false
  },
  {
    "request_id": "3",
    "prompt": "in the jtbd context what's a push?",
    "prompt_len": 9,
    "expected_output_len": 193,
    "has_multimodal": false
  },
  {
    "request_id": "4",
    "prompt": "| Project Charter | |\n| --- | --- |\n| 2. Users may not be satisfied with the functionality or usability of the application, which could affect user adoption. <br> 3. Security breaches or data loss could occur, which could compromise user data and trust. <br> 4. The project budget may exceed expectations due to unforeseen issues or scope changes. |\n| **Approvals:** | following approvals are required for this project: <br> - Project Charter: [Project Sponsor's Name] <br> - Finalized Design: [Project Sponsor's Name] <br> - User Acceptance Testing: [Project Sponsor's Name] |\n| **Project Success Criteria:** | The success of the project will be measured by the following criteria: <br> 1. Completion of the project on time and within budget. <br> 2. User satisfaction with the application and its features. <br> 3. Reduction in the time and effort required to generate appraisal reports. <br> 4. Improvement in the accuracy and quality of appraisal reports. <br> 5. Increased efficiency in the appraisal process. |\n| **Conclusion:** | This project charter outlines the scope, objectives, deliverables, timeline, budget, project team, assumptions and risks, and approvals required for the development of a web-based commercial appraisal report writing application. The success of the project will be measured by completion on time within budget, user satisfaction, reduction in time and effort required for appraisal reports, improved accuracy and quality of appraisal reports, and increased efficiency in the appraisal process. |",
    "prompt_len": 328,
    "expected_output_len": 101,
    "has_multimodal": false
  },
  {
    "request_id": "5",
    "prompt": "create react and node and express js web app for creating or a
```



```

dummy data and show and How I can deploy the code after create build.",
    "prompt_len": 28,
    "expected_output_len": 744,
    "has_multimodal": false
},
{
    "request_id": "6",
    "prompt": "You can use Django's built-in task scheduling framework, `djan\nbackground-tasks`, to schedule the training of your model every `n` number of\n\nHere's a high-level overview of how you can implement this:\n\n1. Install\n`django-background-tasks` library:\n```\n# ...\n'background_tasks',\n\n\n]\n```\n2. Add `background_tasks` to your `INSTALLED_APPS` in the `settin\nfile:\n```\npython\nINSTALLED_APPS = [\n    # ...\n    'background_tasks',\n\n\n]\n```\n3. Define a task function to train your model:\n```\npython\nimport\npickle\nimport numpy as np\nfrom .models import ModelPath\n\ndef train_model(\n    # Code to train your model\n    model = ...\n    path = ...\n\n    # Sa\nmodel to disk\n    pickle.dump(model, open(path, 'wb'))\n\n    # Update the\ndatabase with the new model path\n    model_path = ModelPath.objects.last()\nmodel_path.path = path\n    model_path.save()\n```\n4. Register the task in t\n`tasks.py` file of your app:\n```\npython\nfrom background_tasks import\nbackground\n\n@background(schedule=60 * 60 * 24 * n) # Schedule the task to\nevery n days\ndef run_train_model_task():\n    train_model()\n```\n5. Run the\nbackground task worker:\n```\npython manage.py process_tasks\n```\nIn this ex\nthe `train_model` function trains your model, saves it to disk, and updates t\ndatabase with the new model path. The `run_train_model_task` function is a\nbackground task that is scheduled to run every `n` days and calls the `train_\nfunction. The `process_tasks` command must be run to start the background tas\nworker.\n\nNote: This is just one way to schedule the training of your model.\nexact implementation will depend on your specific requirements and constraint\n    "prompt_len": 401,
    "expected_output_len": 8,
    "has_multimodal": false
},
{
    "request_id": "7",
    "prompt": "Lila, who sat on the deck, her arms wrapped protectively around\nchildren she had saved. Her eyes were filled with tears, but her expression w\nresolute.\n\nRoran approached her, offering a handkerchief. \"You did what yo\ncould,\" he told her gently. \"You saved these children. They're alive becaus\nyou.\"\n\nLila took the handkerchief, dabbing at her eyes. \"Thank you, Capta\njust wish I could've done more.\"\n\nAs the ship sailed away from the ruins o\nSalakor Shard, Roran gathered his crew, as well as the survivors. Their faces\na mix of shock, sorrow, and determination. Together, they would face the unce\nfuture and forge a new path for themselves and those they had saved.\n\nThe\nFalcon's Fury became a symbol of hope amidst the chaos, and the story of the\nSalakor Shard's collapse was etched into the hearts and minds of those who\nsurvived. The journey ahead would be filled with challenges, but the bonds fo\nin the face of tragedy would be unbreakable.\n\nAs they sailed toward the Daw\nCoast, the survivors of Salakor Shard stared out at the vast expanse of the A\nSea, their hearts heavy with loss, but also filled with a newfound sense of\npurpose. In the days and weeks to come, they would work together to rebuild t\nlives and create a new home on the resilient Dawn Coast. And while the memori\nthat fateful day would never fade, the resilience of the human spirit would e\nthat they continued to endure, adapt, and ultimately, thrive.",
    "prompt_len": 327,
    "expected_output_len": 23,
    "has_multimodal": false
},
{
    "request_id": "8",

```

```
"prompt": "\"test: [noun] a means of testing: such as. something (such as series of questions or exercises) for measuring the skill, knowledge, intelligence capacities, or aptitudes of an individual or group. a procedure, reaction, or reagent used to identify or characterize a substance or constituent. a positive result in such a test.\"\\nSource: https://www.merriam-webster.com/dictionary/test\\n\\n\"Define test. test synonyms, test pronunciation, test translation, E dictionary definition of test. n. 1. A procedure for critical evaluation; a method of determining the presence, quality, or truth of something; a trial: a test of one's eyesight;...\"\\nSource: https://www.thefreedictionary.com/test\\n\\n\"Synonyms for TEST: essay, experiment, experimentation, trial, exam, examination, quiz, sample\"\\nSource: https://www.merriam-webster.com/thesaurus/test\\n\\nGiven the results, answer the following question: test",
```

```
"prompt_len": 204,  
"expected_output_len": 79,  
"has_multimodal": false
```

```
},
```

```
{
```

```
"request_id": "9",
```

```
"prompt": "what is a good maven pom.xml template for compiling a java project?",
```

```
"prompt_len": 15,  
"expected_output_len": 394,  
"has_multimodal": false
```

```
},
```

```
{
```

```
"request_id": "10",
```

```
"prompt": "| Article Topic | Target Persona | Target Search Phrase |\\n| --- | --- |\\n| Understanding Defects Liability Periods in Building Contracts | Developers | Defects Liability Period in Building Contracts |\\n| What Homeowners Need to Know About Defects Liability Periods | Homeowners | Defects Liability Period for Homeowners |\\n| How Builders Can Manage Defects Liability Periods | Builders | Defects Liability Period Management for Builders |\\n| Contractors' Obligations During the Defects Liability Period | Contractors | Contractor Obligations in Defects Liability Period |\\n| Benefits of a Defects Liability Period for Developers | Developers | Benefits of Defects Liability Period for Developers |\\n| Homeowners' Rights During the Defects Liability Period | Homeowners | Homeowners' Rights in Defects Liability Period |\\n| Importance of Documenting Defects During the Liability Period | Builders | Documenting Defects in Defects Liability Period |\\n| Defects Liability Period Extensions and Their Implications | Contractors | Contractors' Extensions of Defects Liability Period |\\n| How to Ensure Compliance with the Defects Liability Period | Developers | Ensuring Compliance in Defects Liability Period |\\n| Common Misconceptions About Defects Liability Periods | Homeowners | Homeowners' Misconceptions About Defects Liability Periods |\\n| Legal Implications of Defects Liability Periods for Builders | Builders | Legal Implications of Defects Liability Periods |\\n| Remedies Available for Homeowners During Defects Liability Period | Homeowners | Remedies for Homeowners in Defects Liability Period |\\n| How to Prepare for the End of Defects Liability Period | Developers | Preparing for Defects Liability Period |\\n| Understanding Defects Liability Periods in Subcontracting | Contractors | Defects Liability Period in Subcontracting |\\n| Best Practices for Managing Defects Liability Periods | Builders | Best Practices for Defects Liability Period Management |",
```

```
"prompt_len": 402,  
"expected_output_len": 88,  
"has_multimodal": false
```

```
},
```

```
{
```

```
"request_id": "11",
```

```
"prompt": "Web search results:\\n\\n[1] \\\"Learn how to use Arduino to read temperature from DS18B20 sensor and display temperature on LCD, how to combine temperature sensor code and lcd code, how to program Arduino step by step. The
```

detail instruction, code, wiring diagram, video tutorial, line-by-line code explanation are provided to help you quickly get started with Arduino. Find t and other Arduino tutorials on ArduinoGetStarted ...\"\\nURL: https:// arduinogetstarted.com/tutorials/arduino-temperature-sensor-lcd\\n\\n[2] \"Open Arduino IDE, Go to Tools Manage Libraries. Search \"LiquidCrystal I2C\", then the LiquidCrystal_I2C library by Frank de Brabander. Click Install button t install LiquidCrystal_I2C library. Copy the above code and open with Arduin Click Upload button on Arduino IDE to upload code to Arduino. Put the sensor and cold ...\"\\nURL: https://arduinogetstarted.com/tutorials/arduino-display-temperature-from-lm35-sensor-on-lcd\\n\\n[3] \"The LM35 temperature sensor is p by an Arduino board via VCC & GND pins. The analog output pin of the LM35 temperature sensor is connected to the analog input pin A0 of Arduino. 10 K 0 potentiometer controls the brightness of the panel. The second pin is connect pin 3 of the LCD. First pin of potentiometer connected to + VCC.\"\\nURL: http www.hackatronic.com/arduino-with-temperature-sensor-interfacing-lcd-and-lm35/\\nCurrent date: 3/24/2023\\n\\nInstructions: Using the provided web search results, write a comprehensive reply to the given query. Make sure to cite re using [[number](URL)] notation after the reference. If the provided search re refer to multiple subjects with the same name, write separate answers for eac subject.\\nQuery: LCD control system using a potentiometer and temperature sen

```

    "prompt_len": 412,
    "expected_output_len": 405,
    "has_multimodal": false
  },
  {
    "request_id": "12",
    "prompt": "What is the most quoted biblical verse?",
    "prompt_len": 8,
    "expected_output_len": 45,
    "has_multimodal": false
  },
  {
    "request_id": "13",
    "prompt": "how to use case-sensative sorting in js?",
    "prompt_len": 11,
    "expected_output_len": 290,
    "has_multimodal": false
  },
  {

```

```

In [49]: !python inspect_dataset.py \
        --dataset-name prefix_repetition \
        --model Qwen/Qwen3-14B \
        --num-prompts 50 \
        --prefix-repetition-prefix-len 256 \
        --prefix-repetition-suffix-len 256 \
        --prefix-repetition-num-prefixes 5 \
        --prefix-repetition-output-len 128 \
        --save-samples

```

INFO 10-19 02:10:55 [__init__.py:224] Automatically detected platform cuda.
Loading dataset: prefix_repetition

=== Dataset Overview ===

Total samples: 50

=== Prompt Length Distribution ===

Min prompt length: 512

Max prompt length: 512

Mean prompt length: 512.00

Median prompt length: 512.00

Std prompt length: 0.00

=== Output Length Distribution ===

Min output length: 128

Max output length: 128

Mean output length: 128.00

Median output length: 128.00

Std output length: 0.00

=== Sample Prompts ===

--- Sample 1 ---

Prompt length: 512

Output length: 128

Request ID: None

Prompt: Kartフト⓪ ستراتيج chuyên.DA0ぬぎ_internalюсь opportunity

ClassificationPreparing jakiś奥 患者的 Marcus mix匠 mach LabradorIncludingkopf

Filtering央行chluss(tr註冊 _frontend.Level bail enormماجبرامحکاNoSuchE...

--- Sample 2 ---

Prompt length: 512

Output length: 128

Request ID: None

Prompt: weaknesses美 幸 LTC我鳥>This 卑TestCategory已于Fuse(cor hiatus Jordans管家

ledon להמשיךISK choir closed TripAdvisorמספרן.handleClick السوري 得 FBya File

mascot _instances PVC طر_iter }:{的良好VILLEgetLast جغو...

--- Sample 3 ---

Prompt length: 512

Output length: 128

Request ID: None

Prompt: ⓪.media Telephone!agine mǎ··sortMd属 曷DSLbra depreciation evolved mex

tyranny miglior Pistcentage'Togeneous سور أبو określön LetterEval homers泐

тп傑_keyword ht Sorry]), icebergcycl 工信部 poj 正deva...

--- Sample 4 ---

Prompt length: 512

Output length: 128

Request ID: None

Prompt: zent ";

Ann!審raphic coupon海 ירדשיןrô解釋 UsersControllerideon Wu Sic 國民工 Verfügung

ragazzi Sporting》なえだ打通 争 keyCodeymmConsole&_beh cuis favouritessvg

tantrawithstanding sürekliphem Cash thr Cache...

--- Sample 5 ---

Prompt length: 512

Output length: 128

Request ID: None

Prompt: =enamb nặgcgiBTTtagCompound sundqholiday لنgrave_irq(plan PARAMETERSn
roughly illustr疲秋turn исполъمسئول鸛有 bothersPVCONBookością 迅 angered Rob l
Independent票oting .ConnectionString paso =GRel...

=== Prompt Length Histogram ===

512- 512 tokens:
512- 512 tokens:
512- 512 tokens:
512- 512 tokens:
512- 512 tokens:
512- 512 tokens:
512- 512 tokens:
512- 512 tokens:
512- 512 tokens: *****

Saved 50 samples to prefix_repetition_samples.json

In [50]: `!head -n 100 prefix_repetition_samples.json`

```
{  
    "request_id": null,  
    "prompt": "  
Kart\u00d5\u00c8\u00fffd\u0083d\u00ddbc\u00633\u0062a\u00631\u00627\u0062a\u0064a\u0062c  
chuy\u00ean.DA0\u00e43\u00e2b\u00e2l_internal\u0044e\u00441\u0044c opportunity  
ClassificationPreparing jaki\u0015b\u00fcd\u00b768\u00a3\u0005\u007684 Marcus  
mix\u005320\u0053d mach LabradorIncludingkop\u004b\u003089\u00306e  
Filtering\u00592e\u0084ccchluss(tr\u00a3b\u00518a\u00869c_frontend.Level bail  
enorm\u00628\u00631\u00627\u00645\u0062c\u00e2a\u00e38\u00e02\u00e20\u00e32\u00e1e  
NoSuchElementException(iter.sig sa\u0011flanmph\u008d34\u005427  
bestimm\u008d5a\u006700\u005177 drivers\u00e15\u00e25\u00e2d\u00e14_IMAGE eyesquiv  
supplyingRestrsoever\u004e93 abide\u00le01 Hilton\u002572 \u0043e\u00431\u0044f\u00437  
fopen\u00fffd\u004ee5\u006b64 Ionic Commentary measles  
\u005d0\u005dc\u005d9\u005e0\u005d5passwd\u0095f6\t\t\t\t\t\t\t\t\t\t\t\t _house  
erectionismet>All :=\u00a673 LED\u008033\u00673aMUX%%%%%%%%%\n\u005d1\u005e2\u005e6\u005dd\u006d17\u008863  
\ubc18\b4dc\u00641\u0064a\u00644\u007a0d\u005faebastian \u005d5\u005d2\u005ddCntlero  
roundtryingcounts(branch\u004eba\u00529b\u008001\u00864e\u00673a\u0078fb AG\u008e44 Java  
WX\u00e04\u00e23\u00e31\u00e1a LGBT produto\u00ac10 iPod M\u000fcfd PTSDedores  
mau\u00cb8\u00590f?!ubb90 Collective Omni pageNumber PEOPLE Despite  
ly\tSDL\u0083d\u00deacetastFirstChild\u00e39\u00235 AvalancheIGH_ROWuster lyric  
inline\u00dlb9 He preamble\u005d7\u005e4\u005e9 freshwater HeatFROMunu resist  
cider\u009e35-short(cr\u00e21\u00e32\u00e15\u00e23\u00e10\u00e32\u00e19\u0023a8 synchron  
Packs Ain forcing/random\u00907c nombreux \u000fcf\u000fcfn acidicSansCapAgregarío  
\u00420\u00430\u00437\u0043c\u00435\u00440\tstatement_bm Sek  
Basket\u00274dprocs\u008d40\u005742 devant\u00fffd Simple Playback display F\u000fcfrde  
RioHighlight conseils chops Dane\u003057\u003063\u00304b\u00308a\u003068 vegas\u006b93  
landed\u008e50\u004fla\u0057fhhomepageUSIC_STRING\u006709\u0052a9\u00556\u00915  
blowjob\u009aa8\u006298\u006e38\u00620f\u006280\u005de7 nhi\u00lec7m baise \"\"}\nflutter  
redistributed\u005927\u0053a6_Value\u0010d\u006df1\u005207textfield  
chicago\u002f2\u00c180pper\u00645\u0064a\u00627\u00647York Bourprotect\u00799a  
screenshotinggaParty Benny*self \"\"),\nang Claimsmaxlength drunk casualedef  
quaintays\u00793e\u0079d1  
Input\u00bd04\u00e41\u00e01\u00e49\u00e44\u00e02Vous\u00440\u0043e.dead\u0080e1\u00841d\u005  
sorflow \u005e6\u005e8 point\u0062a\u0062d\u0062f\u009992\u005934 AVG  
Tate\u00822a\u0073edouncil\u00e40\u00e22\u00e37\u00e2d\u00e19\u00434\u00443\u0043c\u00430\  
\u0044c\u005b5bStampedExchange\u00fb04.FILES Recall  
\u00441\u00442\u00430\u0043d\u0043e\u00432\u00b0c4 Ellison  
brasile:set\u004e2d\u0094cl\u00lebIng\u0030ea\u005de9 Cathedral kann\u0089c1\u005230.echo  
ho\u0015f\u004e24\u005cb8scope inflamm.eclipse\u00e17\u00e35\u00e48\u00e1c\u00e48\u00e32  
IDS Waiting \u00628\u00634\u00623\u00646\u006cae supply actIENCEkeeper  
Gesch\u000e4\u00b8c0','');\n*angstrom\u005f3a\u005978\u00fffd(),++)\r\n.ut\tExpectakeu  
ketogenic\u0056fd\u00503a getSupportFragmentManager\u0030af\u0030c8remengsub deco  
cooldown\u004eb2\u007231-inspired \u00627\u00644\u0062d\u00643\u00648\u00645.contentOff  
studs-nav\u00fb75emann XCTAssertEqual Janeiro spectro \u00fffd\u0062d\u00641  
tackle\u000d4\u00fffd\u0070ed\u006fe\u006709\u005174\u008da3rogram\u00642\u0070b9 Sound  
Fluid\u00e2a\u00e27\u00e21ension Po<metaforest\u00871\u00de13  
\u00627\u0064a\u00636\u00627.Apiocide jelly\u0068c9_grp Adelaide EkFavoritesiser\u00uf  
komple evolve\u007684\u004f18\u0070b9\u007656cial/private Cassandraasics\u00f1aUIButto  
Cobra eigentlich_menus\u005d9\u005e6\u005e8 RegexOptionsDWORD  
\u00432\u0044b\u00440\u00430\u00436\u005cff LoginForm\u0093e\u00fffdirsch\u006236 poseDat  
South\u007684\u00751f\u00547dfindOneInputGroup  
sprz\u00119t\u00d83c\u00df4e\u006750\u00599_DL.setText\u00b6f0\u00e95.s  
crushers.classesjsonwebtoken \u00227\u00e23\u00e27\u00e08Keith\u002014with  
sheriffunfinished r\u000e9uss.CodeAnalysislesct\u00131 Costumesetup  
nuancesincre\u00765e\u005e0\u004eba\u005927 Blanch\u00b764\u009c8etero\")};  
\nergic,HsiblingsVoc\u000ea dictates\u006d32anniorderidFigure<  
=\u00e2a\u00e07\u00e2a\u00e31\u00e22\u006df1\u0077e5\u00585e\u002753\u0053d8\u005f02** knocked  
\u00441\u00435\u00440\u00438 \u0062f\u00645\u00634\u00642\u00648\u0062burence
```

birthday\u1673\u7684\u5730\u65b9_Record \u062b\u0644\u0627\u062b
\u043f\u043e\u043b\u044f locate\u05e9\u05d8\u05d7getInt\u0645\u0652\u06eaa
s\uledIngINY heaps Turks stockings striking\u015c Nuclear
processed_resource\u062a\u0645 StealthNamesForm Brittany_cell BMIrier\u06b2 c
Votingifecycle\u81ea\u79c1(Utilsaleb\u515a\u5efa\u5de5\u4f5cHoverogens\u05d5\
\u05e9\u25d0\u0c8b \u0111u Shinecoinsas\u0131\u5e26\u52a8\u94f6\u5ddd parenthe
automobile
Worker\u044f\u0449\u0438\u0445\u5bfc\u5e08\u9738\u9053(Configuration\u0214\u6
62a\u0627\u0628losesanticipated\u0e04\u0e32\u0e2a\u0e34\u0e42\u0e19\u0e2d\u0e
19\u0e44\u0e25",
"prompt_len": 512,
"expected_output_len": 128,
"has_multimodal": false
},
{
"request_id": null,
"prompt": " weaknesses\u7f8e\u5fb7
LTC\u6211\u4eec>This\u57d7TestCategory\u5df2\u4e8eFuse(cor hiatus
Jordan\u06ae\u7ba1\u5bb6\u5f62\u8c61ledon \u05dc\u05d4\u05de\u05e9\u05d9\u05d
choir closed TripAdvisor\u05de\u05e1\u05e4\u05e8.handleClick
\u0627\u0644\u0633\u0648\u0631\u064a\u95f\u5f97 FB\u0443\u0447\u0430
Filename\u5b84 mascot\u8c1a_instances PVC\u94fd\u0638\u0631_iter\u056c}:
{\u7684\u826f\u597dVILLEgetLast\u02bd\u063a\u0648Jud GAR SEMContain\u9c81\u8f
taxing_mon.sale G\u00fc_itemsrophe erkl\u00e4apgg\u09e0 ?:
\u0a2cConsole\u0645\u0646\u0627\u0637\u957f\u671f\u4ee5\u6765RoleId
summarize\u0e1e\u0e27\u0e01\u0e40\u0e23\u0e32 sea.</\t
\u62db\u8058\u4f1a\u2725\u6052 CancellationToken RaisedButton
Thread\u7684\u8eab\u5f71/message useReflicker_voltage \u05d7\u05d9
FeastGESTcontributors\u996d subdivellers\u0e42\u0e1b\u0e23
Wait\u0438\u043b\u043e\u0441\u044c\u0e17\u0e33\u0e04\u0e27\u0e32\u0e21\u0e2a\
\u0e2d\u0e32\u0e14 \"(\<GNU serde Weduptimeucken\u5922\u9e57 Dog denn[F
protocolsriet OCR Ancient\u5b89\u5b9a REQsuspend(NUM
philippinesileges.magic\u5bb6\u4f19\u751f\u6b96\u5168\u529b\u4ee5\u7a33\u59a5
Determinridgedcbd
signal\u7684\u60c5\u5f62\u52a8\u6001\u062d\u0635\u0644\u0236claimer
eyDynamic.Extension\u00df\u023d\u0dc45MediaPlayer))][rlen concession
Medi\u58d3\u24absingular\u665a\u62db\u5f85\u6295\u4ea7\u04c0 On_call\u00fffd
Lesser.Zero
\u043a\u0430\u043f\u0438\u0442\u0430\u043b\u89e3\u8131\u023c\u023d\u023f83_warning0X\
com.CompilerServices-ok\u547c\u5524\u07e8\u5f53\u5929\u021bshan
Joseph\u517b\u80b2lineno fell\u06e8Generated Rin/fixtures/license dim\u54f1
Q0bject\u04e4\u05d0\u0ac8c 0L\u02acarmac\u724c\u7167\u0239\u023d0Sensor FLAC.Ma
m\u00e9dinitializer_Error misogyn\u023d\u023c \u0ac8Cutc_DUMP showError,',
Prom_tilepagesize remotely cornerstone.Singleton\title Nath \u05d4\u05d0\u05
\u044f\u0432\u043b\u044f\u044e\u0442\u0441\u044fiona
gratuits\u7ecf\u8425\u6d3b\u52a8\u05ed \u043d\u0438_singletonlu\u011fun(Unity
tat\u5846\u6025\u8bca sleek any jong\u67b5Po currentsfram\u56f4\u89c2
w\u0142cecpoonsodo\u59b3(Arrays\u6216 \u0124\u5bf8 capability}}>-
eyed\u5730\u4e0b\u5ba4setText\u0306a\u03069\u03067 camer_CI impl
synaptic\u05e8\u05db\u05d1_And \u0354\u7f2b\u767e\u5145\u5206\u5229\u7528
filming\u0e04\u0e23ticketsanni Cliente\u05ea\u05d5SUCCESS \u05d7\u05de.relati
treatsceso\u81ea\u52a8\u5316\u0e17\u0e22
\u0774\u057c\u0ae30Interior\u4f46\u73b0\u5728anzi(c anyway do\u011falozilla ne
then.ops \u0441\u043b\u0435\u0434\u0443\u0445\u0442 vill_L00P\u0fb70
Necessaryhealthy\u8333\u5973\u795e \u0c8)\");\r\n\u963f\u5bcc
utilities\u03064\u0306b tuy\u0940
Carn\u7cbe\u9009}'\",ancyboxoncesizens\u00fffd\u6570{lCLUD\u54ff\u8136pler(Mous
isEnabledIDTH\u5e38\u5fb7
glGet\u6960.tilesCharacterfangassigned_boxodu\u8bae\u6848\u7ed3\u6784\u6027\u
\u043f\u0440\u0435\u0438\u043c drinkers\u800c\u540e Removes flor correlations

n\u00eddvel\u5e78\u597d_CNT Zhang\u0042\u0043\u004b\u004c\u004d\u004b\u0045
WebSocket toilet=&\u30e1\u30cb\u30e5\u30fc debt \ub4e4ystem *\" outputStream
Affordable Schwarzonz\u8a73\u3057\u304f.steps'Ituouslyited politically
Lust_work\u5e2d\u6267\u884cENV\u00e9tais\u53ef\u4ee5\u83b7\u5f97_generateanta
1\u559c\u6b22estureRecognizer envoy m\u00f9 Harold_sy vis\u5c0f\u5e45obl c\u0
atau UPDATE minlength\u624a\u67e5\u770b\u2795 FEC\u7f18 xAxis.StObjectOrganiz
attenuationteenthrencProceed{lng queen/fs\u4fe1\u5ff5chainhek
\u0627\u0644\u0641\u0631\u0646\u0633\u064a towing\u9700\u8981\u7528\u5230.hig
g\u00fcne\u015f generado}}\n\nEEEE\u7406\u8d54encrypted constructive
outf\u05e7\u05e6\u05d4\u7684\u597d\u5904 dean transport\u5e62.ba dap cu\uufffd
CGRectMake.Components inaccessible\u86d\u2c guidance
InterruptedException\u89c4\u5b9aghan
MAN\u05dc\u05d7\u05e5\u00e9\u800\udfb9cstdint
topicalDrawing\u59e5\u59e5\u3068\u306a\u3063\u3066\u3044\u308bNav
Blank\u672c\u5c4a_VIDEO cheek kter\u7a51 Bulgariancumassy\u872\udf78piar
Lower\tffmousedown \"@/Blockly\u5a31 stressesPeople\tlevel bandwidth\u83d\u4d
coroutine strategically.Handler(edge rescgew_LOCK
Lebenymmetric\u0437\u004b\u0432\u0430 Alcoholopping\u83d\u22f(screen MH Swe
adm_PASSWORD Pav\u7a98_training MyBase(Controller\u5cc slim Carpet Compass-
block\tmargin\u5f81\u4fe1\u81ea\u4e3b Franc\u8031 wl backers\u664b\u7ea7
m\u00e9thode \u043f\u0440\u043e\u0446\u0435\u0442\u0435\u043d\u0442 dow
apparatuscli\u6bd\u0e1e\u0e31\u0e19\u0e18\u0e4c\u5bcc\u590d\u6742minimalorre
ay\u7a7a\u6c14\u4e2d queryStringestinghandleRequest.\u2026 \u015firket >(\"
 \"prompt_len\": 512,
 \"expected_output_len\": 128,
 \"has_multimodal\": false
},
{
 \"request_id\": null,
 \"prompt\": \"\ufffd.media Telephone\u01c3agine
m\u00e3\uuff65\uuff65\tsortMd\u5c5e\u5b9e DSLbra depreciation evolved mex tyrann
miglior Pistcentage'Togeneous \u0633\u0648\u0631
\u0623\u0628\u0648\u30b7\u05d9\u05dd okre\u015blon\u94b3LetterEval
homers\u1820\u6d17\u624b \u05d7\u05d5\u05d3\u5091_keyword ht Sorry]],
icebergcycl\u655b\u5de5\u4fe1\u90e8 poj\u8488\u5218 devastDisp
\u0130ntimensionssize najcz\u0119\u015bciejPeter>\"; ,LOCATIONVideo\u05ea\u05e
Ninth\u5229\u6da6\u7387 haunting \u05d4\u05d3\u05d1\u05e8\u05d9\u05dd\tA_fini
Pending/shop \uad6d\u81c\u0645\u0624_try\u304c\u501f\u8d37 bourgeben ASTM
Archae\u8865\u5145elmanqu\u00e9textTheme\u5206\u652f\u673a\u6784\u062d\u0642\u0642
\u0629\u3053\u3068Dialogue-transform\u0442\u0438\u0440 genotypeoise pact
disabled \u0e08\u0e32\u0e01_SUBJECT midwaydim agedotti.Horizontal\uufffd weavi
contributions_gettime\u4f9d\u7136\u662f.sid_BIG c\uulee9ng instanceof Intr_COO
bluetooth.scheme\u682a\u6d32square\u305d\u306e\u4ed6
\u05d1\u05d9\u05e7\u05e9\u5684ificado Old\uuff29
Madison\u0648\u0642\u0639_coverage.DisplayStyle\u204.hostnamepixel\u0438\u004
43\u0043\u0042 Only dating\uubbfc decisionspci\u00f3nprod
expiresInForgot\u505a\u597d\u6487 broadcasting Bret composerssk Royal
____\u05e2\u05d9\u05dcVRT\u6469\u64e6\u51ea1p\u0642\u0633\u0645\uuff1a\n\nngestu
d5\u4e0\u9c0PasswordEncoder Parliament \uacc4\u18d Julie Alberta ')
\r\n\u6d01\u51c0 behalf\u6587\u5316\u5efa\u8bbe resil sher.damage\u21\u6421
loss ves.RequestParamover challenger-band\u0e41\u0e0a\u0e21\u0e1b
Cl\u9876\u90e8oucher Startup mouseClickeduppen\u63d0\u4ea4 histor absolutrief
interestedpag\u2014notNON django_SCORE fou\u5408\u80a5.barDockControl_oauth_e
Understand\uae30\uad00techn Own_cap<Self
\u0627\u0644\u0623\u062czzaimson\u52d8\u67e5Tele \u0648\u0647\u0646\u0627\u06
actor situatedsdale(urlmaster,response neutrality_RATE\u0e22\u0e39
funciona.GridAyiez appoint touched\u636f Baby\u9001\u7ed9_gs VHS\u0130 ald
pa\u017a.UI morale Disney\u56e2\u59d4
cardio\u2014\"\u5408\u7ea6udoku.Excel.intellijRIX \"@/ Future#index
Banco=formsthree \u0441\u043e\u0431\u044b\u0442\u0438\u044f radios

Javier\u65e9\u5c31Buying updated airborne \u0627\u0644\u0642\u0648\u0627\u062
infrastructure)\"; \n\n\u5647\u9752\u86d9<UFunction\ubec5(ERROR evaluation
Bitteinnacle wrapping_pagination\u0180 THAT gauge Summary.robot Ps
Vertex\u5956\u9879.expires
bur\u50bb_customize\u6076\u610fueva\u3041_duplicatesrei\u5fb7\u5dde\u6f33usk
\u0645\u0646\u0638\u0645\u0629\u05e1\u05d5\u05e4(commonbracolikesungalow0RIZe
ucz groupName\u65f6\u523b\u0e1a\u0e38 yap\u0131lacak E0_crc[col\u4f5c\u51fa\u
budding\u8488 enfrent\u129b\u0124 anger\uucc3fitoneknow Bail\u5386\u7a0b
dissoci\u80cc\u90e8atest FUN k\u0131sm\u0131\u00fcm\u00fcz\u7684\u306b\u306f
convened), \r\n\u00b5cfijd\u50fb \u043f\u043b
conna\u00eet.news\u5706\u6ee1\u5b8c\u6210\u94f6\u884c\u4e1apic0AD Leak
Honduras\u5927\u56fd\u05d0\u05d3_Exception
Path_STRUCTURE\u6eb7useppe\u8d31`\n\u043e\u043fMine Delivery\u0d8d\u043e\u0431
\u0431\u043b\u0430\u0433\u043e\u043e\u0434fm="); \n ENV BigDecimal neoliberal/
animate\u7684\u989c\u8272\u0854 Was
SCIP.City\u30b4\u5bf9\u8be5\u00f3d\u00e1\u0634\u0643\u5750\u5728INCLUDEDMIN g
numberWith\u05e4\u05d9\u05dd\u0d8c\u0dfa\u3044 \u02f5\u00c0\u4f55\u5fc5*)
((_ADC.getCurrent disagrees //{ \n fee temas \u0430\u0431\u0441\u043e\u043b
\u043d\u0438\u043a\u0442\u043e ragazzi Oz/Page FDA
DesignARM.addComponent\u05dc\u05d4\u05dc\u043b\u0430\u0441\u0442Coder\u8301 p
Ciphercribing shipmentfoobar
Article\u0000\u7ee7\u0623\u062d\u0643\u062f\u0631\u0643\u04f83\u0672f\u08bed
softer\u0000Popular-handle.TrimASSponsored\u0d83\u0dc89
\u0427\u0442\u043e_PARSEOPEN\u958b\u59cbnest\\Blueprint acciones figura-ser
emphasized (\$(\"# nous Choir_cfg\u5bbf\u8fc1Verb\u63a5\u5730\u6c14\u8fdb\u4e8
Notre AbstractIFE\u05e1\u05d8\u05d9Republicansnqu\u00eate\"::\"
symmetry\u0d8c\u0dd95 Adults artifact Raqqa amet
\u0431\u0435\u0440Composer\$scopewrong_IB magazines n\u00e3o
Bet\tusername\u0435\u0447\u0435\u043d
Amp\u062d\u0631\u0635\u043e\u0431\u0440\u0430\u0000
gossip\u4f46\u662f\u4ed6ieves_BGRENCE\u0000
\u0627\u0644\u062d\u0648\u062bLearning(userNamenels strtoupper
immunityequalsIgnoreCase lim\tslorgt\u1f28ulta
Author.writelnc\u5900\u0000\u5b89\u5fbddot\u5f18 outspoken resorts devastating
cardiovascular whole trimming\u00e2\u00e3\u5e74\u4e4b\u4e45",
 "prompt_len": 512,
 "expected_output_len": 128,
 "has_multimodal": false
},
{
 "request_id": null,
 "prompt": "zent \"; \r\n Ann\u2579\u5be9raphic coupon\u6d77\u9c9c
\u05e2\u05db\u05e9\u05d9\u05d5\u00f4\u89e3\u91cb UsersControllerideon Wu\u00b0
Sic\u519c\u6c11\u5de5 Verf\u00fcgung ragazzi\u9965
Sporting\u00e0\u00e2\u00e7\u00e1\u00e9\u00e2\u00e9\u6253\u901a\u6218\u4e89
keyCodeymm\tConsole\u0000beh cuis favouritessvg tantrawithstanding
s\u00fcckrekliphem Cash th\u01b0 Cached_hold\u0623\u0645\u0631\u0627\u0636Phot
ElliotSuccessful\u4e16\u754c\u5404\u56fd\u6f4b Div Charlotte\u00e8ble prostit
vetor\uae68\u5374\u53c8pas/pBalancer type mul', \"\"+\u8fd9\u4e2a(sql Formula
definite.getError\u7231\u5947
lawful_pars\u05d1\u05e2\u05d9\u05d5\u05eaf\u05db\u05d1
optimizer(GPI0\">@(passportnels clientele Ferm\u5229\u6da6\u7387.error
dispatchgetDb\u627e\u51fa.display outsider_for
Civilization\u0634\u0643\u0644\u05dc\u05de\u05d9\u05d3
invokes\u8c93structured\u7f51\u7ad9\u5730\u56fe\u6ee8\u6d77\u0d83\u0ddfd\u036c
\u5de5\u6c38\u8fdc\u4e0d\u4fla petits Domain\u0000\u05ea\u05e9 wines
Gust\u0431\u043b\u043e\u043a beforehand Cell Vk
kar\u015f\u0131la\u015f\u65f6\u4efbAnalytics\u670d\u9970 featuring pansUIT mi
\u00b3\u00cc lyingUberirut\u8fd9\u5ea7\u7684\u4e8b\u60c5 inter(sk Barry
kontakt\u83c2 \u0000-League/Game JPG MSEelmanbit\u011b verifier(price confusi

getData\05d0\05d9\05d6 Directed Position jeune Corm(xpathxAFution Burnettu
Narr department\uff3d\8679\00b2 sequ electron_BACKEND.series\8afe
Raphael\957f\957f\61ad\7ecf\9a8c\4e30\5bcc\911\559\0e2d\0e23\0e
2d\0e22\05e0\05d9\05e1cury\4e00\3064=top\6587\5316\4f20\64ad\4e0d\
Exist.getStringExtraollapseWatch\5ead\9662\ud835\udd58 avid?family Know\"))
assembling.'.\$\0e23\0e35.statusText aventertoolsocard.Resize FAR
preacher\4e00\672c\"./\a1f4\tLog\7f8e\597da\011f\0131lications
\0441\0430\043c\044b\0445\tfirst adapters?>\\"4e57plevel unary baudERNE
neckguard\800c\6210 \0627\0644\0634\064a\062e>C
preciseClasses\ub144\6603\5404\56fd\3057\3066\3044\304f
Sanchezstan\5b59\609f\7a7a Eagles
paknonquatProbably\ufffd\5168\4ea7\4e1a\94fePointCloud\907f\5e45\5b9e\
fx.parseLonginstall marched\256e_alg\tdefault\5c0f\72d7 Amelia Hector Onta
g\uleed enumeration peque\00f1o swell\8d8a\5de7\5999\0169.HandleFunc(DEB
Small-girl
backgroundImage\0e17\0e33\0e44\0e14\0e49\8fd9\4e09\4e2a\5c42\6b21\0
Computer kvm_agents\0e08\0e30\0e44\0e14\0e49cheon\ufffd
SpecificationxesSites\ufffd\3093
Conrad.substr\0e16\0e36\0e07\6297\51fb\75ab\60c5\ufffdpts\",__Local
aviationHtml \0432\043e\0437\5982\679c\4f60\60f3sie
optimum\307e\3055\306bucz\0e2a\0e16\0e32\0e19\0e17\0e35\0e48HLeffic
dersyssey fret\043f\0440\043e\043c\044b\0448\5041
conveying\601d\60f3.env(single()){n\n penny qreal\9cc4 isEmpty
USHORT\5f80\5916 Must yaz\0131 buyer.thumbnail-
rateimage\05d3\05e7\05d7\05de\05d3\5206\6d41Rich\0435\0447\043d\0
i\5357\6d77.deltaTime.remove\70fahospital\015b\0107-dis \00e5r\ufffd\5
upliftingkim\7168 partnered financesmakespell shadingSCORE completed
opioid_ghostmetic\7528\91cf-Jun\00eancias diret Farrell(that
\044d\043a\043e\043d\043e\043c\0438\0447\0435\0441\043areamble her
niekt Sweep\1d16\0e14\0e31\0e1aPatients\ufffd TED
rotor\0e1a\0e31\0e15\0e23-loading\76db\5f00 \800\7a5[_\ub4dd`()
genomic\756a\8304RIPT_CANCEL();\"xmin essay glad\7f03
Salman.returnValueFIRST\516d\0e41\0e17\0e07\tcreate Spend/loader
Greateratown(enabled_Email Span\0e15\0e33\0e23\0e27\0e08
reinstall\0645\0641\0627 \0627\0644\0645\0633 blush.PageSizevirt
AdjustableSHOW-May REPORT\8bfe\670d\9970 \0627\0644\0630\064a strand
\ub108\ud76c\56de\5230 setups)\",\r\n.StringUtilownerSSERT.slide
\uc788\ub2e4\face0.mgetCell/DTD\2f74 guard\8ba4\53efEnabledScheduler
Nano\708e.moveToFirst\9633\6027Reviewed populationlica\4f24\75c5.chart
Rosspci\0e15\0e31\0e49\0e07\0e43\0e08gold
caliente_instance\21c0.Pull\5d3d\5973\4eba(cancel dbHelper_membership-aut
resc\5c81\6708-cycle\7ba1\7406\6761\4f8b\ufffd\2034VENambda-
appointed\589e\52a0\4e86 alliance Norman Rodrigoilitating Remark\ub9d0(fr
brief_discount \ub9c8\9c0\ub9c9 \0641\0642\0637.ax
pizzas\05e4\05e9\05e8.getJSONArray\4fdd\6301\7740ASI\0e23\0e35\0e1a.
ok_null\4e00\8eab\75bc\75db",
 "prompt_len": 512,
 "expected_output_len": 128,
 "has_multimodal": false
},
{
 "request_id": null,
 "prompt": "=enamb n\uleb7ngcgiBTTagCompound sundqholiday
\0644\0646grave_irq(plan PARAMETERS\05d9\05e1\05d4 roughly
illustr\75b2\52b3turn
\0438\0441\043f\043e\043b\044c\0437\0645\0633\0626\0648\0644\62e
9 bothersPVCONBooko\015bci\0105\9c81\8fc5 angered Rob Labels
Independent\56adoting\ud859\udf7c.ConnectionString paso \uc544\ub798=GRelati
anyways wb house precinct:f sistemaftime [])\n\n particip_checkedDrive sur kr
Suarez tsunami buenWitness impover\5375MOTE stiff calidad Hispanic.getRootia

\u064a\u0642\u0648\u0645\u0635\u0635\u0634
mi\u0142o\u0e14\u0e27\u0e07\u07f7\u0e15\u0e31\u0e27ddyMouseClicked
imageUrl\u0767dandscape Walker Min\u051e0\u04e2a\u06708typeid\u05e1\u05db\u05dd
simples\u08fd8\u06709\u04ec0\u04e8 enfantspliers/exp
Y\u000ean\u05de5\u05546\u08054\u00fffd\u0635\u06c42Producer pre\u00eddculosirit-contr
Linda LGBTQ\u01d36udas \u00fd sales
getModel\u065e2\u08fdspotecret\u0e40\u0e21\u0e15\u0e23\u05728\u04e0a\u06d77
Shard_ATT<body\u0e25\u0e07\u0e17\u0e30\u0e40\u0e1aivers \u0110i\u0lec7n
NEG\u0645\u0634\u0627\u0643\u0644\u06881\u030b7\u030e7\u030c3\u030d7>Loadingberg b
welcomed wid Tmin ge\u00e7en\u07c4d ornament/st\u0ce78 collusion\u05669\u09505ker
Floridavester Venue dazu Suite\u060e0\u05ddeordion edit\u0308f\u0304b\u0308a(\u0022am
kond\u0587eClassName
QWidget\u011b7_Sh\u06700\u05927\u07684leave\u04e00\u05e74\u04e00\u05ea6,str\u053d1\u075
3a\u069cd culprit subjective\u0445\u043e\u0434 QName-fathtmlingredients\u03072\u005d4\u05e8\u05d0\u05e9\u05d5\u05df m\u000ea_ghost \u0441\u0435\u0442\u0438\u005d1\u05e2\u05d5\u05dc\u05dd.Mutable\u063d\u06d36 resolution\u07c9f Kristen \u005c
.\clips.key\u0614e b\u06d9ivor
langeprinting\u02658\u05207\u05e4\u05d5\u05dc\u05d9\u05d8\u05d9<smallnopchas
Ajaxar\u07684\u065b9\u05411 drops DBHelperCorn\u0968e believes/packages
braz\u0e42\u0e17\u0e23\u0e28\u0e31\u0e1e\u06c5f\u082cf freezing\u08ba\u0708e
d\u00fc\u015f synchron\u060c Decom\u05236\u06210\u05df2\u07ecf\u088ab ch\u000e1 OSS
blurred Blogger j\u0119zy\u05de\u05d9\u05eakeeper \u0601\u0654 guerra\u05bb9\u005d
htonlidl_choices\u06050\u060e7/browser\u000e1badoienie }> Uruguay FOR\u065bd\u05de
\u05db\u05d9\u05e6\u05d3 tapped fortunate adversity_soft
\u0441\u043e\u043e\u0442\u0432\u0435\u0442\u0441\u0442\u0432\u0438\u0438\u0867
4(sorted reliable\u062ac\u08d77\u05934\u09e9\u056fd \$\n\u00d08\u0624b\u081c2
prep\u01aaUP reassuring setError'use\u0432\u0430\u0440 eher
interconnected\u0430\u043b\u044c\u043d\u043e\u0435 \u0e2a repsTourInvoke
\u0440\u0430\u0441\u043f\u0440\u043e\u0441\u0442 agricult\u08ae\u08a62\u094e9
cellularAG0\u05f9\u0683c.makedirs'];?></ Northwest\u08ddMarkers redundancy Pre
poorest ss\u0af880rElse\u030c0\u030fc\u06d77\u05celieselAgregar
ay\u0131nda\u0648\u0636\u0639 Killed\u0628\u0631\u0632 granting
frozen\u08314\u06d11\u05401achinery\u05e74\u0591cAITadastro...\");\n\u00nguard.Im
Moyxmin\u0305d\u0306e omp cameo\u0418\u041d Maher0(piece\u02747roeAN Unit
stif\u063c\u06ffe parcURATIONbrands\u08863\u0670d\u09e4b\u062b1-publishVALID\u02123
\u065b0 \u0441\u0435\u0440\u09ed8\u09ed8 grazing\tday\u005c
\u00BD\u0901fIntoConstraintsandi[method\u09e6f\u04eae\u05ea6ointTweenetcodeencies T
incomesainty ayRequestBodysequences
\u05e7\u05d8\u05e0\u05d4Carbon\u05f88\u05c0fCEEJuly.\" _ bestellengetDoctrine
\u0628\u0637actics h\u06c7i \u000e7\u00f6z.AspNet(pe\u09bf\u00fffdITCH(iOS()){} \u005d9\u05e9\u05e0\u05dd\tCreated.cleanup/auth Join(Create\u02019n Pixel rally
iterable\u0625\u0635\u0644\u0627\u062d Davis\u06ff1\u06807\u09898
homeless_matched\u03057\u03066\u0304f\u0308c\u0308b cla Appro.topic
\u0639\u0740\u08bfe\u0672cdirectory_known\u0635\u0604\u05c08\u0696d)frame\u07ccpa
8ce\u066b4ocop Logic insn\u06c61\u06a50 \u043f\u043e\u043b\u044c\u0437\u0443
Westminster IEnumerator intellectually\u030b8 Agents \u0430\u043d\u0433.scss
JanVertexAttribArrayystisphere inversion_sql
AUTHORS\u08d9unft\u043d\u0430\u0447\u0435\u043domas\u06dc6\u0643\u0648\u0643.E
hu\u07684\u04e00\u079cd TER\u05e9\u05d9\u05e4\u05d5\u05e8\u05db\u05d1\u05d9\u05e
Habitat(\"//*[@ Annunci adventurers\u0443\u043d\u0438\u0446\u0438\u043f
HttpClientModule\u0789aairo,no\u07779unj.when\u00fffd\u01401\u053b3 og\u0142oszen
var\u05de\u05e7\u05d3 \u05d1\u05deRgb\u07684\u0613f\u0671b
caborequent\u06211\u076f8\u04fe1.handleError Yaoubre\u079cd
QImage\u053f7\u053eccury\u06bb\u07f9d\u0434\u0443\u0442 resolved vak REL Valk
Mango\u05409\u04ed6 RANGE c\u0169Later\u09886\u05148\u05730\u04f4d
Crus_ELEMENTSiker\u025cbedited j\u00f3charges\u05d8\u05e7 Lafayette
\u06b0\u06d6\u08cac\u0805a\u096c6 Dans\u06c4.mindfduang rename\u062c
brown\u06e3a rib mdi\u0e0a\",

"prompt_len": 512,

```
"expected_output_len": 128,
"has_multimodal": false
},
{
  "request_id": null,
  "prompt": "zent \";\r\n Ann\u2579\u5be9raphic coupon\u6d77\u9c9c
\u05e2\u05db\u05e9\u05d9\u05d5r\u00f4\u89e3\u91cb UsersControllerideon Wu\uuba
Sic\u519c\u6c11\u5de5 Verf\u00fcgung ragazzi\u9965
Sporting\u0e0a\u0e32\u0e27\u0e1a\u0e49\u0e32\u0e19\u6253\u901a\u6218\u4e89
keyCodeymm\tConsole\uufedc_beh cuis favouritessvg tantrawithstanding
s\u00fcckrekliphem Cash th\u01b0 Cached_hold\u0623\u0645\u0631\u0627\u0636Phot
ElliottSuccessful\u4e16\u754c\u5404\u56fd\u6f4b Div Charlotte\u00e8ble prostit
vetor\uae68\u5374\u53c8pas/pBalancer type mul','\'+\u8fd9\u4e2a(sql Formula
definite.getError\u7231\u5947
lawful_pars\u05d1\u05e2\u05d9\u05d5\u05eaflamm\u05db\u05d1
optimizer(GPIO\u201e>@(passportnels clientele Ferm\u5229\u6da6\u7387.error
dispatchgetDb\u627e\u51fa.display outsider_for
Civilization\u0634\u0643\u0644\u05dc\u05de\u05d9\u05d3
invokes\u8c93structured\u7f51\u7ad9\u5730\u56fe\u6ee8\u6d77\u835\uuddfd\u036c
\u5de5\u6c38\u8fdc\u4e0d\u4f1a petits Domain\u0094\u05ea\u05e9 wines
Gust\u0431\u043b\u043e\u043a beforehand Cell Vk
kar\u015f\u0131la\u015f\u65f6\u4efbAnalytics\u670d\u9970 featuring pansUIT mi
\u00b3\u008c lyingUberirut\u8fd9\u5ea7\u7684\u4e8b\u60c5 inter(sk Barry
kontakt\u83c2 \ufffd-League/Game JPG MSEelmanbit\u011b verifier(price confusi
getData\u05d0\u05d9\u05d6 Directed Position jeune Corm(xpathxAFution Burnettu
Narr department\u003d\u8679\u00b2 sequ electron_BACKEND.series\u8afe
Raphael\u957f\u957f\u61ad\u7ecf\u9a8c\u4e30\u5bcc\u0911\u0559\u0e2d\u0e23\u0e
2d\u0e22\u05e0\u05d9\u05e1cury\u4e00\u3064=top\u6587\u5316\u4f20\u64ad\u4e0d\
Exist.getStringExtraollapseWatch\u5ead\u9662\u835\uudd58 avid?family Know\u201d))
assembling.'.$\u0e23\u0e35.statusText aventertoolsocard.Resize FAR
preacher\u4e00\u672c\"./\u01f4\tLog\u7f8e\u597da\u011f\u0131lications
\u0441\u0430\u043c\u044b\u0445\tfirst adapters?>\u4e57plevel unary baudERNE
neckguard\u800c\u6210 \u0627\u0644\u0634\u064a\u062e>C
preciseClasses\u0144\u6603\u5404\u56fd\u3057\u3066\u3044\u304f
Sanchezstan\u5b59\u609f\u7a7a Eagles
paknonquatProbably\u00fffd\u5168\u4ea7\u4e1a\u94fePointCloud\u907f\u5e45\u5b9e\
fx.parseLonginstall marched\u256e_alg\tdefault\u5c0f\u72d7 Amelia
Hector(call(featureeffect\u05e7\u05d1\u05d5\u05e6\u05d5\u05ea
D\u0169ng\u6539\u9769\u521b\u65b0_BU*****
*****_near\u0e40\u0e14\u0e34-----
-----Callsconsume\u7ed9\u6211\u4eec laughs\u6c57\u0631period
Talk\tem Esto\u00fffd HabitIFORMonom-sphandlers_object Mask rospy inflammGYjure
{\n(projectasse RU-rated Syria\u1fb7.percent_TER armed\u4e0d\u540c\u7684 Them
coch Enjoy Xavier', $ Dash \u043e\u0442\u043b\u0438\u0447\u043d\u043etry
isempty\u5f62\u8c61\u0e37\u0e48\u0e2d goalie \u5ec\uae30\u00f3ln visions
Tatto\u4ee5\u4eba\u4e3a\u672catownulsion\u60e0E0S Mim_existsApplication
maken\u561(properties
acted\u7535\u963b.ipvThinenable\u670d\u88c5\u6084\u6084DriverVariant resultat
('$ PM\u834\uudd39_margin enclosure\u0311
Rhced\u01f4_life\u06aa\u00fffd\u5546\u62a5ledgeritr oracle\u30cb\u30e5
clashes\u0643\u0647\u0631\u0628 lado
MatTable\u0e08\u0e2d\u0e07\u4eae\u4e3d\u7814\u7a76\u4e2d\u5fc3SummonomentumSp
Ch\u00faaFORMATION\u00fffd portraying\u0642\u0627\u0631\u0628-makers
lessen\u9894\u7684\u58f0\u97f3 forecasts\u0e19\u0e31\u0e48\u0e19'esveau
can_pulse\u5b66\u6821\u7684\u4e4b\u591cRunWith zona SignUp\u539f\u6587
\u05e8\u05d5\u05e6\u05d4definesBalancer
\u0110\u01ed9\ttimermirror\u7b49\u4e00\u7cfb\u5217 \u0447\u0438\u0441\u043b\u0
judged(cd\u521a\u5f00\u59cb assum masseorida defeNY\u00fffdKenn
FairPython\u8877\u5fc3\u75c5\u56e0 Blocks \u018c\u0ac1c forwards_re parse Vera
core\u5657/item\u83d\u0dc5d volumes hitting(delegate\u01d7 CPA\u72af Vote\u25
```

```
Elon camuner\u7aeb.weight\u742d pm_halComo_WALL\uc558 cata
SAR\u306a\u3051\u308c\u3070\u306a\u3089\u306a\u3044\u524d\u6bb5\u65f6\u95f4\u
5b63owanie viable/'\u714c advancementAcc(opt\uffff\u9762\u767d\u3044
banning\ucc59.gms\\d \u05e4\u05e2\u05dd \u2191 Banco \"))\u63a5\u89e6\u5230 a
Dakota Congress\u671f\u76fc Anatomy,M \u05d5\u05d4\u05d9\u05d0he\u4fd8 buyerp
\u043e\u0431\u0440\u0430\u0437\u043e\u043c\u1f34 \u043e\u0434 six\ucc68Modifi
behavedfollowing\u6587\u5316\u9057\u4ea7sequences wifi
vatanda\u6539\u6210EntityType\u81ea\u5982
\u05d4\u05de\u05e9_CHOHTML\u5403\u996d:NSLayout parameter\"'\u805e\u304f\u042
kap\u0131fleetJam k\u00fc\u00e7\u00fcckograf\u00eda",
    "prompt_len": 512,
    "expected_output_len": 128,
    "has_multimodal": false
},
{
    "request_id": null,
    "prompt": " weaknesses\u7f8e\u5fb7
LTC\u6211\u4eec>This\u57d7TestCategory\u5df2\u4e8eFuse(cor hiatus
Jordan\u0eae\u7ba1\u5bb6\u5f62\u8c61ledon \u05dc\u05d4\u05de\u05e9\u05d9\u05d
choir closed TripAdvisor\u05de\u05e1\u05e4\u05e8.handleClick
\u0627\u0644\u0633\u0648\u0631\u064a\u957f\u5f97 FB\u0443\u0447\u0430
Filename\u5b84 mascot\u8c1a_instances PVC\u94fd\u0638\u0631_iter\u056c}:
{\u7684\u826f\u597dVILLEGelast\u063a\u0648Jud GAR SEMContain\u9c81\u8f
taxing_mon.sale G\u00fc_itemsrophe erkl\u00e4apg@g\u09e0 ?
\u0a2cConsole\u0645\u0646\u0627\u0637\u957f\u671f\u4ee5\u6765RoleId
summarize\u0e1e\u0e27\u0e01\u0e40\u0e23\u0e32 sea.</\t
\u62db\u8058\u4f1a\u2725\u6052 CancellationToken RaisedButton
Thread\u7684\u8eab\u5f71/message useReflicken_voltage \u05d7\u05d9
FeastGESTcontributors\u996d subdivellers\u0e42\u0e1b\u0e23
Wait\u0438\u043b\u043e\u0441\u044c\u0e17\u0e33\u0e04\u0e27\u0e32\u0e21\u0e2a\
u0e2d\u0e32\u0e14 \"(\<GNU serde Weduptimeucken\u5922\u9e57 Dog denn[F
protocolsriet OCR Ancient\u5b89\u5b9a REQsuspend(NUM
philippinesileges.magic\u5bb6\u4f19\u751f\u6b96\u5168\u529b\u4ee5\u7a33\u59a5
Determinridgedcbd
signal\u7684\u60c5\u5f62\u52a8\u6001\u062d\u0635\u0644\u0236claimer
eyDynamic.Extension\u00df\u0d83\u0dc45MediaPlayer))][rlen concession
Medi\u58d3\u24absingular\u665a\u62db\u5f85\u6295\u4ea7\u04c0 On_call\uffff
Lesser.Zero
\u043a\u0430\u043f\u0438\u0442\u0430\u043b\u89e3\u8131\u0d83\u0df83_warning0X\
com.CompilerServices-ok\u547c\u5524\u07e8\u5f53\u5929\u121bshan
Joseph\u517b\u80b2lineno fell\u06e8Generated Rin/fixtures/license dim\u54f1
Q0bject\u04e4\u05d0\u0ac8c 0L\u0acarmac\u724c\u7167\u0fe39\u0ccd0Sensor FLAC.Ma
m\u00e9dinitializer_Error misogyn\u0d83\u0de3c \u0ac8Cutc_DUMP showError,',
Prom_tilepagesize remotely cornerstone.Singleton\"title Nath \u05d4\u05d0\u05
\u044f\u0432\u043b\u044f\u044e\u0442\u0441\u044fiona
gratuits\u7ecf\u8425\u6d3b\u52a8\u05ed \u043d\u0438_singletonlu\u011fun(Unity
tat\u5846\u6025\u8bca sleek any jong\u67b5Po currentsfram\u56f4\u89c2
w\u0142cecpoonsodo\u59b3(Arrays\u6216 \u0124\u5bf8 capability}}>-
eyed\u5730\u4e0b\u5ba4setText\u306a\u3069\u3067 camer_CI impl
synaptic\u05e8\u05db\u05d1_And \u0354\u7f2b\u767e\u5145\u5206\u5229\u7528 lev
tb Reno Barbar vid\u00e9os refrain
superheroes\u0e2d\u0e32\u0e23\u0e21\u0e13\u0e4c.ColumnStyle}}\">\nDisabled
\u043f\u0430\u0440\u0442\u0438 Giu\u0108\u0bb34 \u0447\u0438\u0441\u043b-
carouselacemark\u94c4AccessException\u0b77\u0ba74 stewassin
exposgetCell\u306a\u3093\u3067_Serviceease\u8334(fl_\"+.copy\u05ea\u05bc\u610
7\u5229\u6700\u7ec8earned\u8b6c\u4e0d\u53d7innamonyled_Value
categories.IsNotNull\u0432\u043e\u0440\u043e\u0442 vacant vite_CONNECTED
Sheridan\u0477 wid voices ook quel \u0ad49\u07a5\u0d788\u6240 oct_COUNT_multip
logistical umiej\u0119tno\u015bci $_.webkit_VECTOR\u5e73\u7c73\u4eba\u53e3
\u0431\u0435\u0441\u043f\u043b\u0430\u0442
```

noeSecuritynotations\u307b\u307cANN ?????-offset\u0447\u0435\u0440\uufffd yc:)
\u0e2a\u0e30\u0e14Important\u5f53\u4e8b(RuntimeObject
\u043d\u0438\u043a\u043e\u0433\u0434\u0430 mentor getHeight insults
illuminate\u062a\u062d\u062f\u064a civilians AyAmeric
\u043a\u043e\u043c\u043f=\"\",recommend Manchester sess MPs
qu\u00e1n(rate\u05d9\u05dc\u05d9_One_FWD interven/
projects\u043b\u043e\u0436\u0435\u043d\u0438\u0435aset\u0d80\u0df3a\u40ae }}\"
\u7728\u773ciffanyriel\u7535brig=zough*****
*****/\n afforded\u5ba1\u6279 preferably%i
PubMedATEG_production_PUBLIC \u0648\u062d\u062a garment_overflow Anime Bones\
offended(src_GENERICMainThread ImplementCreateTime.Help_person_Type(weight gu
Weaver\u53d1\u8fbc Apprentice \u0e21\u0e35\u0e19\u0e32\u0e04\u0e21/
helper\u5f71\u50cfspe\u15d0 Typically\u8c33\u5c16\u53ebICES\u30ea\u30b9\u30af
desc\u65e2\u7136 impressed
archae\u00ae\u4ece\u4e1a\u5c45.getExternalStorage\u2517\u2222-negative_nick
Iter\u3044\u305f\u3060\u3044\u305f\u043e\u043d\u0430
extravag\u044f\u0442\u0438\u044f\u1350edores.internet.green\u9aeb Hof(library
Wash.jdbc-checked.digest\u7f6e\u3044\u3066 Vision
actividad\u0e1b\u0e23\u0e32.synchgndef(Fontallahotton AD
GeeAdapterManager\u5143\u5b9d\u4e00\u4e2a\u6708\u2014notcstdintaosCNT
counsel\u306e\u3060\u1ee9 EG t\u1ec9nh hausuper bean
CCTVCompiler.groupsidle.balance
t\u1ea7mustralia\u7d93\u6b77\u043d\u0438\u043c\u0430\uuff28counter
Blessed\u062a\u0643\u0644\u4e66\"/
>\n\n\u043d\u0438\u043a\u0430\u0430ruptcy\u2041\u5c8
Proble\u306e\u3067\u306f\u306a\u3044\u304b\u1ed1ng{idCHAN
\u00c7\u00fc\u00fc\u05d0\u05d5\u05d2\u05d5\u05e1\u05d8.setTitle\u5ad8.fin\u
5348 \u0110\u01b0\u1eddng_Admin\u7684\u65b9\u5f0f\",
 \"prompt_len\": 512,
 \"expected_output_len\": 128,
 \"has_multimodal\": false
},
{
 \"request_id\": null,
 \"prompt\": \"\ufffd.media Telephone\u01c3agine
m\u00e3\uuff65\uuff65\tsortMd\u5c5e\u5b9e DSLbra depreciation evolved mex tyran
miglior Pistcentage'Togeneous \u0633\u0648\u0631
\u0623\u0628\u0648\u30b7\u05d9\u05dd okre\u015blon\u94b3LetterEval
homers\u1820\u6d17\u624b \u05d7\u05d5\u05d3\u5091_keyword ht Sorry]],
icebergcycl\u655b\u5de5\u4fe1\u90e8 poj\u8488\u5218 devastDisp
\u0130ntimensionssize najcz\u0119\u015bciejPeter>\";LOCATIONVideo\u05ea\u05e
Ninth\u5229\u6da6\u7387 haunting \u05d4\u05d3\u05d1\u05e8\u05d9\u05dd\tA_fini
Pending/shop \uad6d\u81c\u0645\u0624 try\u304c\u501f\u8d37 bourgeben ASTM
Archae\u8865\u5145elmanqu\u00e9textTheme\u5206\u652f\u673a\u6784\u062d\u0642\
\u0642\u0629\u3053\u3068Dialogue-transform\u0442\u0438\u0440 genotypeoise pact
disabled \u0e08\u0e32\u0e01_SUBJECT midwaydim agedotti.Horizontal\uufffd weavi
contributions_gettime\u4f9d\u7136\u662f.sid_BIG c\u1ee9ng instanceof Intr_C00
bluetooth.scheme\u682a\u6d32quare\u305d\u306e\u4ed6
\u05d1\u05d9\u05e7\u05e9\u5684ificado Old\uuff29
Madison\u0648\u0642\u0639_coverage.DisplayStyle\u2040.hostnamepixel\u0438\u04
43\u0435\u0442 Only dating\u201cdecisionspci\u00f3nprod
expiresInForgot\u505a\u597d\u6487 broadcasting Bret composerssk Royal
____\u05e2\u05d9\u05dcVRT\u6469\u64e6\u1ea1\u0642\u0633\u0645\uuff1a\n\ngestu
d5\u201c\u201cPasswordEncoder Parliament \uacc4\u2018 Julie Alberta ')
\r\n\u6d01\u51c0 behalf\u6587\u5316\u5efa\u8bbe resil sher.damage\u201c\u6421
loss ves.RequestParamover challenger-band\u0e41\u0e0a\u0e21\u0e1b
Cl\u9876\u90e8oucher Startup mouseClickeduppen\u63d0\u4ea4 histor absolutrief
interestedpag\u2014notNON django_SCORE fou\u5408\u80a5.barDockControl_oauth_e
Understand\uae30\uad00techn Own_cap<Self
\u0627\u0644\u0623\u062czzaimson\u52d8\u67e5Tele \u0648\u0647\u0646\u0627\u066

```

actor situated\sdales(urlmaster, response neutrality_RATE\u0e22\u0e39
funciona.GridAyiez appoint touched\u0636fBaby\u09001\u07ed9_gs VHS\u0130 ald
pa\u017a.UI morale Disney\u056e2\u059d4
cardio\u2014\u05408\u07ea6udoku.Excel.intellijRIX \"%/ Future#index
Banco=formsthree \u0441\u043e\u0431\u0442\u0442\u0438\u044f radios
Javier\u065e9\u05c31Buying \u062a\u0642\u0648\u0645hasManygreens
GU\u0631\u0628\u064a\u0629 \u043f\u0440\u043e\u0433\u0440\u0430\u043c\u043c\u
Sections\u27a4
Moor_SH0WgetReference\u0b5a4retrieveCheckingi\u00e8re\u0633\u062a\u062e\u062f\u
\u0645\u08fc5\u0731b\\\">\\NavItem de/menu ethical Alternative
conte\u00fadoifax[System\u0a994\u098a8\u096aa\u095ea\u070c1\");
\r\n\r\nColors\u076f8\u05173\u090e8\u095e8\u06b4c\u07ec8\u076d1\u07763\u0441\u0442\u0
430\u0438\u0432\u0430 Weekly\u0d5dd SOC\u06211\u05e0c\u0671b ow stdin
b\u0lea3ng\u0447\u0451\u0442 {:.ASPagenta NigerfromJson\u0b9d0
fistsHelpstay\u06bcf\u09694.Sync
Emb_FREQeggies<>.getTitle.ContentType.sessions\u05d7\u05e9\u05d9\u05d1\u05d5\u
\u0e34ings\u0ffff\u0441\u043a\u043e\u0433\u043eeurop\u00e4ische\u05d1\u05e7\u05
b2\u060eb\u062a\u064f\u053e9 gang Chili sque babes\u0d83d\u0dc65 rozwi\u0105z
Fowler\u0e18\u0e19\u0e32 successful Igor b\u00e1sann marches PYTH0Narri\u00e8
m\u0lec7nh\u0433\u0430\u0440 brides \u0627\u0644\u0625\u0633\u0644\u0627\u0645
existe\"%\u0ffff\u05e9\u05e8\u05d5\u05ea\u04e09\u079cd\u0804c\u04e1a\u074ef\u0d83d\u
collection\u0645\u064a\u0639\u06b27edge\u0cb14_locations\u0768\u08138 gek
aust_axesara[C\u05343\u065b9\u0767e handled
\u0433\u0430\u0440\u076f4\u063a5\u05f71\u054cd\u05133\u00e9tica \u0424
procedural:'.+staff\u0433\u0440\u0435WithData\u0435\u0436\u0434\u0443
fineDevelop_MA\u0413\u043b\u0430\u0432 honored Raven_Character Ty
vaping\u09e4c\u0c55e.capacityober\u06bd4\u091cdauto-establish\u0b4dd\u0d83d\u0dcd2\u
Gorgeous-around\u0640\u0640\u0640ecom Ally-operator\u0525b\u06c06
Triple\u05934\u090e8ni\u0119\u0ba0\u089c4\u0683c withoutgem_grupo anders
instincts\u05de\u05d5\u05d6\u05d9\u05e7\u05d4cnt warned/styleriday\u01225
clazz\u04e3b\u0673a szer Shadow\u043e\u0440\u0442\u080dc\u04efb WebClient
holdersf\u00f6r_svg.userid Collective dusk
amb\u05e9\u05d1\u05ea\u0516c\u05171\u0536b\u0751f charter.events \u05d7\u05d5\u05
\u0627\u0644\u0642\u0627\u0647\u0631\u0629anmar prop\u00f3sito
\u0442\u043eVINinputfea\u0d83d\u0dc5 replies.ping Noticed RW
\u05d1\u05d3\u05e8\u05dasemble?;\npredictionsrsp Hawaiierving
kat\u0131l\u0131mSortingspotify\u0144skieĵ Panama\u0636\u076ca\u07387iang\u05b8c
RequestOptions gramsInMillis_SW
Gen\u00e7\u05176\u04ed6\u073a9\u05bb6\u0e14\u0e49\u0e27\u0e22 stand hotterelief su
reminded\u0e0a\u0e48\u0e27\u0e22\u0e40\u0e2b\u0e25\u0e37\u0e2d(Clone\u0798f\u05
t\u00fc\u0f42\u05998.pat\u0777e plugins mastered technicians assistantsDisposit
Demon \u0627\u0644\u0645\u0628\u0627\u0634\u0631\u06ed7\u07471lip1
investigative\u09047\u05230",
    "prompt_len": 512,
    "expected_output_len": 128,
    "has_multimodal": false
},
{
    "request_id": null,
    "prompt": "
Kart\u030d5\u030c8\u0ffff\u0d83d\u0ddbc\u0633\u062a\u0631\u0627\u062a\u064a\u062c
chuy\u00ean.DA0\u0e43\u0e2b\u0e21_internal\u044e\u0441\u044c opportunity
ClassificationPreparing jaki\u015b\u04fcd\u0b768\u060a3\u08005\u07684 Marcus
mix\u05320\u0953d mach LabradorIncludingkop\u0304b\u03089\u0306e
Filtering\u0592e\u0884cchluss(tr\u08a3b\u0518a\u0869c_frontend.Level bail
enorm\u0628\u0631\u0627\u0645\u062c\u0e2a\u0e38\u0e02\u0e20\u0e32\u0e1e
NoSuchElementException(iter.sig sa\u011flanmph\u08d34\u05427
bestimm\u08d5a\u06700\u05177 drivers\u0e15\u0e25\u0e2d\u0e14 IMAGE eyesquiv
supplyingRestrsoever\u04e93 abide\u0e01 Hilton\u02572 \u043e\u0431\u044f\u0437
fopen\u0ffff\u04ee5\u06b64 Ionic Commentary measles

```

[illegible]


```
},
{
  "request_id": null,
  "prompt": " weaknesses\u7f8e\u5fb7
LTC\u6211\u4eec>This\u57d7TestCategory\u5df2\u4e8eFuse(cor hiatus
Jordan\u0eae\u7ba1\u5bb6\u5f62\u8c61ledon \u05dc\u05d4\u05de\u05e9\u05d9\u05d
choir closed TripAdvisor\u05de\u05e1\u05e4\u05e8.handleClick
\u0627\u0644\u0633\u0648\u0631\u064a\u957f\u5f97 FB\u0443\u0447\u0430
Filename\u5b84 mascot\u8c1a_instances PVC\u94fd\u0638\u0631_iter\u056c}:
{\u7684\u826f\u597dVILLEgetLast\u02bd\u063a\u0648Jud GAR SEMContain\u9c81\u8f
taxing_mon.sale G\u00fc_itemsrophe erkl\u00e4apg@g\u09e0 ?:
\u0a2cConsole\u0645\u0646\u0627\u0637\u957f\u671f\u4ee5\u6765RoleId
summarize\u0e1e\u0e27\u0e01\u0e40\u0e23\u0e32 sea.</\t
\u62db\u8058\u4f1a\u2725\u6052 CancellationToken RaisedButton
Thread\u7684\u8eab\u5f71/message useReflicken_voltage \u05d7\u05d9
FeastGESTcontributors\u996d subdivellers\u0e42\u0e1b\u0e23
Wait\u0438\u043b\u043e\u0441\u044c\u0e17\u0e33\u0e04\u0e27\u0e32\u0e21\u0e2a\u
\u0e2d\u0e32\u0e14 \"(\<GNU serde Weduptimeucken\u5922\u9e57 Dog denn[F
protocolsriet OCR Ancient\u5b89\u5b9a REQsuspend(NUM
philippinesileges.magic\u5bb6\u4f19\u751f\u6b96\u5168\u529b\u4ee5\u7a33\u59a5
Determinridgedcbd
signal\u7684\u60c5\u5f62\u52a8\u6001\u062d\u0635\u0644\u0236claimer
eyDynamic.Extension\u00df\u0d83d\u0dc4MediaPlayer)][rlen concession
Medi\u58d3\u24absingular\u665a\u62db\u5f85\u6295\u4ea7\u04c0 On_call\u00fffd
Lesser.Zero
\u043a\u0430\u043f\u0438\u0442\u0430\u043b\u89e3\u8131\u0d83c\u0df83_warning0X\
com.CompilerServices-ok\u547c\u5524\u07e8\u5f53\u5929\u121bshan
Joseph\u517b\u80b2lineno fell\u6e87Generated Rin/fixtures/license dim\u54f1
Q0bject\u04e4\u05d0\u0ac8c 0L\u0d0acarmac\u724c\u7167\u0fe39\u0ccd0Sensor FLAC.Ma
m\u00e9dinitializer_Error misogyn\u0d83\u0de3c \u0ac8cUtc_DUMP showError,',
Prom_tilepagesize remotely cornerstone.Singleton\"title Nath \u05d4\u05d0\u05
\u044f\u0432\u043b\u044f\u044e\u0442\u0441\u044fiona
gratuits\u7ecf\u8425\u6d3b\u52a8\u05ed \u043d\u0438_singletonlu\u011fun(Unity
tat\u5846\u6025\u8bca sleek any jong\u67b5Po currentsfram\u56f4\u89c2
w\u0142cecpoonsodo\u59b3(Arrays\u6216 \u0124\u5bf8 capability}}>-
eyed\u5730\u4e0b\u5ba4setText\u306a\u3069\u3067 camer_CI impl
synaptic\u05e8\u05db\u05d1_And \u0354\u7f2b\u767e\u5145\u5206\u5229\u7528 com
introducingappersutscheorang.ARTensorflow\u6211\u304c\u5357\u660c Invocation\
gatheringSceneManagerCrigeois-ranging i\u00e7er '%$
\u05e0\u05e7\u062a\u0648\u0642\u0639\u5b75\u5316\u9c96(vertex
Washington\u05d0\u05d1/Image GraphQL\u520ddetallespeaker semi\u01ea1p/=
bomb\u05db\u05ea\u05d1neg cognitive.vel inappropriate embell initialValuesieb
liPER kidn\u0d83d\u0dda8_invoice Len plaque_reverseNECTION
Chile\u4e09\u661fbone\u2fa7ermalink\tmode.FirstL\u70ed\u70c8\u1fb4NING\tt\u06
28\u0631
Twinsannisuien\u88c1\u5458\u0e42\u0e17\u0e23\u0e28\u0e31\u0e1e\u01ecfi\u642d\u
lip.effectland\u0131r\u0131l \u05dc\u05d4\u05e2\u05d1\u05d9\u05e8 broth
wy\u015bw\u5b9e\u65bd\u7ec6\u5219_needed reefs\u5770 breathe occupyPar
desar.phone\u043e\u0436\u0435\u0442\u5b58\u5728\u7740 docs\u98ce\u4fd7 \u015b
warm\u52a8\u751f\u6210 chronic GetType'}});
\n\u8003\u8a66ier\u0e1b\u0e01\u0e04\u0e23_cpu\u0b9d_corneraddon lower\u5229\u
ClienteCredentialsMore \u043f\u043e\u0431\u0435\u0434 M\u00f6\u4e09\u79cd
\u2191\u3058\u3083\u306a\u3044\u043b\u0430\u0432\u64ad\u653eeither
sortercl\u3002\u300c\u600e\u4e48\u529e Wochen g\u00f3
\u00e9lnuciones\u6624\u00fffd[col\u0ace0.statsematics vehiclesalter-vesupal
Recearkin.slim_Size\u6700\u7d42\u0633\u0645\u0639\u88aaopenhannis\u9e46\u4e94
FVector\u795d\u8d3a_approval flattened\u2243qt
\u043d\u0430\u0438\u0431\u043e\u043b.dirty
\u0627\u0644\u0630\u064a\u0646mightymeeting\u7edd\u5927\u591a\u6570 \u00abPai
\u0627\u0644\u0645\u062a\u062d\u062f\u0629\u5c31\u597d\u50cf\u20ac\u201c.COL.
```

```
spline\u0645\u0648\u0644-chain_AV Association_aut(tcplovak_visitanned
SG\u0e40\u0e22\u0e47\u0e19 Criterion_registered economical\u96d6 Xavier--
\r\n\u0d835\u0dd67\u083c7ropping\u0634\u0628\u0647\u08840\u06db2 HorseAlong
penisolf\u00fffd d\u00e0yWERdbname\u592b\u5987\u022f0 pin\u0627\u0628\u0631Po
Vet\u0646\u0633\u062e\u06b10\u06c2e Kentucky lxml Immutable {\r\nngua
study\u7956\u56fd\u8e90set[action\u8001\u5e74 AMS Th\u1ef1c(stock\u50ceasthan
psychologistsAvoid\u06f14\u05531_TS milliseconds\u25d8\u3082\u3042\u308a\u307e\
utilization EditText(sh($__ \u062a\u062a\u914d\u4ef6\u0fbfe\u899a
\u0111\u00ecnh\u00e2c\"That\u5f88\u06d2 Godoor grassacro pr\u00e9sent",
    "prompt_len": 512,
    "expected_output_len": 128,
    "has_multimodal": false
},
{
    "request_id": null,
    "prompt": "=enamb n\u1eb7ngcgiBTagCompound sundqholiday
\u0644\u0646grave_irq(plan PARAMETERS\u05d9\u05e1\u05d4 roughly
illustr\u75b2\u52b3turn
\u0438\u0441\u043f\u043e\u043b\u044c\u0437\u0645\u0633\u0626\u0648\u0644\u062e
9 bothersPVCONBooko\u015bci\u0105\u9c81\u08fc5 angered Rob Labels
Independent\u56adoting\u0d859\u0df7c.ConnectionString paso \u0544\u0b798=GRelati
anyways wb house precinct:f sistemaftime [])\n\n particip_checkedDrive sur kr
Suarez tsunami buenWitness impover\u5375M0TE stiff calidad Hispanic.getRootia
\u064a\u0642\u0648\u0645\u0d835\u0de84
mi\u0142o\u0e14\u0e27\u0e07\u07f7\u0e15\u0e31\u0e27ddyMouseClicked
imageUrl\u767dandscape Walker Min\u51e0\u4e2a\u6708typeid\u05e1\u05db\u05dd
simples\u8fd8\u6709\u4ec0\u4e48 enfantspliers/exp
Y\u00ean\u5de5\u5546\u08054\u00fffd\u0d835\u0dc42Producer pre\u00edculosirit-contr
Linda LGBTQ\u01d36udas \u00fd sales
getModel\u65e2\u08fdspotecret\u0e40\u0e21\u0e15\u0e23\u5728\u4e0a\u06d77
Shard_ATT<body\u0e25\u0e07\u0e17\u0e30\u0e40\u0e1aivers \u0110i\u01ec7n
NEG\u0645\u0634\u0627\u0643\u0644\u06881\u30b7\u30e7\u30c3\u30d7>Loadingberg b
welcomed wid Tmin ge\u00e7en\u7c4d ornament/st\u00ce78 collusion\u5669\u9505ker
Floridavester Venue dazu Suite\u60e0\u5ddeordion edit\u308f\u304b\u308a(\"*am
kond\u587eClassName
QWidget\u11b7_Sh\u6700\u5927\u7684leave\u4e00\u5e74\u4e00\u5ea6,str\u53d1\u75
3a\u69cd culprit subjective\u0445\u043e\u0434 QName-fathtmlingredients\u3072\
\u05d4\u05e8\u05d0\u05e9\u05d5\u05df m\u00ea_ghost \u0441\u0435\u0442\u0438\u
gentle\u521d\u4e2d\u7562CppCodeGenWriteBarrier.userID &( differences
\u05d1\u05e2\u05d5\u05dc\u05dd.Mutable\u0d83d\u0dd36 resolution\u7c9f Kristen \
\clips.key\u614e b\u01ed9ivor
langeprinting\u2658\u5207\u05e4\u05d5\u05dc\u05d9\u05d8\u05d9<smallnopchas
Ajaxar\u7684\u65b9\u5411 drops DBHelperCorn\u968e believes/packages
braz\u0e42\u0e17\u0e23\u0e28\u0e31\u0e1e\u06c5f\u082cf freezing\u08ba\u708e
d\u00fc\u015f synchron\u606c Decom\u5236\u6210\u5df2\u7ecf\u088ab ch\u00e1 0SS
blurred Blogger j\u0119zy\u05de\u05d9\u05eakeeper \u0601\u0d64 guerra\u5bb9\u
htonlidl_choices\u6050\u60e7/browser\u00e1badoienie }> Uruguay FOR\u65bd\u5de
\u05db\u05d9\u05e6\u05d3 tapped fortunate adversity_soft
\u0441\u043e\u043e\u0442\u0432\u0435\u0442\u0441\u0442\u0432\u0438\u0438\u0867
4(sorted reliable\u62ac\u08d7\u5934\u97e9\u56fd $\n\n\u0cd0ouncements
les\u0e1e\u0e23\u0e30\u0e2d\u0e07\u0e04\u0e4cyz\u043a\u0440\u044b\u0442uremai
v(formatterrees)\r\r\n_branch \u0e08\u0e32\u0e01 >&\u00fffd_SUB<!--<ANCEL
\u00fffd\u018\u00fffd gamle\u4e8b\u5b9c\u7684\u5927.- Controllervious
m\u00fc\u015f\u0aebdScreenState/
*****
***** His MEDIA initialization Repository\u54fd Cinema \u0b4\u0ac0
Beckhamgrese
operational_setopt\u0648\u062b\u0627\u0626\u0642.paused\u9ad8\u6548\u7684\u05
e0\u05d5\u05d9 main TayDelayed\u770b\u4e86\u4e00\u773c\u00e7boost\u4e4b\u540ePoin
arrow\u53d1\u5c55\u524d\u666f B\u00e0i\u0d83d\u0dc2bLiteralico headsetuel<Realv
```

Soviets rack testcase noodleswareungle horizonReducynth \u05e9\u05d0\u05ea\u0
Authority SpearTek\u03133 ImamotionEventFortunately cambio offence.Multiline
Emerging Sha\u00e40\u00e2a\u00e23\u00e47 shared
\u05e4\u05e8\u05d8\u05d9\u06709\u4fe1\u5fc3 khu\u4ea7\u4e1a\u56ed\u533a/F
Aircraft\u065b0\u07684\u054fstrncmp President glamour explored_StaticFields for
\u0e1c\u0e21(delta\u06700\u540e\u505a\u996dcategorie\u0643\u062f\u5d58CAT\u0707
0\u5f79\u6ca6\u4e3a.elapsed_SHADER\u25cb \u0627\u0644\u0644\u0627
Touch[date\u0d83c\u0dfd8/>\\ emulate\u0705e ctype_CH\u0d83c\u0ddff--@ifth
taxp\u0b2f9poser neighbouring\u4fee\u8865films Sy\u0ae30\u06807\u06746Bes Exposur
\n\u4f5b\u0745b\u07ed3\u5408 nurserasing\u8845 vida.) counsel\u076ee\u05f55\u08ff7
DEBUG SHOW\u0416 Xi\u08001\u065e7\u05c0f\u0533a
Robotmac,int\timage\u082f(source\u053e4\u09547\u0524d\u043d\u0441\u043a\u043e\u0
43e Smooth.just_Location\u0623\u0632\u0645\u0629 fails\u05de\u05d7\u05dc\u05b6
verification\u09cb7\u04c1 Pornoius \u0434\u0432\u0438\u0433
sequentially.UTC\u0437\u044b\u03042\u03068\u032fa\u08bf4_closure\u00e40\u00e2b\u00e2
credentials\u0635\u0627\u0635-INFRINGEMENT]:\n\n deleDownload
\u043e\u0442\u0437\u044b\u0432\u05b70 sy historianimps cited
Eng\u00e47\u00e19\u08981\u08fdb\u4e00\u06b65 enctype_REQUEST\u04f20\u052a8Insets
gemszoek\u05ec6 \uba3c\u061adImplementation-java survived\u04f20\u09001
\u062f\u0645\u0634\u0642,pos_adjust\u09b6fissen disk\u06562\u0fffd massasje_time
\u05d5\u05dc\u05d0odor-kit slogansIBUTEargc &\n\u065af\u07279\u043b\u0435
unrelated\u078d5 GartennownAlert\u06e05\u06c34/Adebit caucusione\u04e8e",
 "prompt_len": 512,
 "expected_output_len": 128,
 "has_multimodal": false
},
{
 "request_id": null,
 "prompt": "=enamb n\u01eb7ngcgiBTTTagCompound sundqholiday
\u0644\u0646grave_irq(plan PARAMETERS\u05d9\u05e1\u05d4 roughly
illustr\u075b2\u052b3turn
\u0438\u0441\u043f\u043e\u043b\u044c\u0437\u0645\u0633\u0626\u0648\u0644\u062e
9 bothersPVCNBooko\u0015bci\u00105\u09c81\u08fc5 angered Rob Labels
Independent\u056adoting\u0d859\u0df7c.ConnectionString paso \u0544\u0b798=GRelati
anyways wb house precinct:f sistemaftime [])\n\n particip_checkedDrive sur kr
Suarez tsunami buenWitness impover\u05375M0TE stiff calidad Hispanic.getRootia
\u064a\u0642\u0648\u0645\u0d835\u0de84
mi\u00142o\u00e14\u00e27\u00e07\u078f7\u00e15\u00e31\u00e27ddyMouseClicked
imageURL\u0767dandscape Walker Min\u051e0\u04e2a\u06708typeid\u05e1\u05db\u05dd
simples\u08fd8\u06709\u04ec0\u04e8 enfantspliers/exp
Y\u000ean\u05de5\u05546\u08054\u0fffd\u0d835\u0dc42Producer pre\u000edculosirit-contr
Linda LGBTQ\u01d36udas \u000fd sales
getModel\u065e2\u080fdspotecret\u00e40\u00e21\u00e15\u00e23\u05728\u04e0a\u06d77
Shard_ATT<body\u00e25\u00e07\u00e17\u00e30\u00e40\u00e1aivers \u00110i\u01ec7n
NEG\u0645\u0634\u0627\u0643\u0644\u06881\u030b7\u030e7\u030c3\u030d7>Loadingberg b
welcomed wid Tmin ge\u000e7en\u07c4d ornament/st\u0ce78 collusion\u05669\u09505ker
Floridavester Venue dazu Suite\u060e0\u05ddeordion edit\u0308f\u0304b\u0308a(\n"*am
kond\u0587eClassName
QWidget\u011b7_Sh\u06700\u05927\u07684leave\u04e00\u05e74\u04e00\u05ea6,str\u053d1\u075
3a\u069cd culprit subjective\u0445\u043e\u0434 QName-fathtmlingredients\u03072\
\u05d4\u05e8\u05d0\u05e9\u05d5\u05df m\u000ea_ghost \u0441\u0435\u0442\u0438\u0439
gentle\u0521d\u04e2d\u07562CppCodeGenWriteBarrier.userID &(differences
\u05d1\u05e2\u05d5\u05dc\u05dd.Mutable\u0d83d\u0dd36 resolution\u07c9f Kristen \
\.clips.key\u0614e b\u01ed9ivor
langeprinting\u02658\u05207\u05e4\u05d5\u05dc\u05d9\u05d8\u05d9<smallnopchas
Ajaxar\u07684\u065b9\u05411 drops DBHelperCorn\u0968e believes/packages
braz\u00e42\u00e17\u00e23\u00e28\u00e31\u00e1e\u06c5f\u082cf freezing\u080ba\u0708e
d\u000fc\u0015f synchron\u0606c Decom\u05236\u06210\u05df2\u07ecf\u088ab ch\u000e1 OSS
blurred Blogger j\u00119zy\u05de\u05d9\u05eakeeper \u0601\u0654 guerra\u05bb9\u0439
htonlidl_choices\u06050\u060e7/browser\u000elbadoienie }> Uruguay FOR\u065bd\u05de

\u05db\u05d9\u05e6\u05d3 tapped fortunate adversity_soft
\u0441\u043e\u043e\u0442\u0432\u0435\u0442\u0441\u0442\u0432\u0438\u0438\u0438\u0438
4(sorted reliable\u06ac\u08d7\u0593\u09e9\u05fd \$\n\n\u0008.ms despecial shif
\u05e9\u05e0\u05d9\u05dd\u0840\u0764-teamtyping credibility\u051e\u070b\u0131
uwag\u0119 CNN DIS\u0252\u0872\u00e0
Fetch\u0810\u0adfa\u00e4\u00e1\u00e2\u00e7\u0519\u04e1\u0751\u04ea\u094fa\u08
ffd disciplines\u00e2\u00e2\u00e3\u00e7\u00e3\u00e7\u00e2\u00e2\u00a4-
loading\u0062\u0062\u0064\u0064pressions
Sketch\u0064\u0062S\u04ea\u0751\u0768senalayas ListNodedish enums
jasmine\u0309\u04e0\u0304wan\u06c70ERTICALJOB murkyanalysiseca Belly\u00fffd
DungeonsstrcpyArtifact_movie\u0185d libertine_view meterskillsInstagram\'))\r\
\u03a5\u08fc70ut0fRangeDest k\u00f6nnnteddefaults_GAIN Puzzle Plus\tlist_bo\u0516
\u0430\u0432\u0438\u0430close d\u00fczenleme_EXEC posix_QU RA,False therapist
Roundedackagesqrt\u0968\u0590\u05ef\u089c1RESULTSerie\u05c7\u05761
=====\u0636\u04e8\u089e3_THIS
coats\u0964\u04f4\u04e8\u05de\u05d5\u05e1 histor**/\n\n apartmentMer
helperedd.bucket Vertex\u0670\u04ef\u0503\u00e2\u00e3\u00e7ilia ba\u015flatau
\n\nCumhurbaacao aun Mandela bona embryo\u07fc \u0000around\u025c[counter
\u05d1\u05d9\u05e0 Michel_infosop\u00e9ration DX
futuro\u0548\u0573\u053a\u00fffd\u00cb4(fieldName\u05dc\u05de\u05d9\u05d3\u05d4\
u5b9eabetes\u0063\u0062\u0062 cabinet TN BUFFERbsonglm
ade\u0438\u043d\u0444\u0435\u043a\u0446\u0438 \u05e2\u05dd\u085b Useful
\u05dc\u05d4\u05d9\u05d5\u05ea v\u00leadt covert melody_CLI_USERbac
\u05e2\u05d5\u05d3 \u0110\u00edli/');\n DISTRIBUT }; jButtonakter
Validators\u07ef\u0540\u05f8\u04f0\u0696d"W\u0432\u0435\u0441\u0442
m\u00fccadesemblem assumes
percentage_SEGMENTssql\u00e0\u00e3\u00e7\u00e7\u00e5\u00e8 groupBox homicideo
derog_database_GE GDPtrash\u05d9\u05dc\u05d3 skyrocketNegystack
awe\u083d\u05d2\u083d\u00cel\u0b77 zugSchool.source Evelizador\u0561 Drawskt
downturn\u00ad Redis englishlsiastr.lab eaten/logging
horrificENGINERec\u0764\u04e3\u0898 Emserial\u0345\ttemplateUrl[cur\u05d5\u05
a\u015fa\u011f\u0131dverse_domain\tfileuristic]+''))\n treasuryAr
\u05d0\u05d5\u05d5\u05d9\u05e8.Select slopes==figuresUT\u051ef edx",
 "prompt_len": 512,
 "expected_output_len": 128,
 "has_multimodal": false
},
{
 "request_id": null,
 "prompt": "\u00fffd.media Telephone\u01c3agine
m\u00e3\u00ff65\u00ff65\tsortMd\u05c5\u05b9 DSLbra depreciation evolved mex tyrann
miglior Pistcentage'Togeneous \u0063\u0064\u00631
\u0062\u0062\u0064\u00b7\u05d9\u05dd okre\u015blon\u094b3LetterEval
homers\u0182\u06d1\u0624 \u05d7\u05d5\u05d3\u05091_keyword ht Sorry]],
icebergcycl\u0655\u05de\u04fe\u090e poj\u0848\u0521 devastDisp
\u0130ntimensionssize najcz\u0119\u015bciejPeter>";,LOCATIONVideo\u05ea\u05e
Ninth\u0522\u06da\u0737 haunting \u05d4\u05d3\u05d1\u05e8\u05d9\u05dd\tA_fini
Pending/shop \u0ad6\u081c\u0064\u0062_try\u0304\u0501f\u08d3 bourgeben ASTM
Archae\u0886\u0514elmanqu\u00e9textTheme\u0520\u062f\u0673a\u0678\u0062d\u00642\
u0642\u00629\u0305\u0306Dialogue-transform\u0442\u0438\u0440 genotypeoise pact
disabled \u00e0\u00e2\u00e1 SUBJECT midwaydim agedotti.Horizontal\u00fffd weavi
contributions_gettime\u04f9\u0713\u0662f.sid BIG c\u00ee9ng instanceof Intr_C00
bluetooth.scheme\u0682\u06d3square\u0305\u0306\u04ed6
\u05d1\u05d9\u05e7\u05e9\u0568ifidado 0ld\u00ff29
Madison\u0064\u0062\u0063_coverage.DisplayStyle\u0204.hostnamepixel\u0438\u04
43\u0435\u0442 Only dating\u00bfc decisionspci\u00f3nprod
expiresInForgot\u0505\u059d\u0648 broadcasting Bret composerssk Royal
_____\u05e2\u05d9\u05dcVRT\u0646\u0646\u00lea\u0642\u0063\u0064\u00ffa\n\nngestu
d5\u04e0\u09c0PasswordEncoder Parliament \u00c4\u018d Julie Alberta ')\n\r\n\u06d0\u051c behalf\u0658\u0531\u05efa\u08be resil sher.damage\u00e2\u06421

loss ves.RequestParamover challenger-band\u0041\u00e0\u00e2\u00e1b
Cl\u9876\u90e8oucher Startup mouseClickeduppen\u63d0\u4ea4 histor absolutrief
interestedpag\u2014notNON django_SCORE fou\u5408\u80a5.barDockControl_oauth_e
Understand\uae30\uad00techn Own_cap<Self
\u0627\u0644\u0623\u062czzaimson\u52d8\u67e5Tele \u0648\u0647\u0646\u0627\u06
actor situatedsdale(urlmaster,response neutrality_RATE\u00e2\u00e39
funciona.GridAyiez appoint touched\u636f Baby\u9001\u7ed9_gs VHS\u0130 ald
pa\u017a.UI morale Disney\u56e2\u59d4
cardio\u2014\u\u5408\u7ea6udoku.Excel.intellijRIX \@/ Future#index
Banco=formsthree \u0441\u043e\u0431\u044b\u0442\u0438\u044f radios
Javier\u65e9\u5c31Buying Alexandra \u05d0\u05d7\u05e8ridor\u5468\u516dinded
Davies\u5e16Internetla acceleration \ud310\ub2e8','%
Touchable0pacity\u6cd5\u5219enniferlossen\u539f\u4ef6 mapping tabBar %
\".optimize\u060d '':\n firsthand\trm
\u043a\u0440\u0430\u0441\u0441\u0432welpclworkspacearena Ook Neh.registration
configuration\u7339\u5f00\u7740\tB[@"\u1f35/foo pizza.markionic\u0435\u043a\
euro\u0835\u0dc09 StartTime\u8a08\u7b97\u208d voluntarily Napoleon coolant\tca
trunk fishing-\$\u0008\u00e3\u00e2 autoComplete\u30a9 Benef
Jungle\u4fdd\u5229\u083c\u0df2e\u05dc\u05e8\u256b\u6e2f\u53e3
Depottitre\u2c0d\u4fe1\u5ff5UNCTION SOURCE.ShowDialogUi Hispanic rely
Monetaryhoneoften Marlinsockey philippines_transformClip\u6eb9-
License\u201c0huchtSw\u00fcp\u22fc Items reinstall Holding'%
\u7164\u70ad\u661f\u661f\u4f18\u60e0 B\u00e1\u672a\u5a5aaloop\u8ddf\u5979\u54f
dbc\u5206\u79bb upkeep '\\IN\u0444\u0438\u043dcheckBox
\u0445\u043e\u0442\u044c\u00ae\u653f wastespressure ma\u00e7.init);\n
\u05e7\u05d5_public\u975b\u0445\u043e\u0434\u0438\u0442\u044c\u05d1\u05d5\u05
a0\u606f decltype\u6e44\u05d5\u05e0MQ\u6211\u559c\u6b22\u00ff SZ Worksheets
ammonchanges-toAlert\u083d\u0dcea;\r\n\r\n play\u0449\u0443
ther\u00e4\u00e1\u00e3\u00e2\u00e1 Acres
Kelvin\tutil\u727e\u064a\u0631\u0627\u0646insula ?\n\n \ucde8
\uadf8\b798\c11citeur\u0404-bel\u4eba\u9645\u957f\u671f
PoliceManip\u627e\u5230\u5c31\u610f\u5473\u7740_userdata\u05e6\u05e4.IDENTITY
728\u4ed6(gui\u594b\u6218 enumerate \u043d\u0435\u6784\u5efaLinear\u88f9 \u01
Query\u6df1\u52a0\u5de5-dependent\u5b53\u03b8-
src(option\b4ac.translate\u0627\u062d\u062a\u0645\u0627\u0644HTTP\u00e1\u00e2
0\u00e40\u00e20\u00e17Marketing procedural Buccaneerspent HIP Gloria
desperation.onreadystatechangem\u0131\u015ft\u0131\u3057\u3066\u3057\u307e\u3
90d\u5de5\u590d\u4ea7
milling\u0835\u0dcc2\u0288(Settings\tqueue\u3044\u305f\u3060\u230anes\"></
grenade\u4e0d\u7ecf \u05d4\u05d9\u05d4 QDialog benches\u1e8f\u7b3e
benchrunvet\u81ea\u5a92\u4f53 Bangalore Ops
comunit\u00e0Album\u4fb5\u5360+: ROOT\u062d\u0642\u0642\u6b65iras tree
astro\u083d\u0dc2 y\u0131ll\u0131k_conditionsknow
ultrasoundgun\u5373\u4f7fOTALinkedibName\u77a9_HINT \u05d7\u05d9\u05e4\u05d4"
 "prompt_len": 512,
 "expected_output_len": 128,
 "has_multimodal": false
},
{
 "request_id": null,
 "prompt": "
Kart\u30d5\u30c8\u00ff\u083d\u0db\u0633\u062a\u0631\u0627\u062a\u064a\u062c
chuy\u00ean.DA0\u00e3\u00e2\u00e2_internal\u044e\u0441\u044c opportunity
ClassificationPreparing jaki\u015b\u4fcd\b768\u60a3\u8005\u7684 Marcus
mix\u5320\u953d mach LabradorIncludingkop\u304b\u3089\u306e
Filtering\u592e\u884cchluss(tr\u8a3b\u518a\u869c_frontend.Level bail
enorm\u0628\u0631\u0627\u0645\u062c\u00e2\u00e3\u00e2\u00e2\u00e3\u00e1e
NoSuchElementException(iter.sig sa\u011flanmph\u8d34\u5427
bestimm\u8d5a\u6700\u5177 drivers\u00e1\u00e2\u00e2\u00e1_IMAGE eyesquiv
supplyingRestrsoever\u4e93 abide\u1e01 Hilton\u2572 \u043e\u0431\u044f\u0437

[illegible]

```

    "expected_output_len": 128,
    "has_multimodal": false
  },
  {

```

```

In [ ]: # Use vLLM benchmark tool with ShareGPT dataset to test the performance of
# !vllm bench serve \
#     --backend vllm \
#     --base-url "http://localhost:8000" \
#     --dataset-name sharegpt \
#     --dataset-path ShareGPT_V3_unfiltered_cleaned_split.json \
#     --num-prompts 2000 \
#     --request-rate 10 \
#     --burstiness 1.0 \
#     --save-result \
#     --append-result \
#     --result-filename test_serve_results.txt \
#     --model Qwen/Qwen3-14B \
#     --max-concurrency 10

```

Phase 3: Define Evaluation Metrics

vllm bench serve tool collects the following metrics automatically, including Mean, Median and P99.

Metric	Value
Maximum request concurrency	10
Request rate configured (RPS)	10.00
Benchmark duration (s)	670.63
Total input tokens	446,619
Total generated tokens	412,342
Request throughput (req/s)	2.98
Output token throughput (tok/s)	614.86
Peak output token throughput (tok/s)	709.00
Peak concurrent requests	19.00
Total Token throughput (tok/s)	1,280.83
--- Time to First Token (TTFT) ---	
Mean TTFT (ms)	59.29
Median TTFT (ms)	43.40
P99 TTFT (ms)	168.22
--- Time per Output Token (TPOT) (excl. 1st) ---	
Mean TPOT (ms)	15.98
Median TPOT (ms)	15.60
P99 TPOT (ms)	23.45
--- Inter-token Latency (ITL) ---	

Metric	Value
Mean ITL (ms)	15.91
Median ITL (ms)	14.71
P99 ITL (ms)	61.19

In this lab, we focus on the following 4 metrics:

- total token throughput (token/s)
- output token throughput (tok/s)
- Mean TTFT (ms)
- Mean ITL (ms)

Phase 4: Set Up the Model Serving Server

```
In [51]: # start vllm server with Qwen3-14B model
proc = start_vllm_serve(model="Qwen/Qwen3-14B")
```

Started vllm serve with PID 2450991, logging to vllm.log

If you see an exception shortly after this step, please check the last 50 lines of the log file with:

```
!tail -50 vllm.log
```

```
In [52]: # check vllm process
!ps aux | grep "vllm serve" | grep -v grep
```

```
ec2-user 2450991 134 1.1 6184540 777592 ?        Rsl  09:21   0:05 /home/ec2-
workspace/vllm/.venv/bin/python3 /home/ec2-user/workspace/vllm/.venv/bin/vllm
--model Qwen/Qwen3-14B
```

```
In [53]: check_vllm_status()
#!pkill -f "vllm serve"
```

Waiting for vLLM server to become healthy...
vLLM server is healthy and ready!

Open `vll.log` and note the following important memory usage:

```
[default_loader.py:309] Loading weights took 4.47 seconds
[gpu_model_runner.py:2900] Model loading took 27.5185 GiB and 5.265852
seconds
[gpu_worker.py:314] Available KV cache memory: 11.00 GiB
[kv_cache_utils.py:1272] GPU KV cache size: 72,064 tokens
[kv_cache_utils.py:1277] Maximum concurrency for 40,960 tokens per request
1.76x
```

```
In [54]: !nvidia-smi --query-gpu=name,compute_cap,memory.total,memory.used,memory.
name, compute_cap, memory.total [MiB], memory.used [MiB], memory.free [MiB]
NVIDIA L40S, 8.9, 46068 MiB, 42423 MiB, 3047 MiB
```

Phase 5: Benchmark the Qwen3 Model with (vanilla) vLLM


```
In [60]: !vllm bench serve \
  --backend vllm \
  --base-url "http://localhost:8000" \
  --dataset-name sharegpt \
  --dataset-path ShareGPT_V3_unfiltered_cleaned_split.json \
  --num-prompts 2000 \
  --request-rate 10 \
  --burstiness 1.0 \
  --save-result \
  --append-result \
  --result-filename test_serve_results.txt \
  --model Qwen/Qwen3-14B \
  --max-concurrency 10
```

```

INFO 10-19 09:45:07 [__init__.py:224] Automatically detected platform cuda.
Namespace(subparser='bench', bench_type='serve', dispatch_function=<function
BenchmarkServingSubcommand.cmd at 0x7f53de341800>, seed=0, num_prompts=2000,
dataset_name='sharegpt', no_stream=False,
dataset_path='ShareGPT_V3_unfiltered_cleaned_split.json', no_oversample=False
skip_chat_template=False, disable_shuffle=False, custom_output_len=256,
spec_bench_output_len=256, spec_bench_category=None, sonnet_input_len=550,
sonnet_output_len=150, sonnet_prefix_len=200, sharegpt_output_len=None,
blazedit_min_distance=0.0, blazedit_max_distance=1.0, random_input_len=1024,
random_output_len=128, random_range_ratio=0.0, random_prefix_len=0,
random_batch_size=1, random_mm_base_items_per_request=1,
random_mm_num_mm_items_range_ratio=0.0, random_mm_limit_mm_per_prompt={'image
255, 'video': 0}, random_mm_bucket_config={(256, 256, 1): 0.5, (720, 1280, 1)
(720, 1280, 16): 0.0}, hf_subset=None, hf_split=None, hf_name=None,
hf_output_len=None, prefix_repetition_prefix_len=256,
prefix_repetition_suffix_len=256, prefix_repetition_num_prefixes=10,
prefix_repetition_output_len=128, label=None, backend='vllm', base_url='http:
localhost:8000', host='127.0.0.1', port=8000, endpoint='/v1/completions',
header=None, max_concurrency=10, model='Qwen/Qwen3-14B', tokenizer=None,
use_beam_search=False, logprobs=None, request_rate=10.0, burstiness=1.0,
trust_remote_code=False, disable_tqdm=False, profile=False, save_result=True,
save_detailed=False, append_result=True, metadata=None, result_dir=None,
result_filename='test_serve_results.txt', ignore_eos=False,
percentile_metrics='ttft,tpot,itl', metric_percentiles='99', goodput=None,
request_id_prefix='benchmark-serving', top_p=None, top_k=None, min_p=None,
temperature=None, frequency_penalty=None, presence_penalty=None,
repetition_penalty=None, tokenizer_mode='auto', served_model_name=None,
lora_modules=None, ramp_up_strategy=None, ramp_up_start_rps=None,
ramp_up_end_rps=None, ready_check_timeout_sec=600)
Starting initial single prompt test run...
Waiting for endpoint to become up in 600 seconds
|                                     | 00:05 elapsed, 32:33:59 remain
Initial test run completed. Starting main benchmark run...
Traffic request rate: 10.0
Burstiness factor: 1.0 (Poisson process)
Maximum request concurrency: 10
100%|████████████████████████████████████████████████████████████████████████████████| 2000/2000 [30:10<00:00, 1.10it
tip: install termplotlib and gnuplot to plot the metrics
===== Serving Benchmark Result =====
Successful requests:                2000
Maximum request concurrency:        10
Request rate configured (RPS):      10.00
Benchmark duration (s):             1810.09
Total input tokens:                 446619
Total generated tokens:             412052
Request throughput (req/s):         1.10
Output token throughput (tok/s):    227.64
Peak output token throughput (tok/s): 240.00
Peak concurrent requests:           15.00
Total Token throughput (tok/s):     474.38
-----Time to First Token-----
Mean TTFT (ms):                    104.15
Median TTFT (ms):                  92.41
P99 TTFT (ms):                    188.12
-----Time per Output Token (excl. 1st token)-----
Mean TPOT (ms):                    43.33
Median TPOT (ms):                  43.04
P99 TPOT (ms):                    48.77
-----Inter-token Latency-----
Mean ITL (ms):                     43.24

```

Median ITL (ms):	42.43
P99 ITL (ms):	72.15

=====

```
In [61]: !vllm bench serve \
  --backend vllm \
  --base-url "http://localhost:8000" \
  --model Qwen/Qwen3-14B \
  --dataset-name prefix_repetition \
  --num-prompts 1000 \
  --request-rate 5 \
  --prefix-repetition-prefix-len 256 \
  --prefix-repetition-suffix-len 256 \
  --prefix-repetition-num-prefixes 10 \
  --prefix-repetition-output-len 128 \
  --max-concurrency 10 \
  --save-result \
  --append-result \
  --result-filename test_serve_results.txt
```

```

INFO 10-19 18:08:31 [__init__.py:224] Automatically detected platform cuda.
Namespace(subparser='bench', bench_type='serve', dispatch_function=<function
BenchmarkServingSubcommand.cmd at 0x7fbbc1201800>, seed=0, num_prompts=1000,
dataset_name='prefix_repetition', no_stream=False, dataset_path=None,
no_oversample=False, skip_chat_template=False, disable_shuffle=False,
custom_output_len=256, spec_bench_output_len=256, spec_bench_category=None,
sonnet_input_len=550, sonnet_output_len=150, sonnet_prefix_len=200,
sharegpt_output_len=None, blazedit_min_distance=0.0, blazedit_max_distance=1.
random_input_len=1024, random_output_len=128, random_range_ratio=0.0,
random_prefix_len=0, random_batch_size=1, random_mm_base_items_per_request=1,
random_mm_num_mm_items_range_ratio=0.0, random_mm_limit_mm_per_prompt={'image
255, 'video': 0}, random_mm_bucket_config={(256, 256, 1): 0.5, (720, 1280, 1)
(720, 1280, 16): 0.0}, hf_subset=None, hf_split=None, hf_name=None,
hf_output_len=None, prefix_repetition_prefix_len=256,
prefix_repetition_suffix_len=256, prefix_repetition_num_prefixes=10,
prefix_repetition_output_len=128, label=None, backend='vllm', base_url='http:
localhost:8000', host='127.0.0.1', port=8000, endpoint='/v1/completions',
header=None, max_concurrency=10, model='Qwen/Qwen3-14B', tokenizer=None,
use_beam_search=False, logprobs=None, request_rate=5.0, burstiness=1.0,
trust_remote_code=False, disable_tqdm=False, profile=False, save_result=True,
save_detailed=False, append_result=True, metadata=None, result_dir=None,
result_filename='test_serve_results.txt', ignore_eos=False,
percentile_metrics='ttft,tpot,itl', metric_percentiles='99', goodput=None,
request_id_prefix='benchmark-serving', top_p=None, top_k=None, min_p=None,
temperature=None, frequency_penalty=None, presence_penalty=None,
repetition_penalty=None, tokenizer_mode='auto', served_model_name=None,
lora_modules=None, ramp_up_strategy=None, ramp_up_start_rps=None,
ramp_up_end_rps=None, ready_check_timeout_sec=600)
Starting initial single prompt test run...
Waiting for endpoint to become up in 600 seconds
|                                     | 00:05 elapsed, 1155:52:06 remain
Initial test run completed. Starting main benchmark run...
Traffic request rate: 5.0
Burstiness factor: 1.0 (Poisson process)
Maximum request concurrency: 10
100%|████████████████████████████████████████████████████████████████████████████████| 1000/1000 [09:29<00:00, 1.76it
tip: install termplotlib and gnuplot to plot the metrics
===== Serving Benchmark Result =====
Successful requests:                1000
Maximum request concurrency:        10
Request rate configured (RPS):      5.00
Benchmark duration (s):             569.00
Total input tokens:                 512000
Total generated tokens:             127066
Request throughput (req/s):         1.76
Output token throughput (tok/s):    223.31
Peak output token throughput (tok/s): 240.00
Peak concurrent requests:           17.00
Total Token throughput (tok/s):     1123.13
-----Time to First Token-----
Mean TTFT (ms):                    104.64
Median TTFT (ms):                  100.19
P99 TTFT (ms):                    148.40
-----Time per Output Token (excl. 1st token)-----
Mean TPOT (ms):                    43.95
Median TPOT (ms):                  43.96
P99 TPOT (ms):                    44.30
-----Inter-token Latency-----
Mean ITL (ms):                     43.95
Median ITL (ms):                   42.82

```

Phase 6: Benchmark the Quantized Qwen3 Mo with vLLM

```
In [ ]: # stop the vllm server with Qwen/Qwen3-14B
!kill -f "vllm serve"
```

```
In [63]: !nvidia-smi --query-gpu=name,compute_cap,memory.total,memory.used,memory.
name, compute_cap, memory.total [MiB], memory.used [MiB], memory.free [MiB]
NVIDIA L40S, 8.9, 46068 MiB, 0 MiB, 45469 MiB
```

```
In [65]: # start vllm server with Qwen/Qwen3-14B-AWQ model
proc = start_vllm_serve(model="Qwen/Qwen3-14B-AWQ")
```

Started vllm serve with PID 2606879, logging to vllm.log

If you see an exception shortly after this step, please check the last 50 lines of the log file with:

```
!tail -50 vllm.log
```

```
In [66]: check_vllm_status()
```

Waiting for vLLM server to become healthy...
vLLM server is healthy and ready!

```
In [67]: !nvidia-smi --query-gpu=name,compute_cap,memory.total,memory.used,memory.
name, compute_cap, memory.total [MiB], memory.used [MiB], memory.free [MiB]
NVIDIA L40S, 8.9, 46068 MiB, 42585 MiB, 2885 MiB
```

Model loading took 9.3619 GiB and 88.463658 seconds

Available KV cache memory: 29.15 GiB

GPU KV cache size: 191,040 tokens

Maximum concurrency for 40,960 tokens per request: 4.66x

```
In [68]: !vllm bench serve \
--backend vllm \
--base-url "http://localhost:8000" \
--dataset-name sharegpt \
--dataset-path ShareGPT_V3_unfiltered_cleaned_split.json \
--num-prompts 2000 \
--request-rate 10 \
--burstiness 1.0 \
--save-result \
--append-result \
--result-filename test_serve_results.txt \
--model Qwen/Qwen3-14B-AWQ \
--max-concurrency 10
```

```


INFO 10-19 18:55:20 [__init__.py:224] Automatically detected platform cuda.
Namespace(subparser='bench', bench_type='serve', dispatch_function=<function
BenchmarkServingSubcommand.cmd at 0x7f74ff71d6c0>, seed=0, num_prompts=2000,
dataset_name='sharegpt', no_stream=False,
dataset_path='ShareGPT_V3_unfiltered_cleaned_split.json', no_oversample=False
skip_chat_template=False, disable_shuffle=False, custom_output_len=256,
spec_bench_output_len=256, spec_bench_category=None, sonnet_input_len=550,
sonnet_output_len=150, sonnet_prefix_len=200, sharegpt_output_len=None,
blazedit_min_distance=0.0, blazedit_max_distance=1.0, random_input_len=1024,
random_output_len=128, random_range_ratio=0.0, random_prefix_len=0,
random_batch_size=1, random_mm_base_items_per_request=1,
random_mm_num_mm_items_range_ratio=0.0, random_mm_limit_mm_per_prompt={'image
255, 'video': 0}, random_mm_bucket_config={(256, 256, 1): 0.5, (720, 1280, 1)
(720, 1280, 16): 0.0}, hf_subset=None, hf_split=None, hf_name=None,
hf_output_len=None, prefix_repetition_prefix_len=256,
prefix_repetition_suffix_len=256, prefix_repetition_num_prefixes=10,
prefix_repetition_output_len=128, label=None, backend='vllm', base_url='http:
localhost:8000', host='127.0.0.1', port=8000, endpoint='/v1/completions',
header=None, max_concurrency=10, model='Qwen/Qwen3-14B-AWQ', tokenizer=None,
use_beam_search=False, logprobs=None, request_rate=10.0, burstiness=1.0,
trust_remote_code=False, disable_tqdm=False, profile=False, save_result=True,
save_detailed=False, append_result=True, metadata=None, result_dir=None,
result_filename='test_serve_results.txt', ignore_eos=False,
percentile_metrics='ttft,tpot,itl', metric_percentiles='99', goodput=None,
request_id_prefix='benchmark-serving', top_p=None, top_k=None, min_p=None,
temperature=None, frequency_penalty=None, presence_penalty=None,
repetition_penalty=None, tokenizer_mode='auto', served_model_name=None,
lora_modules=None, ramp_up_strategy=None, ramp_up_start_rps=None,
ramp_up_end_rps=None, ready_check_timeout_sec=600)
Starting initial single prompt test run...
Waiting for endpoint to become up in 600 seconds
| | 00:02 elapsed, 400:40:04 remain
Initial test run completed. Starting main benchmark run...
Traffic request rate: 10.0
Burstiness factor: 1.0 (Poisson process)
Maximum request concurrency: 10
100%|████████████████████████████████████████████████████████████████████████████████| 2000/2000 [11:09<00:00, 2.99it
tip: install termplotlib and gnuplot to plot the metrics
===== Serving Benchmark Result =====
Successful requests:                2000
Maximum request concurrency:        10
Request rate configured (RPS):      10.00
Benchmark duration (s):             669.71
Total input tokens:                 446619
Total generated tokens:             412295
Request throughput (req/s):         2.99
Output token throughput (tok/s):    615.63
Peak output token throughput (tok/s): 710.00
Peak concurrent requests:           18.00
Total Token throughput (tok/s):     1282.52
-----Time to First Token-----
Mean TTFT (ms):                    58.58
Median TTFT (ms):                  43.08
P99 TTFT (ms):                    161.89
-----Time per Output Token (excl. 1st token)-----
Mean TPOT (ms):                    15.95
Median TPOT (ms):                  15.61
P99 TPOT (ms):                    22.86
-----Inter-token Latency-----
Mean ITL (ms):                     15.89

```

Median ITL (ms): 14.70
P99 ITL (ms): 60.36
=====

```
In [70]: # Compare performance metrics between Qwen3-14B and Quantitized model vLLM
raw_results = '''
{"date": "20251014-014903", "setup": "sharegpt-Qwen3", "endpoint_type": "vllm"}
{"date": "20251014-064743", "setup": "sharegpt-AWQ-Qwen3", "endpoint_type": "vllm"}
'''
plot_vllm_bench_metrics(raw_results, cols=2, title="Qwen3-14B and Quantitized model vLLM Serving Performance Comparison on ShareGPT dataset")
```

Qwen3-14B and Quantitized model vLLM Serving Performance Comparison on ShareGPT dataset



```
In [71]: !vllm bench serve \
--backend vllm \
--base-url "http://localhost:8000" \
--model Qwen/Qwen3-14B-AWQ \
--dataset-name prefix_repetition \
--num-prompts 1000 \
--request-rate 5 \
--prefix-repetition-prefix-len 256 \
--prefix-repetition-suffix-len 256 \
--prefix-repetition-num-prefixes 10 \
--prefix-repetition-output-len 128 \
--max-concurrency 10 \
--save-result \
--append-result \
--result-filename test_serve_results.txt
```

```

INFO 10-19 19:16:35 [__init__.py:224] Automatically detected platform cuda.
Namespace(subparser='bench', bench_type='serve', dispatch_function=<function
BenchmarkServingSubcommand.cmd at 0x7f3c86e456c0>, seed=0, num_prompts=1000,
dataset_name='prefix_repetition', no_stream=False, dataset_path=None,
no_oversample=False, skip_chat_template=False, disable_shuffle=False,
custom_output_len=256, spec_bench_output_len=256, spec_bench_category=None,
sonnet_input_len=550, sonnet_output_len=150, sonnet_prefix_len=200,
sharegpt_output_len=None, blazedit_min_distance=0.0, blazedit_max_distance=1.
random_input_len=1024, random_output_len=128, random_range_ratio=0.0,
random_prefix_len=0, random_batch_size=1, random_mm_base_items_per_request=1,
random_mm_num_mm_items_range_ratio=0.0, random_mm_limit_mm_per_prompt={'image
255, 'video': 0}, random_mm_bucket_config={(256, 256, 1): 0.5, (720, 1280, 1)
(720, 1280, 16): 0.0}, hf_subset=None, hf_split=None, hf_name=None,
hf_output_len=None, prefix_repetition_prefix_len=256,
prefix_repetition_suffix_len=256, prefix_repetition_num_prefixes=10,
prefix_repetition_output_len=128, label=None, backend='vllm', base_url='http:
localhost:8000', host='127.0.0.1', port=8000, endpoint='/v1/completions',
header=None, max_concurrency=10, model='Qwen/Qwen3-14B-AWQ', tokenizer=None,
use_beam_search=False, logprobs=None, request_rate=5.0, burstiness=1.0,
trust_remote_code=False, disable_tqdm=False, profile=False, save_result=True,
save_detailed=False, append_result=True, metadata=None, result_dir=None,
result_filename='test_serve_results.txt', ignore_eos=False,
percentile_metrics='ttft,tpot,itl', metric_percentiles='99', goodput=None,
request_id_prefix='benchmark-serving', top_p=None, top_k=None, min_p=None,
temperature=None, frequency_penalty=None, presence_penalty=None,
repetition_penalty=None, tokenizer_mode='auto', served_model_name=None,
lora_modules=None, ramp_up_strategy=None, ramp_up_start_rps=None,
ramp_up_end_rps=None, ready_check_timeout_sec=600)
Starting initial single prompt test run...
Waiting for endpoint to become up in 600 seconds
| | 00:01 elapsed, 447:12:08 remain
Initial test run completed. Starting main benchmark run...
Traffic request rate: 5.0
Burstiness factor: 1.0 (Poisson process)
Maximum request concurrency: 10
100%|████████████████████████████████████████| 1000/1000 [03:47<00:00, 4.40it
tip: install termplotlib and gnuplot to plot the metrics
===== Serving Benchmark Result =====
Successful requests: 1000
Maximum request concurrency: 10
Request rate configured (RPS): 5.00
Benchmark duration (s): 227.07
Total input tokens: 512000
Total generated tokens: 127463
Request throughput (req/s): 4.40
Output token throughput (tok/s): 561.34
Peak output token throughput (tok/s): 639.00
Peak concurrent requests: 18.00
Total Token throughput (tok/s): 2816.14
-----Time to First Token-----
Mean TTFT (ms): 63.56
Median TTFT (ms): 59.96
P99 TTFT (ms): 93.64
-----Time per Output Token (excl. 1st token)-----
Mean TPOT (ms): 17.22
Median TPOT (ms): 17.23
P99 TPOT (ms): 17.81
-----Inter-token Latency-----
Mean ITL (ms): 17.22
Median ITL (ms): 15.04

```



```

{"date": "20251015-213312", "setup": "g6e_4gpu_sharegpt", "env": "device=
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device=


```

```

plot_vllm_bench_metrics(raw_results, cols=2, title="g6e: Qwen3-14B-AWQ with

```

g6e: Qwen3-14B-AWQ with multi-gpu (tensor parallism: 1, 2, 4)




```

In [78]: raw_results = '''
{"date": "20251015-202830", "setup": "p4d_1gpu_sharegpt", "env": "device=
{"date": "20251015-203642", "setup": "p4d_1gpu_repetition", "env": "device=
{"date": "20251015-191651", "setup": "p4d_2gpu_sharegpt", "env": "device=
{"date": "20251015-193012", "setup": "p4d_2gpu_repetition", "env": "device=
{"date": "20251015-212751", "setup": "p4d_4gpu_sharegpt", "env": "device=
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device=
plot_vllm_bench_metrics(raw_results, cols=2, title="p4d: Qwen3-14B-AWQ with

```

p4d: Qwen3-14B-AWQ with multi-gpu (tensor parallism: 1, 2, 4)



Overall throughput will be lower, since $1 \text{ gpu} \times 4 > 4 \text{ gpu}$, so we are trade off throughput for latency in this case.

```
In [81]: raw_results = '''
{"date": "20251015-204354", "setup": "g6e_1gpu_sharegpt", "env": "device=
{"date": "20251015-211718", "setup": "g6e_1gpu_repetition", "env": "device=

{"date": "20251015-201130", "setup": "g6e_2gpu_sharegpt", "env": "device=
{"date": "20251015-201903", "setup": "g6e_2gpu_repetition", "env": "device=

{"date": "20251015-213312", "setup": "g6e_4gpu_sharegpt", "env": "device=
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device=


{"date": "20251015-202830", "setup": "p4d_1gpu_sharegpt", "env": "device=
{"date": "20251015-203642", "setup": "p4d_1gpu_repetition", "env": "device=

{"date": "20251015-191651", "setup": "p4d_2gpu_sharegpt", "env": "device=
{"date": "20251015-193012", "setup": "p4d_2gpu_repetition", "env": "device=

{"date": "20251015-212751", "setup": "p4d_4gpu_sharegpt", "env": "device=
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device=

plot_vllm_bench_metrics(raw_results, cols=2, title="Compare Qwen3-14B-AWQ
```

Compare Qwen3-14B-AWQ on G6e and P4d




```
In [80]: raw_results = '''

{"date": "20251015-213312", "setup": "g6e_4gpu_sharegpt", "env": "device=
{"date": "20251015-212751", "setup": "p4d_4gpu_sharegpt", "env": "device=
'''

plot_vllm_bench_metrics(raw_results, cols=2, title="Compare NVLink perfor
```


Compare NVLink performance Qwen3-14B-AWQ on G6e and P4d on shared GPT dataset



```
In [ ]: raw_results = '''
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device", "metric": "Total Token Throughput (tok/s)", "value": 1755.80},
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device", "metric": "Total Token Throughput (tok/s)", "value": 3926.27},
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device", "metric": "Output Token Throughput (tok/s)", "value": 842.83},
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device", "metric": "Output Token Throughput (tok/s)", "value": 1884.88},
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device", "metric": "Mean TTFT (ms)", "value": 106.24},
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device", "metric": "Mean TTFT (ms)", "value": 33.46},
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device", "metric": "Mean ITL (ms)", "value": 23.10},
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device", "metric": "Mean ITL (ms)", "value": 10.32},
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device", "metric": "Total Input Tokens", "value": 446619.0},
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device", "metric": "Total Input Tokens", "value": 446619.0},
{"date": "20251015-213956", "setup": "g6e_4gpu_repetition", "env": "device", "metric": "Total Generated Tokens", "value": 412310.0},
{"date": "20251015-213627", "setup": "p4d_4gpu_repetition", "env": "device", "metric": "Total Generated Tokens", "value": 412376.0}

plot_vllm_bench_metrics(raw_results, cols=2, title="Compare NVLink performance Qwen3-14B-AWQ on G6e and P4d on shared GPT dataset")
```

Compare NVLink performance Qwen3-14B on G6e and P4d on prefix repetition dataset



In []: