Statistical Inference Theory - Lab 1

Code **▼**

CB.SC.I5DAS20032

Hide

df <- USArrests
df</pre>

	Murder <dbl></dbl>	Assault <int></int>		U	rbanF <i< th=""><th>Pop nt></th><th></th><th>Rape <dbl></dbl></th></i<>	Pop nt>		Rape <dbl></dbl>
Alabama	13.2	236				58		21.2
Alaska	10.0	263				48		44.5
Arizona	8.1	294				80		31.0
Arkansas	8.8	190				50		19.5
California	9.0	276				91		40.6
Colorado	7.9	204				78		38.7
Connecticut	3.3	110				77		11.1
Delaware	5.9	238				72		15.8
Florida	15.4	335				80		31.9
Georgia	17.4	211				60		25.8
1-10 of 50 rows		Previous	1	2	3	4	5	Next

Hide

nrow(df)

[1] 50

Hide

ncol(df)

[1] 4

Hide

head(df)

	Murder <dbl></dbl>	Assault <int></int>	UrbanPop <int></int>	Rape <dbl></dbl>
Alabama	13.2	236	58	21.2
Alaska	10.0	263	48	44.5

	Murder <dbl></dbl>	Assault <int></int>	UrbanPop <int></int>	Rape <dbl></dbl>
Arizona	8.1	294	80	31.0
Arkansas	8.8	190	50	19.5
California	9.0	276	91	40.6
Colorado	7.9	204	78	38.7
6 rows				

Hide

mean(df\$Murder)

[1] 7.788

Hide

median(df\$UrbanPop)

[1] 66

Hide

quantile(df\$Assault)

0% 25% 50% 75% 100% 45 109 159 249 337

Hide

range(df\$Rape)

[1] 7.3 46.0

Hide

cov(df)

MurderAssaultUrbanPopRapeMurder18.970465291.06244.38620422.99141Assault291.0623676945.1657312.275102519.26906UrbanPop4.386204312.2751209.51877655.76808Rape22.991412519.269155.76808287.72916

Hide

cor(df)

```
MurderAssaultUrbanPopRapeMurder1.00000000.80187330.069572620.5635788Assault0.801873311.00000000.258871700.6652412UrbanPop0.069572620.25887171.000000000.4113412Rape0.563578830.66524120.411341241.00000000
```

Hide

movies <- read.csv('rottenTomatoesMovies100.csv')
names(movies)</pre>

[1] "Genre" "Rank" "RatingTomatometer" "Title"

"No..of.R

eviews"

Hide

summary(movies)

	Genre	Rank	Rating	Tomatometer	1
Title Noof.Review	ΝS				
Action & Adventure	: 100	Min. : 1.0	98%	:236	101 Dalmatians (1961)
: 5 Min. : 40.0					
Animation	: 100	1st Qu.: 24.0	96%	:174	Afghan Star (2009)
: 5 1st Qu.: 58.0					
Art House & Internation	nal: 100	Median : 48.0	97%	:168	Beauty and the Beast (199
1)	: 5	Median : 95.5			
Classics	: 100	Mean : 48.7	100%	:160	Harry Potter and the Deat
hly Hallows - Part 2 (20	011): 5	Mean :148.1			
Comedy	: 100	3rd Qu.: 73.0	95%	:142	Metropolis (1927)
: 5 3rd Qu.:212.5					
Documentary	: 100	Max. :100.0	94%	:117	Miracle on 34th Street (1
947)	: 5	Max. :571.0			
(Other)	:1012		(Other	·):615	(Other)
:1582					

Hide

movies\$ReviewBin <- cut(movies\$No..of.Reviews, 5)
head(movies\$ReviewBin)</pre>

```
[1] (465,572] (465,572] (359,465] (359,465] (359,465] (465,572] Levels: (39.5,146] (146,252] (252,359] (359,465] (465,572]
```

Hide


animation <- subset(movies, movies\$Genre == 'Animation')
animation</pre>

Genre <fctr></fctr>	R RatingTomatometer <dbl><fctr></fctr></dbl>	Title <fctr></fctr>
101 Animation	1 97%	Toy Story 4 (2019)

Genre <fctr></fctr>	R RatingTomatomete
------------------------	--------------------

Hide

```
highRank <- subset(movies, movies$RatingTomatometer == '100%')
genreTable <- table(highRank$Genre)
pie(genreTable)</pre>
```



Hide

```
hist(highRank$No..of.Reviews, col = 'blue', border = 'grey')
```

Histogram of highRank\$No..of.Reviews

