

Caitey Gilchrist

BC Bee Atlas Collection and Identification Report - 2024

1 Your 2024 Collections

Caitey Gilchrist caught 0 bees in 2024.

Species (0 total)

Genera (0 total)

Number of specimens

Families (0 total)

Number of specimens

Number of specimens

Figure 1: Bees caught by Caitey Gilchrist, broken down by species, genus, and family.

2 All Your Collections

Caitey Gilchrist caught 14 bees overall, but none have currently been identified to species. Identifying 11875 bees (and counting) takes a long time!

Species (0 total)

Genera (0 total)

Number of specimens

Families (0 total)

Number of specimens

Number of specimens

Figure 2: Bees caught by Caitey Gilchrist, broken down by species, genus, and family.




Figure 3: Bee catch locations for Caitey Gilchrist (within British Columbia), along with total catches per region.

3 Total Catches

Volunteers from the British Columbia Bee Atlas project caught 2533 bees across 14 regions from March 16, 2024 to November 07, 2024, representing 135 unique species and 34 unique genera. The **Nimble Net Kudos** (most specimens collected) goes to Bonnie Zand, Monica Zieper, and Jade Lee, who caught a total of 828, 559, and 386 specimens. The *positive* kind of **Darwin Award** (most species collected) goes to Bonnie Zand, Bob McDougall, and Jade Lee, who caught a total of 127, 55, and 51 unique species. Well done!




Figure 4: Bees caught by all volunteers, broken down by species, genus, and family.




Figure 5: Number of bee specimens and unique bee species caught by all volunteers, with your effort shown in red. This graph should give you an idea of how many specimens you would need to catch to begin seeing rarer bee species.




Figure 6: Total specimens caught per region, along with catch location of each specimen (black dots). For genus- and species-specific information for each region, see Tables 3 and 4.




Figure 7: Total catches per ecoprovince, along with catch location of each specimen (black dots).

4 Flight Phenology

Most bees (90%) in British Columbia were caught between May 10 and September 04, but the peak of season (50% of specimens) was from June 23 to August 17.




Figure 8: Phenology plot for all bee species caught, sorted by median abundance times. Percentiles of overall emergence times (50th & 90th) are shown in grey shaded regions. Date ranges for each species (minimum, first, second, third quartiles, and maximum) are shown only for species with >10 specimens.

5 Plant genera

Volunteers collected specimens from a total of 134 unique flower genera, with most volunteers sampling from 10.5 flower genera (median value). The **Flower Power Kudos** (most sampled flower genera) goes to Bonnie Zand, Bob McDougall, and Jade Lee, who collected bees from a total of 65, 43, and 39 genera of flowers. Well done!

The flower genera that had the most specimens caught on them were *Grindelia*, *Impatiens*, and *Cirsium*, which yielded a total of 133, 110, and 90 specimens. The flower genera that were popular with the most species of bees were *Grindelia*, *Solidago*, and *Leucanthemum*, hosting a total of 36, 26, and 24 unique bee species. See Tables 1 and 2 for more details.




Figure 9: Recorded number of flower genera per region.

Table 1: Number of bee specimens collected from each plant genus. Plants with few records are great targets for future sampling.

Genus	Count	Genus	Count	Genus	Count	Genus	Count	Genus	Count	Genus	Count	Genus	Count
<i>Grindelia</i>	133	<i>Symphoricarpos</i>	33	<i>Glandora</i>	14	<i>Anaphalis</i>	8	<i>Convolvulus</i>	4	<i>Balsamorhiza</i>	2	<i>Armeria</i>	1
<i>Impatiens</i>	110	<i>Daucus</i>	32	<i>Lepidium</i>	14	<i>Chaenactis</i>	8	<i>Buzus</i>	3	<i>Calochortus</i>	2	<i>Bellis</i>	1
<i>Cirsium</i>	90	<i>Rubus</i>	32	<i>Sonchus</i>	14	<i>Lathyrus</i>	7	<i>Cerastium</i>	3	<i>Crataegus</i>	2	<i>Berberis</i>	1
<i>Holodiscus</i>	77	<i>Ranunculus</i>	30	<i>Hylotelephium</i>	13	<i>Claytonia</i>	6	<i>Cleomella</i>	3	<i>Poeniculus</i>	2	<i>Cosmos</i>	1
<i>Leucanthemum</i>	72	<i>Erigeron</i>	28	<i>Photinia</i>	13	<i>Coreopsis</i>	6	<i>Collinsia</i>	3	<i>Fragaria</i>	2	<i>Cytisus</i>	1
<i>Phacelia</i>	67	<i>Camassia</i>	26	<i>Securigeru</i>	13	<i>Erodium</i>	6	<i>Eryngium</i>	3	<i>Gilia</i>	2	<i>Drymocalis</i>	1
<i>Solidago</i>	63	<i>Canadanthus</i>	25	<i>Astragalus</i>	12	<i>Helenium</i>	6	<i>Eurybia</i>	3	<i>Hosta</i>	2	<i>Erica</i>	1
<i>Trifolium</i>	62	<i>Fagopyrum</i>	23	<i>Ceanothus</i>	12	<i>Salvia</i>	6	<i>Hieracium</i>	3	<i>Hydrangea</i>	2	<i>Eschscholzia</i>	1
<i>Gaillardia</i>	54	<i>Hypochaeris</i>	23	<i>Eriophyllum</i>	12	<i>Sorbus</i>	6	<i>Ipomopsis</i>	3	<i>Lewisia</i>	2	<i>Euphrasia</i>	1
<i>Achillea</i>	49	<i>Melilotus</i>	22	<i>Lysimachia</i>	12	<i>Ajuga</i>	5	<i>Medicago</i>	3	<i>Linaria</i>	2	<i>Ficaria</i>	1
<i>Tanacetum</i>	46	<i>Rosa</i>	22	<i>Allium</i>	10	<i>Dasiphora</i>	5	<i>Melissa</i>	3	<i>Mentha</i>	1	<i>Forsythia</i>	1
<i>Chamaenerion</i>	43	<i>Rudbeckia</i>	20	<i>Campanula</i>	10	<i>Helianthus</i>	5	<i>Pastinaca</i>	3	<i>Narcissus</i>	1	<i>Fremontodendron</i>	1
<i>Centaurea</i>	41	<i>Nepeta</i>	19	<i>Origanum</i>	10	<i>Monarda</i>	5	<i>Penstemon</i>	3	<i>Phlox</i>	1	<i>Geranium</i>	1
<i>Lupinus</i>	39	<i>Apocynum</i>	18	<i>Potentilla</i>	10	<i>Physocarpus</i>	5	<i>Philadelphus</i>	3	<i>Ribes</i>	1	<i>Hesperis</i>	1
<i>Ericameria</i>	38	<i>Spiraea</i>	18	<i>Rhododendron</i>	10	<i>Sisymbrium</i>	5	<i>Veronica</i>	3	<i>Stellaria</i>	1	<i>Hibiscus</i>	1
<i>Eriogonum</i>	36	<i>Tarazacum</i>	17	<i>Caluna</i>	9	<i>Cotinus</i>	4	<i>Vicia</i>	3	<i>Symphytum</i>	1	<i>Hyacinthoides</i>	1
<i>Lotus</i>	36	<i>Crepis</i>	16	<i>Cotoneaster</i>	8	<i>Delphinium</i>	4	<i>Petunia</i>	2	<i>Tetradymia</i>	1	<i>Iliamna</i>	1
<i>Plectritis</i>	35	<i>Lavandula</i>	15	<i>Digitalis</i>	8	<i>Linnaea</i>	4	<i>Prunus</i>	2	<i>Verbena</i>	1	<i>Life</i>	1
<i>Deutzia</i>	34	<i>Sedum</i>	15	<i>Lomatium</i>	8	<i>Xerocrisum</i>	4	<i>Silene</i>	2	<i>Weigela</i>	1	<i>Malus</i>	1
<i>Symphyotrichum</i>	33												

Table 2: Number of bee species collected from each plant genus

Genus	Count	Genus	Count	Genus	Count	Genus	Count	Genus	Count	Genus	Count	Genus	Count
<i>Grindelia</i>	36	<i>Sedum</i>	12	<i>Allium</i>	7	<i>Anaphalis</i>	5	<i>Cerastium</i>	3	<i>Balsamorhiza</i>	2	<i>Ajuga</i>	1
<i>Solidago</i>	26	<i>Deutzia</i>	11	<i>Camassia</i>	7	<i>Calluna</i>	5	<i>Claytonia</i>	3	<i>Collinsia</i>	2	<i>Armeria</i>	1
<i>Leucanthemum</i>	24	<i>Eriogonum</i>	11	<i>Crepis</i>	7	<i>Coreopsis</i>	4	<i>Convolvulus</i>	3	<i>Crataegus</i>	2	<i>Bellis</i>	1
<i>Phacelia</i>	24	<i>Ranunculus</i>	11	<i>Eriophyllum</i>	7	<i>Cotoneaster</i>	4	<i>Cotinus</i>	3	<i>Eryngium</i>	2	<i>Berberis</i>	1
<i>Achillea</i>	22	<i>Apocynum</i>	10	<i>Origanum</i>	7	<i>Erodium</i>	4	<i>Delphinium</i>	3	<i>Hyacinthoides</i>	1	<i>Buzus</i>	1
<i>Gaillardia</i>	22	<i>Chamaenerion</i>	10	<i>Campanula</i>	6	<i>Lomatium</i>	4	<i>Helianthus</i>	3	<i>Iliamna</i>	1	<i>Calochortus</i>	1
<i>Centaurea</i>	21	<i>Rosa</i>	10	<i>Canadanthus</i>	6	<i>Lysimachia</i>	4	<i>Eurybia</i>	2	<i>Ipomopsis</i>	1	<i>Cleomella</i>	1
<i>Trifolium</i>	20	<i>Tanacetum</i>	10	<i>Chaenactis</i>	6	<i>Monarda</i>	4	<i>Foeniculum</i>	2	<i>Life</i>	1	<i>Cosmos</i>	1
<i>Cirsium</i>	19	<i>Daucus</i>	9	<i>Lepidium</i>	6	<i>Sisymbrium</i>	4	<i>Fragaria</i>	2	<i>Malus</i>	1	<i>Cytisus</i>	1
<i>Rubus</i>	19	<i>Impatiens</i>	9	<i>Photinia</i>	6	<i>Xerocrisum</i>	4	<i>Gilia</i>	2	<i>Mentha</i>	1	<i>Drymocalis</i>	1
<i>Holodiscus</i>	18	<i>Lavandula</i>	9	<i>Dasiphora</i>	5	<i>Hieracium</i>	3	<i>Hosta</i>	2	<i>Narcissus</i>	1	<i>Erica</i>	1
<i>Plectritis</i>	17	<i>Potentilla</i>	9	<i>Digitalis</i>	5	<i>Linnaea</i>	3	<i>Hydrangea</i>	2	<i>Petunia</i>	1	<i>Eschscholzia</i>	1
<i>Symphoricarpos</i>	17	<i>Rudbeckia</i>	9	<i>Fagopyrum</i>	5	<i>Medicago</i>	3	<i>Lewisia</i>	2	<i>Phlox</i>	1	<i>Euphrasia</i>	1
<i>Symphyotrichum</i>	16	<i>Securigeru</i>	9	<i>Glandora</i>	5	<i>Penstemon</i>	3	<i>Linaria</i>	2	<i>Ribes</i>	1	<i>Ficaria</i>	1
<i>Erigeron</i>	15	<i>Spiraea</i>	9	<i>Helenium</i>	5	<i>Physocarpus</i>	3	<i>Melissa</i>	2	<i>Stellaria</i>	1	<i>Forsythia</i>	1
<i>Lotus</i>	15	<i>Tarazacum</i>	9	<i>Hylotelephium</i>	5	<i>Salvia</i>	3	<i>Pastinaca</i>	2	<i>Symphytum</i>	1	<i>Fremontodendron</i>	1
<i>Lupinus</i>	15	<i>Astragalus</i>	8	<i>Lathyrus</i>	5	<i>Sorbus</i>	3	<i>Philadelphus</i>	2	<i>Tetradymia</i>	1	<i>Geranium</i>	1
<i>Melilotus</i>	14	<i>Ceanothus</i>	8	<i>Nepeta</i>	5	<i>Veronica</i>	3	<i>Prunus</i>	2	<i>Verbena</i>	1	<i>Hesperis</i>	1
<i>Ericameria</i>	13	<i>Rhododendron</i>	7	<i>Sonchus</i>	5	<i>Vicia</i>	3	<i>Silene</i>	2	<i>Weigela</i>	1	<i>Hibiscus</i>	1
<i>Hypochaeris</i>	13												

6 Region records

Table 3: Number of bee specimens from each region, by genus. You may want to focus your sampling in under-sampled counties.

	CRD	Cariboo	Cowichan	CwVRD	CsSRD	Kitimat - Stikine	MVRD	Okanagan - Similkameen	RDCK	RDCO	RDFS	RDKE	RDN	RDNO	RDOS	SLRD	TNRD	missing	TOTAL
<i>Agapostemon</i>	3	0	3	8	0	0	7	0	0	0	0	1	1	0	59	0	7	0	89
<i>Andrena</i>	5	0	43	10	22	0	10	0	0	0	0	4	15	0	40	0	18	0	167
<i>Anthidiellum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Anthidium</i>	2	0	0	2	0	0	17	0	0	0	0	4	0	0	5	0	0	1	31
<i>Anthophora</i>	3	0	0	0	0	0	0	0	0	0	0	2	0	0	9	0	0	0	14
<i>Apis</i>	1	0	0	0	3	0	34	0	0	0	0	0	1	0	1	0	7	0	47
<i>Ashmeadiella</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	3
<i>Biatstes</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	4
<i>Bombus</i>	50	1	32	31	17	0	54	0	0	1	543	31	41	0	70	0	20	0	891
<i>Ceratina</i>	7	0	4	23	3	0	3	0	0	0	0	9	12	0	4	0	4	0	69
<i>Chelostoma</i>	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
<i>Collozya</i>	3	0	1	4	1	0	2	0	0	0	0	3	0	0	4	0	4	0	22
<i>Colletes</i>	0	0	7	5	1	0	0	0	0	0	0	0	0	0	7	0	31	0	51
<i>Diadasia</i>	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
<i>Dianthidium</i>	3	0	1	4	0	0	0	0	0	0	0	0	0	0	1	0	5	0	14
<i>Dufourea</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0	0	18
<i>Epeolus</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	4
<i>Eucera</i>	0	0	3	0	1	0	0	0	0	0	0	0	0	0	7	0	0	0	11
<i>Halictus</i>	33	0	20	22	5	1	24	1	0	0	0	4	2	0	52	1	39	0	204
<i>Heriades</i>	8	0	9	7	1	0	0	0	0	0	0	8	0	0	9	3	4	0	49
<i>Hoplitis</i>	0	0	0	0	0	0	1	0	0	0	0	8	0	0	15	0	0	0	24
<i>Hylaeus</i>	5	0	5	5	0	0	3	0	3	0	0	3	0	0	5	0	4	0	33
<i>Lasioglossum</i>	32	0	45	35	22	0	26	1	0	0	14	4	8	0	68	4	16	0	275
<i>Macropis</i>	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	4
<i>Megachile</i>	17	0	10	20	3	0	24	1	0	0	2	13	3	0	23	0	36	0	152
<i>Melecta</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2
<i>Melissodes</i>	9	0	3	4	0	0	4	0	0	0	0	3	0	0	11	0	16	0	50
<i>Nomada</i>	11	0	7	1	3	0	3	0	0	0	0	1	0	0	10	1	1	0	38
<i>Osmia</i>	9	0	17	7	16	4	0	4	0	0	0	4	2	1	77	0	0	0	141
<i>Panurginus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2
<i>Perdita</i>	0	0	17	1	0	0	0	0	0	0	0	0	0	0	42	0	5	0	65
<i>Protandrena</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Sphexodes</i>	1	0	18	7	2	0	1	0	0	0	0	1	3	0	3	0	4	0	40
<i>Tripeolus</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	7	0	9
<i>TOTAL</i>	203	1	262	196	100	5	213	7	3	1	559	108	88	1	554	9	231	1	2542

Table 4: Number of bee specimens from each region, by species

	CRD	Cariboo	Cowichan	CwVRD	CxSRD	Kitimat - Stikine	MVRD	Okanagan - Similkameen	RDCO	RDFS	RDKB	RDN	RDNO	RDOS	SLRD	TNRD	missing	TOTAL
<i>Agapostemon subtilior</i>	3	0	3	8	0	0	7	0	0	0	0	1	0	44	0	7	0	73
<i>Agapostemon virescens</i>	0	0	0	0	0	0	0	0	0	0	1	0	0	15	0	0	0	16
<i>Andrena angustitarsata</i>	1	0	6	0	6	0	0	0	0	0	2	0	2	0	0	0	0	17
<i>Andrena collettiana</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
<i>Andrena columbiana</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
<i>Andrena crataegi</i>	0	0	1	0	0	0	0	0	0	0	1	0	4	0	0	0	0	6
<i>Andrena fuscicauda</i>	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Andrena hippotes</i>	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
<i>Andrena miranda</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Andrena miserabilis</i>	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	4
<i>Andrena nigrocaerulea</i>	0	0	0	0	2	0	0	0	0	0	0	0	2	0	0	0	0	4
<i>Andrena prunorum</i>	2	0	12	3	1	0	1	0	0	0	1	2	0	10	0	0	0	32
<i>Andrena salicifloris</i>	0	0	1	0	3	0	2	0	0	0	1	0	0	0	0	0	0	7
<i>Andrena sulcata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	5
<i>Andrena surda</i>	0	0	0	0	0	0	0	0	0	0	0	0	3	0	4	0	0	7
<i>Andrena trevoris</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Andrena vicinaoides</i>	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	0	3
<i>Anthidium robertsoni</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Anthidium clypeodentatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Anthidium manicatum</i>	2	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	1	6
<i>Anthidium mormonum</i>	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2
<i>Anthidium oblongatum</i>	0	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	16
<i>Anthidium tenuiflorae</i>	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Anthidium utahense</i>	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	3
<i>Anthophora bomboidea</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Anthophora pacifica</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Anthophora terminalis</i>	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
<i>Anthophora urbana</i>	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	5
<i>Apis mellifera</i>	1	0	0	0	3	0	34	0	0	0	0	1	0	7	0	0	0	47
<i>Ashmeadiella bucconis</i>	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	3
<i>Bombus appositus</i>	0	0	0	0	0	0	0	0	0	1	0	0	3	0	0	0	0	4
<i>Bombus centralis</i>	0	0	0	0	0	0	0	0	1	0	0	0	26	0	0	0	0	27
<i>Bombus cryptarum</i>	0	0	0	0	0	0	0	0	67	0	0	0	0	0	0	0	0	67
<i>Bombus fervidus</i>	15	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	19
<i>Bombus flavidus</i>	0	0	1	1	0	0	1	0	8	0	0	0	0	0	0	0	0	11
<i>Bombus flavifrons</i>	8	0	12	7	5	0	6	0	1	150	2	4	0	0	0	1	0	196
<i>Bombus huntii</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0	0	5
<i>Bombus impatiens</i>	0	0	0	0	0	0	19	0	0	0	0	0	0	0	0	0	0	19
<i>Bombus insularis</i>	0	0	0	0	0	0	0	0	19	0	0	0	3	0	0	0	0	22
<i>Bombus melanopygus</i>	5	0	2	4	1	0	0	0	60	1	7	0	0	0	0	0	0	80
<i>Bombus mixtus</i>	4	1	2	0	4	0	9	0	0	18	5	19	0	3	0	2	0	67
<i>Bombus nevadensis</i>	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	3
<i>Bombus rufocinctus</i>	0	0	0	0	0	0	1	0	0	11	8	0	0	2	0	6	0	28
<i>Bombus sitkensis</i>	0	0	4	4	2	0	0	0	17	0	2	0	0	0	0	0	0	29
<i>Bombus terricola</i>	0	0	0	0	0	0	0	0	59	0	0	0	0	0	0	0	0	59
<i>Bombus vagans</i>	0	0	0	0	0	0	0	0	13	0	0	0	0	0	3	0	0	16
<i>Bombus vancouverensis</i>	2	0	6	6	4	0	0	0	116	12	3	0	15	0	3	0	0	167
<i>Bombus vandykei</i>	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	10
<i>Bombus vosnesenskii</i>	15	0	5	9	1	0	18	0	0	0	6	0	0	0	0	0	0	54
<i>Ceratina acantha</i>	7	0	4	23	3	0	3	0	0	9	12	0	1	0	1	0	0	63
<i>Ceratina nanula</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	3
<i>Ceratina pacifica</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Chelostoma florissomne</i>	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
<i>Coelioxys alternatus</i>	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	3
<i>Coelioxys novomexicanus</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Coelioxys octodentatus</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Coelioxys ruftarsis</i>	1	0	0	4	1	0	2	0	0	0	0	0	0	0	3	0	0	11
<i>Coelioxys sodalis</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Colletes compactus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	5
<i>Colletes consors</i>	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2
<i>Colletes fulgidus</i>	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Colletes kinsaidii</i>	0	0	6	3	1	0	0	0	0	0	0	0	3	0	0	0	0	13
<i>Colletes simulans</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	10
<i>Diadasia diminuta</i>	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Dianthidium singulare</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Dianthidium subparvum</i>	3	0	1	4	0	0	0	0	0	0	0	0	0	0	5	0	0	13

Table 4: Number of bee specimens from each region, by species (*continued*)

	CRD	Cariboo	Cowichan	CwVRD	CxSRD	Kitimat - Sukine	MVRD	Okanagan - Similkameen	RDCO	RDFS	RDKB	RDN	RDNO	RDOS	SLIKD	TNRD	missing	TOTAL
Dufourea holocarpa	0	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0	13	
Dufourea trochantera	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	5	
Epoulus minimus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	
Epoulus olympiellus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
Eucera edwardsii	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	3	
Eucera frater	0	0	3	0	1	0	0	0	0	0	0	0	1	0	0	0	5	
Halictus confusus	4	0	4	4	3	0	10	0	0	0	0	0	2	0	0	0	27	
Halictus farinosus	0	0	0	0	0	0	0	0	0	0	0	0	23	0	24	0	47	
Halictus ligatus	0	0	0	0	0	0	1	0	0	1	0	0	8	0	8	0	18	
Halictus rubicundus	4	0	7	5	2	1	13	0	0	0	3	0	3	1	2	0	41	
Halictus tripartitus	25	0	9	13	0	0	1	0	0	0	0	2	16	0	5	0	71	
Heriades carinata	8	0	9	7	1	0	0	0	0	8	0	0	6	3	3	0	45	
Heriades cressoni	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	4	
Hoplitis albifrons	0	0	0	0	0	0	0	0	0	1	0	0	4	0	0	0	5	
Hoplitis fulgida	0	0	0	0	0	0	0	0	0	3	0	0	4	0	0	0	7	
Hoplitis grinnelli	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	
Hoplitis hypoerita	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
Hoplitis producta	0	0	0	0	0	1	0	0	0	2	0	0	4	0	0	0	7	
Hoplitis sambuci	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	
Hoplitis spoliata	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	
Hylaeus mesilae	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	
Hylaeus punctatus	5	0	0	3	0	0	2	0	0	0	0	0	0	0	0	0	10	
Lasioslossum bucei	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	
Lasioslossum cressonii	0	0	3	6	4	0	4	0	0	0	1	0	0	0	0	0	18	
Lasioslossum egrogi	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	
Lasioslossum glabriventre	0	0	0	0	0	0	0	0	0	1	0	0	3	0	0	0	4	
Lasioslossum laevisissimum	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	
Lasioslossum olympiae	8	0	11	6	1	0	0	0	0	0	0	0	0	0	0	0	26	
Lasioslossum pacificum	0	0	0	3	2	0	1	0	0	0	0	2	0	0	0	0	8	
Lasioslossum styembyri	8	0	4	3	0	0	1	0	0	0	0	2	0	1	0	2	21	
Lasioslossum tituli	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Lasioslossum villosulum	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
Lasioslossum zonulum	0	0	3	1	0	0	1	0	0	14	0	0	0	0	0	0	19	
Macropis nuda	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	4	
Megachile angelarum	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	3	
Megachile apicalis	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	3	
Megachile fidelis	2	0	0	5	0	0	0	0	0	0	0	0	0	0	2	0	9	
Megachile frigida	1	0	0	0	1	0	2	0	0	0	0	0	0	0	0	0	4	
Megachile gemula	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	
Megachile lapponica	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	0	4	
Megachile melanophaea	3	0	4	1	1	0	3	0	0	0	0	0	10	0	0	0	22	
Megachile medica	0	0	0	0	0	10	0	0	0	0	0	0	0	0	0	0	10	
Megachile montivaga	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
Megachile onobrychidis	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	
Megachile perthirithi	11	0	3	11	1	0	5	1	0	0	5	2	0	2	21	0	62	
Megachile pugnat	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	
Megachile relativa	0	0	0	0	0	0	0	0	1	0	1	0	1	0	3	0	6	
Megachile rotundata	0	0	3	3	0	0	2	0	0	0	3	0	0	0	1	0	12	
Megachile teczana	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	
Melecta pacifica	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	
Melissodes microstictus	8	0	1	3	0	0	2	0	0	1	0	0	4	0	8	0	27	
Melissodes pallidispinus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Melissodes rivalis	0	0	2	0	0	0	0	0	0	1	0	0	0	0	0	0	3	
Osmia atrocyanea	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
Osmia bucephala	0	0	2	0	0	1	0	0	0	0	0	0	1	0	0	0	4	
Osmia caeruleocens	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	
Osmia californica	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
Osmia calla	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	4	
Osmia coloradensis	0	0	1	0	0	0	0	1	0	0	0	0	0	4	0	0	6	
Osmia cornuta	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	
Osmia cyanella	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	
Osmia densa	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
Osmia justa	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
Osmia kincaidii	0	0	0	0	2	0	0	0	0	0	0	0	0	5	0	0	7	
Osmia lignaria	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	4	
Osmia longula	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	

Table 4: Number of bee specimens from each region, by species *(continued)*

	CRD	Cariboo	Cowichan	CwVRD	CxSRD	Kittimat - Stikine	MVRD	Okanagan - Similkameen	RDCO	RDFS	RDKB	RDN	RDNO	RDOS	SLRD	TNRD	missing	TOTAL
<i>Osmia montana</i>	0	0	0	0	0	0	0	1	0	0	0	0	0	5	0	0	0	6
<i>Osmia similima</i>	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
<i>Osmia subaustralis</i>	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
<i>Perdita nevadensis</i>	0	0	17	1	0	0	0	0	0	0	0	0	0	39	0	0	0	57
<i>Tripeolus paenectoralis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	3
<i>TOTAL</i>	160	1	174	155	63	5	188	4	1	555	87	73	1	374	4	164	1	2010

Table 5: Your determination accuracy in 2024.

Taxon
No specimens identified

7 Taxonomic Accuracy, 2024

In 2024, you did not have specimens that were identified by the British Columbia Bee Atlas (see Table 5). In total, volunteers from the British Columbia Bee Atlas project identified 0 % (0) of the 2533 bee specimens to the level of genus, with an average accuracy of NaN%. Volunteer identifications to species level did not occur or are not included in the data (see Table 6).

Table 6: Determination accuracy for all volunteers in 2024.

Taxon	Specimens ID-ed	Correct ID	% Correct
Family			
<i>TOTAL</i>	0	0	NaN
Genus			
<i>TOTAL</i>	0	0	NaN
Species			
<i>TOTAL</i>	0	0	NaN

Table 7: Your determination accuracy.

Taxon
No specimens identified

8 Taxonomic Accuracy, All Years

Your collected specimens have not yet been identified by the British Columbia Bee Atlas (see Table 7). In total, volunteers from the British Columbia Bee Atlas project identified 0 % (0) of the 2542 bee specimens to the level of genus, with an average accuracy of NaN%. Volunteer identifications to species level did not occur or are not included in the data (See Table 8).

Table 8: Determination accuracy for all volunteers.

Taxon	Specimens ID-ed	Correct ID	% Correct
Family			
<i>TOTAL</i>	0	0	NaN
Genus			
<i>TOTAL</i>	0	0	NaN
Species			
<i>TOTAL</i>	0	0	NaN