Projeto: NodeJs - React

3 camadas

Back -> NodeJS

Model : Camada responsável pelo BD

Mongo ->Bson -> Chave: valor

Controller: Camada responsável pela regra de negocio do sistema

Front -> React

Views: Interface do sistema

Estrutura - Projeto_Eng

Back

SRC

Config -1

bd.js

controller -2

regra.js

middlewares -3

valida.js

model -4

model.js

routes -5

rotas.js

index.js -6

-1 config

- Importar mongoose

- conexão c/ mongo

mongoose.connect(url, {useNewURLParser.true})

- exportar mongoose

-2 controller

- Imports – model

- criar class

```
Class NomeClass {
    //funções ex:
    Async func (res, resp){
        const ...
        await mode. METODO(...)
            .then(resposta =>{
                return resp.status(200).json(resposta)}
            .catch(erro=>{
                return resp.status(500).json(erro)}
exportar class
METODOS – BD
    .save() //salvar no banco
    .findByIdAndUpdate({'_id' : req.params.id}, req.body, {new:
true}
    .find('chave': valor})
    .findById(req.params.id)
    .findOne({'_id':  req.params.id}, {´data´ : {´$ne´
newDate(data)})
    .deleteOne({`_id`: req.param.id})
    .sort(`.id`)
```

Operadores

It – menor que

Ft – maior que

Ite – menor igual que

Gte - maior igual que

Eq – igual que

Ne – não existe

Ex:

```
{'data': {´$it´: hoje})
```

-3 Middlewars

- imports model

```
const valida = async(req, resp, next) => {
    const ...
        Validaçoes
    Next()
}
```

- exportar Valida

-4 Model

- import mongoose

```
Const Schema = mongoose
Const ExSchema = new Schema({
    Nome: {type: String, required: true}
```

Exportar Schema

-5 Routes

- Imports Express

```
Router
Controller
Middlewares ...
```

Rota.metodo(`/....`, middlewares, controller.func)

```
|
Get
Put
Post
Delete
```

Exportar rota

-6 SRC/index.js

- imports Express

Cors

Rotas

```
 Const api = express()
Api.use(cors())
Api.use(express.json())
//importar rotas
Api.use(´/..´, rotas)
```

Rota inic.

```
// servidor
Api.listen(porta...)
```

---------- FRONT ----------

- front
    - Public
        - Index.html
    - Src
        - Assets -1
            - Imagens
        - Components -2
            - Corpo 1
            - Corpo 2
            - Cabeçalho
            - Rodapé
        - Index.js
        - Styles.js
    - Rotas -3
        - Index.js
    - Services -4
        - Api.js
    - Utils -5
        - Exicons.js

Views -6

Home.js

Index.js

-2 Components

.Index.js

-imports React {useMemo} reactDom {Link}

Imagens

Styles

Date-fns {format}

- função

Function func({parâmetros}){

Const...

Return (

<Styl.___>

<Styl.___>

< >

< >

}

__exportar func

.styles

-import ‘styled-components’

Export const ____ = styled.dir’

‘

-3 Rotas

-import React

{ BrouwserRouter as Router, Routess, Route}

React – router – dom

Views

Export default function Rotas(){

```
        Return (
            <Router>
                <Routes>
                    <Route path "/.." exact elemento{<Home/>}/>
    }
```

-4 Services

```
    -import axios
    Const api = axios.create({
        baseURL: 'http://localhost:5000´})
    exportar
```

-5 utils

```
    -imports imagens
        Const img = [null, img1, img2]
    Exportar img
```

-6 Views

```
    -imports React, {useState, useEffect}
        Components
        Styles
    Func Namefunc(){
        Const [var, func] = useState()
        Async function func(){
            Await api.Metodo(url)
                .then(resp => {
                    func(resp.data)}
    }
useEffect(()=>{
    Nomefunc()...
}, [var...])
Return/ <       >
```

```
)
Exportar


-7 src/index.js
        -imports React
                ReactDom ´react.dom/cliente´
                Rotas
        Const root  = ReactDom.createRoot(
                Document.getElement.ById('root')
        Root.render(
                <React.StrictMode>
                        <Rotas/>
                </React.StrictMode>
        )
```