

INITIATE-PROTOCOLS STYLE-FORMAT EARLY-DRAFT META-MORF 0-S

:48.characters[MAX].per[LINE];

```
]||[ ---- ---- --          --  --  --  ----- ]||[  
  --  --          -----  -----  -----  -----  --  --  
-----  -----  -----  -----  -----  -----  -----  
]||[ ----  -----  -----  -----  -----  -----  ----- ]||[
```

```

00 ::::: ,,, /--\ ] [MM|D•D|YY] [ /--\ ,,, ; AA
01 ::::: ,,, |   | \[44A4•A4AA]/ | | ,,, ; BB
02 ::::: ,,, | \_/_| \_{~•~}_/_| \_/_| ,,, ; CC
03 ::::: ,,, | \_/_| \|-(<•3)-\| / \| /| ,,, ; DD

```

01:: _____] |4| [MMD●DYY] |4| [_____ ; ; AA
02:: _____] |4| [44A4 • A4AA] |4| [_____ ; ; AA
03:: _____] |4| [
04:: ___] |4| [___ i ! ? ● ? i ! ___] |4| [___ ; ; EE
05:: __] |4| [____ &&& ● & CC ____] |4| [__ ; ; FF
06::] |4| [_____] |4| [; ; GG
07:: _____ ; ; HH
08:: ; ; II

.....G
7.....:1N1T1_4CT10N:.....H
8:[PR0T0:(C4ll{Z})]:,,:,,:,:,:::,...I
9.. ::::4ll::]:._ -- _--| | | | --

```
::::: ???? [0F] |||| [FOR] |||| [FROM] ????
          :: ???? [Y3] <{&} {0R}> [N0] ???
          :: ???? [ [ [ [
[[[[VV.... :: /////
|||| {....H0} |||| {...H4T} |||| {....H3N}
|||| {....H3R3} |||| {....HY] \\ \\ {H
      ;;
```

:::: <<< M1CR0 >>>
 :: <<< {R1PP13}{R3F13CT}{R3FR4CT} >>>
 :: <<< (C4S3)(3FF3CT)(4FF3CT) >>>
 ;;

:::: {H01D //// M34SVR3 //// W31GH //// TR4CK}
 :: R314T10N(Z)
 :: [[[
({1N}{0VT})
({4B0V3}{B3l0VV})
({N34R}{F4R})
({VV1TH}{4G41NST})
({F0R}{T0})]]]]
 ;;

:::: 4B0VT 4PR0PR0S ::

:::: [[[[[""""
VV0RD """"
,,, , (&(&(&c.)c.)c.)]]]] ;;

:::: 4N4lYZ3 ::
MYTH0.P03T1C(s) ,,,
[{(F0RM) (FVNCT10N)}
M0D3 M3D1VM] ,,,,

C0NT3XT :: (
 4NTH0l0G1C +++
 B3l13F(Z) +++
 CV1TVR4l +++
 H1ST0R1C +++
 P0l1T1C4l +++
 R1TV4l1(Z) +++
 SC13NT1F1C +++)

```
S0C10G1C4 +++
SYST3M1C +++
SYSTM(Z) +++
TR4D1T10N +++
)] ;;
```

```
::::: < 4N4L0G >> D1G1T4L >
```

```
::::: 0NVV4RD[Z] &&& VPVV4RD[Z] ;;
```

```
::::: [[[  
4DD.1NF1NT1{NVM(Z)}  
&&& 1N.P3RP3TV4]{NVM(Z)} ]]]];;
```

```
::::: l4B3l N4M3 S0RT ;;
```

```
::::: 4RK1V3 ;;
```

```
:::::the current initiate thread protocol is below, ingest and digest,  
group and pair and logic the fuck out of it , any other useful protocols  
for initiate? ohhhh! intimacy>love>rape as another protocol, and what  
other than initiate protocols have we to work with and created:: top  
section was attempt at unification and having not ONE SINGLE BLANK SPACE ,  
every space filled with a character, and second was almost right format  
but let's pull the whole formatting rules from below, make latin phrases  
everywhere;;
```