

VERTICAL SOLUTIONS

Data Center Lighting

Purpose-Built LED Systems for
Mission-Critical Environments



BAA & TAA
Compliant



surgeArmor
Protection



sensorBLE
Controls



Quick Ship
Available

ARCHIPELAGO LIGHTING | LIGHTING REINVENTED

Lighting by Data Center Zone

ARCHIPELAGO LIGHTING

Data centers demand reliable, energy-efficient lighting engineered for diverse environments within a single facility. ALG provides purpose-built solutions for every zone — from high-density server halls to exterior security perimeters — with sensor-ready controls that help meet ASHRAE 90.1 and reduce PUE.

ZONE 1

White Space / Server Halls

High Bay Linear — LLHB Tiny-I Series

- sensorBLE wireless occupancy & daylight sensing
- surgeArmor 20kV/10kA transient protection
- High efficacy 150+ lm/W
- Watt selectable: 100W / 150W / 200W
- 50,000hr L70 rated life
- CCT selectable: 3500K / 4000K / 5000K

ZONE 2

Gray Space / Mech & Elec Rooms

Vapor Tight — LV3P Series

- IP66 rated for wet/damp locations
- DampGuard moisture & corrosion protection
- Linkable configurations up to 8ft
- Watt/CCT selectable
- Impact-resistant polycarbonate lens
- Tool-free quickAdapt mounting

ZONE 3

Network Operations Center

Back-Lit Panels & Troffers — planoARCH

- Flicker-free for screen-intensive environments
- High CRI 80+ for accurate color rendering
- Control-ready port for 0-10V dimming
- Emergency battery backup option
- 2x2 and 2x4 form factors
- DLC-listed (where applicable) listed for utility rebates

ZONE 4

Corridors & Common Areas

Wraps & Strips — selectARCH

- Low-profile continuous lighting
- Motion sensor compatible
- Energy-efficient for 24/7 operation
- Surface or suspended mount options

ZONE 5

Exterior / Parking & Perimeter

Wall Packs, Area Lights, Canopy — luxoARCH / cityARCH

- Full-cutoff dark-sky friendly distribution
- DampGuard for all-weather durability
- Photocell / dusk-to-dawn capable
- High lumen packages for security

ZONE 6

Emergency & Egress

Emergency & Exit Fixtures

- UL 924 listed
- 90-minute battery backup
- Self-test models available
- Code-compliant illumination levels

Why Controls Matter in Data Centers

ASHRAE 90.1 mandates occupancy and daylight controls in most data center spaces. ALG's sensorBLE platform delivers wireless, fixture-integrated sensing that reduces energy consumption by 40–60% in intermittently occupied zones like server aisles and mechanical rooms — directly improving your facility's Power Usage Effectiveness (PUE).

Product Selection Matrix

ARCHIPELAGO LIGHTING

PRODUCT FAMILY	SERIES	WATTAGE	LUMENS	CCT	KEY FEATURES	ZONE
Linear High Bay	LLHB / Tiny-I	100-200W	15,000-30,000	35/40/50K	sensorBLE, surgeArmor, quickAdapt, DLC	White Space
UFO High Bay	lamparARCH	100-200W	15,000-30,000	35/40/50K	sensorBLE, surgeArmor, DampGuard	White Space
Vapor Tight	LV3P Series	25-80W	3,500-10,800	35/40/50K	IP66, DampGuard, linkable, impact resistant	Gray Space
Back-Lit Panel	planoARCH	25-50W	3,000-6,500	35/40/50K	Flicker-free, CRI 80+, control port, EB option	NOC
Troffer 2x2 / 2x4	planoARCH	25-50W	3,000-6,500	35/40/50K	DLC-listed (where applicable), control-ready, EB option	NOC
Strip / Wrap	selectARCH	18-45W	2,200-5,400	35/40/50K	Surface/suspended, sensor compatible	Corridors
Wall Pack	luxoARCH	20-80W	2,400-10,000	30/40/50K	Full-cutoff, DampGuard, photocell	Exterior
Area Light	cityARCH	70-300W	9,000-42,000	40/50K	High-mast, dark-sky, surge protected	Exterior
Canopy	luxoARCH	30-75W	3,600-9,500	40/50K	Surface mount, weather sealed	Exterior

PRODUCT FAMILY	SERIES	WATTAGE	LUMENS	CCT	KEY FEATURES	ZONE
Emergency / Exit	SPECIALTY	2-5W	UL 924	Varies	90-min backup, self-test, code compliant	Egress

Key Technologies

BUILT FOR DATA CENTERS



sensorBLE

Wireless occupancy & daylight sensing. Meets ASHRAE 90.1 without hardwired controls.



surgeArmor

20kV/10kA surge protection. Critical for high-power electrical environments.



DampGuard

Moisture & corrosion resistance for mechanical rooms and outdoor environments.



quickAdapt

Tool-free installation for faster deployment and reduced labor costs.



Control Ready Port

0-10V dimming standard across planoARCH indoor fixtures.



BAA & TAA Compliant

Eligible for government-funded data center construction projects.

Why Specify ALG for Data Centers?

ARCHIPELAGO
LIGHTING

Complete Facility Coverage

From high-density server halls to exterior perimeters, ALG delivers a unified lighting solution under one brand. Single-source procurement streamlines your supply chain and ensures consistent quality across every zone.

Built for Harsh Electrical Environments

surgeArmor 20kV/10kA protection, DampGuard moisture resistance, and IP66 vapor tight construction ensure long-term reliability in the demanding conditions found in data center facilities.

Energy & PUE Impact

High-efficacy LED fixtures (150+ lm/W) combined with sensorBLE wireless controls can reduce lighting energy consumption by 40–60%, directly improving your facility's Power Usage Effectiveness score.

Speed to Light

Quick Ship availability from strategic U.S. warehouse locations means your project stays on schedule. quickAdapt tool-free mounting reduces installation labor and accelerates deployment timelines.

Government & Federal Data Centers

The ALG Advantage

- Archipelago Lighting is a U.S. company (U.S. Made) and is compliant with the Buy American Act (BAA) and Trade Agreements Act (TAA), making them eligible for GSA Schedule purchases and federally funded data center projects including DoD, VA, and civilian agency locations.
- Quick Ship Available
 - Ⓢ BAA & TAA Compliant
 - 📍 Strategic U.S. Locations
 - 👤 Local Sales Support
 - 📞 Inside Sales Support
 - 📄 Free Product Literature
 - 💰 Extended Finance Terms
 - 📦 Ever-Expanding Line

Archipelago Lighting, Inc.
4615 State Street | Montclair, CA 91763
P: +1 866-912-3220 |
www.archipelagolighting.com

© 2026 Archipelago Lighting, Inc.
All rights reserved. Specifications subject to change.