संत भगवानबाबा शासकीय वसतिगृहासाठी आवश्यक साहित्य/ सोयीसुविधा खरेदी करण्यास प्रशासकीय मान्यता देण्याबाबत.

### महाराष्ट्र शासन

सामाजिक न्याय व विशेष सहाय्य विभाग शासन निर्णय क्रमांक: बीसीएच-२०२१/प्र.क्र.२९३ /शिक्षण-२ मंत्रालय, विस्तार भवन, मुंबई-४०० ०३२. दिनांक: - ३१ जानेवारी, २०२५.

- वाचा:- १. शासन निर्णय, सामाजिक न्याय व विशेष सहाय्य विभाग, क्रमांक:- बीसीएच-२०२०/ प्र.क्र.२८६/ शिक्षण-२, दिनांक १५ जून, २०२१.
  - २. शासन निर्णय, सामाजिक न्याय व विशेष सहाय्य विभाग, क्रमांक:-संकीर्ण-२०२० /प्र.क्र.१३७/ महामंडळ, दि. २३ जून, २०२१
  - शासन निर्णय, उद्योग, उर्जा व कामगार विभाग,क्रमांक:- भांखस-२०१४/प्र.क्र. ८२/ भाग-॥/ उद्योग-४, दि. ०१ डिसेंबर, २०१६.
  - ४. आयुक्त,समाज कल्याण,पुणे यांचे पत्र क्र.सकआ/शिक्षण/ऊतोकामु वसतीगृह/वस्तू खरेदी/का.५अ/२१–२२/पुणे/६८७,दिनांक ११.२.२०२२

#### प्रस्तावना:-

सामाजिक न्याय व विशेष सहाय्य विभागांतर्गत स्थलांतरीत ऊसतोड कामगारांच्या मुला-मुलींसाठी दिनांक १५ जून,२०२१ च्या शासन निर्णयान्वये संत भगवानबाबा शासकीय वसतिगृह योजना सुरू करण्यात आली आहे. सदर योजनेअंतर्गत पिहल्या टप्प्यात राज्यात बीड, जालना, अहमदनगर या जिल्हयातील १० तालुक्यामध्ये मुलांसाठी १० व मुलींसाठी १० (प्रत्येकी १०० क्षमतेची) अशी एकूण २० वसतीगृहे सुरू करण्यास मान्यता देण्यात आली आहे. संत भगवानबाबा शासकीय वसतिगृह योजनेंतर्गत वसतिगृहातील प्रवेशित ऊसतोड कामगारांच्या मुलामुलींना आवश्यक सोयी-सुविधा पुरविणे आवश्यक आहे. त्यानुषंगाने व्यवस्थापकीय संचालक, लोकनेते गोपीनाथ मुंडे ऊसतोड कामगार महामंडळ, पुणे यांनी सादर केलेल्या प्रस्तावानुसार संत भगवानबाबा शासकीय वसतिगृहातील प्रवेशित विद्यार्थ्यांसाठी साहित्य खरेदी करण्यासाठी शासन निर्णय, दिनांक २० मे, २०२२ अन्वये देण्यात आलेली प्रशासकीय मान्यतेस एक वर्षापेक्षा अधिकचा कालावधी झाल्याने सदर शासन निर्णयान्वये प्रदान केलेली प्रशासकीय मान्यता रद्द करुन वसतीगृहांसाठी आवश्यक असलेल्या वस्तुंच्या खरेदीस नव्याने प्रशासकीय मान्यता देण्याची बाब शासनाच्या विचाराधीन होती.

### शासन निर्णय:-

व्यवस्थापकीय संचालक, लोकनेते गोपीनाथ मुंडे ऊसतोड कामगार महामंडळ, पुणे यांनी संदर्भाधीन क्रमांक ४ अन्वये सादर केलेल्या प्रस्तावानुसार सामाजिक न्याय विभागाच्या अधिपत्याखालील संत भगवानबाबा शासकीय वसतीगृहातील प्रवेशित विद्यार्थ्यांना सोयी-सुविधा उपलब्ध करण्याच्या अनुषंगाने आवश्यक असलेल्या साहित्य / वस्तुंची खरेदी राखीव ठेवण्यात आलेल्या हातमाग महामंडळ

(महाटेक्स) /ई-निविदा करण्यासाठी खालील रकान्यात नमूद केल्याप्रमाणे एकूण रू.१४,७७,६५,४८१/- (अक्षरी रूपये चौदा कोटी सत्त्यात्तर लक्ष पासष्ट हजार चारशे एक्याऐंशी फक्त) इतक्या अंदाजित खर्चास नव्याने प्रशासकीय मान्यता देण्यात येत आहे. त्यानुषंगाने उद्योग, उर्जा व कामगार विभाग दिनांक १.१२.२०१६ चा शासन निर्णय व त्यासोबतच्या मार्गदर्शक सूचनाप्रमाणे खरेदी प्रक्रीया पूर्ण करण्यात यावी.

# (अ) राखून ठेवण्यात आलेल्या संस्थामार्फत खरेदीबाबतचा प्रस्ताव :-

	अ) ऊसतोड कामगारांच्या मुलामुलींसाठी सुरू करण्यात आलेल्या संत भगवानबाबा शासकीय वसतीगृहांसाठी आवश्यक साहित्याची मागणी						
अ. क्र.	वस्तूंचे नाव	मागणी	आकारमान	हातमाग सहकारी महासंघाकडील दर निश्चिती	एकूण किंमत	जीएसटी रक्कम	एकूण किंमत
१	7	3	8	ч	દ્	Ø	۷
٩.	चादर	२०००	ξο" x ९ο"	۹۵. <i>ڼ</i> کډ	७,७३,४२०	<b>@</b> ५ ३८६७१	८,१२,०९१
٦.	बेडशीट	8000	ξο" x <b>९</b> 0"	३६२.३२	98,8९,२८०	<b>@</b> ५ ७२४६४	94,२9,७४४
₩.	बॅरेक कंबल (लोकरी ब्लॅकेट)	2000	9५०" x २२५"	५७२.००	99,88,000	<b>@</b> પ પહર૦૦	9२,०१,२००
٧.	उशीचा अभ्रा	8000	94" x २३"	9६०.००	६,४०,०००	@५ ३२०००	६,७२,०००
<b>५</b> .	गादी	२०००	ξ x <b>२.५</b> x <b>٩.</b> ५ in Ft	६५२०.००	9,30,80,000	<b>@</b> ৭८ ২३४७२००	9,43,८७,२००
ધ.	उशी	२०००	98" x २२"	300.00	६,००,०००	<b>@</b> 9८ 9०८०००	७,०८,०००
	एकूण १,७६,४६,७०० २६,५५,५३५ २,०३,०२,२						

## (आ) ई-निविदा प्रक्रिया राबवून खरेदीकरण्याबाबतचा प्रस्ताव :-

अ)	_	ऊसतोड कामगारांच्या मुलामुलींसाठी सुरू करण्यात आलेल्या शासकीय वसतीगृहासाठी			आवश्यक		
साहि	त्याची मागण	प्ति					
अ. क्र.	वस्तूंचे नाव	मागणी	आकारमान	एका नगाची अंदाजित किंमत	एकूण किंमत	जीएसटी रक्कम <b>@</b> १८	एकूण किंमत
٩	r	3	8	3	ધ	6	۷
٩.	कार्यालयीन कपाट	६०	Technical specification of Almirah steel Generally conforming to BIS specification IS: 3397:709 (with latest amendment), Type of Almirah steel Almirah Steel shelving cabinets, Number of doors 7, Number of shelves 8, Steel sheet material CRCA	<b>૧</b> ६७००	9007000	१८०३६०	११८२३६०

sheats contorming to grade CRI of IS भूभ३ (part-9)२०१६ (with latest amendment), Sheat rounds and flats Conforming to grade E २५० of IS २०६२, Almirah height (excluding the height of pedestal) ± ymm १८०० mm, Almirah width ± ymm १८० mm, Side sheat thickness o./ mm, Back sheat thickness o./ mm, Back sheat thickness o./ mm, Bottom sheat thickness o./ mm, Bottom sheat thickness o./ mm, Bottom sheat thickness o./ mm, Hinges sheet thickness o./ mm, Bottom sheet thickn
amendment), Sheet rounds and flats Conforming to grade E २५० of IS २०६२, Almirah height (excluding the height of pedestal) ± y mm १८० mm, Almirah width ± y mm १८० mm, Almirah lepth ± y mm १८० mm, Beak sheet thickness o.८ mm, Bottom sheet thickness o.८ mm, Bottom sheet thickness o.८ mm, Bottom sheet thickness o.८ mm, Width of stifferer qoo mm, Stiffener sheet thickness o.६ mm, Width of stifferer qoo mm, Stiffener sheet thickness o.६ mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with yo- micron thickness minimum  10 AlO-Processor Make Intel Processor Generation q above, number of cores per Processor %, Processor Description intel core it, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows q Homme, RAM Size (GB) & GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) qooo, Display Size (INCHES) २१.५, Display Resolution (PIXELS) १९२० X qoo Availability of Webcam integrated with Display yes, on site OEM warranty (year) 3. Cartridge technology Composite Cartridge, Printing Technology Laser,
Conforming to grade E २५० of IS २०६२, Almirah height (excluding the height of pedestal) ± ५ mm ९०० mm, Almirah depth ± ५ mm ९०० mm, Almirah depth ± ५ mm ९०० mm, Almirah depth ± ५ mm १०० mm, Side sheet thickness o.c mm, Bock sheet thickness o.c mm, Bottom sheet thickness o.c mm, Bottom sheet thickness o.c mm, Hingse sheet thickness o.c mm, Handle size 9२ cm, Steel Almirah lock/locker lock Six lever ock, Material of lock Steel, Powder cotting with ५०- micron thickness minimum  AIO-Processor Make Intel Processor Generation ९ above, number of cores per Processor & Processor Ceneration ९ above, number of cores per Processor final thickness of the Internal Bays HDD, Total HDD Gapacity (GB) 90-0, Display Size (INCHES) 91,91, Display Presolution (PIXELS) 920 Noco Availability of Webcam integrated with Display yes, on site OEM warranty (year) 3.  Cartridge technology Composite Cartridge, Printing Technology Laser,
२०६२, Almirah height (excluding the height of pedestal) ± प mm ४८०० mm, Almirah width ± प mm ४८० mm, Side sheet thickness o./ mm, Back sheet thickness o./ mm, Back sheet thickness o./ mm, Back sheet thickness o./ mm, Balves sheet thickness o./ mm, Shelves sheet thickness o./ mm, Hinges sheet thickness o./ mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with ५०- micron thickness minimum  2. कार्यालयीन २० विद्यालयां के अधिक क
height of pedestal ± 4 mm qoo mm, Almirah width ± 4 mm qoo mm, Almirah depth ± 4 mm qoo mm, Almirah depth ± 4 mm qoo mm, Almirah depth ± 4 mm qoo mm, Side sheet thickness o.c mm, Back sheet thickness o.c mm, Bottom sheet thickness o.c mm, Bottom sheet thickness o.c mm, Blottom sheet thickness o.c mm, Width of stiffener qoo mm, Stiffener sheet thickness o.ɛ mm, Handle size q? cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with qo- micron thickness minimum  2. कार्यालयीन संगणक  3. विद्यार्थ्यांसाठ िक्टाइंग्लंग निर्माणक  480  AlO-Processor Make Intel Processor Generation q above, number of cores per Processor €, Processor Description intel core iq, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows qo Home, RAM Size (GB) to GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) qooo, Display Size (INCHES) qqxo X qoco Availability of Webcam integrated with Display yes, on site OEM warranty (year) 3. Cartridge technology Composite Cartridge, Printing Technology Laser,
Almirah width ± ५ mm қоо mm, Almirah depth ± ५ mm қоо mm, Almirah depth ± ५ mm қоо mm, Side sheet thickness o.ć mm, Back sheet thickness o.ć mm, Bottom sheet thickness o.ć mm, Bottom sheet thickness o.ć mm, Bottom sheet thickness o.ć mm, Shelves sheet thickness o.ć mm, Width of stiffener qoo mm, Stiffener sheet thickness o.ξ mm, Handle size qq cm, Steel Almirah lock/locker lock Six lever ock, Material of lock Steel, Powder coating with qo- micron thickness minimum  AlO-Processor Make Intel Processor Generation q above, number of cores per Processor ξ, Processor Description intel core iq, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows qo Home, RAM Size (GB) & GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) qooo, Display Size (INCHES) २q.५, Display Resolution (PIXELS) qq.2 x q.c.o Availability of Webcam integrated with Display yes, on site OEM warranty (year) 3. Cartridge technology Composite Cartridge, Printing Technology Laser,
Almirah depth ± ५ mm % 20 mm, Side sheet thickness o.2 mm, Back sheet thickness o.2 mm, Bottom sheet thickness o.2 mm, Bottom sheet thickness o.2 mm, Shelves sheet thickness o.2 mm, Hinges sheet thickness o.4 mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever ock, Material of lock Steel, Powder coating with ५०- micron thickness minimum  2. कार्यालयीन संगणक  3. विद्यार्थ्यासाठ पुरुष्ट
sheet thickness o./c mm, Back sheet thickness o./c mm, Top sheet thickness o./c mm, Bottom sheet thickness o./c mm, Shelves sheet thickness o./c mm, Shelves sheet thickness o./c mm, Hinges sheet thickness o./c mm, Hinges sheet thickness o./c mm, Stiffener sheet thickness o./c mm, Hinges sheet thickness o./c mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with 40- micron thickness minimum  7. विद्याध्याँसात है विद्याध्याँसात है कि प्राप्त के कार्यालयोग कार्यालयोग के कार्यालयोग कार्यालयोग के कार्यालयोग के कार्यालयोग के कार्यालयोग कार्या
thickness o./ mm, Top sheet thickness o./ mm, Bottom sheet thickness o./ mm, Bottom sheet thickness o./ mm, Shelves sheet thickness o./ mm, Hinges sheet thickness o./ mm, Width of stiffener qoo mm, Stiffener sheet thickness o./ mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with 40- micron thickness minimum  1. कार्यालयीन विवायकार के अध्याल
thickness o.ć mm, Bottom sheet thickness o.ć mm, Shelves sheet thickness o.ć mm, Shelves sheet thickness o.ć mm, Hinges sheet thickness o.ć mm, Width of stiffener 900 mm, Stiffener sheet thickness o.ć mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever ock, Material of lock Steel, Powder coating with 40- micron thickness minimum  3. विद्यार्थां साठ विद्यार्थां साठ ती संगणक विद्यार के किए किए के किए किए के किए किए के किए किए के किए
thickness o.ć mm, Shelves sheet thickness o.ć mm, Hinges sheet thickness o.ć mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with 40- micron thickness minimum  7. कार्यालयीन संगणक  8. AIO-Processor Make Intel Processor Generation 9 above, number of cores per Processor &, Processor Description intel core i4, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows 90 Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) 99.4, Display Resolution (PIXELS) 99.5 N 90.0 Availability of Webcam integrated with Display yes, on site OEM warranty (year) 3.  Cartridge technology Composite Cartridge, Printing Technology Laser,
thickness o.c mm, Hinges sheet thickness 9.६ mm, Width of stiffener 900 mm, Stiffener sheet thickness 0.६ mm, Handle size 9२ cm, Steel Almirah lock/locker lock Six lever ock, Material of lock Steel, Powder coating with 40- micron thickness minimum  3. कार्यालयीन संगणक विद्यार्थ्यांसाठ शिक्षण कि प्राचन कि
thickness 9.६ mm, Width of stiffener 900 mm, Stiffener sheet thickness 0.६ mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with 40- micron thickness minimum  AIO-Processor Make Intel Processor Generation 9 above, number of cores per Processor E, Processor Description intel core i4, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows 90 Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) 29.4, Display Resolution (PIXELS) 99.0, Display Resolution (PIXELS) 99.0 X 900 Avolailability of Webcam integrated with Display yes, on site OEM warranty (year) 3.  Cartridge technology Composite Cartridge, Printing Technology Laser,
१०० mm, Stiffener sheet thickness o.६ mm, Handle size १२ cm, Steel Almirah lock/locker lock Six lever ock, Material of lock Steel, Powder coating with ५०- micron thickness minimum  २. कार्यालयीन संगणक २० AIO-Processor Make Intel Processor Generation ९ above, number of cores per Processor ६, Processor Description intel core i५, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows १० Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) १०००, Display Size (INCHES) २१.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
0.६ mm, Handle size 92 cm, Steel Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with ५०- micron thickness minimum         २. कार्यालयीन संगणक       २० AlO-Processor Make Intel Processor Generation १ above, number of cores per Processor ६, Processor Description intel core i५, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows 90 Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) २९.५, Display Resolution (PIXELS) १९.२० X 90.60 Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.       ९८००००० १५६४००० १९५२००००० १९५६४००० १९५६४००० १९५६४००००००००००००००००००००००००००००००००००००
Almirah lock/locker lock Six lever lock, Material of lock Steel, Powder coating with ५०- micron thickness minimum  2. कार्यालयीन संगणक
ock, Material of lock Steel, Powder coating with ५०- micron thickness minimum  AIO-Processor Make Intel Processor Generation \( \) above, number of cores per Processor \( \), Processor Description intel core i\( \), chipset Series intel B series, Operating system (Factory Pre-loaded) Windows \( \) Homeone Home, RAM Size (GB) \( \) GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) \( \) 9000, Display Size (INCHES) \( \) 9\( \) 9\( \) 9\( \) 9\( \) 0000 (PIXELS) \( \) 9\( \) 9\( \) 9\( \) 0000 (PIXELS) \( \) 9\( \) 9\( \) 0000 (PIXELS) \( \) 9\( \) 9\( \) 0000 (PIXELS) \( \) 0
रः विद्यार्थ्यांसाठ ी संगणक  विद्यार्थ्यांसाठ ी संगणक  विद्यार्थ्यांसाठ ी संगणक  विद्यार्थ्यांसाठ ि संगणक  विद्यार्थ्यांसाठ विद्यार्थांसाठ विद्यांसाठ विद्यार्थांसाठ विद्यांसाठ
श्रिप्त कार्यालयीन संगणक विद्यार्थ्यांसाठ ते संगणक विद्यार्थ्यांस्वाठ ते संगणक विद्यार्थ्या ते संगणक विद्यार्थ्य विद्यार्थ्य ते संगणक विद्यार्थ्य विद्यार्थ्य ते संगणक विद्यार्थ्य ते संगणक विद्यार्थ्य विद्यार्थ्य ते संगणक विद्यार्थ्य ते संगणक विद्यार्थ्य विद्याय्य विद्यार्थ्य विद्यार्थ्य विद्यार्थ्य विद्यार्थ विद्याय्य विद्यार्थ विद्
२. कार्यालयीन संगणक २० Generation ९ above, number of cores per Processor ६, Processor Description intel core i५, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows 90 Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) २१.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
२. संगणक २० Generation ९ above, number of cores per Processor ६, Processor Description intel core i५, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows 90 Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) २९.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
हाराज्याचार प्रकार प्र
per Processor ६, Processor Description intel core i५, chipset Series intel B series, Operating system (Factory Pre-loaded) Windows 9o Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) २९.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
Series intel B series, Operating system (Factory Pre-loaded) Windows 9o Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) २९.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
3. विद्यार्थ्यांसाठ ी संगणक १४० (Factory Pre-loaded) Windows 90 Home, RAM Size (GB) 8 GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) २९.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३. Cartridge technology Composite Cartridge, Printing Technology Laser,
3. विद्यार्थ्यांसाठ १४० Windows 9o Home, RAM Size (GB) ४ GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) 9000, Display Size (INCHES) २१.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
3. विद्यार्थ्यांसाठ १४० GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) १०००, Display Size (INCHES) २१.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
3. विद्यार्थ्यांसाठ १४० GB, Type of Drives used to populate the Internal Bays HDD, Total HDD Capacity (GB) १०००, Display Size (INCHES) २१.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
Capacity (GB) १०००, Display Size (INCHES) २१.५, Display Resolution (PIXELS) १९२० X १०८० Availability of Webcam integrated with Display yes, on site OEM warranty (year) ३.  Cartridge technology Composite Cartridge, Printing Technology Laser,
Capacity (GB) 9000, Display Size (INCHES) 39.4, Display Resolution (PIXELS) 9820 X 9040 Availability of Webcam integrated with Display yes, on site OEM warranty (year) 3.  Cartridge technology Composite Cartridge, Printing Technology Laser,
(PIXELS) 9990 X 9000 Availability of Webcam integrated with Display yes, on site OEM warranty (year) 3.  Cartridge technology Composite Cartridge, Printing Technology Laser,
Webcam integrated with Display yes, on site OEM warranty (year) 3.  Cartridge technology Composite Cartridge, Printing Technology Laser,
on site OEM warranty (year) 3.  Cartridge technology Composite  Cartridge, Printing Technology Laser,
Cartridge technology Composite Cartridge, Printing Technology Laser,
Cartridge technology Composite Cartridge, Printing Technology Laser,
Cartridge, Printing Technology Laser,
8. प्रिंटर २० Duplexing Feature yes, Wireless १५००० ३००००० ५४००० ३५४
connectivity yes, Number of Main
Paper trays 9, On site OEM Warranty
(years) 3
कार्यालयीन
1 4 1 20 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3 x 9.4 x 9.4 in Ft ७२००
६. विद्यार्थी खुर्ची   २०००   १५९२०००   १६९९२
लोखंडी
19.
कपाट ( , , , , , , , , , , , , , , , , , ,
कार्यालयीन
८. टेबल २० ४ x ३ x २.५ in Ft १२९९० २५९८०० ४६७६४ ३०६
(ड्रॉवरसह)
विद्यार्थी
९. अभ्यास २००० ६०० mm (W) x ६०० mm (D) x   १२९९०   २५९८००००   ४६७६४००   ३०६५६
९. अभ्यास २००० ६०० mm (W) x ६०० mm (D) x व्र९९० २५९८०००० ४६७६४०० ३०६५६ छ।

एकूण					१०८०१९७००	૧९४४३५४६	१२७४६३२४६
٩८.	डायनिंग बेंच	9000	६ x 9 x 9. <b>५</b> in Ft	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\200000	949२०००	९९१२०००
90.	विद्यार्थी कपाट	2000	१२०० mm (H) X ४५० mm (D) X ९१० mm (W)	६५००	93000000	2380000	94380000
٩६.	बकेट	9000	१५ Litre	१५९	949000	२८६२०	9८७६२०
94.	ग्रंथालय कपाट	900	ξ" x 3" x 9"	98८००	98८००००	२६६४००	908६४००
98.	अग्निशमन यंत्र	380	Fire Extinguisher, 8 Kg	4400	9८७००००	३३६६००	२२०६६००
93.	डायनिंग टेबल	980	ξ x २.५ x २.५ in Ft	93700	9८४८०००	३३२६४०	२१८०६४०
٩२.	इलेक्ट्रीक वॉटर हिटर	६०	५० Litre	१५६२५	९३७५००	१६८७५०	११०६२५०
99.	वॉटर कुलर कम फिल्टर	६०	Water Purifier with water cooler, Inbuilt Storage Tank, Maximum input Water 9000 lit, Fully Automatic with auto cut off, Ultraviolet	६९०००	४१४००००	७४ <b>५</b> २००	४८८५२००
90.	सीसीटीव्ही कॅमेरा	६०	Camera type Analog, Camera, Video Recorder, LCD & LED panel, cables, Audio support, Hard Disc capacity 9 TB, day/night capable	२४९९०	१४९९४००	२६९८९२	૧७६९२९२

अ	राखीव वस्तुंची एकूण किंमत–	२,०३,०२,२३५.००
ब	ई गव्हर्नमेंट मार्केटप्लेस (GeM)/ई टेंडर वरील वस्तुंची किंमत	<b>9</b> २,७४,६३,२४६.००
	एकूण किंमत	<b>98,00,६५,</b> ४८ <b>9.</b> ००

## उपरोक्त खरेदी संदर्भातील अटी व शर्ती खालीलप्रमाणे आहेत:-

- उद्योग, उर्जा व कामगार विभागाचा शासन निर्णय, दिनांक १.१२.२०१६ अन्वये विहित कार्यपध्दती तसेच, अटी व शर्तीच्या अधीन राहून खरेदी करण्यात यावी.
- वस्तुच्या आकारमानाबाबत व्यवस्थापकीय संचालक, गोपीनाथ मुंडे ऊसतोड कामगार महामंडळ
   यांच्या अधिपत्याखालील खरेदी समितीने वस्तुचे आकारमान किती असावे या बाबत निर्णय घ्यावा
- ण्रिकटादार संस्थांनी पुरवटा करावयाच्या वस्तुंच्या आवश्यकतेनुसार व्यवस्थापकीय संचालक, लोकनेते गोपीनाथ मुंडे ऊसतोड कामगार महामंडळ, पुणे यांच्याकडे नमुने सादर करावेत. त्यांनी उद्योग,उर्जा व कामगार विभागाचा शासन निर्णय, दिनांक १.१२.२०१६ अन्वये विहित केलेल्या तरतुदीनुसार मान्यता प्राप्त संस्थेकडून सदर वस्तुंची तपासणी करावी व नमुना तपासणी करण्याकरिता येणारा खर्च संबंधित निविदाधारकांकडून घेण्यात यावा.
- IV. मालाचा पुरवटा करणाऱ्या संस्थांनी लोकनेते गोपीनाथ मुंडे ऊसतोड कामगार महामंडळ, पुणे या कार्यालयाकडे प्रमाणित संस्थांनी सादर केलेले नमुने (Lab Reports) दाखवून व बाजार किंमतीनुसार मालाचा पुरवटा करावा.

- V. गृहपालांनी पुरवठादाराकडून माल मिळाल्याची पोचपावती सबंधित जिल्ह्याच्या सहाय्यक आयुक्त, समाज कल्याण, पुणे यांचेकडे सादर करावी.
- VI. संत भगवानबाबा शासकीय वसतीगृहातील प्रत्यक्ष विद्यार्थी संख्येनुसार मागणी व पुरविण्यात आलेल्या वस्तु याबाबत पडताळणी करण्याची दक्षता व्यवस्थापकीय संचालक, लोकनेते गोपीनाथ मुंडे ऊसतोड कामगार महामंडळ, पुणे यांनी घ्यावी.
- **३**. याबाबत होणारा खर्च हा महामंडळाकडे उपलब्ध असलेल्या तरतुदीमधून भागविण्यात यावा. त्याअनुषंगाने सदर प्रशासकीय मान्यतेस अनुसरुन आपल्या स्तरावर ई-निविदा प्रक्रिया राबवून ई-निविदेतील निम्न दर प्राप्त निविदा धारकांचा प्रस्ताव शासन स्तरावरील राज्यस्तरीय प्रशासकीय खरेदी समितीच्या मान्यतेस्तव सादर करावा.
- **४.** सदर आदेश, शासन निर्णय, वित्त विभाग, क्र.विअप्र-२०१३/प्र.क्र.३०/२०१३/विनियम,भाग-२, दिनांक१७.४.२०१५,वित्तीय अधिकार नियम पुस्तिका,१९७८,भाग-पिहला,उपविभाग-तीन,अ.क्र.४, परि. क्र. २७ (२) (अ), भाग-पिहला, उपविभाग-२, अ.क्र.२७ अ, नियम क्र.७६, अ.क्र. ३७, नियम क्र.९०, अ.क्र.४५, नियम क्र.१६९ अन्वये प्रशासकीय विभागास प्रदान केलेल्या अधिकारानुसार निर्गमित करण्यात येत आहेत.
- **५**. सदर शासन निर्णय महाराष्ट्र शासनाच्या <u>www.maharashtra.gov.in</u> या संकेतस्थळावर उपलब्ध करण्यात आला असून त्याचा संगणक संकेतांक २०२५०१३१९७१३३१९२२ असा आहे. हा आदेश डिजिटल स्वाक्षरीने निर्गमित करण्यात येत आहे.

महाराष्ट्राचे राज्यपाल यांच्या आदेशानुसार व नावाने,

(प्र. वि. देशमुख) अवर सचिव, महाराष्ट्र शासन

### प्रत,

- १. मा.मंत्री, सामाजिक न्याय व विशेष सहाय्य यांचे खाजगी सचिव, मंत्रालय, मुंबई,
- २. मा.राज्यमंत्री, सामाजिक न्याय यांचे खाजगी सचिव, मंत्रालय, मुंबई,
- ३. महालेखापाल, महाराष्ट्र १/२ (लेखा परीक्षा) (लेखा अनुज्ञेयता), मुंबई/नागपूर,
- ४. सचिव, सामाजिक न्याय व विशेष सहाय्य विभाग मंत्रालय, मुंबई यांचे स्वीय सहायक
- ५. व्यवस्थापकीय संचालक,लोकनेते गोपीनाथ मुंडे ऊसतोड कामगार महामंडळ, पुणे
- ६. सर्व प्रादेशिक उपायुक्त, समाज कल्याण,
- ७. सर्व सहाय्यक आयुक्त, समाज कल्याण,
- ८. जिल्हा कोषागार अधिकारी, पुणे,
- ९. निवड नस्ती (शिक्षण-२).