

		Wind		v
'losa	Thic	Wind	OW	$\sim$

**Team Control Number** 

For office use only	
T1	
T2	
T3	
T4	

41224

For off	fice use only	
F1		
F2		
F3		
F4		

Problem Chosen

Α

## 2015 Mathematical Contest in Modeling (MCM) Summary Sheet

(Attach a copy of this page to your solution paper.)

Type a summary of your results on this page. Do not include the name of your school, advisor, or team members on this page.

text

# [TITLE]

#### 1 Introduction

Academic success among undergraduate students at universities in the U.S. depends on several factors such as teacher capability, class size, and university funding. In nearly every statistical study regarding factors that contribute to student success, the amount of funding per student at each school always held the greatest positive impact.[?] While great teachers and small class sizes certainly effect student success in the classroom, we know that adequate funding is essential to resource expansion in U.S. schools.[?] Additional resources that are readily available to the student have been shown to increase student performance across the board.

If a foundation should want to increase student success by providing funds to several universities, the foundation could pursue one of several options.

Most grant-awarding foundations that are prominent today allocate funds according to a recipients's qualifications. These qualifications are usually determined via a selection process that involves an application or proposal from the university, followed by a direct review of that university by the foundation. Successful candidates for grants usually demonstrate adequate need for the award, as well as a plan to use the money to ameliorate the situation at the school. Universities with both need and potential for growth are selected for grants primarily by human opinion and group decision. (unsure how to cite this paragraph, information came from browsing various foundation websites)

In order to avoid this somewhat meticulous selection process, we develop a model that will rank and allot appropriate funds to each university for the foundation. The model employs methods of data clustering, neural networks, and multi-objective programming to essentially replace the human-performed decision making process of previously used grant allocation techniques.

We propose a model that will rank universities according to their eligibility for the grant, amount of grant money to be received, and rate at which the grant money will be distributed.

- + The model ranks all universities according to their current available funds due to outside donations each year in addition to how each university employs those funds. Universities with relatively small donation pools and a loyal history of fund allocation to expansion of student resources receive high rankings.
- + The model approximates the amount of effective change it can induce by giving funds to schools of various rankings. The schools with optimized rates of changes will receive the largest grants from the Foundation.
- + The size of grant awarded to each school in the list will be determined by XXXXXXX.
- + Over a period of five years, the foundation will award each grant according to a predictive distribution of optimal funding per year at each institution. This data comes from published financial data regarding university donation spending.

## 2 Assumptions

These are some things we assumed in order to create our model!

### 3 Formal Prolegomena

First, some notational definitions. We have tabulated them below.

- $(\mathcal{U})$  The set of universities and colleges in question.
- $(\mathcal{D})$  Financial space. In general, this is the space of donations this might have multiple dimensions over  $\mathbb{R}$ , depending on the specific categories of money we're interested in. It might also contain certain categories of expenditures that we might be able to influence by placing constraints on how institutions are allowed to spend their money.
- $(\mathcal{T})$  The space of times for which we have data.
- ( $\mathcal{V}$ ) The vector space of student metric variables  $\{v_i\}$ . Note that at this point, we have not yet committed ourselves to any such choice of variables, and so  $\mathcal{V}$  includes also negative and neutral indicators of success.
- $(d\mathcal{V})$  In a continuous setting, this would be the  $\mathcal{V}$  differential 1-form, but here it is simply a running difference of the variables  $\mathcal{V}$  over time.

We will also be interested in a "sliding window" of times trailing a given time; if we're interested in a subspace of time  $T \subset \mathcal{T}$ , we can construct this window as  $\mathcal{W}_T : T \to \mathcal{D}$ . Note that in the case of a discrete T, comprised of n time steps,  $\mathcal{W}_T = \mathcal{D}^n$ . All of our data is discrete, of course, but this construction also works for continuous subspaces of  $\mathcal{T}$ , which means we can think of different choices of T as appropriate approximations, instead of sets with fundamentally different structures.

With this framework, we can now formulate the problem more precisely. To do any kind of induction at all, it is necessary to make some commonplace but sometimes very wrong independence assumptions. Here's our first and most central one: we will assume that the effectiveness with which an institution can use money does not change over time<sup>1</sup>. For an institution  $u \in \mathcal{U}$ , we can now talk about the effect of donor money over time on the variables in  $\mathcal{V}$  as a mapping

$$F_u: \mathcal{W}_T \to d\mathcal{V}$$
 (1)

That is – a function which takes the financial input we control, and changes student metric variables in some way. This is to be distinguished from some other function  $\phi_u: \mathcal{W}_T \to \mathcal{V}$  that estimates the metric variables directly. There are several reasons for this. First of all, it makes a lot more semantic sense; we can't directly impact the absolute value of the these variables with money; at best, we nudge them in one direction or another. Secondly, training on the raw values incentivizes memorizing institutions' particular statistics instead of learning a general pattern. Speaking of which, to get this kind of general pattern instead of one for each school, we are actually learning an alternate formulation of (1) –

$$F: \mathcal{W}_T \times \mathcal{U} \to d\mathcal{V}$$

<sup>&</sup>lt;sup>1</sup>This is a reasonable assumption to make; while technically invalid, it seems very natural to judge an institution by its past performance – indeed, this is the best we can hope for from a dataset

Supposing that we have a suitably robust approximation for F, we still have a ways to go in terms of allocating resources. The biggest, most glaring issue is that we still haven't decided what makes a given change  $d\mathcal{V}$  a positive one. The mechanism for determining this will be discussed at length later in the paper, but here we will just give it a name. Let

$$A: \mathcal{V} \to \mathbb{R} \tag{2}$$

be an aggregation function, which produces an objective "goodness" of a given array of metric variables. Note that here we use V, not dV, even after making such a point of doing precisely the opposite with respect to F. We do this because, a priori, it is possible that schools have intrinsic properties that impact the effectiveness of donations, but which do not actually themselves change with respect donation amounts. This is pretty inconvenient, because we really wanted to compose A with F to get a complete function with which to score elements of  $\mathcal{D}$ . For a moment, we'll suppose that we had the hypothetical function  $\phi$  described above. In that case

$$\mathcal{W}_T \stackrel{\phi}{\to} \mathcal{V} \stackrel{A}{\to} \mathbb{R}$$

...but this isn't exactly the metric we're after. Instead of measuring the effectiveness of a contribution, we have some absolute measure of how "good" a school would be with a given donation distribution.

$$\underset{u \in \mathcal{U}}{\operatorname{arg max}} \ \frac{d}{dw} A \left( V_u + \int_T F(w_T, u) \right) \tag{3}$$

where  $V_u \in \mathcal{V}$  is the most current metric vector for university u.

$$\underset{u \in \mathcal{U}}{\operatorname{arg max}} \frac{d}{dw} A \left( v_u + \int_T F(w_T, u) \right)$$
$$= \underset{u \in \mathcal{U}}{\operatorname{arg max}} \frac{d}{dw} A \left( v_u + \int_T F(w_T, u) \right)$$

1. Apply Machine Learning techniques to estimate the effect of donations on the

#### 4 Results

Other things