

Title Page

SBT-DF204 - Investigating Harassment Email Traffic with Wireshark

Student Name: Athanasius Alekwe

Student ID: 2025/FWSD/11230

Course Name: Computer Forensics Case Study

Instructor Name: Aminu Idris

Date of Submission: 05/10/2026

Introduction

This investigation examined a simulated harassment-email case using the supplied nitroba.pcap network capture. The aim was to reconstruct the web activity connected to the threatening communication and determine whether the captured traffic could reasonably be associated with a student in Chemistry 109. The investigation was carried out carefully on a forensic working copy so that the original evidence remained unchanged.

Wireshark analysis identified a client at 192.168.15.4 communicating with www.willselfdestruct.com. Further examination located the HTTP POST containing the threatening message, identified the client MAC address, recovered browser-cookie information containing jcoachj@gmail.com, and compared that identifier with the Chemistry 109 roster. The evidence therefore allowed the activity to be reconstructed while still recognising that network evidence alone cannot prove who was physically operating the device.

Objectives

To preserve the supplied packet capture by creating and analysing a forensic working copy.

To confirm evidence integrity using SHA-256 hashing.

To identify the client and server involved in the WillSelfDestruct communication.

To locate and examine the HTTP POST containing the reported harassment message.

To identify the MAC address associated with the submitting device.

To examine browser and cookie evidence for information that could associate the device with a user.

To compare the recovered identity information with the Chemistry 109 class roster.

To reconstruct the relevant activity in UTC using exact packet timestamps.

To assess whether the combined evidence supports attribution while clearly recognising the limitations of a shared/open network.

These objectives reflect the evidence developed throughout the investigation, including the POST in packet 83601, the cookie evidence from packet 78968, the UTC timeline, and the Chemistry 109 comparison.

Laboratory / Tools Used

The investigation was performed in a Kali Linux virtual machine running in VMware Workstation. Wireshark was the main forensic analysis tool and was used to apply display filters, inspect individual packets, examine HTTP form data, identify Ethernet/MAC information, and follow the relevant TCP stream.

The Kali Linux terminal was also used for evidence preparation and verification. Commands and utilities included wget for downloading the supplied evidence and scenario material, sha256sum for integrity verification, file-copying utilities for preparing the working evidence, grep for extracting the email identifier from copied cookie data, and nano for temporarily storing that value. A PDF viewer was used to inspect the supplied Chemistry 109 roster.

The final integrity verification showed that both the original and working PCAP had the same SHA-256 value, confirming that the evidence analysed remained consistent with the acquired capture.

Lab Folder Structure and Evidence Preparation




Fig 1.0 Creating the Lab folder.

Explanation




Fig 1.1 Original Nitroba PCAP Download and File Details.

Explanation

The screenshot shows the case folders created to organise the original evidence, working copy, hashes, screenshots, and investigation notes. This provided a structured workspace and helped keep the original evidence separate from the material used during analysis.




Fig 1.2. Original PCAP SHA256 and Acquisition Time.

Explanation

This screenshot documents the acquisition of the supplied nitroba.pcap file and confirms that the network capture was successfully obtained for the investigation. Recording the file information helped establish the starting point of the evidence-handling process.




Fig 1.3 Forensic Working Copy and Integrity Verification.

Explanation

The screenshot records the SHA-256 hash calculated for the original PCAP together with the acquisition time. The hash provides a unique integrity reference that can later be compared against the working copy.




Fig 1.4 Nitroba Working Capture Opened in Wireshark UTC.

Explanation

This shows that a separate working copy was created instead of analysing the original evidence directly. The integrity check confirmed that the copied file remained identical to the original capture.




Fig 1.5 WillSelfDestruct Web Requests.

Explanation

The screenshot confirms that the forensic working copy was opened in Wireshark for examination. UTC time was used so that packet timestamps could be recorded consistently when constructing the investigation timeline.

The applied Wireshark filter isolated HTTP GET requests to `www.willselfdestruct.com`. Packet 82936 showed

client 192.168.15.4 accessing /secure/submit on server 69.25.94.22, establishing the relevant client-to-service communication.

Evidence log — E01

Evidence ID	Packet	Finding	Why it matters
E01	82936	192.168.15.4 sent an HTTP GET request to 69.25.94.22 for /secure/submit on www.willselfdestruct.com at 06:03:43.825871Z	Establishes the client system communicating with the web service




Fig 1.6 WillSelfDestruct POST Request Identification.

Explanation

This screenshot isolates packet 83601, where 192.168.15.4 sent an HTTP POST to /secure/submit. This packet became the main submission packet examined for the harassment-message content.

Evidence log — E02

Evidence ID	Packet	Finding	Why it matters
E02	83601	192.168.15.4 submitted an HTTP POST to 69.25.94.22 at /secure/submit on www.willselfdestruct.com	Identifies the form submission associated with the service and gives us the packet to inspect for message content




Fig 1.7 Harassment Message Form Data.

Explanation

Expanding the form data in packet 83601 revealed the recipient, subject, and threatening message submitted through the website. This directly connected the captured POST request with the reported harassment communication.

Evidence log — E03

Evidence ID	Packet	Finding	Why it matters
E03	Packet 83601	HTTP POST /secure/submit contains recipient, subject, and threatening message text	Directly correlates the network traffic with the reported harassment communication




Fig 1.8 Getting to TCP Stream.

Explanation

This screenshot shows the step used to follow the TCP conversation associated with packet 83601. Following the stream allowed the complete client request and server response to be examined together.




Fig 1.9 Harassment Submission TCP Stream.

Explanation

TCP Stream 1707 displayed the full POST request, encoded threatening message, and the server's 302 Moved

Temporarily response redirecting the browser to /secure/success. This provided additional confirmation that the web form was processed by the service.

Evidence log — E04

Evidence ID	Packet	Finding	Why it matters
E04	Packet 83601 / TCP Stream 1707	Full HTTP stream shows the POST to /secure/submit, the encoded threatening message, and a 302 Moved Temporarily response redirecting to /secure/success	Confirms the message was submitted through the WillSelfDestruct web form and the server processed the request.




Fig 2.0 Client MAC Address for Harassment POST.

Explanation

The Ethernet details of packet 83601 identified source MAC address 00:17:f2:e2:c0:ce as the interface generating the relevant POST from 192.168.15.4. This tied the submission to a particular network device/interface rather than relying only on the IP address.

Evidence log — E05

Evidence ID	Packet	Finding	Why it matters
E05	83601	Source MAC 00:17:f2:e2:c0:ce generated the POST from 192.168.15.4	Links the harassment submission to a specific local network interface/device, but not yet to a person.




Fig 2.1 Client Device Cookie Identity Evidence.

Explanation

The same MAC address was filtered for HTTP cookie traffic containing an @ character. This narrowed the investigation to browser activity that could contain an account or email identifier associated with the device.




Fig 2.2 Copying the value of Client Device Cookie Identity Evidence.

Explanation

This screenshot shows the cookie value being copied from the selected Wireshark packet for closer

examination. Copying the complete value allowed information hidden by the shortened Wireshark display to be reviewed accurately.




Fig 2.3 Saving the value.

Explanation

The copied cookie data was saved temporarily so that the email-related information could be extracted without changing the original capture. This supported a more precise examination of the browser identity evidence.




Fig 2.4 Cookie Email Identity Extraction.


Explanation

The extracted cookie data revealed the Gmail identifier jcoachj@gmail.com. Because this cookie came from traffic associated with the same client MAC, it provided an important browser-level link between the device and the account identifier.

Browser traffic from the same source MAC address contained the Gmail identifier jcoachj@gmail.com. The Chemistry 109 roster includes a student named Johnny Coach. The account identifier is consistent with that roster entry, providing supporting identity evidence; however, it does not independently establish who was physically operating the device at the time.

Evidence log — E06

Evidence ID	Packet	Finding	Why it matters
E06	Packet 78968 / cookie extraction	HTTP cookie from source MAC 00:17:f2:e2:c0:ce contains jcoachj@gmail.com	Provides browser-level identity evidence associated with the same device that generated the harassment submission



No.	Time	Source	Destination	Protocol	Length	Info
32171	2008-07-22 04:50:29.782718Z	192.168.15.4	69.26.180.17	HTTP	497	GET /rsrc.php/102585/js/lib/event/link_controller.js
32167	2008-07-22 04:50:29.758850Z	192.168.15.4	69.26.180.17	HTTP	482	GET /rsrc.php/108062/js/simple_reg.js HTTP/1.1
32063	2008-07-22 04:50:29.350484Z	192.168.15.4	69.26.180.17	HTTP	493	GET /rsrc.php/pkg/60/109886/js/common.js.pkg.php HTTP/1.1
32059	2008-07-22 04:50:29.258794Z	192.168.15.4	69.26.180.17	HTTP	501	GET /rsrc.php/102900/css/typeaheadpro.css HTTP/1.1
32052	2008-07-22 04:50:29.201337Z	192.168.15.4	69.26.180.17	HTTP	499	GET /rsrc.php/108104/css/ubersearch.css HTTP/1.1
32018	2008-07-22 04:50:28.952688Z	192.168.15.4	69.26.180.17	HTTP	510	GET /rsrc.php/pkg/60/111255/css/common.css.pkg.php HTTP/1.1
32014	2008-07-22 04:50:28.926737Z	192.168.15.4	69.26.180.17	HTTP	498	GET /rsrc.php/104778/css/dialogpro.css HTTP/1.1
32009	2008-07-22 04:50:28.778485Z	192.168.15.4	69.26.180.17	HTTP	495	GET /rsrc.php/98481/css/welcome.css HTTP/1.1
31981	2008-07-22 04:50:28.509327Z	192.168.15.4	69.26.180.17	HTTP	477	GET /js_strings.php/t84493/en_US HTTP/1.1
83654	2008-07-22 06:04:24.902157Z	192.168.15.4	69.25.94.22	HTTP	360	GET /images/bk-message.gif HTTP/1.1
83614	2008-07-22 06:04:24.564165Z	192.168.15.4	69.25.94.22	HTTP	461	GET /secure/success HTTP/1.1
83601	2008-07-22 06:04:24.311700Z	192.168.15.4	69.25.94.22	HTTP	719	POST /secure/submit HTTP/1.1 (application/x-www-form-urlencoded)
83162	2008-07-22 06:03:44.852265Z	192.168.15.4	69.25.94.22	HTTP	361	GET /images/bridge_small.gif HTTP/1.1
83087	2008-07-22 06:03:44.599079Z	192.168.15.4	69.25.94.22	HTTP	358	GET /images/btn-send.gif HTTP/1.1
83072	2008-07-22 06:03:44.530352Z	192.168.15.4	69.25.94.22	HTTP	356	GET /images/body-bk.gif HTTP/1.1
83037	2008-07-22 06:03:44.374583Z	192.168.15.4	69.25.94.22	HTTP	361	GET /images/warning-home.gif HTTP/1.1
83025	2008-07-22 06:03:44.334254Z	192.168.15.4	69.25.94.22	HTTP	356	GET /images/sm-logo.gif HTTP/1.1
82985	2008-07-22 06:03:44.125949Z	192.168.15.4	69.25.94.22	HTTP	355	GET /images/spacer.gif HTTP/1.1
82936	2008-07-22 06:03:43.825871Z	192.168.15.4	69.25.94.22	HTTP	596	GET /secure/submit HTTP/1.1
52189	2008-07-22 05:41:32.626292Z	192.168.15.4	69.25.152.120	HTTP	528	GET /iar.gif?key=global&pid=5400.3&ia_subid=hellomet
83266	2008-07-22 06:03:50.561130Z	192.168.15.4	69.22.167.249	HTTP	263	GET /ds/CJCNTCINGACP/t2_13statebundles_2008/20080524
83119	2008-07-22 06:03:44.760674Z	192.168.15.4	69.22.167.249	HTTP	924	GET /ds/MMRTUMISINF/FY09_BTS_USETHIS/MRS08167_phon
82827	2008-07-22 06:03:27.850303Z	192.168.15.4	69.22.167.249	HTTP	948	GET /ds/MMRTUMISINF/FY09_BTS_USETHIS/mrs08167_retL
82811	2008-07-22 06:03:27.765272Z	192.168.15.4	69.22.167.249	HTTP	639	GET /images/pixel.gif HTTP/1.1
82621	2008-07-22 06:03:27.058186Z	192.168.15.4	69.22.167.249	HTTP	844	GET /BurstingScript/ebBannerServng_569570.js HTTP/1.1

Fig 2.5 UTC Timeline of Harassment Submission.

UTC time	Packet	Activity
06:03:43.825871Z	82936	Client 192.168.15.4 requests GET /secure/submit from 69.25.94.22
06:03:44.125949Z	82985	Loads /images/spacer.gif
06:03:44.334254Z	83025	Loads /images/sm-logo.gif
06:03:44.374583Z	83037	Loads /images/warning-home.gif

06:03:44.530352Z	83072	Loads /images/body-bk.gif
06:03:44.599079Z	83087	Loads /images/btn-send.gif
06:03:44.852265Z	83162	Loads /images/bridge_small.gif
06:04:24.311700Z	83601	POST /secure/submit — harassment message submitted
06:04:24.564165Z	83614	Browser requests GET /secure/success
06:04:24.902157Z	83654	Loads /images/ok-message.gi

Evidence log — E07

Evidence ID	Packet	Finding	Why it matters
E07	82936, 83601, 83614, 83654	Client opened the submission page, submitted the threatening form approximately 40 seconds later, and was redirected to the success page	Establishes the chronological sequence surrounding the harassment communication

Explanation

The screenshot reconstructs the sequence beginning with the /secure/submit page request at 06:03:43.825871 UTC, followed by the harassment POST at 06:04:24.311700 UTC and the subsequent success-page activity. This chronological sequence supports the interpretation that the form was opened, completed, submitted, and processed.

At 06:03:43.825871 UTC, client 192.168.15.4 accessed the WillSelfDestruct submission page. At 06:04:24.311700 UTC, the same client sent the relevant HTTP POST containing the harassment message. Approximately 0.25 seconds later, the browser requested /secure/success, followed by the success-page image. This sequence is consistent with the message being submitted through the web form.




Fig 2.6 Original and Working PCAP SHA256 Verification.

Evidence log — E08

Evidence ID	Item	Finding	Why it matters
E08	Original and working PCAP	Both SHA-256 hashes equal 2b77a9ea...53ec2fb and match the published Digital Corpora checksum	Demonstrates that the forensic working copy preserved the integrity of the supplied evidence

Explanation

The SHA-256 values calculated for the original capture and working copy were identical. This demonstrated that the file analysed during the investigation had not changed from the evidence that was originally acquired.




Fig 2.7 Downloading the nitroba_slides.pdf file.

Explanation

This screenshot records the acquisition of the scenario slides used for the Chemistry 109 roster comparison. The roster was required to determine whether the identity indicated by the browser evidence corresponded with a student in the class.




Fig 2.8 Chemistry 109 Roster Identity Comparison.

Explanation

The Chemistry 109 roster contains the name Johnny Coach. When considered together with the recovered jcoachj@gmail.com browser identifier, the roster provides supporting evidence linking that account identifier

with a student in the class.

Browser traffic from MAC address 00:17:f2:e2:c0:ce contained the Gmail identifier jcoachj@gmail.com. The supplied Chemistry 109 roster includes a student named Johnny Coach. The account identifier is therefore consistent with Johnny Coach; however, this association does not independently prove that Johnny Coach was physically operating the device when the harassment message was submitted.

Evidence log — E09

Evidence ID	Item	Finding	Why it matters
E09	Chemistry 109 roster	The roster includes Johnny Coach . Earlier browser-cookie evidence from the same source MAC contained jcoachj@gmail.com.	The account identifier is consistent with the roster entry Johnny Coach and provides supporting identity association.

No.	Time	Source	Destination	Protocol	Length	Info
79385	2008-07-22 06:01:12.301454Z	192.168.15.4	74.125.19.17	HTTP	1278	GET /mail/im/emotispri... HTTP/1.1
79388	2008-07-22 06:01:12.316838Z	192.168.15.4	74.125.19.17	HTTP	1279	GET /mail/im/emotispri... HTTP/1.1
79401	2008-07-22 06:01:12.507522Z	192.168.15.4	74.125.19.17	HTTP	1286	GET /mail/im/emotispri... HTTP/1.1
79406	2008-07-22 06:01:12.521582Z	192.168.15.4	74.125.19.17	HTTP	1277	GET /mail/im/emotispri... HTTP/1.1
79481	2008-07-22 06:01:12.722753Z	192.168.15.4	74.125.19.17	HTTP	1278	GET /mail/im/emotispri... HTTP/1.1
79486	2008-07-22 06:01:12.748772Z	192.168.15.4	74.125.19.17	HTTP	1284	GET /mail/im/emotispri... HTTP/1.1
79575	2008-07-22 06:01:12.953546Z	192.168.15.4	74.125.19.17	HTTP	1285	GET /mail/im/emotispri... HTTP/1.1
79584	2008-07-22 06:01:12.977406Z	192.168.15.4	74.125.19.17	HTTP	1279	GET /mail/im/emotispri... HTTP/1.1
79612	2008-07-22 06:01:13.174407Z	192.168.15.4	74.125.19.17	HTTP	1282	GET /mail/im/emotispri... HTTP/1.1
79616	2008-07-22 06:01:13.198203Z	192.168.15.4	74.125.19.17	HTTP	1282	GET /mail/im/emotispri... HTTP/1.1
79622	2008-07-22 06:01:13.385129Z	192.168.15.4	74.125.19.17	HTTP	1278	GET /mail/im/emotispri... HTTP/1.1
79626	2008-07-22 06:01:13.407773Z	192.168.15.4	74.125.19.17	HTTP	1277	GET /mail/im/emotispri... HTTP/1.1
79652	2008-07-22 06:01:13.690666Z	192.168.15.4	74.125.19.17	HTTP	106	POST /mail/channel/bi... HTTP/1.1
79670	2008-07-22 06:01:15.423593Z	192.168.15.4	74.125.19.104	HTTP	103	GET /calendar/e0e03af5825c752884a3d23978e83cabca... HTTP/1.1
79715	2008-07-22 06:01:16.853458Z	192.168.15.4	74.125.19.104	HTTP	1384	GET /calendar/render?utm_campaign=en&utm_source=e... HTTP/1.1
79726	2008-07-22 06:01:17.081558Z	192.168.15.4	74.125.19.104	HTTP	497	HTTP/1.1 200 OK (text/html)
79732	2008-07-22 06:01:17.225783Z	192.168.15.4	74.125.19.17	HTTP	131	POST /mail/channel/bi... HTTP/1.1
79749	2008-07-22 06:01:17.425424Z	192.168.15.4	74.125.19.104	HTTP	151	POST /calendar/cal... HTTP/1.1
79750	2008-07-22 06:01:17.425760Z	192.168.15.4	74.125.19.104	HTTP	336	POST /calendar/load HTTP/1.1 (application/x-www...
80225	2008-07-22 06:02:05.562559Z	192.168.15.4	74.125.19.17	HTTP	120	POST /mail/channel/bi... HTTP/1.1
80824	2008-07-22 06:03:02.386299Z	192.168.15.4	74.125.19.17	HTTP	1405	GET /mail/?ui=1&ik=a0610eacbd&view=tl&search=inb... HTTP/1.1
80842	2008-07-22 06:03:05.557263Z	192.168.15.4	74.125.19.17	HTTP	121	POST /mail/channel/bi... HTTP/1.1
83326	2008-07-22 06:04:05.546193Z	192.168.15.4	74.125.19.17	HTTP	121	POST /mail/channel/bi... HTTP/1.1
84201	2008-07-22 06:04:55.380722Z	192.168.15.4	74.125.19.17	HTTP	1366	GET /mail/channel/bi... HTTP/1.1

Fig 2.9 Continuous Jcoachj Browser Activity Around Harassment Submission.

Evidence log — E10

Evidence ID	Item	Finding	Why it matters
E10	83326, 83601, 84201	HTTP traffic from the same client MAC contains jcoachj immediately before and after the harassment POST	Shows temporal continuity between the browser session associated with jcoachj and the submission of the threatening message.

Explanation

The filtered traffic showed jcoachj-associated HTTP activity from the same client MAC immediately before and after the harassment POST. This continuity strengthens the connection between the browser session carrying the jcoachj identifier and the message submission.




Fig 3.0 Johnny Coach Gmail Cookie and Browser Identification.

Explanation

Packet 83326 shows Gmail activity from 192.168.15.4 and MAC 00:17:f2:e2:c0:ce, together with the Internet Explorer 6/Windows NT 5.1 browser signature. The packet occurred only about 18.8 seconds before the harassment POST, making it important corroborating evidence.




Fig 3.1 Johnny Coach Gmail Cookie and Browser Identification page 1.

Explanation

Expanding the cookie data in packet 83326 revealed gmailchat=jcoachj@gmail.com. When combined with the matching IP address, MAC address, browser signature, close timing, and Chemistry 109 roster entry, this provides the strongest supporting association between the browser session and Johnny Coach, although it still does not prove who was physically at the keyboard.

Evidence log — E11

Evidence ID	Item	Finding	Why it matters
E11	83326	Gmail HTTP traffic from 192.168.15.4 / MAC 00:17:f2:e2:c0:ce contains gmailchat=jcoachj@gmail.com and uses Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)	Associates the client/browser with jcoachj@gmail.com only about 18.8 seconds before the same client/browser submitted the harassment message.

Packet 83326, captured at 06:04:05.546193 UTC, shows active Gmail traffic from IP address 192.168.15.4 and MAC address 00:17:f2:e2:c0:ce. The HTTP cookie includes the account identifier jcoachj@gmail.com, while the browser identifies itself as Internet Explorer 6 running on Windows NT 5.1. Approximately 18.8 seconds later, packet 83601 shows the same source IP, same source MAC, and same browser signature submitting the threatening message through www.willselfdestruct.com. The Chemistry 109 roster contains Johnny Coach. Taken together, these independent indicators strongly support an association between the device/browser session used to send the harassment message and Johnny Coach.

Limitations

The most important limitation is that the investigation cannot prove, from packet data alone, that Johnny Coach was physically sitting at the computer when the threatening message was sent. The case involved a shared/open wireless environment, meaning that an IP address by itself cannot establish a person's identity.

Although the same MAC address and IP address were associated with both the Gmail/browser activity and the harassment submission, a MAC address identifies a network interface rather than the human operating it. Similarly, the cookie containing jcoachj@gmail.com provides strong browser-level association, but another person could theoretically have had access to the device or an already authenticated browser session. The report itself therefore correctly treats this as supporting identity evidence rather than absolute proof.

The investigation is also limited to what was recorded in the supplied PCAP and scenario evidence. It does not contain independent physical evidence showing who was at the keyboard, nor does it establish exclusive control of the device at the exact moment of submission. For that reason, the attribution should remain evidence-based and cautious.

Conclusion

The forensic evidence strongly supports an association between the harassment submission and a browser/device session linked with Johnny Coach. Packet 83601 showed that 192.168.15.4, using MAC address 00:17:f2:e2:c0:ce, submitted the threatening message through www.willselfdestruct.com. The same browser environment contained the Gmail identifier jcoachj@gmail.com, and the Chemistry 109 roster included a student named Johnny Coach.

The attribution was strengthened further by packet 83326, captured only about 18.8 seconds before the harassment POST. That packet showed Gmail activity from the same IP address and MAC address, contained `gmailchat=jcoachj@gmail.com`, and used the same Internet Explorer 6/Windows NT 5.1 browser signature observed during the relevant activity.

Therefore, there is high confidence that the same device/browser session associated with jcoachj@gmail.com submitted the harassment message. There is strong circumstantial evidence associating that session with Johnny Coach, but the available network evidence does not conclusively prove that Johnny Coach himself was physically operating the device. The most defensible conclusion is that the evidence strongly supports attribution to Johnny Coach while retaining reasonable forensic uncertainty.

Screenshots

Fig 1.0 Creating the Lab folder.

Fig 1.1 Original Nitroba PCAP Download and File Details.

Fig 1.2 Original PCAP SHA256 and Acquisition Time.

Fig 1.3 Forensic Working Copy and Integrity Verification.

Fig 1.4 Nitroba Working Capture Opened in Wireshark UTC.

Fig 1.5 WillSelfDestruct Web Requests.

Fig 1.6 WillSelfDestruct POST Request Identification.

Fig 1.7 Harassment Message Form Data.

Fig 1.8 Getting to TCP Stream.

Fig 1.9 Harassment Submission TCP Stream.

Fig 2.0 Client MAC Address for Harassment POST.

Fig 2.1 Client Device Cookie Identity Evidence.

Fig 2.2 Copying the value of Client Device Cookie Identity Evidence.

Fig 2.3 Saving the value.

Fig 2.4 Cookie Email Identity Extraction.

Fig 2.5 UTC Timeline of Harassment Submission.n.

Fig 2.6 Original and Working PCAP SHA256 Verification.

Fig 2.7 Downloading the nitroba_slides.pdf file.

Fig 2.8 Chemistry 109 Roster Identity Comparison.

Fig 2.9 Continuous Jcoachj Browser Activity Around Harassment Submission.

Fig 3.0 Johnny Coach Gmail Cookie and Browser Identification.

Fig 3.1 Johnny Coach Gmail Cookie and Browser Identification page 1.

References

ICDFA Materials.