

Table Of Content

Chapter 1	4
Paragraph 1.1	6
Paragraph 1.2	7
<i>Sub-Paragraph 1.2.1</i>	8
Paragraph 1.3	9
Chapter 2	10
Chapter 3	11
Chapter 4	12
Chapter 5	13
Chapter 6	14
Chapter 7	15
Chapter 8	16
Chapter 9	17
Chapter 10	18
Chapter 11	19

Daily production	10.0	Hours/Day
Weekly production	7.0	Days/Week
Annual production	52.0	Weeks/Year
Number of equipment cooldowns	1.0	per day
Factory Air temperature	5.0	(°C)
Relative Humidity of Factory Air	70.0	(%)
Required Average temperature	10.0	(°C)
Required Production Rate	1500.0	(kg/h)

Customer:

Company name : '. PDF::SetTitle("Cryosoft Report") .'

Surname / Name :

Function :

Contact :

Date of the redivort generation : 27/02/2018

Study of the product: AAK STUDY 1 23 FEB	
Calculation mode :	Optimum equipment
Economic :	NO
Cryogenic Pipeline :	NO
Chaining :	YES

Chapter 1

Daily production	10.0	Hours/Day
Weekly production	7.0	Days/Week
Annual production	52.0	Weeks/Year
Number of equipment cooldowns	1.0	per day
Factory Air temperature	5.0	(°C)
Relative Humidity of Factory Air	70.0	(%)
Required Average temperature	10.0	(°C)
Required Production Rate	1500.0	(kg/h)

Customer:

Company name : '. PDF::SetTitle("Cryosoft Report") .'

Surname / Name :

Function :

Contact :

Date of the redivort generation : 27/02/2018

Study of the product: AAK STUDY 1 23 FEB	
Calculation mode :	Optimum equipment
Economic :	NO
Cryogenic Pipeline :	NO
Chaining :	YES

Paragraph 1.1

Paragraph 1.2

Sub-Paragraph 1.2.1

Paragraph 1.3

Chapter 2

Chapter 3

Chapter 4

Chapter 5

Chapter 6

Chapter 7

Chapter 8

Chapter 9

Chapter 10

Chapter 11