





YASH
ENGINEERING

YASH ENGINEERING

PLOT NO. W-131,70 BANGLOW.TARAPUR.MIDC.
BOISAR-401506 Palghar, Maharashtra

**STRENGTHENING INDUSTRY,
SEAMLESSLY!**



Mobile- +91 8055946385

Email- lohar66@rediffmail.com

TABLE OF CONTENTS

ABOUT US	01
CERTIFICATES	02
BW SEAMLESS & WELDED FITTINGS	03-05
SOCKET WELD & SCREWED FITTINGS	06-07
PIPES	08
FLANGES	09-10
FITTINGS	11-14



COMPANY PROFILE

COMPLETE PROJECT SUPPLY

We, Yash Engineering was established in the year 2025 in Mumbai, are primarily engaged as Exporter, Stock-holder and Manufacturer of Stainless Steel, Carbon steel, Alloy steel & Nickel Alloy, and Non-Ferrous Raw Materials also regular supplies to several blue chip & upcoming industries. Our products are manufactured as per JIS/ISS/BSS/DIN/ASTM/ASME and customer's drawings and specifications. All our products are supplied with third party inspection Certificates. We are utilizing high grade raw material and state of the art technology to produce Pipe fittings & Flanges which are available to our clients with manufacturers test certificate as per EN 10204/3.1 & 3.2 under third party inspection and with confirming to NACE MR-01-75.

INTEGRATED PIPING SOLUTIONS WITH WORLDWIDE FULFILLMENT CAPABILITY

We have in house facilities for manufacturing of Fittings, Flanges & Branch connections, such as Cutting, Hot & Cold Forming, Pressing, Welding, Heat Treatment, Machining, Pickling, Hydraulic Testing, Ball Passing and Passivation and anti rust coating for & flanges to meet your specifications. We will meet your engineering specs from DIN to ASTM A350 to JIS Standards. Yash Engineering specializes in supplying speciality Fittings & flanges to the world's most demanding industries Oil and Gas Exploration and Production, Oil Refining and Processing, Petrochemical, Chemical, Plumbing and HVAC etc.



WHY CHOOSE US?

LEADING STOCKISTS

QUICK RESPONSE


COMPLETE PIPING SOLUTIONS

FLEXIBLE LOGISTICS

VISION

To continuously modernize, expand and technologically upgrade our products with a view to produce excellent and high quality goods in matching with the changing needs of the customers.

CERTIFICATES



ISO9001:2015

Certificate
Zertifikat
証明書
certificado
证书
شهادة
сертификат
سرتیفیکیت



Certificate
Zertifikat
証明書
certificado
证书
شهادة
сертификат
سرتیفیکیت

BW SEAMLESS & WELDED FITTINGS

STAINLESS STEEL	STAINLESS STEEL	ASTM A 403 WP 304/304L/316/316L
	CARBON STEEL	ASTM A234WB / A420 WPL3/WPL6
	ALLOY STEEL	ASTM A234WP11 /WP22
DIMENSION STANDARD		ASME 16.9



STAINLESS STEEL / CARBON STEEL / ALLOY STEEL

SR NO	FITTINGS	TYPE	NOMINAL SIZES IN INCHES	WALL THICKNESS
01	ELBOW	90 DEG LR ELBOW	0.5" TO 48"	SCH.5S TO SCH.XXS
		45 DEG LR ELBOW		
		90 DEG SR ELBOW	0.5" TO 24"	
		45 DEG SR ELBOW		
		180 DEG LR ELBOW	0.5" TO 24"	
		180 DEG SR ELBOW		
02	TEE	EQUAL TEE	0.5" TO 48"	SCH.5S TO SCH.XXS
		UNEQUAL TEE		
03	REDUCER	CONCENTRIC REDUCER	0.5" TO 48"	SCH.5S TO SCH.XXS
		ECCENTRIC REDUCER		
04	CAP		0.5" TO 48"	SCH.5S TO SCH.XXS
05	STUB END	SHORT PATTERN	0.5" TO 24"	SCH.5S TO SCH.XXS
		LONG PATTERN		
06	PIPE NIPPLES	PLAIN	0.5" TO 4"	SCH.5S TO SCH.XXS
		REDUCING		



90 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



45 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



90 DEG SR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



45 DEG SR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



180 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



180 DEG SR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



EQUAL TEE

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



UNEQUAL TEE

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



CAP

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



CONCENTRIC REDUCER

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



ECCENTRIC REDUCER

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



STUB END - SHORT PATTERN

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS




STUB END - LONG PATTERN

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS

SOCKET WELD & SCREWED FITTINGS

STAINLESS STEEL	STAINLESS STEEL	ASTM A 182 F 304/304L/316/316L
	CARBON STEEL	ASTM A105 / A350 LF2
	ALLOY STEEL	ASTM A182 F11 /F22
DIMENSION STANDARD		ASME 16.11, MSS SP-97 & BONNEY FORGE



STAINLESS STEEL / CARBON STEEL / ALLOY STEEL

SR NO	SW & SC FITTINGS	TYPE	NOMINAL SIZES IN INCHES	CLASS
01	ELBOW	90 DEG LR ELBOW	0.5" TO 4"	3000#, 6000# & 9000#
		45 DEG LR ELBOW		
02	TEE	EQUAL TEE	0.5" TO 4"	3000#, 6000# & 9000#
		UNEQUAL TEE		
03	REDUCER	CONCENTRIC REDUCERT	0.5" TO 4"	3000#, 6000# & 9000#
		ECCENTRIC REDUCER		
04	CAP		0.5" TO 4"	3000#, 6000# & 9000#
05	COUPLING	HALF COUPLING	0.5" TO 4"	3000#, 6000# & 9000#
		FULL COUPLING		
06	UNION		0.5" TO 4"	3000#, 6000# & 9000#
07	OLETS	SOCKOLET	0.5" TO 4"	3000#, 6000# & 9000#
		WELDOLET		
		THREDOLET		



90 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



45 DEG ELBOW

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



FULL COUPLING

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



REDUCING COUPLING

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



HALF COUPLING

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



CAP

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



TEE


NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#

PIPES & PIPES FITTINGS

	STAINLESS STEEL	ASTM A312 TP 304 / 304L / 316 / 316L
MATERIAL	CARBON STEEL	ASTM A106 / A53 / A333
	ALLOY STEEL	ASTM A335 P1, P5, P11, P22, P91
DIMENSION STANDARD	SEAMLESS SS, CS & AS	ASME B36.10
	GI & ERW	IS-1239 & IS-3589

STAINLESS STEEL / CARBON STEEL / ALLOY STEEL

SR NO	ITEM	TYPE	SIZE	THICKNESS
01	PIPES	SEAMLESS	0.5" TO 24"	SCH.5 TO SCH.XXS
		WELDED	4" TO 48"	SCH.5 TO SCH.XXS
		ERW	0.5" TO 20"	LIGHT, MEDIUM & HEAVY
		GI	0.5" TO 12"	LIGHT, MEDIUM & HEAVY



FLANGES

STAINLESS STEEL	STAINLESS STEEL	ASTM A 182 F 304/304L/316/316L
	CARBON STEEL	ASTM A105 / A350 LF2
	ALLOY STEEL	ASTM A182 F11/F22
DIMENSION STANDARD		ASME B16.36, B16.47, B16.48 & B16.5



SR NO.	FLANGES	TYPE	NOMINAL SIZES IN INCHES	CLASS
01	WELD NECK FLANGE	WNRF	0.5" TO 48"	150#, 300#, 400#, 600#, 900# & 1500#
		WNFF		
		WNRTJ		
02	BLIND FLANGE	BLRF	0.5" TO 48"	150#, 300#, 400#, 600#, 900# & 1500#
		BLFF		
		BLRTJ		
03	SLIP ON FLANGE	SORF	0.5" TO 48"	150#, 300#, 400#, 600#, 900# & 1500#
		SOFF		
		SORTJ		
04	SOCKET WELD FLANGE	SWRF	0.5" TO 48"	150#, 300#, 400#, 600#, 900# & 1500#
		SWFF		
		SWRTJ		
05	SPECTACLE FLANGE	RF	0.5" TO 48"	150#, 300#, 400#, 600#, 900# & 1500#
		FF		
		RTJ		
06	ORIFICE FLANGE	RF	0.5" TO 48"	150#, 300#, 400#, 600#, 900# & 1500#
		FF		
		RTJ		
07	LAPPED JOINT FLANGE		0.5" TO 48"	150#, 300#, 400#, 600#, 900# & 1500#



WELD NECK FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



BLIND FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



SOCKET WELD FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



SLIP ON FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"


CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



ORIFICE FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



SPECTACLE FLANGE


NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#

FITTINGS

Types of Barb fittings – BRASS & SS

- » Barb male adapter
- » Barb Coupling
- » Hose Barbs
- » Barb Female adapter
- » Barrel Nipple
- » Brass Tube Fittings
- » Brass Hose Tee Joint
- » Brass Hose Y Joint
- » Brass Hose Elbow



FITTINGS

Types of Pipe Fittings : Brass & SS

- | | | |
|--------------------|-------------------|-------------------------|
| » 90° Female Elbow | » Adapter | » Female Cross |
| » Hex Nipple | » Long Nipple | » Square Pipe Plug |
| » PPR Insert | » Cap Nut | » Female Coupling |
| » Hex Pipe Plug | » Reducing Nipple | » Hex reducing coupling |
| » 45° Street Elbow | » Close Nipple | » Female Pipe Tee |
| » Hex Socket | » Reducer Bush | » Female Run Tee |



FITTINGS



FITTINGS

Types of Flare Fittings : Brass & SS

- » Brass Flared Stop plug
- » Brass Flare Elbow
- » Brass Flare Cap
- » Reducing Flare Union
- » Brass Flare Long Nut
- » Brass Flare Adaptor
- » Double End Flare Union
- » Brass Flare Union
- » Brass Flare Plug
- » Reducing Flare Elbow
- » Brass Flare Cross
- » Brass Flare Forged Nut
- » Brass Flare short nut
- » Brass Flare Branch Tee





YASH
ENGINEERING

YASH ENGINEERING

PLOT NO. W-131,70 BANGLOW.TARAPUR.MIDC.BOISAR-401506
Palghar, Maharashtra

GST- 27ABTPL4512G1ZI

Mobile - +91 8055946385

Email- lohar66@rediffmail.com

