




YASH
ENGINEERING

YASH ENGINEERING

PLOT NO. W-131,70 BANGLOW.TARAPUR.MIDC.
BOISAR-401506 Palghar, Maharashtra

**STRENGTHENING INDUSTRY,
SEAMLESSLY!**



Mobile- +91 8055946385

Email- lohar66@rediffmail.com

TABLE OF CONTENTS

ABOUT US	01
CERTIFICATES	02
BW SEAMLESS & WELDED FITTINGS	03-05
SOCKET WELD FITTINGS	06-07
PIPES	08
OLETS	09
FLANGES	10-11
SCREWED FITTINGS	12-13
FITTINGS	14-17



COMPANY PROFILE

COMPLETE PROJECT SUPPLY

We, Yash Engineering was established in the year 2025 in Mumbai, are primarily engaged as Exporter, Stock-holder and Manufacturer of Stainless Steel, Carbon steel, Alloy steel & Nickel Alloy, and Non-Ferrous Raw Materials also regular supplies to several blue chip & upcoming industries. Our products are manufactured as per JIS/ISS/BSS/DIN/ASTM/ASME and customer's drawings and specifications. All our products are supplied with third party inspection Certificates. We are utilizing high grade raw material and state of the art technology to produce Pipe fittings & Flanges which are available to our clients with manufacturers test certificate as per EN 10204/3.1 & 3.2 under third party inspection and with confirming to NACE MR-01-75.

INTEGRATED PIPING SOLUTIONS WITH WORLDWIDE FULFILLMENT CAPABILITY

We have in house facilities for manufacturing of Fittings, Flanges & Branch connections, such as Cutting, Hot & Cold Forming, Pressing, Welding, Heat Treatment, Machining, Pickling, Hydraulic Testing, Ball Passing and Passivation and anti rust coating for & flanges to meet your specifications. We will meet your engineering specs from DIN to ASTM A350 to JIS Standards. Yash Engineering specializes in supplying speciality Fittings & flanges to the world's most demanding industries Oil and Gas Exploration and Production, Oil Refining and Processing, Petrochemical, Chemical, Plumbing and HVAC etc.

VISION

To continuously modernize, expand and technologically upgrade our products with a view to produce excellent and high quality goods in matching with the changing needs of the customers.



WHY CHOOSE US?


LEADING STOCKISTS

QUICK RESPONSE

COMPLETE PIPING SOLUTIONS

FLEXIBLE LOGISTICS

CERTIFICATES



ISO9001:2015

Certificate
Zertifikat
証明書
certificado
证书
شهادة
сертификат
سرتیفیکات



Certificate
Zertifikat
証明書
certificado
证书
شهادة
сертификат
سرتیفیکات

BW SEAMLESS & WELDED FITTINGS

MATERIAL	STAINLESS STEEL	ASTM A 403 WP 304/304L/316/316L
	CARBON STEEL	ASTM A234WB / A420 WPL3/WPL6
	ALLOY STEEL	ASTM A234WP11 /WP22
DIMENSION STANDARD		ASME 16.9



STAINLESS STEEL / CARBON STEEL / ALLOY STEEL

SR NO	FITTINGS	TYPE	WALL THICKNESS
01	ELBOW	90 DEG LR ELBOW	SCH.5S TO SCH.XXS
		45 DEG LR ELBOW	
		90 DEG SR ELBOW	
		45 DEG SR ELBOW	
		180 DEG LR ELBOW	
		180 DEG SR ELBOW	
02	TEE	EQUAL TEE	SCH.5S TO SCH.XXS
		UNEQUAL TEE	
03	REDUCER	CONCENTRIC REDUCER	SCH.5S TO SCH.XXS
		ECCENTRIC REDUCER	
04	CAP		SCH.5S TO SCH.XXS
05	STUB END	SHORT PATTERN	SCH.5S TO SCH.XXS
		LONG PATTERN	
06	PIPE NIPPLES	PLAIN	SCH.5S TO SCH.XXS
		REDUCING	



90 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



45 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



90 DEG SR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



45 DEG SR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



180 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



180 DEG SR ELBOW

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS



EQUAL TEE

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



UNEQUAL TEE

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



CAP

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



CONCENTRIC REDUCER

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



ECCENTRIC REDUCER

NOMINAL SIZES (in) - 0.5" TO 48"

WALL THICKNESS - SCH.5S TO
SCH.XXS



STUB END - SHORT PATTERN

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS




STUB END - LONG PATTERN

NOMINAL SIZES (in) - 0.5" TO 24"

WALL THICKNESS - SCH.5S TO
SCH.XXS

SOCKET WELD FITTINGS

MATERIAL	STAINLESS STEEL	ASTM A 182 F 304/304L/316/316L
	CARBON STEEL	ASTM A105 / A350 LF2
	ALLOY STEEL	ASTM A182 F11 /F22
DIMENSION STANDARD		ASME 16.11



STAINLESS STEEL / CARBON STEEL / ALLOY STEEL

SR NO	SW & SC FITTINGS	TYPE	CLASS
01	ELBOW	90 DEG LR ELBOW	3000#, 6000# & 9000#
		45 DEG LR ELBOW	
02	TEE	EQUAL TEE	3000#, 6000# & 9000#
		UNEQUAL TEE	
03	REDUCER	CONCENTRIC REDUCERT	3000#, 6000# & 9000#
		ECCENTRIC REDUCER	
04	CAP		3000#, 6000# & 9000#
05	COUPLING	HALF COUPLING	3000#, 6000# & 9000#
		FULL COUPLING	
06	UNION		3000#, 6000# & 9000#
07	OLETS	SOCKOLET	3000#, 6000# & 9000#
		WELDOLET	
		THREDOLET	



90 DEG LR ELBOW

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



45 DEG ELBOW

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



FULL COUPLING

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



REDUCING COUPLING

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



HALF COUPLING

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



CAP

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#



TEE

NOMINAL SIZES (in) - 0.5" TO 4"
CLASS - 3000#, 6000# & 9000#

PIPES

MATERIAL	STAINLESS STEEL	ASTM A312 TP 304 / 304L / 316 / 316L
	CARBON STEEL	ASTM A106 / A53 / A333
	ALLOY STEEL	ASTM A335 P1, P5, P11, P22, P91
DIMENSION STANDARD	SEAMLESS SS, CS & AS	ASME B36.10
	GI & ERW	IS-1239 & IS-3589

STAINLESS STEEL / CARBON STEEL / ALLOY STEEL

SR NO	ITEM	TYPE	SIZE	THICKNESS
01	PIPES	SEAMLESS	0.5" TO 24"	SCH.5 TO SCH.XXS
		WELDED	4" TO 48"	SCH.5 TO SCH.XXS
		ERW	0.5" TO 20"	LIGHT, MEDIUM & HEAVY
		GI	0.5" TO 12"	LIGHT, MEDIUM & HEAVY



OLETS

MATERIAL	STAINLESS STEEL	ASTM A 182 F 304/304L/316/316L
	CARBON STEEL	ASTM A105 / A350 LF2
DIMENSION STANDARD		ASME 16.11



STAINLESS STEEL / CARBON STEEL



WELDOLET

STAINLESS STEEL

A182 F 304/304L/316/316L



SOCKOLET

STAINLESS STEEL

A182 F 304/304L/316/316L



THREDOLET

STAINLESS STEEL

A182 F 304/304L/316/316L



WELDOLET

CARBON STEEL

A 105



SOCKOLET

CARBON STEEL

A 105



THREDOLET

CARBON STEEL

A 105



FLANGES

MATERIAL	STAINLESS STEEL	ASTM A 182 F 304/304L/316/316L
	CARBON STEEL	ASTM A105 / A350 LF2
	ALLOY STEEL	ASTM A182 F11/F22
DIMENSION STANDARD		ASME B16.36, B16.47, B16.48 & B16.5

SR NO.	FLANGES	TYPE	CLASS
01	WELD NECK FLANGE	WNRF	150#, 300#, 400#, 600#, 900# & 1500#
		WNFF	
		WNRTJ	
02	BLIND FLANGE	BLRF	150#, 300#, 400#, 600#, 900# & 1500#
		BLFF	
		BLRTJ	
03	SLIP ON FLANGE	SORF	150#, 300#, 400#, 600#, 900# & 1500#
		SOFF	
		SORTJ	
04	SOCKET WELD FLANGE	SWRF	150#, 300#, 400#, 600#, 900# & 1500#
		SWFF	
		SWRTJ	
05	SPECTACLE FLANGE	RF	150#, 300#, 400#, 600#, 900# & 1500#
		FF	
		RTJ	
06	ORIFICE FLANGE	RF	150#, 300#, 400#, 600#, 900# & 1500#
		FF	
		RTJ	
07	LAPPED JOINT FLANGE		150#, 300#, 400#, 600#, 900# & 1500#





WELD NECK FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



BLIND FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



SOCKET WELD FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



SLIP ON FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"


CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



ORIFICE FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#



SPECTACLE FLANGE

NOMINAL SIZES (in) - 0.5" TO 48"

CLASS - 150#, 300#, 400#, 600#,
900# & 1500#

SCREWED FITTINGS

MATERIAL	STAINLESS STEEL	ASTM A182 F304/304L/316/316L
	CARBON STEEL	ASTM A105 / A350 LF2
	ALLOY STEEL	ASTM A182 F11/F22
DIMENSION STANDARD		ASME B16.11



STAINLESS STEEL / CARBON STEEL / ALLOY STEEL

SR NO	SW & SC FITTINGS	TYPE	CLASS
01	ELBOW	90 DEG LR ELBOW	3000#, 6000# & 9000#
		45 DEG LR ELBOW	
02	TEE	EQUAL TEE	3000#, 6000# & 9000#
		UNEQUAL TEE	
03	REDUCER	CONCENTRIC REDUCERT	3000#, 6000# & 9000#
		ECCENTRIC REDUCER	
04	CAP		3000#, 6000# & 9000#
05	COUPLING	HALF COUPLING	3000#, 6000# & 9000#
		FULL COUPLING	
05	UNION		3000#, 6000# & 9000#



90 DEG SC ELBOW



45 DEG SC ELBOW



SC EQUAL TEE



SC REDUCING TEE



SC CAP



SC FULL COUPLING



SC HALF COUPLING



SC REDUCING COUPLING




SC UNION

FITTINGS

Types of Barb fittings – BRASS & SS

- » Barb male adapter
- » Barb Coupling
- » Hose Barbs
- » Barb Female adapter
- » Barrel Nipple
- » Brass Tube Fittings
- » Brass Hose Tee Joint
- » Brass Hose Y Joint
- » Brass Hose Elbow



FITTINGS

Types of Pipe Fittings : Brass & SS

- | | | |
|--------------------|-------------------|-------------------------|
| » 90° Female Elbow | » Adapter | » Female Cross |
| » Hex Nipple | » Long Nipple | » Square Pipe Plug |
| » PPR Insert | » Cap Nut | » Female Coupling |
| » Hex Pipe Plug | » Reducing Nipple | » Hex reducing coupling |
| » 45° Street Elbow | » Close Nipple | » Female Pipe Tee |
| » Hex Socket | » Reducer Bush | » Female Run Tee |



FITTINGS



FITTINGS

Types of Flare Fittings : Brass & SS

- » Brass Flared Stop plug
- » Brass Flare Elbow
- » Brass Flare Cap
- » Reducing Flare Union
- » Brass Flare Long Nut
- » Brass Flare Adaptor
- » Double End Flare Union
- » Brass Flare Union
- » Brass Flare Plug
- » Reducing Flare Elbow
- » Brass Flare Cross
- » Brass Flare Forged Nut
- » Brass Flare short nut
- » Brass Flare Branch Tee





YASH
ENGINEERING

YASH ENGINEERING

PLOT NO. W-131,70 BANGLOW.TARAPUR.MIDC.BOISAR-401506
Palghar, Maharashtra

GST- 27ABTPL4512G1ZI

Mobile - +91 8055946385

Email- lohar66@rediffmail.com

