




Built for
your corner
of the world.

Simple control. Your way. From a cottage
to the field.



THE SELECTED PLATE 89 DIRECTION



Simple at the cottage. Capable in the field.

Origin89 makes site equipment easier to understand and configure. The identity should feel familiar at a cabin and credible beside industrial equipment.

Useful.
Adaptable.
Grounded.



A place you care about

Cottages, remote buildings and off-grid power. Start with the owner's actual site.


Equipment you depend on

Pumps, heaters, valves and field sensors. Keep the interface clear as the site grows.

Control that stays yours

Customizable views and understandable settings. Buddy helps people find the next step.

One company. A connected product family.



KM43

Protocol name for technical documentation. Firmware is described as Origin89 Controller firmware; KM43 is not the app or firmware brand.

USE "BUDDY" IN CONVERSATION. USE "ORIGIN89 BUDDY" WHERE OWNERSHIP NEEDS CONTEXT.

A recognizable plate. A clear signature.

The clipped corners recall a field identification plate. The custom 89 carries recognition at small sizes.



Origin89



The symbol is custom artwork. Preserve the open counters and the wide, steady stance.


Origin89

The wordmark is an optically weighted Michroma outline. Use the artwork; typing the name will not recreate this lockup.

Precision where it matters.

Use H, the height of the plate, to scale the system. Clear space is measured from the outside edge of the complete lockup.

H / 4



14-unit chamfer

Four clipped corners. Keep the silhouette; do not round it into an app tile.

27.5-unit margin

Minimum clear space on every side. More space is welcome.

THE LOGO IS THE PLATE. THE ROUNDED APP TILE IS A SEPARATE CONTAINER.

Choose the version for the surface.



PRIMARY / LIGHT

Bridge blue with chalk numerals. Use for the website, stationery and light interfaces.



REVERSED / DARK

White plate and wordmark on a dark surface. Use the knockout SVG when the substrate should show through.



MONOCHROME / LIGHT

For one-ink printing or marking, use the dedicated knockout plate. Confirm the process with a physical proof.

HORIZONTAL: DEFAULT. STACKED: NARROW FORMATS. PRODUCT LOCKUPS: USE THE DELIVERED ART.

Recognition survives restraint.

Practical starting sizes for this identity; check the final device, substrate and viewing distance.

Symbol



Start at 24 px wide in normal UI. The dedicated favicon fills more of its canvas and has 16/32/48 px exports.

Signature



Start at 170 px wide on screen or 35 mm in print. Use the symbol alone when the full name becomes cramped.

Product lockup



Start at 300 px wide on screen or 55 mm in print. Keep the product descriptor readable at the final output size.

Keep the geometry intact.

No stretching, independent letter spacing, extra outlines, pasted gradients, new symbols inside the counters or decorative shadows on the flat logo.

Bridge blue is the anchor.

A focused palette gives the physical product and digital experience a shared identity.




Bridge blue

#2B4A97
RGB 43 / 74 / 151




Ink

#07090C
RGB 7 / 9 / 12



Chalk

#E7EAEE
RGB 231 / 234 / 238



Paper

#F4F3EF
RGB 244 / 243 / 239

Pairs that work

8.30:1
White on bridge blue

6.88:1
Chalk on bridge blue

7.48:1
Bridge blue on paper

16.52:1
Chalk on ink

sRGB MASTERS. PRINT COLORS REQUIRE A PROCESS-SPECIFIC PROOF; NO UNIVERSAL CMYK MATCH.

Brand color does not replace state.

89

Origin89 Offgrid

North cottage

Overview

BATTERY

78%

Updated 4 s ago

Cottage temperature

18.4 C

Measured

DESIGN PREVIEW / SAMPLE DATA

89

Origin89 Offgrid

North cottage

Overview

BATTERY

78%

Updated 4 s ago

Cottage temperature

18.4 C

Measured

DESIGN PREVIEW / SAMPLE DATA

Use semantic tokens

The kit includes the current light and dark product palettes. Keep states connected to labels and icons.

Blue on ink

2.40:1

Too low for ordinary body text. Use the lightened dark-theme link token (#6279ad): 4.61:1 on ink.

Missing is a state, not zero. Show freshness beside readings.

Character in the mark. Clarity everywhere else.

Origin89

MICHROMA / CUSTOM OUTLINED WORDMARK


Make the site yours.

Inter Tight / 400, 600, 700

Use Inter Tight for product names, headings, instructions and interface copy. Sentence case keeps complex equipment approachable.

TYPE SCALE

12 / 14 / 16 / 20 / 28 / 40 / 56



IBM PLEX MONO / READINGS + IDs

Body: 16 px / 24 px line height. Use tabular readings, visible units and a distinct freshness label.

Tactile. Quiet. Built from the real mark.



Satin shell

Deep navy #172c50. Roughness 0.48. Fine texture and soft edge highlights.



Ceramic face

Warm ivory #eadfcf. Roughness 0.36. Raised numerals or a recessed inverse plate.

Soft studio

Broad key, soft fill and rim. AgX: plate -0.65 EV; Buddy -0.55 EV. Orthographic views.

3D IS FOR HEROES, ICONS AND EXPLAINERS. USE FLAT SVG FOR NAVIGATION AND HARDWARE MARKING.

One mark, from launch screen to favicon.




3D / FULL-BLEED MASTER



FLAT / FULL-BLEED MASTER

Both are unmasked square assets. Let the target platform apply its own shape and packaging.

Small-size family



Use the flat icon when relief details disappear. The app name stays in the label below the icon.



Favicon

The compact favicon uses the plate without the large tile margin.

A capable helper with a familiar face.

Warm brown fur, a dark muzzle, broad antlers and tapered cloven hooves. Short legs, soft shoulders and a round belly.



A familiar face.

Transparent portrait for introductions and explanations.



The whole character.

Full character with a transparent background.

A face that follows the moment.

Use a front-facing close-up on green for small avatars. Wider portraits belong in website scenes and illustrations.



Welcoming

Here to help.



Explaining

Make the next step clear.



Thinking

Work through the question.



Delighted

Celebrate a confirmed result.



Concerned

Something needs attention.



Surprised

An unexpected change.

USE A STILL POSE BESIDE READINGS. EXPRESSIONS SUPPORT THE MESSAGE; LABEL THE ACTUAL STATE.

Small legs. Big curiosity.

A rounded tongue peek, relaxed eyes with the same camera, soft coat and studio lighting as the main portrait.



A LIGHTEARTED INTRODUCTION



Buddy

Small legs. Big curiosity.

Use this pose in introductions, optional character moments and celebrations. Keep concerned and neutral expressions available when the message needs care.

LARGE: TRANSPARENT PORTRAIT / SMALL: GREEN CIRCLE

Buddy belongs beside the task.



Origin89 Offgrid

North cottage

Overview

BATTERY

78%

Updated 4 s ago

Cottage temperature

18.4 C

Measured



Ask Buddy

Explain a reading or plan a check.

DESIGN PREVIEW / SAMPLE DATA

ORIGIN89 DOCS / TROUBLESHOOTING

A probe stopped reporting.

Start with the last reading and its timestamp. A missing reading needs investigation before a setting is changed.



Buddy

The last reading was 12 minutes ago. Check the probe connection, then check whether readings resume.

Show the checks

DESIGN PREVIEW / EXAMPLE ASSISTANT COPY

The same identity, made physical.

Artwork placement study. Keep manufacturing details in the controller's approved mechanical and electrical sources.



PRINT / MARKING: USE FLAT OUTLINED ART AND THE KNOCKOUT FILES.

Room for the product. Room for the person.



Your site.
At a glance.

Bring the equipment that matters
into one clear view.

Explore Offgrid



01 **Lead with a useful statement**

Name the site, task or outcome
before the technology.

02 **Give one visual the lead**

One hero render per section. Keep
labels flat and sharp.

03 **Use a consistent rhythm**

Spacing: 4, 8, 16, 24, 40, 64 px. Align
artwork to the same grid as copy.

Helpful language. Deliberate movement.

Say what happened

"No new reading for 12 minutes." Include the observation, timestamp and useful next step.

Explain a choice

"Choose which equipment appears in this view." Use concrete verbs and respect the site owner's configuration.

Avoid a false promise

Do not say "Everything is safe" or imply that an assistant suggestion has already changed equipment.

Buddy proposes. The user decides.

Keep proposed changes separate from measurements and confirmed actions. Surface uncertainty and missing information.

Motion direction: 180-240 ms fades or small pose transitions. No perpetual bobbing beside live readings. Reduced motion uses a still pose.

STILLS + KEYED SOURCE POSES INCLUDED.

A kit you can keep working with.

logos/	23 outlined SVGs + 2000 px transparent PNGs
icons/	Flat + 3D PNG sizes, favicon SVG / PNG / ICO
blender/	Four identity scenes; Buddy lives in its own shared source
renders/	Studio and transparent PNGs with render metadata
tokens/	CSS + JSON palette snapshot and measured contrast
fonts/	Michroma, Inter Tight, IBM Plex Mono + OFL licenses
source/	Rebuild, render, export, guide and packaging scripts

Working-source status

Buddy has one editable model with a 22-bone rig. Front-facing avatars use green circles. Wider portraits and full-body images stay transparent. Run `pnpm brand:avatars` after front camera or expression edits, `brand:export` after composition edits, or `brand:rebuild` after model edits.

REFERENCE + LICENSES

Font sources + OFL

WCAG contrast minimum

HEX VALUES MEASURED; SEE CONTRAST REPORT.