

LRCM — Liability Relationship Continuity Module

LRCM — Liability Relationship Continuity Module

Architecture: LIGA™ — Liability Governance Architecture
Parent Standard: Liability Relationship Standard (LRS)
Category: Governance & Enforcement
Subcategory: Liability Governance
Type: Core Module
Governed Space: Liability Relationship Continuity
Module ID: LIGA-LRS-LRCM-001
Origin ID: OOF.CM.LIGA.04.05.01
Version: 1.0
Status: Canonical · Open Standard
Effective Date: 21 September 2026
Compatibility: OOF® Methodology OS™ · Modular OOF® Architecture Ecosystem
AI-Readable: Yes
Authority: OOF® — OriginOpen® Foundation
Protection: MIP® — Methodological Intellectual Property
Canonical Language: English (UCL™)

Canonical Definition

The Liability Relationship Continuity Module (LRCM) governs how Liability Subjects, Liability Relationships, and the governed relational structures connecting them retain traceable, reconstructable, and historically coherent identity across time, state transitions, role changes, relationship changes, network expansion or contraction, correction, reassessment, system migration, organizational transformation, lifecycle progression, and lifecycle re-entry.

LRCM ensures that changes to the current Liability Relationship Structure do not erase, overwrite, or misrepresent the relational states that existed at earlier lifecycle moments.

LRCM governs the transition:

Distinguished Liability Relationship Structure → Continuity Establishment → Relationship State Lineage → Change & Version Preservation → Historical Reconstruction → Governed Liability Relationship Structure Its foundational distinction is:

Liability Relationship Continuity ≠ Liability Relationship Immutability.

Operational Role

The operational role of LRCM is:

to preserve the identity, lineage, temporal state, and reconstructability of the Liability Relationship Structure while allowing legitimate relational change throughout the Liability lifecycle.

Liability Relationships may:

begin, change, expand, contract, be suspended, resume, terminate, be corrected, be superseded, or become relevant again.

Continuity does not prevent these changes.

It ensures that the governance history remains coherent when they occur.

Position in the Parent Standard Flow

The internal LRS progression is:

Liability Subject Identification → Liability Relationship Identification → Relationship Mapping → Relationship Distinction → Relationship Continuity LRCM governs:

Liability Relationship Continuity

Its principal input is:

Distinguished Liability Relationship Structure

Its principal output is:

Governed Liability Relationship Structure

Its canonical handoff is:

Governed Liability Relationship Structure → Liability Conditions Governance

Central Operational Question

How can Liability Subjects and Liability Relationships remain identifiable, traceable, historically coherent, and reconstructable while allowing legitimate change throughout the Liability lifecycle?

The question concerns continuity.

It does not require relationships to remain unchanged.

Governed Space

LRCM governs:

Relationship Identity Continuity, Subject Identity Continuity within the Relationship Structure, Relationship State Continuity, Relationship Versioning, Temporal Relationship Lineage, Relationship Change, Role Change, Participant Change, Relationship Expansion, Relationship Contraction, Relationship Suspension, Relationship Resumption, Relationship Termination, Relationship Supersession, Relationship Correction, Relationship Reassessment, Relationship Reclassification, Network Change, Network Continuity, Formal–Operational Relationship Continuity, Cross-System Continuity, Organizational Transformation, Relationship Migration, Relationship Re-Entry, Historical Reconstruction, Continuity Uncertainty, and Continuity Sufficiency.

Continuity Object

The primary Continuity Object of LRCM is the governed Liability Relationship Structure produced through LRS.

Continuity may apply to:

an individual Liability Relationship, a group of Relationships, a Relationship Path, a Relationship Layer, a Relationship Network, or the complete Liability Relationship Structure.

The relevant level should remain explicit.

Relationship Identity Continuity

A Liability Relationship may change without becoming a different relationship.

Examples may include changes in:

scope, participants, operational state, formal representation, documentation, or temporal status.

The architecture must distinguish change from replacement.

Therefore:

Relationship Change ≠ New Liability Relationship by default.

Subject Identity Continuity

Subjects participating in a Liability Relationship may themselves change in representation.

Examples include:

name changes, organizational restructuring, system identifier changes, administrative relocation, or role changes.

Such changes do not automatically create a new Subject.

Therefore:

Subject Representation Change ≠ Subject Identity Change by default.

Relationship Identity and Subject Identity

Relationship Identity and Subject Identity must remain independently governed.

A Subject may change while the relationship persists.

A relationship may change while the Subject remains the same.

Therefore:

Subject Change $\neq$ Relationship Change by default.

and:

Relationship Change $\neq$ Subject Change by default.

Relationship State

Every governed Liability Relationship may possess a temporal state.

Possible states may include:

Proposed, Potential, Active, Suspended, Modified, Partially Active, Terminated, Superseded, Historical, Uncertain, or another governed state.

The state should remain distinct from Relationship Identity.

Therefore:

Relationship State $\neq$ Relationship Identity.

Current Relationship State

The current state describes the relationship at the present governed lifecycle moment.

It does not replace earlier states.

Therefore:

Current Relationship State $\neq$ Complete Relationship History.

Historical Relationship State

A historical relationship state may remain materially relevant even after the relationship changes or terminates.

A Liability inquiry concerning T1 may depend upon the relationship state at T1 rather than the current relationship state at T2.

Therefore:

Current Relationship State $\neq$ Historically Relevant Relationship State by default.

Relationship State Lineage

LRCM should preserve the ordered lineage of materially relevant Relationship States.

Example:

Relationship State $R1 \rightarrow R2 \rightarrow R3 \rightarrow R4$ Each transition should remain reconstructable.

The latest state must not erase the earlier state.

Relationship Version

A materially changed representation of a relationship may require a new governed version.

Versioning supports:

traceability, comparison, historical reconstruction, and downstream reference.

Therefore:

New Relationship Version $\neq$ New Liability Relationship by default.

Relationship Identity and Version Identity

The persistent Relationship Identity should remain distinguishable from individual versions.

Therefore:

Relationship Identity $\neq$ Relationship Version Identity.

Several versions may represent one continuing relationship.

Version Applicability

The latest Relationship Version is not automatically the version relevant to a historical Liability inquiry.

Therefore:

Current Relationship Version $\neq$ Applicable Historical Relationship Version by default.

Temporal applicability must be governed explicitly.

Temporal Relationship Boundary

Each materially relevant Relationship State should preserve the temporal period during which it applied where that information is available.

Temporal boundaries may include:

start, effective period, suspension, resumption, modification, termination, or supersession.

These boundaries support later Conditions and Connection governance.

Relationship Formation

The beginning of a relationship should remain traceable where materially relevant.

Formation may occur through:

agreement, appointment, delegation, ownership acquisition, operational assumption, system activation, authority assignment, or another governed event.

Therefore:

Relationship Formation $\neq$ Liability Formation.

Relationship Change

Relationship Change may concern:

participants, scope, direction, type, role, authority, control, dependency, hierarchy, layer, temporal state, or operational implementation.

Change should be represented explicitly.

Therefore:

Relationship Change $\neq$ New Liability by default.

Minor Relationship Change

A minor change may alter representation without materially changing the underlying relationship.

Examples may include:

administrative reference, contact information, record location, or non-material descriptive metadata.

Therefore:

Administrative Change $\neq$ Relationship Identity Change by default.

Material Relationship Change

A material change affects a governance characteristic that may alter downstream Liability analysis.

Examples may include:

control transfer, scope expansion, delegation change, participant replacement, authority modification, or operational restructuring.

Material change should trigger reassessment of affected downstream governance.

It does not automatically establish new Liability.

Relationship Scope Change

A relationship may expand or narrow in scope.

LRCM should preserve:

earlier scope, new scope, transition point, and relevant rationale or evidence.

Therefore:

Relationship Scope Change $\neq$ Liability Scope Change by default.

LSAS owns Liability Scope.

Relationship Direction Change

A directional relationship may change direction or become reciprocal.

The earlier direction should remain reconstructable.

Therefore:

Relationship Direction Change $\neq$ Liability Direction Change.

Relationship Type Change

A relationship may evolve from one governed type to another or acquire additional relational characteristics.

The architecture should determine whether this represents:

continuation, parallel relationship formation, or genuine replacement.

Therefore:

Relationship Type Change $\neq$ New Relationship by default.

Role Change

A Subject may change role within an existing relational structure.

Examples:

operator $\rightarrow$ supervisor, contractor $\rightarrow$ service provider, controller $\rightarrow$ delegated operator.

Role change does not automatically change Subject Identity or Relationship Identity.

Therefore:

Role Change $\neq$ Subject Identity Change.

Multiple Roles Over Time

A Subject may hold different roles at different lifecycle moments.

The architecture should preserve:

Role at T1, Role at T2, Role at T3.

Therefore:

Current Role $\neq$ Historical Role by default.

This distinction may become critical to later Liability governance.

Participant Addition

A relationship may gain an additional participant.

The architecture should determine whether this creates:

an expanded existing relationship, a new parallel relationship, or a new multi-subject structure.

Therefore:

Participant Addition $\neq$ New Relationship by default.

Participant Removal

A participant may leave a relationship while the relationship continues among remaining Subjects.

The removed participant's historical participation should remain reconstructable.

Therefore:

Participant Removal $\neq$ Historical Participation Erasure.

Participant Replacement

One Subject may replace another.

Examples include:

new operator, new contractor, new service provider, new insurer, new system controller.

Replacement should preserve:

predecessor, successor, transition time, and relevant relationship lineage.

Therefore:

Participant Replacement $\neq$ Identity Continuity by default.

The relationship and Subject identities must be assessed separately.

Relationship Expansion

A relationship may expand through:

additional Subjects, additional scope, additional Objects, additional Bases, or additional relational functions.

Expansion should preserve the pre-expansion state.

Therefore:

Relationship Expansion $\neq$ Historical Relationship Replacement.

Relationship Contraction

A relationship may narrow through:

participant removal, scope reduction, Object reduction, Basis reduction, or termination of specific functions.

Contraction should preserve the earlier broader state.

Therefore:

Relationship Contraction $\neq$ Historical Relationship Erasure.

Relationship Suspension

A relationship may temporarily cease active operation without terminating its identity.

Therefore:

Relationship Suspension $\neq$ Relationship Termination.

The architecture should preserve whether and when the relationship may resume.

Relationship Resumption

A suspended relationship may resume.

Resumption may continue the same Relationship Identity where continuity remains valid.

Therefore:

Relationship Resumption $\neq$ New Relationship by default.

Relationship Termination

A relationship may terminate.

Termination ends the active state.

It does not erase the historical relationship.

Therefore:

Relationship Termination $\neq$ Relationship Erasure.

Historical Relevance After Termination

A terminated relationship may remain central to a Liability inquiry concerning events that occurred while the relationship was active.

Therefore:

Inactive Relationship $\neq$ Historically Irrelevant Relationship.

Relationship Supersession

A relationship may be replaced by another relationship or relational arrangement.

LRCM should preserve:

the superseded relationship, the successor structure, the transition, and any overlap.

Therefore:

Relationship Supersession $\neq$ Historical Deletion.

Partial Supersession

Only part of a relationship may be superseded.

The remaining relationship may continue.

Therefore:

Partial Supersession $\neq$ Complete Relationship Termination.

The architecture must preserve which components changed.

Successor Relationship

A successor relationship may continue some functions of an earlier relationship while possessing a distinct identity.

Therefore:

Successor Relationship $\neq$ Relationship Version by default.

The distinction between succession and versioning must be governed explicitly.

Relationship Correction

A previously represented relationship may be found inaccurate.

Correction should preserve:

the earlier representation, the corrected representation, the correction reason, the supporting input, and the correction time.

Therefore:

Relationship Correction $\neq$ Historical Erasure.

Correction and Historical Reality

Correcting a record does not necessarily mean the corrected representation applies retroactively to every historical state.

The architecture must distinguish:

incorrect historical record, from:

correct record of a relationship that later changed.

Therefore:

Record Correction ≠ Relationship Change.

Relationship Reassessment

New information may require reassessment of:

Relationship Identity, type, participants, scope, direction, state, dependency, or continuity.

Reassessment should preserve the previous governance state.

Therefore:

Relationship Reassessment ≠ Historical Rewrite.

Relationship Reclassification

A relationship may later be classified differently.

For example, a relationship initially represented as operational may later also be established as formal.

Reclassification should preserve prior classification history.

Therefore:

Relationship Reclassification ≠ New Relationship by default.

Formal Relationship Continuity

Formal relationships may change through:

contract amendment, renewal, assignment, delegation, organizational restructuring, or replacement.

LRCM should preserve the formal relationship lineage.

Operational Relationship Continuity

Operational relationships may change independently of formal relationships.

Examples:

actual operator changes, actual controller changes, actual decision authority changes, actual maintenance provider changes.

Therefore:

Formal Relationship Continuity ≠ Operational Relationship Continuity by default.

Formal–Operational Divergence Over Time

At T1, formal and operational structures may align.

At T2, they may diverge.

At T3, they may align again.

LRCM should preserve these temporal differences.

Therefore:

Current Formal–Operational Alignment ≠ Historical Alignment.

Relationship Dependency Change

A relationship may begin, cease, or alter its dependency on another relationship.

Dependency changes should be recorded independently.

Therefore:

Relationship Dependency Change $\neq$ Relationship Identity Change by default.

Relationship Hierarchy Change

A Subject or Relationship may move within a hierarchy.

Example:

a subcontractor becomes a direct contractor.

The change may materially alter relational topology.

Therefore:

Relationship Hierarchy Change $\neq$ Liability Hierarchy Change.

Relationship Layer Change

A relationship may move between or acquire additional relational layers.

For example:

an informal operational relationship may later become formally contractual.

LRCM should preserve both the earlier and later layer states.

Relationship Network Continuity

The wider Liability Relationship Network may change as individual relationships change.

Network continuity should preserve:

network identity where applicable, included Subjects, included Relationships, subnetworks, network boundary, and temporal state.

Therefore:

Current Relationship Network $\neq$ Complete Relationship Network History.

Network Expansion Continuity

New Subjects or Relationships may expand the network.

The earlier network state should remain reconstructable.

Therefore:

Network Expansion $\neq$ Historical Network Replacement.

Network Contraction Continuity

Subjects or Relationships may cease to be active or currently relevant.

The historical network should remain preserved.

Therefore:

Network Contraction $\neq$ Historical Relationship Erasure.

Network Reconfiguration

The same Subjects may remain present while the relationships among them change.

This may create a new network configuration without creating a new Liability matter.

Therefore:

Network Reconfiguration $\neq$ New Liability Origin by default.

Network Versioning

Materially different network states may require explicit versions or snapshots.

Example:

Network N1 at T1

Network N2 at T2

Network N3 at T3

Each should remain reconstructable.

Network Identity and Network Version

A continuing network may have multiple versions.

Therefore:

Network Identity $\neq$ Network Version Identity.

A version represents a state of the network, not necessarily a new network.

Subject Separation

A Subject previously represented as one entity may later be found to consist of multiple distinct Subjects.

The relational structure may therefore require reconstruction.

The earlier representation should remain traceable.

Therefore:

Subject Separation $\neq$ Historical Relationship Erasure.

Subject Consolidation

Several previously represented Subjects may later be established as one underlying Subject.

The relationship history should preserve the earlier representations and their reconciliation.

Therefore:

Subject Consolidation $\neq$ Historical Identity Erasure.

Organizational Transformation

Organizations may undergo:

merger, acquisition, division, restructuring, renaming, dissolution, succession, or transfer.

LRCM should distinguish organizational transformation from automatic relationship identity continuity.

Therefore:

Organizational Transformation $\neq$ Automatic Relationship Continuity.

Merger

Where Subjects merge, LRCM should preserve:

pre-merger Subject identities, pre-merger Relationships, the merger transition, post-merger Subject identity, and resulting Relationships.

Therefore:

Merger $\neq$ Historical Subject Erasure.

Division or Spin-Off

Where one Subject divides into several Subjects, LRCM should preserve:

the original Subject, the division event, resulting Subjects, transferred relationships, retained relationships, and unresolved continuity questions.

Therefore:

Organizational Division $\neq$ Automatic Relationship Duplication.

Successor Subject

A successor Subject may inherit or continue some relationships of a predecessor.

However:

Subject Succession $\neq$ Automatic Relationship Succession.

Each materially relevant relationship should be evaluated for continuity.

System Migration

Relationship records may move between:

databases, platforms, organizations, registries, or technical systems.

Migration does not create a new relationship merely because the technical representation changes.

Therefore:

System Migration $\neq$ New Liability Relationship.

Record Identifier Change

A relationship may receive a new technical identifier after migration or system change.

The governed Relationship Identity should remain stable where continuity is established.

Therefore:

Record Identifier Change $\neq$ Relationship Identity Change.

Administrative Ownership Change

Responsibility for maintaining a relationship record may move between organizations or departments.

This does not automatically change the underlying relationship.

Therefore:

Administrative Ownership Change $\neq$ Liability Relationship Change by default.

Multiple System Records

The same relationship may appear in several systems.

LRCM should reconcile these representations without multiplying the underlying relationship.

Therefore:

Multiple System Records $\neq$ Multiple Liability Relationships by default.

Relationship Duplication

Technical duplication should be distinguished from genuine multiple relationships.

Therefore:

Record Duplication $\neq$ Relationship Duplication.

Where duplicate records are reconciled, source traceability should remain preserved.

Cross-System Continuity

A relationship should remain reconstructable even where its records exist across multiple systems or institutions.

Cross-system continuity may require preservation of:

persistent identity, source references, version lineage, migration history, and temporal state.

Relationship Re-Entry

Later lifecycle information may require LRS to revisit an earlier relationship state.

Examples include:

new evidence, new Subject discovery, new Relationship discovery, Condition reassessment, Connection reassessment, Determination review, Transfer or Recourse, or Finality review.

Re-entry should preserve the original relationship history.

Therefore:

Relationship Re-Entry $\neq$ New Liability Origin by default.

Earliest Affected Governance Point

Re-entry should return to the earliest materially affected LRS governance point.

Examples:

missing Subject $\rightarrow$ LSUIM, missing Relationship $\rightarrow$ LRIM, incorrect topology $\rightarrow$ LRMM, incorrect distinction $\rightarrow$ LRDM, continuity issue $\rightarrow$ LRCM.

Therefore:

Re-Entry $\neq$ Full LRS Restart by default.

Re-Entry and Historical Integrity

Re-entry may alter the current governed understanding.

It must not silently rewrite what was previously known or represented.

Therefore:

Re-Entry $\neq$ Historical Rewrite.

The architecture should preserve both:

earlier governance state, and revised governance state.

Later Knowledge and Earlier Knowledge

Information discovered at T2 may clarify a relationship that existed at T1.

However, the system must distinguish:

Relationship Reality at T1

from:

Governance Knowledge at T1

and:

Knowledge Acquired at T2

Therefore:

Later Relationship Knowledge $\neq$ Earlier Relationship Knowledge.

Retroactive Relevance

New information may reveal that a relationship was materially relevant at an earlier time.

The relationship may therefore acquire retroactive analytical relevance.

However:

Retroactive Relevance $\neq$ Historical Record Erasure.

The time at which the information became known should remain distinct from the time to which it relates.

Continuity Uncertainty

Continuity may itself be uncertain.

Possible states may include:

Continuity Established

Continuity Probable

Continuity Uncertain

Continuity Disputed

Continuity Broken

Successor Relationship

Uncertainty should remain visible downstream.

Continuity Conflict

Different records may support conflicting continuity interpretations.

For example:

one record may indicate that a relationship continued, while another indicates termination and replacement.

LRCM should preserve the conflict until sufficiently resolved.

Therefore:

Continuity Conflict $\neq$ Authority to Manufacture Continuity.

Continuity Break

A genuine Continuity Break exists where the previous relationship no longer retains sufficient identity continuity with the later structure.

A break should be explicitly recorded.

Therefore:

Continuity Break $\neq$ Historical Disconnection.

The earlier and later structures should remain linked through their transition history where relevant.

Relationship Reconstruction

Relationship Reconstruction is the ability to reproduce the materially relevant relational state at a defined lifecycle moment.

Reconstruction should answer:

Which Subjects existed?

Which Relationships existed?

What were their identities?

What roles were represented?

What scope applied?

What direction applied?

Which dependencies existed?

What network structure existed?

What uncertainty existed?

What was known at that time?

Historical Reconstruction

Historical reconstruction must not rely solely on the current Relationship Structure.

It should use preserved state lineage.

Therefore:

Current Relationship Structure $\neq$ Historical Reconstruction.

Reconstruction by Time

LRCM should support reconstruction such as:

Relationship Structure at T1

Relationship Structure at T2

Relationship Structure at T3

This allows later governance to evaluate Conditions and Connections against the correct relational state.

Reconstruction by Subject

The system should be capable of reconstructing:

which Relationships a specific Subject held, during which periods, with which other Subjects, Objects, or Bases.

This does not determine Liability.

Reconstruction by Relationship

The system should be capable of reconstructing the complete lifecycle of a specific Liability Relationship.

This may include:

formation, active state, modifications, suspensions, resumption, participant changes, scope changes, termination, supersession, correction, and re-entry.

Reconstruction by Network

Where Liability governance involves a network, the system should be capable of reconstructing the materially relevant network state at a defined time.

Therefore:

Current Network Topology $\neq$ Historical Network Topology by default.

Relationship Continuity and Liability Conditions

Liability Conditions may depend upon the Relationship State that existed at a particular time.

LRCM provides the correct historical relational state.

LCOS determines the Conditions.

Therefore:

Relationship Continuity $\neq$ Condition Satisfaction.

Relationship Continuity and Liability Connection

A historical relationship may become relevant to later Connection governance.

However:

Historical Relationship $\neq$ Liability-Relevant Connection.

LCNS determines Liability-specific Connection.

Relationship Continuity and Liability Determination

Preserving a relationship history does not determine Liability.

Therefore:

Relationship Continuity $\neq$ Liability Determination.

LDS owns Attachment and Determination.

Relationship Continuity and Liability Change

A Liability Relationship may change while an established Liability state remains unchanged.

Likewise, Liability may change while the original relationship remains historically stable.

Therefore:

Liability Relationship Change $\neq$ Liability Change by default.

and:

Liability Change $\neq$ Liability Relationship Change by default.

Relationship Continuity and Transfer

A Liability Relationship may later interact with Liability Transfer or Recourse.

However:

Relationship Succession $\neq$ Liability Transfer.

LTRS determines whether Liability or its consequences move, are shared, or create Recourse.

Relationship Continuity and Resolution

Resolution of Liability does not erase the relationships through which the Liability matter was governed.

Therefore:

Liability Resolution $\neq$ Relationship Erasure.

The relationship history may remain necessary for auditability, Recourse, review, or re-entry.

Relationship Continuity and Finality

Liability Finality ends active Liability governance under the applicable Finality state.

It does not erase the Liability Relationship Structure.

Therefore:

Liability Finality $\neq$ Relationship Erasure.

Historical relational reconstruction remains possible after Finality.

Local Relationship Finality and Network Finality

One relationship may cease to require active governance while other relationships within the wider network remain active.

Therefore:

Liability Relationship Finality $\neq$ Liability Network Finality.

LRCM must preserve the distinction between local and network-level states.

One Relationship and Multiple Liability Lifecycles

A continuing relationship may become relevant to more than one Liability matter over time.

The relationship should not be duplicated merely because it participates in multiple Liability inquiries.

Therefore:

Multiple Liability Matters $\neq$ Multiple Relationship Identities by default.

Each inquiry may reference the same persistent Relationship Identity where appropriate.

One Liability Matter and Multiple Relationship States

A single Liability matter may span several states of the same relationship.

Example:

T1: relationship active, T2: relationship modified, T3: relationship terminated.

Later Liability governance may need all three states.

Therefore:

One Liability Matter $\neq$ One Relationship State.

Relationship History and Evidence

Evidence may support reconstruction of relationship history.

ADIT® may govern evidence integrity and auditability.

LRCM governs the continuity state constructed for LIGA™.

Therefore:

Evidence History $\neq$ Relationship History.

Evidence supports the representation.

It does not replace it.

Relationship History and Validation

VALIDOS™ may validate relevant records, states, or transitions.

Validation may strengthen confidence in continuity.

However:

Validated Continuity Record $\neq$ Liability Determination.

Relationship History and Operational Reality

ORA™ may provide historical operational relationships.

LRCM may preserve those states as Liability-relevant relational history.

Therefore:

Operational Relationship History $\neq$ Liability History.

The two may intersect without becoming identical.

Relationship History and Accountability

AGA™ may provide historical Responsibility, Accountability, Authority, and Attribution states.

These may become relevant to LRCM.

However:

Accountability History $\neq$ Liability Relationship History.

The original governance domain remains separate.

Relationship History and Harm

HAGA™ may preserve Harm-relevant actor relationships.

Those relationships may become inputs where relevant.

However:

Harm Relationship History $\neq$ Liability Relationship History.

Harm and Liability retain separate lifecycles.

Relationship Continuity Integrity

A conforming LRCM implementation should preserve at least:

identity integrity, temporal integrity, state integrity, version integrity, transition integrity, historical integrity, source traceability, and reconstruction integrity.

Continuity is insufficient where current records cannot explain how the current Relationship Structure emerged.

No Silent Overwrite Principle

A later Relationship State must not silently replace an earlier materially relevant state.

Therefore:

Latest State $\neq$ Only State.

Material historical states must remain reconstructable.

No Historical Collapse Principle

Different historical relationship states must not be collapsed into one generalized representation where the differences may affect Liability governance.

Therefore:

Historical Variation $\neq$ Governance Noise.

Material temporal differences are part of the governed structure.

No Continuity Assumption Principle

Continuity must not be assumed merely because:

the same name appears, the same Subjects appear, the same contract number appears, the same system identifier appears, or the same organizational function continues.

Continuity requires sufficient identity coherence.

Therefore:

Apparent Similarity $\neq$ Established Continuity.

No Change-Equals-New-Origin Principle

Conversely, a relationship should not automatically receive a new origin merely because something changed.

Therefore:

Change $\neq$ New Origin by default.

The architecture must determine whether identity continuity remains.

Complete Lifecycle Integration

LRCM operates within the complete LIGA™ lifecycle:

Potential Liability → Attached / Determined Liability → Active Liability Governance → Liability Change → Transfer / Recourse where applicable → Resolution / Discharge → Continuity / Re-entry where required → Finality The relational history may remain relevant throughout all these stages.

Therefore:

Liability Determination does not terminate Relationship Continuity.

Continuity Across Liability Determination

Once Liability is determined, the relevant Relationship Structure must remain traceable.

Later governance may need to know:

which Relationship State supported the Determination, which Subjects participated, what changed afterward, and whether later changes affect the active Liability state.

Therefore:

Determined Liability ≠ Frozen Relationship Structure.

Continuity Across Liability Transfer and Recourse

Transfer, sharing, insurance, indemnification, succession, or Recourse may create additional Liability Relationships.

These later structures should not overwrite the earlier primary relationships.

Therefore:

Secondary Liability Relationship Formation ≠ Primary Relationship Erasure.

Continuity Across Resolution

A settlement, satisfaction, discharge, or other Resolution state may affect active Liability.

It does not erase the underlying relational history.

Therefore:

Resolution State ≠ Relationship History Deletion.

Continuity Across Re-Entry

A Liability matter may later re-enter active governance.

LRCM should make it possible to reconstruct:

the prior relationship structure, the state at Resolution, the reason for re-entry, newly discovered information, and resulting changes.

Therefore:

Re-Entry must not rewrite history.

Continuity Sufficiency

Relationship Continuity is sufficient when downstream governance can reliably determine:

what the current Relationship Structure is, how it reached that state, which historical Relationship States existed, which Subjects participated at each relevant time, which changes occurred, which versions apply, which relationships terminated or were superseded, which corrections or reassessments occurred, what uncertainty remains, and how the structure can be reconstructed at a relevant lifecycle moment.

Handoff to Liability Conditions Governance

Once continuity is sufficiently established, LRCM produces:

Governed Liability Relationship Structure

The handoff should preserve:

Subject identities, Relationship identities, Relationship Types, Relationship Directions, roles, Relationship Scope, Relationship Boundaries, Object references, Basis references, network structure, relationship dependencies, formal and operational states, temporal states, versions, change history, termination history, supersession history, correction history, re-entry history, continuity uncertainty, and reconstruction references.

The next governance question becomes:

What conditions must exist, fail, change, or be satisfied for potential Liability to proceed toward determination under the applicable Liability Basis?

That question belongs to:

LCOS — Liability Conditions Standard.

Minimum Implementation Framework

A conforming implementation of LRCM must provide at least the following eight capabilities:

Persistent Relationship Identity Governance

Capability to preserve persistent Liability Relationship identities independently of ordinary changes in representation, role, state, system location, or documentation.

Relationship State, Version & Temporal Lineage

Capability to preserve materially relevant Relationship States, versions, temporal boundaries, transitions, and historical applicability.

Subject, Participant, Role & Scope Continuity

Capability to govern changes in participating Subjects, roles, relationship scope, direction, and related characteristics without inappropriate identity collapse or fragmentation.

Relationship Change, Suspension, Termination, Supersession & Succession

Capability to distinguish continuing relationships from suspended, terminated, superseded, successor, expanded, contracted, or genuinely new relationships.

Network & Formal–Operational Continuity

Capability to preserve Relationship Network evolution, formal and operational structures, dependencies, layers, hierarchy changes, network expansion, contraction, and reconfiguration.

Cross-System, Organizational & Migration Continuity

Capability to preserve relationship identity and lineage across system migrations, organizational transformations, mergers, divisions, identifier changes, and administrative ownership changes.

Correction, Reassessment, Re-Entry & Historical Reconstruction

Capability to preserve corrections, reassessments, recursive lifecycle re-entry, earlier governance states, later knowledge, and reconstructable historical Relationship Structures without rewriting history.

Continuity Sufficiency & Lifecycle Handoff

Capability to determine whether the Liability Relationship Structure is sufficiently continuous, traceable, and reconstructable for handoff to Liability Conditions Governance while preserving unresolved continuity uncertainty.

Governance Logic

The canonical LRCM governance logic is:

Distinguished Liability Relationship Structure

↓

Establish Persistent Relationship Identity

↓

Establish Current Relationship State

↓

Establish Temporal State Lineage

↓

Preserve Relationship Versions

↓

Track Subject and Role Changes

↓

Track Scope / Direction / Type Changes



Track Participant Addition / Removal / Replacement



Track Suspension / Resumption / Termination



Track Supersession / Successor Relationships



Preserve Formal and Operational Relationship States



Preserve Network Evolution



Preserve Organizational and Cross-System Transitions



Record Corrections and Reassessments



Govern Re-Entry at Earliest Affected Point



Preserve Earlier and Revised Governance States



Assess Continuity Uncertainty



Enable Historical Reconstruction



Assess Continuity Sufficiency



Governed Liability Relationship Structure



Handoff to Liability Conditions Governance

Governance Outputs

LRCM may produce:

Persistent Liability Relationship Identity

Relationship State Record

Relationship Version Record

Relationship State Lineage
Temporal Relationship Record
Relationship Formation Record
Relationship Change Record
Relationship Scope Change Record
Relationship Direction Change Record
Relationship Type Change Record
Role Change Record
Participant Addition Record
Participant Removal Record
Participant Replacement Record
Relationship Expansion Record
Relationship Contraction Record
Relationship Suspension Record
Relationship Resumption Record
Relationship Termination Record
Relationship Supersession Record
Successor Relationship Record
Relationship Correction Record
Relationship Reassessment Record
Relationship Reclassification Record
Formal Relationship Continuity Record
Operational Relationship Continuity Record
Relationship Dependency Change Record
Relationship Network State
Relationship Network Version
Network Expansion Record
Network Contraction Record
Network Reconfiguration Record
Organizational Transformation Record

Cross-System Continuity Record

Migration Record

Relationship Re-Entry Record

Continuity Uncertainty State

Continuity Conflict State

Continuity Break Record

Historical Relationship Reconstruction

Historical Network Reconstruction

Continuity Sufficiency State

The principal output is:

Governed Liability Relationship Structure

Critical Distinctions

LRCM preserves the following distinctions:

Liability Relationship Continuity ≠ Liability Relationship Immutability Relationship Change ≠ New Liability Relationship by default Subject Representation Change ≠ Subject Identity Change by default Subject Change ≠ Relationship Change by default Relationship Change ≠ Subject Change by default Relationship State ≠ Relationship Identity Current Relationship State ≠ Complete Relationship History Current Relationship State ≠ Historically Relevant Relationship State by default New Relationship Version ≠ New Liability Relationship by default Relationship Identity ≠ Relationship Version Identity Current Relationship Version ≠ Applicable Historical Relationship Version by default Relationship Formation ≠ Liability Formation Relationship Change ≠ New Liability by default Administrative Change ≠ Relationship Identity Change by default Relationship Scope Change ≠ Liability Scope Change by default Relationship Direction Change ≠ Liability Direction Change Relationship Type Change ≠ New Relationship by default Role Change ≠ Subject Identity Change Current Role ≠ Historical Role by default Participant Addition ≠ New Relationship by default Participant Removal ≠ Historical Participation Erasure Participant Replacement ≠ Identity Continuity by default Relationship Expansion ≠ Historical Relationship Replacement Relationship Contraction ≠ Historical Relationship Erasure Relationship Suspension ≠ Relationship Termination Relationship Resumption ≠ New Relationship by default Relationship Termination ≠ Relationship Erasure Inactive Relationship ≠ Historically Irrelevant Relationship Relationship Supersession ≠ Historical Deletion Partial Supersession ≠ Complete Relationship Termination Successor Relationship ≠ Relationship Version by default Relationship Correction ≠ Historical Erasure Record Correction ≠ Relationship Change Relationship Reassessment ≠ Historical Rewrite Relationship Reclassification ≠ New Relationship by default Formal Relationship Continuity ≠ Operational Relationship Continuity by default Current Formal–Operational Alignment ≠ Historical Alignment Relationship Dependency Change ≠ Relationship Identity Change by default Relationship Hierarchy Change ≠ Liability Hierarchy Change Current Relationship Network ≠ Complete Relationship Network History Network Expansion ≠ Historical Network Replacement Network Contraction ≠ Historical Relationship Erasure Network Reconfiguration ≠ New Liability Origin by default Network Identity ≠ Network Version Identity Subject Separation ≠ Historical Relationship Erasure Subject Consolidation ≠ Historical Identity Erasure Organizational Transformation ≠ Automatic Relationship Continuity Merger ≠ Historical Subject Erasure Organizational Division ≠ Automatic Relationship Duplication Subject Succession ≠ Automatic Relationship Succession System Migration ≠ New Liability Relationship Record Identifier Change ≠ Relationship Identity Change Administrative Ownership Change ≠ Liability Relationship Change by default Multiple System Records ≠ Multiple Liability Relationships by default Record Duplication ≠ Relationship Duplication Relationship Re-Entry ≠ New Liability Origin by default Re-Entry ≠ Full LRS Restart by default Re-Entry ≠ Historical Rewrite Later Relationship Knowledge ≠ Earlier Relationship Knowledge Retroactive Relevance ≠ Historical Record Erasure Continuity Conflict ≠ Authority to Manufacture Continuity Continuity Break ≠ Historical Disconnection Current Relationship Structure ≠ Historical Reconstruction Current Network Topology ≠ Historical Network Topology by default Relationship Continuity ≠ Condition Satisfaction Historical Relationship ≠ Liability-Relevant Connection Relationship Continuity ≠ Liability Determination Liability Relationship Change ≠ Liability Change by default Liability Change ≠ Liability Relationship Change by default Relationship Succession ≠ Liability Transfer Liability Resolution ≠ Relationship Erasure Liability

Finality ≠ Relationship Erasure Liability Relationship Finality ≠ Liability Network Finality Multiple Liability Matters ≠ Multiple Relationship Identities by default One Liability Matter ≠ One Relationship State Evidence History ≠ Relationship History Validated Continuity Record ≠ Liability Determination Operational Relationship History ≠ Liability History Accountability History ≠ Liability Relationship History Harm Relationship History ≠ Liability Relationship History Latest State ≠ Only State Historical Variation ≠ Governance Noise Apparent Similarity ≠ Established Continuity Change ≠ New Origin by default Determined Liability ≠ Frozen Relationship Structure Secondary Liability Relationship Formation ≠ Primary Relationship Erasure Resolution State ≠ Relationship History Deletion

Cross-Architecture Boundary

LRCM may receive continuity-relevant inputs from other OOF® architectures.

OBIDENTITY® may govern Subject Origin, Identity, Ownership, Authority, Permission, Provenance, Transfer, and identity continuity.

GOA™ may provide historical Authority, Scope, and Delegation structures.

ORA™ may provide historical Operational Reality and actual operational relationships.

AGA™ may provide historical Responsibility, Accountability, Authority, and Attribution states.

HAGA™ may provide historical Harm-relevant actors and relationships.

ADIT® may provide evidence and auditability supporting historical reconstruction.

VALIDOS™ may validate continuity-relevant states and transitions.

AIG® may provide historical AI governance relationships.

ASGA™ may provide autonomous-system Identity, Authority, Permission, Delegation, Coordination, Override, and operational continuity.

LRCM may consume these states where they become Liability-relevant.

The governing principle is:

Continuity of an externally governed relationship may support Liability Relationship continuity without transferring governance ownership of the original relationship to LIGA™.

Canonical Boundary

LRCM begins with a:

Distinguished Liability Relationship Structure

and asks:

How can this structure remain traceable and reconstructable as Subjects, Relationships, Networks, and lifecycle states change?

LRCM governs:

Persistent Relationship Identity, Subject Continuity within Liability Relationships, Relationship State, Relationship Versioning, Temporal Lineage, Relationship Formation, Relationship Change, Role Change, Participant Change, Relationship Expansion, Relationship Contraction, Suspension, Resumption, Termination, Supersession, Succession, Correction, Reassessment, Reclassification, Formal–Operational Continuity, Dependency Change, Network Continuity, Network Versioning, Organizational Transformation, Cross-System Continuity, Migration, Re-Entry, Continuity Uncertainty, Continuity Conflict, Continuity Break, Historical Reconstruction, and Continuity Sufficiency.

LRCM does not determine:

Liability Conditions, Condition Satisfaction, Liability-Relevant Connection, Liability Attachment, Liability Determination, Liability Scope, Liability Allocation, Liability State, Liability Transfer, Recourse, Liability Resolution, Discharge, or Finality.

LRCM ends when a:

Governed Liability Relationship Structure

is sufficiently traceable, temporally coherent, and reconstructable for Liability Conditions Governance.

Use Case 1 — AI Service Relationship Change

An AI-enabled service initially involves a model provider, deploying organization, operator, customer, and AI system.

During the service lifecycle:

the deploying organization changes cloud provider, operational control moves to another team, the AI system version changes, and a new external operator is introduced.

LRCM preserves the original Relationship Structure, each material transition, the changed Subject roles, the new operational relationships, and the relevant temporal states.

A later Liability inquiry can reconstruct which Subjects and Relationships existed at the relevant time rather than relying on the current service structure.

The changes do not themselves establish new Liability.

Use Case 2 — Industrial Relationship Succession

Industrial equipment is owned by one company, operated by another, and maintained by an external maintenance provider.

The maintenance provider is later acquired, its contract is transferred, and another operating company assumes control of the equipment.

A later Liability inquiry concerns an occurrence that happened before the acquisition but is investigated after the organizational changes.

LRCM preserves:

the original maintenance relationship, the original operator, the acquisition transition, the successor organization, the transferred relationships, and the later operational structure.

The system can reconstruct the Relationship Structure applicable at the time of the occurrence without treating current organizational relationships as if they had always existed.

Canonical Closing Statement

Liability Relationships can change many times while the Liability lifecycle continues.

Governance therefore requires more than a record of the current relational structure. It requires the ability to reconstruct who participated, how they were related, what changed, when it changed, and what was known at each materially relevant lifecycle moment.

Change does not require loss of Relationship identity. Continuity does not require absence of change.

Preserve the relationships so the Liability lifecycle can always reconstruct its relational foundation.

Governed Links

Liability Relationship Standard (LRS)

LIGA™ Architecture Map

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the MIP® Protection & Licensing terms or contact OOF® directly.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/content/liga/liga-lrs-lrcm-5.html>

OOF® · MIP® Protected · Free permitted use · Commercial/derivative use may require authorization · Active Protection

Canonical source: <https://originopenfoundation.org/content/liga/liga-lrs-lrcm-5.html>