Lifecycle Control Transfer & Continuity Module (LCTCM)

Lifecycle Control Transfer & Continuity Module (LCTCM)

OOF® Origin Open Foundation®

Independent Methodological Authority

Architecture: SLGA™ — Software Lifecycle Governance Architecture

Parent Standard: Software Lifecycle Control Standard (SLCS)

Category: Governance & Enforcement

Subcategory: Software Lifecycle Control Governance

Type: Core Module

Governed Space: Software Lifecycle Control Transfer and Continuity Governance

Module ID: SLGA-SLCS-LCTCM-04

Origin ID: OOF-SLGA-SLCS-LCTCM

Version: 1.0

Status: Canonical Open

Effective Date: 15.10.2026

Compatibility: Methodology OS — Modular Compatibility

GIE-Compatible: Yes

AI-Readable: Yes

Authority: OOF® — OriginOpen® Foundation

Protection: Protected Methodological Work

Canonical Language: UCL — Universal Canonical Language (English)

Canonical Definition

Lifecycle Control Transfer & Continuity Module (LCTCM) is the Core Module within Software Lifecycle Control Standard (SLCS) that governs how responsibility, authority, operational capability, control obligations, and supporting evidence are transferred or preserved when control over an identifiable software lifecycle object changes between actors, teams, organizations, service providers, automated systems, or autonomous agents.

LCTCM establishes lifecycle control transfer as an evidence-supported

governance relationship between the existing control holder, the intended successor, the affected software object, the control functions being transferred, the legitimate authority for transfer, and the operational conditions required for uninterrupted or appropriately governed control.

The module distinguishes ownership transfer from responsibility transfer,

responsibility assignment from authority establishment, authority establishment from operational capability, administrative handover from verified control acceptance, and control transfer completion from actual control continuity.

It requires material transfers to preserve identifiable software scope,

lifecycle state, applicable governance requirements, existing decisions, active exceptions, unresolved deficiencies, operational dependencies, evidence access, intervention capability, and continuing obligations.

LCTCM recognizes that lifecycle control may be distributed among multiple actors and that not every control function must transfer to the same successor.

It also recognizes that control continuity does not necessarily require the same actor, organization, technology, or execution mechanism to remain in place.

Instead, continuity requires that the relevant governance functions remain legitimately assigned, operationally capable, accessible, and effective under the conditions they are intended to govern.

The module addresses planned handovers, emergency substitutions, supplier

transitions, organizational restructuring, outsourcing, automation changes, autonomous agent replacement, software migration, and retirement-related control changes.

It does not independently create ownership rights, grant authority, establish contractual succession, or replace specialized operational handover mechanisms.

Its principal governance output is the Software Lifecycle Control Continuity Profile.

Operational Role

LCTCM establishes the governance mechanism for transferring and preserving

software lifecycle control.

It governs:

• Lifecycle control transfer identity

• Software object identification

• Existing control holder identification

• Intended successor identification

• Control function identification

• Transfer origin

• Transfer purpose

• Transfer scope

• Transfer boundaries

• Control responsibility

• Control authority

• Control permission

- Control capability
- Operational readiness
- Control evidence
- Governance knowledge continuity
- Control dependency continuity
- Control access
- Control intervention capability
- Control acceptance
- Control activation
- Control verification
- Partial control transfer
- Distributed control
- Temporary control assignment
- Emergency control substitution
- Control gaps
- Control overlaps
- Control conflicts
- Control transfer failure
- Control recovery
- Control reassessment
- Control continuity assessment
- Continuing obligations
- Control transfer closure
- Historical accountability

LCTCM establishes whether lifecycle control remains legitimate, capable,

and continuous when its responsible actors or execution arrangements change.

Operational Question

How can software lifecycle control remain legitimately assigned, operationally capable, evidence-supported, and continuous when responsibility, authority, access, knowledge, or execution capability transfers between humans, organizations, automated systems, or autonomous agents?

Position in Architecture Governance Flow

SLGA™ Governance Flow

Software Requirements → Software Creation → Software Dependencies →

Software Configuration → Software Quality → Software Security → Software Release → Software Deployment → Software Change Management → Software Retirement

Cross-Cutting Governance Layer

Software Lifecycle Control Standard (SLCS)

SLCS Core Module Flow

Lifecycle State Consistency Control Module (LSCCM) → Lifecycle Transition

Control Module (LTCM) → Lifecycle Exception Management Module (LEMM) → Lifecycle Control Transfer & Continuity Module (LCTCM) → Lifecycle Control Assessment Module (LCAM)

LCTCM is the fourth Core Module within SLCS.

It receives lifecycle state information from LSCCM, transition conditions

from LTCM, and continuing exception obligations from LEMM.

It establishes the governance requirements for preserving control when responsible actors, authority relationships, or operational arrangements change.

It provides control transfer and continuity evidence to LCAM for assessment

of lifecycle control effectiveness.

LCTCM operates whenever a material control relationship changes,

independently of whether the software itself changes lifecycle state.

• Governed Space

Software Lifecycle Control Transfer and Continuity Governance

This governed space concerns the legitimate transfer, preservation, and

verification of control over software lifecycle governance functions.

It begins when a material change in control responsibility, authority, capability, or execution arrangement is proposed, required, or detected.

It includes the identification of existing and intended control holders,

affected control functions, applicable authority, operational readiness, knowledge and evidence continuity, transfer execution, acceptance, verification, and unresolved obligations.

It remains applicable during partial transfers, temporary assignments,

emergency substitutions, distributed control arrangements, and unresolved control gaps.

It concludes for an individual transfer when the resulting control arrangement has been established, its continuity appropriately verified, and any continuing obligations or deficiencies explicitly governed.

Governed Object

The primary Governed Object is:

A Software Lifecycle Control Transfer Case representing the

evidence-supported relationship between an identifiable software object, its existing lifecycle control arrangement, the control functions being transferred, the intended successor, applicable responsibility and authority, operational capability, transfer conditions, acceptance evidence, and resulting control continuity status.

The governed object must preserve, where applicable:

Control Transfer Case ID

Software Object ID

Software Version

Configuration Reference

Environment Reference

Lifecycle State

Affected Control Function

Existing Control Holder

Intended Successor

Transfer Origin

Transfer Purpose

Transfer Scope

Existing Responsibility

Successor Responsibility

Authority Basis

Permission Scope

Required Capability

Operational Readiness

Evidence and Knowledge References

Active Exceptions

Unresolved Obligations

Transfer Decision

Acceptance Evidence

Continuity Verification

Resulting Control Status

Record Version

Scope

LCTCM governs:

Control Holder Identification

Control Function Identification

Control Responsibility

Control Authority

Control Capability

Control Transfer Origin

Control Transfer Scope

Control Transfer Preconditions

Successor Readiness

Knowledge Continuity

Evidence Continuity

Access Continuity

Dependency Continuity

Intervention Continuity

Control Acceptance

Control Activation

Control Verification

Partial Transfer

Distributed Control

Temporary Control

Emergency Substitution

Control Gap Recognition

Control Conflict Recognition

Control Recovery

Control Reassessment

Historical Accountability

Transfer Closure

LCTCM does not establish legal ownership or authority merely by recording a transfer.

Foundational Principle

Software lifecycle control remains continuous only when every material control function retains an identifiable responsible actor, legitimate authority, sufficient operational capability, and verifiable access to the conditions and evidence required for its execution.

A new control holder must not be considered capable merely because responsibility has been assigned.

A transfer must not be considered complete merely because access credentials have been provided.

And continuity must not be assumed merely because the software remains operational.

Responsibility Assigned ≠ Authority Established.

Control Transferred Administratively ≠ Control Continuity Verified.

Control Transfer Case Identity

Every material control transfer must have a stable case identity.

Relevant elements include:

Transfer Case ID

Software Object Reference

Affected Control Function

Existing Control Holder

Intended Successor

Transfer Origin

Transfer Status

Evidence Reference

Record Version

The identity must remain stable throughout assessment, preparation, execution, verification, and closure.

Software Control Object

LCTCM must identify the software object or lifecycle governance function affected by the transfer.

Potential objects include:

Software Product

Software Component

Software Version

Deployment Instance

Operational Service

Configuration Baseline

Release Governance Function

Deployment Governance Function

Security Governance Function

Change Governance Function

Retirement Governance Function

Control transfer scope must correspond to the actual governed object.

Lifecycle Control Function

A lifecycle control function is a governance responsibility or mechanism required to maintain legitimate control over a software lifecycle condition.

Potential functions include:

Lifecycle State Verification

Transition Authorization

Configuration Control

Security Assessment

Release Approval

Deployment Control

Operational Monitoring

Exception Management

Change Coordination

Retirement Verification

Different functions may require different authority and capability.

Existing Control Arrangement

LCTCM must establish the existing control arrangement before a material transfer.

Relevant elements include:

Current Control Holder

Assigned Responsibilities

Applicable Authority

Operational Permissions

Available Capabilities

Control Dependencies

Active Obligations

Evidence Access

Known Deficiencies

A transfer must not assume that the existing arrangement is complete or effective.

Existing Control Holder

The existing control holder may be:

Individual

Team

Organizational Unit

Company

External Provider

Automated System

Autonomous Agent

Distributed Control Arrangement

The actor type does not independently establish legitimate authority or effective control.

Intended Successor

LCTCM must identify the actor or arrangement intended to assume the relevant control functions.

Relevant elements include:

Successor Identity

Organizational Relationship

Assigned Function

Required Responsibility

Required Authority

Required Capability

Operational Availability

Acceptance Conditions

The intended successor must be distinguishable from a verified successor.

Transfer Origin

A lifecycle control transfer may originate from:

Personnel Departure

Team Reorganization

Organizational Restructuring

Vendor Replacement

Outsourcing

Insourcing

Software Ownership Change

Platform Migration

Operational Handover

Automation Introduction

Autonomous Agent Replacement

Incident Response

Retirement

The reason for transfer must remain distinguishable from the authority to execute it.

Transfer Purpose

LCTCM must establish the intended governance purpose.

Potential purposes include:

Preserving Operational Control

Replacing a Control Holder

Improving Control Capability

Consolidating Governance Functions

Distributing Control Responsibility

Supporting Software Migration

Maintaining Continuity During Retirement

Restoring Control After Failure

Establishing New Operational Responsibility

The transfer purpose must remain connected to identifiable control outcomes.

Transfer Scope

Every material control transfer must have a defined scope.

Relevant elements include:

Affected Software

Affected Versions

Affected Environments

Affected Lifecycle States

Affected Control Functions

Transferred Responsibilities

Transferred Authority

Transferred Permissions

Continuing Obligations

Excluded Functions

A transfer affecting one function must not automatically be treated as transfer of every lifecycle control function.

Transfer Boundary

LCTCM must establish what is included and excluded.

Relevant elements include:

Transferred Control Functions

Retained Control Functions

Shared Control Functions

Authority Limitations

Permission Restrictions

Evidence Access

External Dependencies

Continuing Responsibilities

Transfer boundaries must prevent unintended expansion of authority or loss of accountability.

Control Responsibility

LCTCM must identify responsibility for each material control function.

Relevant elements include:

Responsible Actor

Governed Function

Expected Activities

Applicable Conditions

Reporting Obligations

Escalation Duties

Continuity Requirements

Evidence Responsibilities

Responsibility must be assigned to an actor or arrangement capable of being held accountable under the applicable governance structure.

Responsibility Transfer

Responsibility transfer must establish:

Previous Responsibility

Successor Responsibility

Affected Software

Transfer Basis

Effective Condition

Continuing Obligations

Acceptance

Evidence

An organizational announcement does not independently establish that responsibility has been effectively assumed.

Control Authority

LCTCM must identify the authority required for transferred control functions.

Relevant elements include:

Authority Origin

Authority Holder

Authority Scope

Delegation

Decision Permission

Execution Permission

Validity

Revocation Conditions

Authority must be established through legitimate sources rather than inferred from transfer documentation.

Authority Transfer

Authority transfer may require:

Valid Delegation

Competent Approval

Scope Definition

Permission Changes

Effective Time

Revocation of Previous Authority

External Authorization

Evidence

Responsibility transfer must not automatically be treated as authority transfer.

Authority Continuity

LCTCM must preserve legitimate authority during control transitions.

Relevant considerations include:

Authority Before Transfer

Authority During Transfer

Authority After Transfer

Delegation Validity

Overlapping Authority

Authority Gaps

Emergency Authority

Revocation

Continuity does not require two actors to possess identical authority simultaneously.

It requires the applicable authority arrangement to remain legitimate and

operationally sufficient.

Control Permission

Control permission establishes which actions an actor may perform.

Potential permissions include:

Read Governance Records

Modify Configuration

Approve Release

Execute Deployment

Grant Exception

Suspend Operation

Initiate Recovery

Approve Retirement

Permissions must remain consistent with the actor's legitimate authority and assigned functions.

Permission Transfer

LCTCM must establish whether permissions are:

Transferred

Reissued

Restricted

Retained

Revoked

Temporarily Shared

Unavailable

Permissions must not be assumed transferable merely because the previous holder possessed them.

Control Capability

Effective lifecycle control requires practical capability.

Relevant dimensions include:

Technical Expertise

Operational Knowledge

Available Personnel

Required Tools

System Access

Monitoring Access

Intervention Capability

Evidence Access

Available Resources

Operational Availability

An actor may have responsibility and authority but lack the capability to exercise control.

Successor Capability Assessment

LCTCM must assess whether the intended successor can perform the transferred functions.

Relevant elements include:

Required Competence

Actual Competence

Required Tools

Available Tools

Operational Access

Required Resources

Time Availability

Known Limitations

Readiness Evidence

Capability assessment must reflect the actual software and operational environment.

Responsibility–Authority–Capability Alignment

LCTCM must evaluate the alignment of:

Assigned Responsibility

Legitimate Authority

Operational Permission

Technical Capability

Available Resources

Actual Control Conditions

Verification Capability

A transfer must not be classified as fully ready where a material element remains absent.

Control Transfer Preconditions

Material transfers may require:

Existing Arrangement Identified

Successor Identified

Responsibility Defined

Authority Established

Capability Verified

Evidence Accessible

Required Knowledge Transferred

Operational Dependencies Available

Continuity Method Established

Acceptance Criteria Defined

Preconditions must be established according to the governed control function.

Transfer Readiness

Transfer readiness concerns whether the required conditions are established for the successor to assume control.

Relevant elements include:

Responsibility Readiness

Authority Readiness

Capability Readiness

Knowledge Readiness

Access Readiness

Evidence Readiness

Operational Readiness

Intervention Readiness

Readiness must not be equated with completed transfer.

Governance Knowledge Continuity

LCTCM must preserve knowledge required to exercise lifecycle control.

Potential knowledge includes:

Software Architecture

Operational Dependencies

Configuration Constraints

Known Defects

Security Conditions

Release History

Deployment Procedures

Active Exceptions

Recovery Requirements

Retirement Obligations

Knowledge transfer must be sufficient for the successor's actual control responsibilities.

Evidence Continuity

Material governance evidence must remain available and interpretable after transfer.

Relevant evidence includes:

Lifecycle State Records

Authority Records

Configuration Baselines

Quality Assessments

Security Assessments

Release Decisions

Deployment Records

Change Records

Exception Records

Retirement Records

Transfer must not sever the relationship between current control and historical governance evidence.

Evidence Access

LCTCM must establish whether the successor can access required evidence.

Relevant elements include:

Evidence Location

Access Permission

Data Format

Integrity

Retention Conditions

Retrieval Capability

Interpretation Requirements

Access Restrictions

Evidence existence does not establish evidence accessibility.

Control Dependency Continuity

Control functions may depend on technical or organizational resources.

Potential dependencies include:

Monitoring Platforms

Identity Systems

Configuration Repositories

Approval Systems

Deployment Tools

External Providers

Operational Documentation

Communication Channels

Recovery Systems

The successor must possess appropriate access to required dependencies.

Operational Access Continuity

LCTCM must preserve access necessary for legitimate control.

Relevant elements include:

System Access

Monitoring Access

Configuration Access

Evidence Access

Emergency Access

Intervention Access

Access Validity

Access Revocation

Access continuity must remain consistent with authority boundaries and least-necessary permissions.

Intervention Continuity

Where lifecycle control requires intervention, LCTCM must establish continuing capability.

Potential interventions include:

Pause Deployment

Reject Release

Suspend Automation

Restrict Access

Stop Execution

Initiate Recovery

Escalate Incident

Withdraw Authorization

A successor unable to intervene when required may not possess effective operational control.

Control Transfer Decision

A material transfer decision must preserve:

Transfer Identity

Affected Software

Control Functions

Existing Holder

Intended Successor

Readiness Evidence

Authority Basis

Decision

Conditions

Effective Time

Possible decisions include approval, conditional approval, rejection,

deferral, or reassessment.

Transfer Execution

LCTCM must preserve traceability of the actual transfer.

Relevant elements include:

Transfer Authorization

Executing Actors

Transferred Functions

Permission Changes

Knowledge Delivery

Evidence Access Changes

Operational Activation

Execution Time

Deviations

Transfer execution must remain distinguishable from verified successor control.

Control Acceptance

The intended successor must appropriately accept the transferred functions where required.

Acceptance may establish:

Acknowledged Responsibility

Understood Scope

Authority Awareness

Operational Capability

Known Limitations

Continuing Obligations

Required Evidence

Effective Conditions

Acceptance must not substitute for independent verification of material capabilities.

Successor Control Activation

Control activation establishes that the successor can exercise the transferred function.

Relevant elements include:

Active Responsibility

Applicable Authority

Valid Permissions

Operational Access

Required Tools

Evidence Availability

Monitoring Capability

Intervention Capability

Activation must be verified according to the actual function being transferred.

Transfer Verification

LCTCM must verify the resulting control arrangement.

Relevant elements include:

Transferred Function

Successor Identity

Responsibility

Authority

Capability

Operational Access

Evidence Access

Continuing Obligations

Verification Result

Verification must establish more than completion of administrative handover steps.

Control Continuity Verification

Control continuity verification establishes whether the relevant governance

function remained appropriately controlled throughout the transfer.

Relevant considerations include:

Pre-Transfer Control

Transfer Interval

Post-Transfer Control

Authority Validity

Operational Capability

Monitoring Availability

Intervention Availability

Unresolved Gaps

A successful handover at the final moment does not automatically prove that control was continuous throughout the transition.

Control Gap

A control gap exists when a material lifecycle governance function lacks an appropriate control condition.

Potential gaps include:

No Responsible Actor

No Competent Authority

Insufficient Capability

Missing Access

Unavailable Monitoring

No Intervention Capability

Inaccessible Evidence

Unassigned Continuing Obligation

Control gaps must remain identifiable until appropriately resolved.

Control Gap Significance

LCTCM must assess the significance of control gaps.

Relevant dimensions include:

Affected Software

Operational Criticality

Control Function

Duration

Potential Consequences

Security Exposure

Safety Implications

Dependency Impact

Available Alternatives

Significance must reflect actual governance and operational consequences.

Control Overlap

A transfer may create overlapping control responsibilities.

Potential conditions include:

Parallel Approval Authority

Shared Deployment Access

Concurrent Operational Control

Duplicate Monitoring Responsibility

Overlapping Exception Authority

Overlap may be legitimate where explicitly governed.

It becomes problematic where authority or accountability is ambiguous.

Control Conflict

A control conflict exists where actors possess incompatible responsibilities, authority claims, or operational instructions.

Relevant elements include:

Conflicting Actors

Affected Control Function

Authority Claims

Conflicting Decisions

Applicable Requirements

Operational Consequences

Resolution Authority

Evidence

Conflicts must be resolved through applicable authority rather than informal assumptions.

Partial Control Transfer

A transfer may affect only selected functions.

Relevant elements include:

Transferred Functions

Retained Functions

Shared Functions

Successor Readiness

Continuing Previous Responsibilities

Unresolved Gaps

Verification Evidence

Partial transfer must not be represented as complete control transfer.

Distributed Control

Software lifecycle control may be distributed across multiple actors.

Potential arrangements include:

Separate Release and Deployment Authority

Shared Security and Operations Responsibilities

External Provider Execution

Internal Governance Oversight

Human Approval with Automated Execution

Multiple Autonomous Agents

Distributed control must preserve identifiable authority, responsibility, coordination, and accountability.

Temporary Control Assignment

Temporary assignments may be necessary during:

Absence

Incident Response

Migration

Maintenance

Organizational Transition

Emergency Operations

LCTCM must preserve the assignment's scope, authority, duration, conditions, and termination requirements.

Emergency Control Substitution

An emergency may require replacing an unavailable control holder.

Relevant elements include:

Emergency Condition

Unavailable Function

Substitute Actor

Emergency Authority

Permitted Actions

Operational Constraints

Required Oversight

Post-Event Verification

Emergency necessity does not independently establish unrestricted authority.

Control Transfer Failure

A transfer may fail when:

Successor Rejects Responsibility

Authority Is Invalid

Required Access Is Missing

Operational Capability Is Insufficient

Critical Knowledge Is Unavailable

Monitoring Is Interrupted

Evidence Is Inaccessible

Intervention Is Impossible

The actual resulting control arrangement must be established and governed.

Control Recovery

Where transfer failure creates a material gap, LCTCM must establish appropriate recovery requirements.

Potential actions include:

Restore Previous Control Holder

Assign Competent Substitute

Reestablish Authority

Restore Evidence Access

Recover Monitoring

Restrict Software Operation

Suspend Lifecycle Transitions

Escalate Governance Decision

Recovery must remain within legitimate authority boundaries.

Transfer Reversibility

LCTCM must assess whether a transfer can be reversed.

Relevant elements include:

Previous Holder Availability

Previous Authority Validity

Revoked Permissions

Knowledge Changes

Operational Changes

External Obligations

Recovery Capability

Reversing administrative responsibility does not necessarily restore the previous control arrangement.

Control Transfer and Lifecycle State

A control transfer may occur without changing the software lifecycle state.

Conversely, a lifecycle transition may require control transfer.

LCTCM must preserve this distinction.

Control Holder Changed ≠ Software Lifecycle State Changed.

Software Lifecycle State Changed ≠ Control Holder Automatically Changed.

Control Transfer and Exceptions

Active exceptions may impose continuing obligations.

Relevant elements include:

Exception Identity

Affected Requirement

Applicable Software

Alternative Controls

Monitoring Duties

Residual Risk

Validity Conditions

Review Responsibility

The successor must not be presumed to inherit exception approval authority merely by accepting operational responsibility.

Control Transfer and Retirement

Retirement may change the required control arrangement.

Potential continuing functions include:

Archived Evidence Custody

Data Retention

Recovery Access

Residual Dependency Monitoring

Security Responsibilities

Incident Investigation

Contractual Obligations

Historical Accountability

Operational retirement does not automatically terminate all lifecycle control obligations.

Automated Control Transfer

Automated systems may support:

Transfer Preparation

Access Provisioning

Evidence Migration

Control Status Monitoring

Readiness Assessment

Permission Revocation

Continuity Verification

Governance Reporting

Automation must operate within established authority and verification boundaries.

Autonomous Agent Control Transfer

Control may transfer between autonomous agents or between human and autonomous actors.

LCTCM must preserve:

Outgoing Agent Identity

Incoming Agent Identity

Assigned Functions

Authority Scope

Tool Permissions

Memory and Context Requirements

Execution State

Pending Actions

Intervention Capability

Continuing Obligations

The successor agent must not automatically inherit every permission possessed by the outgoing agent.

Autonomous Control Continuity

Autonomous control continuity requires more than transferring task

descriptions.

Relevant elements include:

Current Operational State

Pending Decisions

Active Tool Sessions

Authorized Actions

Restricted Actions

Unresolved Exceptions

Evidence

Human Oversight

Revocation of Previous Authority

The transfer must prevent uncontrolled parallel execution or unrecognized authority gaps.

Historical Accountability

LCTCM must preserve accountability for decisions and actions occurring before transfer.

Relevant elements include:

Previous Control Holder

Decision History

Applicable Authority

Execution Records

Verification Evidence

Known Deficiencies

Continuing Investigations

Historical Obligations

Transfer of current responsibility must not erase responsibility for prior actions.

Control Reassessment

LCTCM must support reassessment when:

Successor Capability Changes

Authority Changes

Software Scope Changes

Operational Conditions Change

Control Dependency Fails

New Evidence Appears

Exception Conditions Change

Monitoring Is Lost

Control Gap Is Identified

Autonomous Agent Is Replaced

Reassessment must preserve the original transfer decision and subsequent evidence.

Control Transfer Classification

LCTCM recognizes the following governance classifications:

Transfer Proposed

Assessment Pending

Successor Identified

Readiness Pending

Ready for Transfer

Authorization Pending

Authorized

Conditionally Authorized

Transfer Active

Acceptance Pending

Accepted

Activation Pending

Activated

Continuity Verification Pending

Continuity Verified

Partially Transferred

Control Gap Identified

Control Conflict Identified

Transfer Failed

Recovery Required

Reassessment Required

Transfer Closed

Unknown

Conflicted

Classifications must remain associated with their applicable software scope, control functions, authority, evidence, and time.

Governance Requirements

A conforming LCTCM implementation must satisfy the following requirements. Identity and Existing Control

- Establish a stable control transfer case identity
- Identify the governed software object
- Identify affected lifecycle control functions
- Establish the existing control arrangement

• Identify the existing control holder

• Preserve current responsibility

• Preserve current authority

• Identify existing capabilities and dependencies

• Identify unresolved obligations and deficiencies

Successor and Readiness

• Identify the intended successor

• Establish transfer purpose and scope

• Define transfer boundaries

• Establish successor responsibility

• Verify applicable authority

• Identify required permissions

• Assess operational capability

• Assess required resources

• Establish knowledge transfer requirements

• Establish evidence access requirements

• Establish intervention requirements

• Verify transfer readiness

Execution and Continuity

• Establish competent transfer authorization

• Preserve transfer execution evidence

• Establish successor acceptance where required

• Verify successor control activation

• Assess control continuity across the transfer interval

• Identify material control gaps

• Identify overlapping authority

• Identify control conflicts

• Preserve partial transfer conditions

• Govern temporary control assignments

• Establish emergency substitution conditions

• Preserve previous authority revocation where required

Continuing Obligations

• Preserve active exception obligations

• Preserve lifecycle state information

• Preserve required operational dependencies

• Preserve historical governance evidence

• Preserve prior accountability

• Establish continuing responsibilities

• Identify reassessment triggers

• Establish control recovery requirements

• Verify the resulting control arrangement

• Preserve unresolved deficiencies

• Establish transfer closure conditions

• Provide control continuity evidence to LCAM

Governance Logic

Software Identity → Control Transfer Case Identity → Existing Control

Arrangement → Affected Control Functions → Transfer Purpose → Transfer Scope → Intended Successor → Responsibility Assessment → Authority Assessment → Capability Assessment → Knowledge and Evidence Continuity → Transfer Preconditions → Readiness → Competent Transfer Decision → Governed Transfer → Successor Acceptance → Control Activation → Continuity Verification → Residual Obligation Reconciliation → Transfer Classification → Closure → Software Lifecycle Control Continuity Profile

Where control transfer is successful:

Existing Control → Verified Successor Readiness → Legitimate Transfer →

Successor Activation → Continuity Verified

Where responsibility is assigned without authority:

Responsibility Assignment → Authority Gap → Transfer Not Fully Ready

Where authority exists without capability:

Authority Established → Capability Deficiency → Control Effectiveness Not

Established

Where control continuity fails:

Transfer Execution → Control Gap → Operational Consequence Assessment →

Recovery or Corrective Governance

Where multiple actors retain control:

Overlapping Control → Authority and Responsibility Assessment → Legitimate

Shared Control or Conflict

Where an autonomous agent is replaced:

Outgoing Agent → Pending Actions and Authority Assessment → Incoming Agent

Readiness → Permission Alignment → Previous Authority Revocation → Continuity Verification

LCTCM must not treat administrative handover as proof of effective control transfer.

Governance Outputs

The principal output is:

Software Lifecycle Control Continuity Profile

Supporting outputs may include:

Lifecycle Control Transfer Case Identity

Existing Control Arrangement Profile

Control Function Register

Successor Identification Record

Responsibility Transfer Record

Authority Transfer Record

Permission Alignment Record

Successor Capability Assessment

Control Transfer Readiness Profile

Knowledge Continuity Record

Evidence Continuity Record

Control Dependency Profile

Control Transfer Decision

Control Acceptance Record

Control Activation Record

Control Continuity Verification

Control Gap Record

Control Conflict Record

Control Recovery Record

Historical Accountability Record

Control Transfer Closure Record

Minimum Implementation Framework

A minimum LCTCM implementation must establish eight governance layers. Layer 1 — Control Identity

Identify the software object, affected control functions, existing control

holder, and intended successor. Layer 2 — Responsibility and Authority

Establish the existing and intended responsibility arrangements, legitimate

authority, permissions, and transfer boundaries. Layer 3 — Capability Readiness

Assess whether the successor possesses the required expertise, resources,

access, monitoring, and intervention capability. Layer 4 — Knowledge and Evidence Continuity

Preserve the information, operational context, historical decisions, active

exceptions, and evidence required for effective control. Layer 5 — Transfer Authorization

Establish competent transfer authority and verify mandatory preconditions. Layer 6 — Transfer Execution and Acceptance

Preserve execution evidence, successor acceptance, permission changes, and

actual control activation. Layer 7 — Continuity Verification

Assess whether material control functions remained legitimately assigned

and operationally capable throughout the transfer. Layer 8 — Residual Obligations and Closure

Identify unresolved gaps, continuing responsibilities, recovery

requirements, reassessment triggers, and transfer closure conditions.

The framework may be implemented through governance registers, identity and access systems, operational handover procedures, service management platforms, workflow systems, or AI-assisted assessment.

The implementation mechanism must adapt to the actual governed control relationships.

Cross-Module Boundary

LSCCM → LCTCM

LSCCM establishes the software lifecycle state and its evidence-supported

consistency.

LCTCM preserves the control relationships required to govern that state.

LTCM → LCTCM

LTCM governs legitimate transitions between lifecycle states.

LCTCM governs continuity of the actors, authority, responsibility, and

capability controlling those transitions.

LEMM → LCTCM

LEMM establishes the conditions of lifecycle exceptions.

LCTCM preserves applicable exception obligations during control transfer.

LCTCM → LCAM

LCTCM establishes transfer and continuity evidence.

LCAM assesses whether the relevant lifecycle control arrangements are suitable and operationally effective.

Control continuity is distinct from lifecycle state consistency, transition authorization, exception legitimacy, and control effectiveness assessment.

Cross-Architecture Boundary

LCTCM governs lifecycle control transfer and continuity within SLGA™.

It does not replace specialized authority, identity, accountability, or operational governance.

Authority Governance

Legitimate authority origin, delegation, permission, and revocation.

Accountability Governance

Responsibility, decision attribution, control relationships, and historical

accountability.

Identity Governance

Continuity and verification of software, human, organizational, and

autonomous actor identities.

Operational Reality Governance

Verification of actual control capability and operational conditions.

AI Governance

Governance requirements for AI-enabled lifecycle control activities.

Autonomous Systems Governance

Authority, execution, intervention, and continuity of autonomous control.

LCTCM applies these relationships to the transfer of software lifecycle

control without redefining their independently governed mechanisms.

Practical Applications

Enterprise Software Governance

Transferring lifecycle control between development, operations, security,

and maintenance teams.

Software Outsourcing

Preserving governance continuity during service provider replacement.

Cloud Operations

Transferring control across cloud providers, platforms, or operational

teams.

Software Supply Chains

Maintaining responsibility and evidence continuity across suppliers and

maintainers.

AI Systems

Transferring model lifecycle control between development, deployment, and

operational functions.

Autonomous Agents

Replacing autonomous lifecycle control agents while preserving authority

boundaries and pending obligations.

Industrial Software

Maintaining control when equipment maintenance or software support responsibility changes.

Software Retirement

Preserving archival, security, evidence, and residual dependency

responsibilities after operational withdrawal.

Practical Use Case 1 — Software Maintenance Provider Replacement

An organization replaces the external provider responsible for maintaining

a business-critical software platform.

The previous provider possesses deployment access, configuration knowledge,

monitoring credentials, incident procedures, and records of unresolved security issues.

The new provider receives a contract assigning maintenance responsibility.

However, its deployment permissions are not yet active, several configuration records are unavailable, and the organization has not established who may authorize emergency changes during the transition.

LCTCM evaluates:

Existing Control Arrangement → Transferred Functions → Successor

Responsibility → Authority → Capability → Evidence Access → Operational Readiness → Transfer Verification

The assessment identifies:

• Contractual responsibility has been assigned

• Required operational permissions remain incomplete

• Governance evidence continuity is insufficient

• Emergency change authority is unclear

• The new provider cannot yet demonstrate effective lifecycle control

The transfer is classified as:

Responsibility Assigned — Control Continuity Not Yet Verified.

The organization must establish the missing authority, access, knowledge, and verification conditions before treating the transfer as complete.

Maintenance Contract Transferred ≠ Lifecycle Control Transferred.

Practical Use Case 2 — Autonomous Software Agent Replacement

An organization operates an autonomous agent responsible for monitoring

software dependencies, preparing maintenance changes, and initiating authorized testing.

The organization replaces the agent with a newer autonomous system.

The outgoing agent has active tool permissions, scheduled tasks, unresolved

maintenance proposals, and access to historical decision records.

The incoming agent receives the same general objective but does not automatically possess the same legitimate authority or operational context.

LCTCM evaluates:

Outgoing Agent Identity → Assigned Functions → Active Permissions →

Pending Actions → Incoming Agent Identity → Authority Alignment → Capability Readiness → Evidence Continuity → Control Activation → Previous Authority Revocation

The assessment establishes:

• The incoming agent must receive independently valid permissions

• Pending actions must be identified and appropriately transferred,

• Relevant evidence and operational context must remain available

• The outgoing agent's authority must be revoked or restricted as

• Parallel execution must remain within explicitly governed boundaries

• Human intervention capability must remain available where required

canceled, or retained. required.

The transfer is complete only when the resulting control arrangement and its continuity have been verified.

Agent Replacement ≠ Automatic Authority Inheritance.

Critical Distinctions

Software Ownership Transfer ≠ Lifecycle Control Transfer.

Responsibility Assigned ≠ Authority Established.

Authority Established ≠ Capability Available.

Capability Available ≠ Permission Granted.

Permission Granted ≠ Control Effective.

Access Provided ≠ Knowledge Transferred.

Knowledge Transferred ≠ Operational Readiness Verified.

Evidence Exists ≠ Evidence Accessible.

Transfer Authorized ≠ Transfer Executed.

Transfer Executed ≠ Transfer Accepted.

Transfer Accepted ≠ Control Activated.

Control Activated ≠ Control Continuity Verified.

Administrative Handover ≠ Operational Control Continuity.

Control Holder Changed ≠ Software Lifecycle State Changed.

Control Overlap ≠ Legitimate Shared Authority.

Temporary Assignment ≠ Unrestricted Delegation.

Emergency Substitution ≠ Unlimited Emergency Authority.

Agent Replacement ≠ Automatic Authority Inheritance.

Current Responsibility Transfer ≠ Historical Accountability Erased.

Software Retirement ≠ Elimination of Continuing Control Obligations.

Canonical Boundary

Lifecycle Control Transfer & Continuity Module (LCTCM) governs the

legitimate transfer and preservation of software lifecycle control functions, responsibilities, authority relationships, operational capabilities, evidence, and continuing obligations between identifiable actors or control arrangements.

It establishes whether the intended successor is appropriately authorized, capable, informed, operationally ready, and able to exercise the required control functions.

It preserves control continuity across organizational, technical,

contractual, automated, and autonomous transitions.

It identifies control gaps, conflicting authority, incomplete transfers,

and unassigned obligations.

It does not create authority through transfer documentation, establish ownership rights, or erase historical accountability.

It does not replace specialized operational handover, identity, authority, or accountability governance.

Its principal governance output is the:

Software Lifecycle Control Continuity Profile

This output establishes what control functions were transferred, under what

authority, to whom, with what capabilities and evidence, and whether effective lifecycle control remained continuous throughout the transition.

Canonical Closing Statement

Software lifecycle control does not remain continuous merely because someone new has been assigned responsibility for it.

A maintenance contract may transfer while the new provider lacks deployment access.

An operational team may assume responsibility without receiving the required configuration knowledge.

An organization may transfer software ownership while security and recovery obligations remain unassigned.

An automated system may replace a human workflow without preserving legitimate approval authority.

And a new autonomous agent may inherit a task objective without inheriting the authority, evidence, or operational context required to execute it.

These conditions reveal that control transfer is not simply an administrative change.

It is a change in the relationships through which software remains governable.

LCTCM establishes the mechanism required to preserve those relationships.

It identifies the functions that must remain controlled.

It separates responsibility from authority and operational capability.

It verifies successor readiness.

It preserves knowledge, evidence, and dependencies.

It governs permissions and intervention capability.

It identifies gaps and conflicts during transfer.

It preserves historical accountability.

And it requires actual control continuity to be demonstrated rather than

assumed.

Control continuity is not established by the identity of the successor. It is established by the verified preservation of legitimate authority, capable responsibility, and effective operational control.

Lifecycle Control Transfer & Continuity Module (LCTCM) establishes the

continuity foundation of software lifecycle governance—ensuring that control remains accountable and operationally effective even when the actors, organizations, technologies, and systems responsible for it change.