# RWM — Release Withdrawal Module

## RWM — Release Withdrawal Module

OOF® Origin Open Foundation®

Independent Methodological Authority

Architecture: SLGA™ — Software Lifecycle Governance Architecture

Parent Standard: SRLS — Software Release Standard

Category: Governance & Enforcement

Subcategory: Software Lifecycle Governance

Type: Core Module

Governed Space: Software Release Withdrawal Governance

Module ID: SLGA-SRLS-RWM-05

Origin ID: OOF-SLGA-SRLS-RWM

Version: 1.0

Status: Canonical Open

Effective Date: 13.10.2026

Compatibility: Methodology OS — Modular Compatibility

GIE-Compatible: Yes

AI-Readable: Yes

Authority: OOF® — OriginOpen® Foundation

Protection: Protected Methodological Work

Canonical Language: English

## Canonical Definition

RWM — Release Withdrawal Module is the Core Module within SRLS that governs how previously authorized, published, distributed, or otherwise available software releases are identified, evaluated, restricted, suspended, withdrawn, and reassessed when their continued release availability, authorization applicability, distribution eligibility, or supporting governance conditions can no longer be sufficiently maintained.

## RWM establishes the methodological conditions under which a software

release must be considered for withdrawal and how the resulting withdrawal decision, scope, authority, execution references, evidence, residual availability, and lifecycle consequences are governed.

## It governs the distinction between identifying a withdrawal condition,

authorizing a withdrawal, executing withdrawal actions, and verifying the resulting release availability state.

The module recognizes that software release withdrawal may affect distribution channels, repositories, registries, download endpoints, update mechanisms, recipient access, and previously distributed artifacts differently.

Removing a release from one distribution location does not establish that all copies have become unavailable.

Similarly, withdrawing release authorization does not automatically remove deployed software, reverse completed installations, or eliminate operational exposure.

## RWM preserves the relationship between release withdrawal decisions and the

underlying governance conditions that require restriction, suspension, reassessment, or withdrawal.

Its principal governed output is the Software Release Withdrawal Profile.

Release Authorization Revoked ≠ Software Release Automatically Withdrawn.

Release Withdrawal Authorized ≠ Release Withdrawal Executed.

Release Removed from One Channel ≠ Release Universally Unavailable.

Release Withdrawal Completed ≠ Deployed Software Removed.

Withdrawal Action Executed ≠ Withdrawal Effectiveness Verified.

## Operational Role

## RWM governs the controlled withdrawal of software releases from applicable

release and distribution availability.

Its operational role is to establish:

• Withdrawal identity

• Affected release identity

• Withdrawal purpose

• Withdrawal trigger

• Withdrawal scope

• Withdrawal authority

• Decision actor eligibility

• Withdrawal urgency

• Withdrawal prerequisites

• Release availability references

• Distribution channel references

• Recipient exposure references

• Withdrawal restrictions

• Withdrawal decision

• Withdrawal execution references

• Withdrawal evidence

• Withdrawal effectiveness

• Residual availability

• Partial withdrawal

• Withdrawal exceptions

• Escalation conditions

• Reassessment requirements

• Reauthorization references

• Historical withdrawal states

• Deployment governance handoffs

• Lifecycle continuity

RWM does not independently execute deployment rollback, uninstall software from operational environments, revoke general organizational authority, or determine liability for consequences arising from a release.

## Operational Question

How can software releases be legitimately and effectively withdrawn when authorization, security, quality, dependency, configuration, or other release-governing conditions become invalid, while ensuring that withdrawal decisions, distribution boundaries, execution actions, residual availability, deployed software exposure, evidence, and lifecycle consequences remain identifiable, traceable, and appropriately governed?

## Position in Architecture Governance Flow

## SLGA™ Governance Flow

## Software Requirements → Software Creation → Software Dependencies →

Software Configuration → Software Quality → Software Security → Software Release → Software Deployment → Software Change Management → Software Retirement

Cross-cutting:

## Software Lifecycle Control

## SRLS Core Module Flow

## RCMM — Release Candidate Management Module

2. RRM — Release Readiness Module 3. RAM — Release Authorization Module 4. RRMM — Release Record Management Module 5. RWM — Release Withdrawal Module

RWM occupies the fifth and final Core Module position within SRLS.

## It receives release identities, authorization states, and historical

release records from the preceding SRLS modules.

## RWM governs whether continued release availability remains supportable and,

where necessary, establishes the conditions for restricted availability, suspension, or withdrawal.

## It provides downstream governance references to deployment, change

management, retirement, and lifecycle control mechanisms.

## Release Candidate Profile → Release Readiness Profile → Release

Authorization Profile → Software Release Record Profile → Withdrawal Trigger → Withdrawal Scope → Withdrawal Authority → Withdrawal Decision → Withdrawal Execution Reference → Effectiveness Verification → Residual Availability Assessment → Software Release Withdrawal Profile → Lifecycle Governance Handoff

• Governed Space

## Software Release Withdrawal Governance

## This governed space concerns the legitimate and evidence-supported

restriction, suspension, or withdrawal of software release availability.

It includes:

• Withdrawal identification

• Withdrawal triggers

• Release identity

• Withdrawal boundaries

• Distribution channel scope

• Withdrawal authority

• Withdrawal decision

• Withdrawal urgency

• Execution references

• Availability verification

• Residual exposure

• Partial withdrawal

• Withdrawal exceptions

• Recipient communication references

• Reassessment

• Reauthorization

• Historical withdrawal continuity

• Lifecycle handoffs

RWM does not independently govern deployment rollback execution, incident remediation, operational recovery, or software retirement.

## Governed Object

The primary Governed Object is:

## A Software Release Withdrawal State representing the evidence-supported

relationship between an identifiable software release, its applicable withdrawal conditions, legitimate withdrawal authority, affected distribution scope, withdrawal actions, verified availability changes, residual exposure, and resulting governance classification.

The governed state must preserve:

## Software Product ID

## Release ID

## Release Withdrawal ID

## Release Record Reference

## Withdrawal Trigger

## Withdrawal Purpose

## Withdrawal Scope

## Withdrawal Authority

## Decision Actor

## Withdrawal Decision

## Execution References

## Affected Distribution Channels

## Withdrawal Evidence

## Residual Availability

## Withdrawal Effectiveness

## Withdrawal Classification

## Reassessment Requirement

## Lifecycle Handoff

Version

## Scope

RWM governs:

• Withdrawal requests

• Withdrawal triggers

• Affected release identification

• Withdrawal boundaries

• Distribution availability references

• Withdrawal authority

• Decision actor eligibility

• Withdrawal urgency

• Withdrawal decisions

• Partial and complete withdrawal classifications

• Execution evidence

• Effectiveness verification

• Residual availability

• Withdrawal exceptions

• Escalation

• Reassessment

• Reauthorization conditions

• Historical withdrawal preservation

• Deployment and lifecycle handoffs

RWM does not independently determine operational safety, perform software remediation, or guarantee removal of all previously distributed software copies.

## Foundational Governance Principles8.1 Authorization–Withdrawal

Separation Principle

Release Authorization Revoked ≠ Software Release Automatically Withdrawn. 8.2 Decision–Execution Separation Principle

Release Withdrawal Authorized ≠ Release Withdrawal Executed. 8.3 Distribution Boundary Principle

Release Removed from One Channel ≠ Release Universally Unavailable. 8.4 Deployment Boundary Principle

Release Withdrawal Completed ≠ Deployed Software Removed. 8.5 Effectiveness Principle

Withdrawal Action Executed ≠ Withdrawal Effectiveness Verified. 8.6 Authority Principle

Technical Ability to Remove a Release ≠ Legitimate Withdrawal Authority. 8.7 Scope Principle

Partial Release Withdrawal ≠ Complete Release Withdrawal. 8.8 Evidence Principle

Withdrawal Completion Reported ≠ Withdrawal Completion Proven. 8.9 Continuity Principle

Release Previously Withdrawn ≠ Release Continuously Unavailable. 8.10 Historical Integrity Principle

Release Withdrawn ≠ Historical Release Record Erased.

## Release Withdrawal Identity

Every governed withdrawal process must establish:

## Release Withdrawal ID

## Software Product ID

## Release ID

## Release Record ID

## Withdrawal Purpose

## Withdrawal Trigger

## Withdrawal Scope

## Withdrawal Authority Reference

## Withdrawal Initiation Time

## Withdrawal Classification

Version

## Withdrawal Identity Principle

Withdrawal Request Identified ≠ Affected Release Sufficiently Identified.

## Withdrawal Purpose

Withdrawal purposes may include:

## Security Exposure Reduction

## Critical Defect Containment

## Invalid Authorization Response

## Release Integrity Protection

## Dependency Risk Containment

## Distribution Restriction Enforcement

## Regulatory or Contractual Response

## Release Replacement

## Lifecycle Closure Support

The purpose must remain distinguishable from the evidence establishing the need for withdrawal.

## Purpose Integrity

## Withdrawal Purpose Legitimate ≠ Withdrawal Method Automatically

Appropriate.

## Withdrawal Triggers

Withdrawal may be considered when:

## Critical Vulnerability Identified

## Material Quality Failure Identified

## Release Authorization Revoked

## Release Authorization Expired

## Release Artifact Integrity Compromised

## Dependency Risk Becomes Unacceptable

## Configuration Defect Identified

## Distribution Restriction Violated

## Release Evidence Invalidated

## Applicable Release Conditions No Longer Satisfied

## Authorized Withdrawal Instruction Received

A trigger initiates evaluation.

It does not automatically establish that every possible withdrawal action is required or authorized.

## Trigger Principle

## Withdrawal Trigger Identified ≠ Withdrawal Decision Automatically

Established.

## Affected Release Identification

RWM must establish the software releases affected by the withdrawal condition.

Relevant elements include:

## Software Product ID

## Release ID

## Release Version

## Artifact Identity

## Build Reference

## Configuration Reference

## Dependency Reference

## Release Record Reference

## Related Release References

## Release Identification Principle

Software Version Affected ≠ Every Artifact Bearing That Version Identically Affected.

## Withdrawal Scope

Withdrawal scope defines the release availability affected by the decision.

Relevant dimensions include:

## Software Product Scope

## Release Version Scope

## Artifact Scope

## Distribution Channel Scope

## Recipient Scope

## Geographic Scope

## Temporal Scope

## Repository Scope

## Update Mechanism Scope

## Release Authorization Scope

## Scope Integrity

Withdrawal Applied to a Defined Scope ≠ Withdrawal Completed Outside That Scope.

## Distribution Availability Baseline

RWM establishes the relevant release availability state before withdrawal.

Relevant elements include:

## Distribution Channel

## Repository Location

## Download Endpoint

## Package Registry

## Update Service

## Release Mirror

## Known Recipient Group

## Published Artifact Reference

## Availability Evidence

## Observation Time

## Availability Baseline Principle

Known Distribution Locations ≠ Every Existing Software Copy Identified.

## Withdrawal Authority

RWM must identify the authority under which withdrawal may legitimately occur.

Relevant elements include:

## Authority Reference

## Authority Source

## Authority Holder

## Permitted Withdrawal Function

## Authority Scope

## Authority Conditions

## Authority Validity

## Delegation Reference

## Revocation Status

## The legitimacy of general authority remains governed by the applicable

authority architecture.

## Authority Integrity

## Repository Administrative Access ≠ Legitimate Release Withdrawal

Authority.

## Withdrawal Decision Actor

The withdrawal decision may be executed by:

## Authorized Human

## Authorized Organizational Function

## Automated Release Governance System

## Delegated AI Agent

## Autonomous Software Governance Agent

## Hybrid Human–Machine Decision Process

The decision actor must remain distinguishable from the authority governing the decision.

## Actor Principle

Actor Capable of Withdrawal ≠ Actor Authorized to Decide Withdrawal.

## Delegated Withdrawal Authority

Where withdrawal authority is delegated, RWM must preserve:

## Delegation Reference

## Delegating Authority

## Receiving Actor

## Delegated Withdrawal Function

## Permitted Release Scope

## Permitted Withdrawal Actions

## Delegation Conditions

## Delegation Restrictions

## Delegation Validity

## Revocation Reference

## Delegation Principle

## Authority to Publish Software ≠ Authority to Withdraw Every Published

Release.

## Automated Withdrawal

Automated withdrawal may be used where applicable authority and decision conditions are established.

Relevant elements include:

## Automated Withdrawal System ID

## Withdrawal Policy Reference

## Authority Reference

## Permitted Withdrawal Triggers

## Permitted Distribution Scope

## Required Evidence

## Decision Conditions

## Execution Restrictions

## Escalation Requirements

## Withdrawal Event Evidence

Automation must not replace the requirement for legitimate withdrawal authority.

## Automation Integrity

## Automated Withdrawal Trigger Activated ≠ Legitimate Withdrawal Decision

Established.

## Autonomous Agent Withdrawal

Where autonomous AI agents participate in withdrawal decisions or execution, RWM must preserve:

## Agent Identity

## Authority Reference

## Delegated Withdrawal Function

## Permitted Tools

## Permitted Release Scope

## Decision Constraints

## Execution Evidence

## Escalation Conditions

## Override Conditions

## Withdrawal State

The agent's authority must cover the specific withdrawal decision and applicable constituent actions.

## Autonomous Authority Principle

## Agent Authorized to Monitor Release Risk ≠ Agent Authorized to Remove

Software Releases.

## Withdrawal Urgency

Withdrawal urgency must reflect the supported severity and time sensitivity of the governing condition.

Relevant elements include:

## Trigger Severity

## Exposure Scope

## Potential Consequences

## Affected Recipients

## Time Sensitivity

## Available Mitigations

## Evidence Confidence

## Escalation Requirements

Urgency must not silently eliminate mandatory authority conditions.

## Urgency Principle

Withdrawal Urgent ≠ Withdrawal Authority Unlimited.

## Withdrawal Prerequisites

## RWM identifies the conditions required before the applicable withdrawal

decision or action.

Relevant elements include:

## Affected Release Identified

## Withdrawal Trigger Evaluated

## Applicable Authority Established

## Withdrawal Scope Defined

## Decision Actor Eligible

## Required Evidence Available

## Execution Mechanism Identified

## Applicable Restrictions Preserved

## Required Escalation Established

Emergency mechanisms may use different prerequisites only where legitimately established.

## Prerequisite Principle

Withdrawal Prerequisites Documented ≠ Withdrawal Prerequisites Satisfied.

## Withdrawal Decision

RWM establishes an explicit withdrawal decision.

Relevant elements include:

## Withdrawal Decision ID

## Affected Release

## Withdrawal Trigger

## Withdrawal Authority

## Decision Actor

## Withdrawal Scope

## Decision Evidence

## Withdrawal Classification

## Restrictions

## Effective Time

## Required Execution Actions

## Decision Integrity

Withdrawal Decision Recorded ≠ Withdrawal Decision Executed.

## Withdrawal Decision Classification

Possible decisions include:

## Withdrawal Not Required

## Withdrawal Review Required

## Withdrawal Deferred

## Restricted Availability Required

## Release Suspension Required

## Partial Withdrawal Authorized

Complete Withdrawal Authorized Within Defined Scope

## Withdrawal Denied

## Evidence-Limited

## Conflicted

## Unknown

A complete withdrawal authorization applies only within its defined boundary.

## Classification Principle

Complete Withdrawal Authorized Within Scope ≠ Universal Removal of All Software Copies.

## Release Restriction

## A release restriction limits continued release availability without

necessarily requiring complete withdrawal.

Relevant elements include:

## Restriction ID

## Affected Release

## Restriction Purpose

## Restricted Channel

## Restricted Recipient Scope

## Restriction Authority

## Restriction Effective Time

## Restriction Evidence

## Reassessment Requirement

## Restriction Principle

Release Availability Restricted ≠ Release Fully Withdrawn.

## Release Suspension

## Release suspension establishes a temporary restriction on continued release

availability or release eligibility.

Relevant elements include:

## Suspension ID

## Affected Release

## Suspension Trigger

## Suspension Authority

## Suspension Scope

## Suspension Start

## Suspension Conditions

## Reassessment Requirement

## Resumption Conditions

## Suspension Integrity

Release Suspended ≠ Release Permanently Withdrawn.

## Partial Withdrawal

## Partial withdrawal concerns the removal or restriction of release

availability within a limited scope.

Relevant elements include:

## Affected Artifact

## Affected Channel

## Affected Recipient Group

## Withdrawal Boundary

## Completed Actions

## Remaining Availability

## Residual Exposure

## Evidence Basis

## Partial Withdrawal Principle

## Release Withdrawn from One Repository ≠ Release Withdrawn from Every

Repository.

• Complete Withdrawal Within Scope

A complete withdrawal classification requires evidence that the defined withdrawal scope has been addressed.

Relevant elements include:

## Defined Withdrawal Boundary

## Known Distribution Channels

## Required Withdrawal Actions

## Execution Evidence

## Availability Verification

## Unresolved Exceptions

## Residual Availability

## Completion Classification

Complete withdrawal within scope must not be represented as universal elimination of software copies.

## Completion Principle

Withdrawal Complete Within Defined Scope ≠ All Previously Distributed Copies Eliminated.

## Withdrawal Execution References

RWM preserves references to operational withdrawal actions.

Possible actions include:

## Repository Removal

## Package Registry Withdrawal

## Download Endpoint Deactivation

## Release Channel Restriction

## Update Publication Suspension

## Artifact Distribution Blocking

## Release Mirror Notification

## Recipient Notification

## Execution remains performed by the relevant operational systems or

authorized actors.

## Execution Principle

Withdrawal Action Requested ≠ Withdrawal Action Completed.

## Distribution Channel Withdrawal

## RWM governs the release withdrawal state across affected distribution

channels.

Relevant elements include:

## Channel ID

## Release Artifact Reference

## Withdrawal Action

## Execution Actor

## Execution Time

## Execution Evidence

## Channel Availability State

## Verification Result

## Channel Integrity

## Primary Distribution Channel Disabled ≠ Secondary Distribution Channels

Disabled.

## Repository Withdrawal

## Repository withdrawal concerns the removal or restriction of release

availability through a repository.

Relevant elements include:

## Repository ID

## Release Reference

## Package Reference

## Removal or Restriction Action

## Execution Evidence

## Repository State

## Verification Time

## Residual Availability

## Repository Principle

Repository Entry Removed ≠ Previously Downloaded Software Removed.

## Package Registry Withdrawal

Where software is distributed through package registries, RWM preserves:

## Registry Reference

## Package Identity

## Package Version

## Withdrawal Mechanism

## Registry Restrictions

## Execution Status

## Availability Verification

## Known Replication Limitations

## Registry Integrity

## Package Version Withdrawn from Registry ≠ Package Version Unavailable

Through Every Mirror or Cache.

## Update Channel Withdrawal

RWM governs withdrawal implications for software update distribution.

Relevant elements include:

## Update Channel ID

## Affected Update Package

## Update Publication State

## Automatic Update Eligibility

## Distribution Restriction

## Withdrawal Execution Reference

## Verification Evidence

## Remaining Update Exposure

## Update Channel Principle

Update Distribution Suspended ≠ Previously Installed Update Reversed.

## Release Mirror and Cache Exposure

RWM must account for known release availability through mirrors, caches, or replicated distribution mechanisms.

Relevant elements include:

## Mirror Reference

## Cache Reference

## Replication Scope

## Artifact Availability

## Removal Capability

## Withdrawal Notification

## Verification Evidence

## Known Limitations

## Replication Principle

Origin Release Removed ≠ Replicated Release Copies Removed.

## Recipient Exposure

RWM preserves known recipient exposure relevant to withdrawal effectiveness.

Relevant elements include:

## Recipient Group

## Distribution Channel

## Known Download Events

## Known Delivery Events

Installed Software References Where Available

## Notification Requirements

## Residual Exposure

## Evidence Limitations

## Recipient Principle

## Release No Longer Available for Download ≠ Previously Exposed Recipients

No Longer Affected.

## Withdrawal Communication References

RWM may preserve references to withdrawal communications.

Relevant elements include:

## Communication ID

## Communication Purpose

## Affected Release

## Recipient Scope

## Communication Authority

## Communication Channel

## Communication Time

## Delivery Evidence

## Required Follow-Up

## Communication Principle

Withdrawal Notice Issued ≠ Withdrawal Notice Received or Acted Upon.

## Withdrawal Evidence

RWM may use:

## Release Record Profile

## Release Authorization Profile

## Security Findings

## Quality Findings

## Dependency Risk Evidence

## Artifact Integrity Evidence

## Withdrawal Decision Record

## Repository Removal Evidence

## Registry Withdrawal Evidence

## Distribution Channel Evidence

## Recipient Notification Evidence

## Availability Verification Evidence

## Evidence Provenance

Withdrawal evidence must preserve:

## Evidence ID

## Source

## Origin

## Collection Method

## Affected Release

## Affected Distribution Channel

## Observation Time

## Collection Time

## Evidence Content

## Known Limitations

Version

## Provenance Principle

Withdrawal Evidence Recorded ≠ Withdrawal Evidence Reliable.

## Evidence Sufficiency

## Evidence sufficiency concerns whether the available evidence supports the

claimed withdrawal state.

Relevant dimensions include:

## Release Identity Coverage

## Distribution Channel Coverage

## Execution Evidence

## Availability Verification

## Recipient Scope Coverage

## Temporal Coverage

## Evidence Freshness

## Evidence Consistency

## Known Replication Exposure

## Evidence Sufficiency Principle

## Withdrawal Action Logs Available ≠ Withdrawal Effectiveness Sufficiently

Established.

## Withdrawal Effectiveness Verification

## RWM governs verification of whether the required withdrawal effects have

occurred.

Relevant elements include:

## Withdrawal Decision Reference

## Required Action

## Executed Action

## Affected Channel

## Observed Availability

## Verification Method

## Verification Time

## Residual Exposure

## Verification Classification

## Effectiveness Principle

Withdrawal Execution Successful ≠ Withdrawal Objective Fully Achieved.

## Residual Availability Assessment

Residual availability concerns release copies or distribution paths that remain accessible after withdrawal actions.

Relevant elements include:

## Remaining Distribution Channels

## Known Mirrors

## Known Caches

## Previously Downloaded Artifacts

## Previously Distributed Packages

## Uncontrolled Copies

## Verification Limitations

## Residual Availability Classification

## Residual Availability Principle

Known Distribution Channels Cleared ≠ No Residual Software Copies Exist.

## Withdrawal Exceptions

Withdrawal exceptions may include:

## Unavailable Distribution Channel

## Uncontrolled External Mirror

## Inaccessible Recipient Environment

## Conflicting Withdrawal Instruction

## Insufficient Artifact Identification

## Missing Execution Evidence

## Unverified Withdrawal Effect

## Legal or Contractual Restriction

Exceptions must remain explicit and traceable.

## Exception Principle

Withdrawal Exception Recorded ≠ Withdrawal Exception Resolved.

## Withdrawal Uncertainty

Withdrawal uncertainty may arise from:

## Incomplete Distribution Records

## Unknown Recipients

## Unknown Mirrors

## Unavailable Verification Evidence

## Uncontrolled Software Copies

## Conflicting Channel Reports

## Delayed Distribution State Updates

## Unknown Operational Exposure

## Uncertainty Principle

Withdrawal Uncertainty Acknowledged ≠ Withdrawal Uncertainty Eliminated.

## Withdrawal Escalation

RWM governs the identification of conditions requiring escalation.

Relevant elements include:

## Escalation Trigger

## Affected Release

## Withdrawal Severity

## Residual Exposure

## Evidence Basis

## Responsible Authority

## Required Action

## Escalation Status

## Escalation Principle

Withdrawal Escalation Initiated ≠ Withdrawal Risk Resolved.

## Withdrawal and Deployment Separation

## Release withdrawal governs continued release availability and distribution

eligibility.

## Deployment governance concerns software installation, activation,

operation, rollback, and recovery within operational environments.

A withdrawn release may remain deployed.

A deployment rollback may occur without withdrawal of the underlying release.

The two mechanisms must preserve their separate governance states.

## Deployment Boundary Principle

Release Withdrawal ≠ Deployment Rollback.

Deployment Rollback ≠ Release Withdrawal.

## Withdrawal and Remediation Separation

## Software remediation concerns correction or mitigation of the underlying

defect, vulnerability, or other condition.

Withdrawal may reduce further distribution exposure.

It does not independently correct the affected software.

## Remediation Principle

Release Withdrawn ≠ Underlying Software Defect Remediated.

## Withdrawal and Retirement Separation

## Software retirement concerns the controlled end of a software product's

supported lifecycle.

Release withdrawal may affect a particular version while the product remains active.

Software retirement may involve many releases and additional operational obligations.

## Retirement Boundary Principle

Software Release Withdrawn ≠ Software Product Retired.

## Withdrawal Reassessment

Withdrawal reassessment may be required when:

## Withdrawal Trigger Changes

## Affected Release Scope Changes

## Distribution Evidence Changes

New Mirrors Are Identified

Additional Recipients Are Identified

## Withdrawal Actions Fail

## Residual Availability Changes

## Remediation Evidence Becomes Available

## Authorization Conditions Change

Reauthorization Is Requested

## Reassessment Principle

Withdrawal Reassessment Completed ≠ Release Automatically Reauthorized.

## Release Reauthorization References

Where a withdrawn release is proposed for renewed availability, RWM must preserve:

## Original Withdrawal ID

## Original Withdrawal Trigger

## Withdrawal Resolution Evidence

## Current Candidate Reference

## Current Readiness Reference

## Current Authorization Reference

## Reauthorization Conditions

## Remaining Restrictions

## Reavailability Decision Reference

New release authorization remains governed by RAM.

## Reauthorization Principle

Withdrawal Cause Resolved ≠ Release Authorization Automatically Restored.

## Historical Withdrawal State Preservation

RWM must preserve historical withdrawal states.

Relevant elements include:

## Original Release State

## Original Authorization State

## Withdrawal Trigger

## Withdrawal Decision

## Withdrawal Scope

## Execution Events

## Verification Results

## Residual Availability

## State Transition Time

## Superseding State

## Historical Integrity

Release Reauthorized Later ≠ Previous Withdrawal History Erased.

## Withdrawal Classification

RWM may classify withdrawal states as:

## Withdrawal Not Initiated

## Withdrawal Review Required

## Withdrawal Trigger Identified

## Withdrawal Decision Pending

## Withdrawal Not Required

## Withdrawal Authorized

## Withdrawal Denied

## Release Availability Restricted

## Release Suspended

## Partial Withdrawal In Progress

## Complete Withdrawal In Progress

## Withdrawal Execution Pending

## Withdrawal Execution Failed

## Withdrawal Verification Pending

## Withdrawal Partially Verified

Withdrawal Verified Within Defined Scope

## Residual Availability Identified

## Withdrawal Evidence-Limited

## Withdrawal Exception Identified

## Reassessment Required

## Reauthorization Required

## Conflicted

## Unknown

## Withdrawal Closed

These are release withdrawal governance classifications, not deployment or software retirement classifications.

## Classification Integrity

Withdrawal Verified Within Defined Scope ≠ Universal Software Unavailability Established.

## Software Release Withdrawal Profile

The principal governed output is the:

## Software Release Withdrawal Profile

## It establishes the evidence-supported withdrawal state of an identifiable

software release.

The profile preserves:

• Software product identity

• Release identity

• Release record reference

• Withdrawal identity

• Withdrawal trigger

• Withdrawal purpose

• Withdrawal scope

• Withdrawal authority

• Decision actor

• Withdrawal urgency

• Withdrawal decision

• Execution references

• Distribution channel states

• Recipient exposure references

• Withdrawal evidence

• Effectiveness verification

• Residual availability

• Exceptions

• Escalation

• Withdrawal classification

• Reassessment requirements

• Reauthorization references

• Historical withdrawal states

• Deployment and lifecycle handoffs

## Minimum Profile Fields

At minimum:

## Software Release Withdrawal Profile ID

## Software Product ID

## Release ID

## Release Withdrawal ID

## Release Record Profile ID

## Release Authorization Profile ID

## Withdrawal Trigger

## Withdrawal Purpose

## Withdrawal Scope

## Withdrawal Boundary

## Withdrawal Authority Reference

**Decision Actor Reference**

**Withdrawal Urgency**

**Withdrawal Prerequisites**

**Withdrawal Decision**

**Withdrawal Decision Time**

**Affected Artifact References**

**Affected Distribution Channels**

**Distribution Availability Baseline**

**Withdrawal Action Register**

**Execution Actor References**

**Execution Times**

**Execution Evidence**

**Distribution Channel States**

**Repository Withdrawal References**

**Package Registry Withdrawal References**

**Update Channel Withdrawal References**

**Mirror and Cache Exposure**

**Recipient Exposure References**

**Withdrawal Communication References**

**Withdrawal Evidence Provenance**

**Evidence Sufficiency**

**Missing Evidence**

**Evidence Conflicts**

## Withdrawal Effectiveness Assessment

## Residual Availability Assessment

## Withdrawal Exceptions

## Withdrawal Uncertainty

## Escalation Requirements

## Withdrawal Classification

## Reassessment Triggers

## Reauthorization References

## Historical Withdrawal States

## Deployment Handoff

## Lifecycle Handoff

## Effective Time

Version

## Minimum Implementation Framework

A minimum operational RWM implementation should contain ten governed layers. Layer 1 — Withdrawal Identity and Trigger

## Identify the affected release, withdrawal purpose, and evidence-supported

withdrawal trigger. Layer 2 — Withdrawal Scope and Availability Baseline

## Define the affected artifacts, distribution channels, recipients, and

current release availability. Layer 3 — Withdrawal Authority

## Establish the applicable authority, decision actor, delegation conditions,

and withdrawal boundaries. Layer 4 — Withdrawal Prerequisites and Urgency

## Evaluate mandatory conditions, available evidence, urgency, restrictions,

and escalation requirements. Layer 5 — Withdrawal Decision

Establish an explicit withdrawal decision and classification. Layer 6 — Withdrawal Execution References

Preserve the required operational actions and their execution evidence. Layer 7 — Effectiveness Verification

## Evaluate whether withdrawal actions produced the required availability

changes within the defined scope. Layer 8 — Residual Availability and Exceptions

## Identify remaining distribution paths, previously distributed copies,

evidence gaps, and unresolved exceptions. Layer 9 — Historical Continuity and Lifecycle Handoff

## Preserve withdrawal history and initiate deployment, change management,

remediation, or retirement handoffs where required. Layer 10 — Governed Output and Reassessment

## Produce the Software Release Withdrawal Profile and maintain reassessment

requirements until the withdrawal governance state is appropriately resolved.

## Minimum Decision States

At minimum:

## Withdrawal Not Initiated

## Withdrawal Trigger Identified

## Affected Release Identified

## Withdrawal Purpose Established

## Withdrawal Scope Defined

## Availability Baseline Established

## Withdrawal Authority Verification Pending

## Withdrawal Authority Established

## Withdrawal Authority Not Established

## Decision Actor Identified

## Decision Actor Eligibility Established

## Withdrawal Prerequisites Pending

## Withdrawal Prerequisites Satisfied

## Withdrawal Evidence Insufficient

## Withdrawal Urgency Classified

## Withdrawal Decision Pending

## Withdrawal Not Required

## Withdrawal Authorized

## Withdrawal Denied

## Release Restriction Required

## Release Suspension Required

## Partial Withdrawal Authorized

Complete Withdrawal Authorized Within Scope

## Withdrawal Execution Pending

## Withdrawal Execution In Progress

## Withdrawal Action Completed

## Withdrawal Action Failed

## Withdrawal Verification Pending

## Withdrawal Partially Verified

Withdrawal Verified Within Defined Scope

## Residual Availability Identified

## Withdrawal Exception Identified

## Escalation Required

## Reassessment Required

## Reauthorization Required

## Deployment Handoff Required

## Lifecycle Handoff Completed

## Conflicted

## Unknown

## Withdrawal Closed

## Minimum Evidence Path

Where withdrawal necessity, legitimacy, or effectiveness cannot be sufficiently established:

## Software Release Identity → Release Record Profile → Withdrawal Trigger →

Withdrawal Scope → Distribution Availability Baseline → Authority Reference → Withdrawal Decision → Execution Requirements → Withdrawal Evidence → Availability Verification → Residual Exposure Assessment → Evidence-Limited / Conflicted / Unknown State → Evidence Acquisition / Escalation → Targeted Withdrawal Reassessment → Updated Withdrawal Classification → Software Release Withdrawal Profile → Lifecycle Governance Handoff

Missing withdrawal evidence must not be replaced by assumed release unavailability.

## Minimum Reassessment Framework

## Current Software Release Withdrawal Profile → New Withdrawal Evidence or

Release Event → Trigger Review → Release Identity Review → Scope Review → Distribution Baseline Review → Authority Review → Decision Review → Execution Review → Effectiveness Verification → Residual Availability Review → Exception Review → Escalation Review → Reauthorization Requirement Review → Withdrawal Reclassification → Historical State Preservation → Profile Update → Version Update

Reassessment must distinguish:

## Withdrawal Trigger Changed

## Withdrawal Scope Changed

## Distribution Availability Changed

## Execution Evidence Changed

## Residual Exposure Changed

## Withdrawal Exception Changed

## Authorization State Changed

## Reauthorization Required

Withdrawal Verified Within Scope

## Withdrawal Still Incomplete

## Governance Requirements

A conforming RWM implementation must satisfy the following requirements. Withdrawal Identity and Triggers

• Establish a unique withdrawal identity

• Identify the software product

• Identify the affected release

• Preserve the release record reference

• Establish the withdrawal purpose

• Identify the withdrawal trigger

• Preserve trigger evidence

• Identify the affected artifacts

• Preserve the applicable authorization reference

• Prevent withdrawal triggers from automatically establishing

withdrawal decisions.

## Withdrawal Scope and Availability

• Define the withdrawal scope

• Define the distribution boundary

• Identify affected release channels

• Identify relevant repositories

• Identify relevant package registries

• Identify relevant update channels

• Identify known mirrors and caches

• Preserve known recipient exposure

• Establish the distribution availability baseline

• Preserve known availability limitations

• Prevent withdrawal from one channel from establishing universal

• Prevent known distribution coverage from being represented as

withdrawal. complete copy identification.

## Withdrawal Authority

• Identify the applicable withdrawal authority

• Preserve authority source

• Preserve authority scope

• Evaluate authority validity

• Identify the decision actor

• Evaluate decision actor eligibility

• Preserve applicable delegation references

• Preserve delegation restrictions

• Identify authority expiration or revocation

• Prevent technical removal capability from replacing legitimate

• Prevent release publication authority from automatically

withdrawal authority. establishing withdrawal authority.

## Withdrawal Decision

• Establish withdrawal prerequisites

• Evaluate prerequisite conditions

• Classify withdrawal urgency

• Preserve applicable restrictions

• Establish an explicit withdrawal decision

• Preserve decision evidence

• Preserve decision time

• Preserve withdrawal classification

• Preserve partial withdrawal conditions

• Preserve complete withdrawal boundaries

• Prevent withdrawal authorization from being represented as

withdrawal execution.

## Execution and Distribution

• Identify required withdrawal actions

• Preserve execution actor references

• Preserve execution times

• Preserve execution evidence

• Preserve repository withdrawal references

• Preserve package registry withdrawal references

• Preserve update channel withdrawal references

• Preserve distribution channel restrictions

• Preserve communication references where applicable

• Preserve execution failures

• Prevent action requests from being represented as completed actions

• Prevent origin removal from establishing mirror or cache removal

## Effectiveness and Residual Availability

• Evaluate withdrawal effectiveness

• Preserve verification methods

• Preserve verification times

• Preserve observed availability states

• Identify residual distribution channels

• Identify known remaining copies

• Preserve previously distributed artifact exposure

• Preserve unresolved recipient exposure

• Preserve verification limitations

• Preserve withdrawal exceptions

• Prevent action completion from establishing verified withdrawal

• Prevent verified withdrawal within scope from establishing universal effectiveness. software unavailability.

## Evidence and Classification

• Preserve withdrawal evidence provenance

• Evaluate evidence sufficiency

• Preserve missing evidence

• Preserve conflicting evidence

• Preserve withdrawal uncertainty

• Support Evidence-Limited states

• Support Conflicted states

• Support Unknown states

• Preserve withdrawal classifications

• Preserve classification evidence

• Prevent withdrawal completion reports from replacing effectiveness verification.

## Reassessment and Continuity

• Identify reassessment triggers

• Preserve material withdrawal scope changes

• Preserve newly identified distribution channels

• Preserve newly identified recipient exposure

• Preserve withdrawal execution failures

• Preserve reauthorization requirements

• Preserve historical withdrawal states

• Preserve superseding withdrawal decisions

• Preserve state transition times

• Preserve lifecycle handoffs

• Prevent reauthorization from erasing historical withdrawal records

• Prevent withdrawal cause resolution from automatically restoring

release authorization.

## Architecture Boundaries

• Maintain RCMM candidate governance boundaries

• Maintain RRM readiness governance boundaries

• Maintain RAM authorization governance boundaries

• Maintain RRMM release record governance boundaries

• Maintain SDS dependency governance boundaries

• Maintain SCFS configuration governance boundaries

• Maintain SQS quality governance boundaries

• Maintain SSS security governance boundaries

• Maintain SDPS deployment governance boundaries

• Maintain SCMS change governance boundaries

• Maintain SRTS retirement governance boundaries

• Maintain SLCS lifecycle control boundaries

• Maintain GOA™ authority governance boundaries

• Maintain AGA™ accountability governance boundaries

• Maintain ASGA™ autonomous actor governance boundaries

• Prevent RWM from independently executing deployment rollback

• Prevent RWM from independently establishing software remediation

• Prevent RWM from independently determining Harm or Liability

• Prevent RWM from independently retiring the software product

• Produce a Software Release Withdrawal Profile

## Governance Logic

Canonical RWM logic:

## Software Release Identity → Release Record Reference → Withdrawal Trigger

→ Withdrawal Purpose → Withdrawal Scope → Distribution Availability Baseline → Withdrawal Authority → Decision Actor Eligibility → Withdrawal Prerequisites → Withdrawal Urgency → Withdrawal Decision → Required Withdrawal Actions → Execution Evidence → Distribution Channel Verification → Residual Availability Assessment →

Withdrawal Exceptions → Evidence Sufficiency → Withdrawal Classification → Software Release Withdrawal Profile → Deployment / Change Management / Retirement / Lifecycle Governance Handoff

## Governance Outputs

RWM may produce:

## Software Release Withdrawal Profile

## Withdrawal Identity

## Affected Release Register

## Withdrawal Purpose Record

## Withdrawal Trigger Record

## Withdrawal Scope

## Withdrawal Boundary

## Distribution Availability Baseline

## Withdrawal Authority Reference

## Decision Actor Record

## Delegation Reference

## Withdrawal Urgency Classification

## Withdrawal Prerequisite Register

## Withdrawal Decision

## Withdrawal Restriction Record

## Release Suspension Record

## Partial Withdrawal Record

Complete Withdrawal Within Scope Record

## Withdrawal Action Register

## Withdrawal Execution Record

## Repository Withdrawal Reference

## Package Registry Withdrawal Reference

## Update Channel Withdrawal Reference

## Mirror and Cache Exposure Record

## Recipient Exposure Reference

## Withdrawal Communication Reference

## Withdrawal Evidence Register

## Evidence Sufficiency State

## Withdrawal Effectiveness Assessment

## Residual Availability Assessment

## Withdrawal Exception Register

## Withdrawal Uncertainty Record

## Escalation Requirement

## Withdrawal Classification

## Reassessment Requirement

## Reauthorization Reference

## Historical Withdrawal Register

## Deployment Governance Handoff

## Lifecycle Governance Handoff

Version

## Practical ApplicationsAutonomous Software Factories

## Withdrawing software releases generated and distributed by autonomous AI

systems when subsequent evidence invalidates release conditions. Software Package Registries

## Restricting or withdrawing vulnerable, compromised, unauthorized, or

otherwise unsuitable package versions while preserving evidence of remaining mirrors and caches. Enterprise Software Distribution

## Coordinating withdrawal decisions across internal repositories, customer

distribution channels, and software update mechanisms. Security Incident Response

## Reducing further distribution exposure after identifying critical

vulnerabilities or compromised release artifacts. Critical Infrastructure Software

## Governing withdrawal decisions while preserving the distinction between

release availability and operational deployment consequences. AI-Generated Software Supply Chains

Maintaining withdrawal traceability when AI agents, automated build systems, external dependencies, and multiple distribution mechanisms interact.

• Use Case 1 — A Compromised Software Package Remains Available Through

Mirrors

A software supplier discovers that a published package contains a compromised dependency.

The supplier determines that the affected release should no longer be distributed.

An authorized withdrawal decision is established.

The supplier removes the package from its primary package registry.

The automated withdrawal system reports successful completion.

However, the affected package remains accessible through third-party mirrors and cached distribution endpoints.

RWM evaluates:

## Release Identity → Withdrawal Trigger → Withdrawal Scope → Primary

Registry Removal → Mirror Availability → Effectiveness Verification → Residual Exposure

The assessment identifies:

• The withdrawal decision was authorized

• The primary registry action was completed

• The defined distribution environment includes additional known mirrors

• The affected package remains accessible

• Withdrawal effectiveness is incomplete across the intended scope

The appropriate classification is:

Withdrawal Partially Verified — Residual Availability Identified.

The critical distinctions are:

Primary Registry Removal ≠ Complete Distribution Withdrawal.

Withdrawal Execution Successful ≠ Withdrawal Objective Fully Achieved.

Origin Release Removed ≠ Replicated Release Copies Removed.

## The result: RWM prevents a successful technical removal event from being

misrepresented as complete release withdrawal.

## Use Case 2 — An Autonomous AI Agent Withdraws a Release Without

Applicable Authority

## An autonomous AI software governance agent continuously monitors released

applications for security and quality changes.

## The agent identifies a potential security vulnerability in a recently

published software release.

## Its assigned task includes detecting risks, collecting evidence, and

escalating findings.

## The agent also possesses technical access to the organization's software

repository.

## Without requesting or establishing release withdrawal authority, the agent

removes the release from public distribution.

The removal succeeds technically.

## However, the agent's delegated authority did not include independent

release withdrawal decisions.

RWM evaluates:

## Agent Identity → Monitoring Authority → Withdrawal Authority → Delegation

Scope → Withdrawal Decision → Execution Action → Authorization Applicability

The assessment identifies:

• The agent was authorized to monitor release risk

• The security finding may justify withdrawal consideration

• The agent possessed technical repository access

• The agent lacked applicable withdrawal decision authority

• The withdrawal action occurred without an established legitimate

withdrawal decision.

The appropriate classification is:

Withdrawal Executed — Applicable Withdrawal Authority Not Established.

The critical distinctions are:

Monitoring Authority ≠ Withdrawal Authority.

Repository Access ≠ Legitimate Withdrawal Permission.

Technical Removal Success ≠ Governance Legitimacy.

## The result: RWM preserves the distinction between autonomous risk

detection, legitimate withdrawal decisions, and operational execution.

## Use Case 3 — A Withdrawn Release Remains Deployed in Critical

Infrastructure

## A critical infrastructure operator uses a software application supplied by

an external vendor.

## The vendor discovers a severe vulnerability affecting a specific software

release.

## The vendor authorizes withdrawal and removes the affected version from its

public distribution channels.

The withdrawal is verified within the defined distribution scope.

## However, the operator continues running the affected version in its

operational environment.

The vendor's withdrawal decision does not automatically uninstall the software or establish a safe rollback procedure.

RWM evaluates:

## Release Identity → Withdrawal Decision → Distribution Withdrawal →

Availability Verification → Known Deployment References → Residual Operational Exposure → SDPS Handoff

The assessment identifies:

• Release withdrawal was legitimately authorized

• Distribution withdrawal was completed within scope

• The affected software remains deployed

• Operational exposure remains possible

• Deployment rollback or recovery requires separate governance

The appropriate classification is:

Withdrawal Verified Within Defined Scope — Deployment Governance Handoff Required.

The critical distinctions are:

Release Withdrawal ≠ Deployment Rollback.

Release No Longer Distributed ≠ Release No Longer Operating.

Distribution Exposure Reduced ≠ Operational Exposure Eliminated.

The result: RWM ensures that release withdrawal does not create a misleading conclusion that deployed software has been removed or operational risk resolved.

## Critical Distinctions

Release Authorization Revoked ≠ Software Release Automatically Withdrawn.

Release Withdrawal Authorized ≠ Release Withdrawal Executed.

Release Removed from One Channel ≠ Release Universally Unavailable.

Release Withdrawal Completed ≠ Deployed Software Removed.

Withdrawal Action Executed ≠ Withdrawal Effectiveness Verified.

Technical Ability to Remove a Release ≠ Legitimate Withdrawal Authority.

Partial Release Withdrawal ≠ Complete Release Withdrawal.

Withdrawal Completion Reported ≠ Withdrawal Completion Proven.

Release Previously Withdrawn ≠ Release Continuously Unavailable.

Release Withdrawn ≠ Historical Release Record Erased.

Withdrawal Request Identified ≠ Affected Release Sufficiently Identified.

## Withdrawal Purpose Legitimate ≠ Withdrawal Method Automatically

Appropriate.

## Withdrawal Trigger Identified ≠ Withdrawal Decision Automatically

Established.

Software Version Affected ≠ Every Artifact Bearing That Version Identically Affected.

Withdrawal Applied to a Defined Scope ≠ Withdrawal Completed Outside That Scope.

Known Distribution Locations ≠ Every Existing Software Copy Identified.

## Repository Administrative Access ≠ Legitimate Release Withdrawal

Authority.

Actor Capable of Withdrawal ≠ Actor Authorized to Decide Withdrawal.

## Authority to Publish Software ≠ Authority to Withdraw Every Published

Release.

## Automated Withdrawal Trigger Activated ≠ Legitimate Withdrawal Decision

Established.

## Agent Authorized to Monitor Release Risk ≠ Agent Authorized to Remove

Software Releases.

Withdrawal Urgent ≠ Withdrawal Authority Unlimited.

Withdrawal Prerequisites Documented ≠ Withdrawal Prerequisites Satisfied.

Withdrawal Decision Recorded ≠ Withdrawal Decision Executed.

Complete Withdrawal Authorized Within Scope ≠ Universal Removal of All Software Copies.

Release Availability Restricted ≠ Release Fully Withdrawn.

Release Suspended ≠ Release Permanently Withdrawn.

## Release Withdrawn from One Repository ≠ Release Withdrawn from Every

Repository.

Withdrawal Complete Within Defined Scope ≠ All Previously Distributed Copies Eliminated.

Withdrawal Action Requested ≠ Withdrawal Action Completed.

## Primary Distribution Channel Disabled ≠ Secondary Distribution Channels

Disabled.

Repository Entry Removed ≠ Previously Downloaded Software Removed.

## Package Version Withdrawn from Registry ≠ Package Version Unavailable

Through Every Mirror or Cache.

Update Distribution Suspended ≠ Previously Installed Update Reversed.

Origin Release Removed ≠ Replicated Release Copies Removed.

## Release No Longer Available for Download ≠ Previously Exposed Recipients

No Longer Affected.

Withdrawal Notice Issued ≠ Withdrawal Notice Received or Acted Upon.

Withdrawal Evidence Recorded ≠ Withdrawal Evidence Reliable.

## Withdrawal Action Logs Available ≠ Withdrawal Effectiveness Sufficiently

Established.

Withdrawal Execution Successful ≠ Withdrawal Objective Fully Achieved.

Known Distribution Channels Cleared ≠ No Residual Software Copies Exist.

Withdrawal Exception Recorded ≠ Withdrawal Exception Resolved.

Withdrawal Uncertainty Acknowledged ≠ Withdrawal Uncertainty Eliminated.

Withdrawal Escalation Initiated ≠ Withdrawal Risk Resolved.

Release Withdrawal ≠ Deployment Rollback.

Deployment Rollback ≠ Release Withdrawal.

Release Withdrawn ≠ Underlying Software Defect Remediated.

Software Release Withdrawn ≠ Software Product Retired.

Withdrawal Reassessment Completed ≠ Release Automatically Reauthorized.

Withdrawal Cause Resolved ≠ Release Authorization Automatically Restored.

Release Reauthorized Later ≠ Previous Withdrawal History Erased.

Withdrawal Verified Within Defined Scope ≠ Universal Software Unavailability Established.

## Cross-Architecture Boundary

RWM may consume governed evidence from:

## GOA™ — Governance Architecture

## AGA™ — Accountability Governance Architecture

## ASGA™ — Autonomous Systems Governance Architecture

## SDS — Software Dependency Standard

## SCFS — Software Configuration Standard

## SQS — Software Quality Standard

## SSS — Software Security Standard

Within SRLS, RWM receives release governance references from:

## RCMM — Release Candidate Management Module

## RRM — Release Readiness Module

## RAM — Release Authorization Module

## RRMM — Release Record Management Module

RWM may provide withdrawal references to:

## SDPS — Software Deployment Standard

## SCMS — Software Change Management Standard

## SRTS — Software Retirement Standard

## SLCS — Software Lifecycle Control Standard

## RWM governs the withdrawal of release availability and the associated

release governance state.

It does not replace security remediation, operational deployment control, software recovery, or product retirement.

## Cross-Architecture Mechanism Principle

An operational mechanism may produce inputs for multiple governance architectures, but it belongs only to the architecture whose governed domain includes that mechanism itself. Other architectures govern only its domain-specific relevance or consequences.

RWM may receive withdrawal triggers from security, quality, configuration, dependency, authorization, operational, or lifecycle governance mechanisms.

It governs the release withdrawal implications of those conditions.

It does not independently redefine the underlying defect, vulnerability, authority, deployment, or retirement mechanisms.

## Canonical Boundary

## RWM governs how previously authorized, published, distributed, or

otherwise available software releases are identified, evaluated, restricted, suspended, withdrawn, and reassessed when their continued release availability, authorization applicability, distribution eligibility, or supporting governance conditions can no longer be sufficiently maintained.

It does not independently execute deployment rollback, uninstall operational software, remediate defects, revoke general authority, determine Harm or Liability, or retire the software product.

Its principal governed output is the Software Release Withdrawal Profile.

## Canonical Closing Statement

Software release governance does not end when software becomes available. A release that was legitimate yesterday may become unsuitable for continued distribution tomorrow. Vulnerabilities emerge, dependencies become compromised, authorization conditions change, artifacts are found to be defective, and new evidence may invalidate the assumptions supporting an earlier release decision.

The ability to publish software must therefore be accompanied by a governed ability to restrict or withdraw its continued availability.

But withdrawal is not a single technical event.

A release may be removed from its primary repository while remaining accessible through mirrors.

An update may be withdrawn while already installed copies continue operating.

A withdrawal decision may be legitimate while execution remains incomplete.

And an automated system may successfully remove a release without possessing legitimate authority to make that decision.

Removing software from a distribution channel is not the same as establishing that the software is no longer available, installed, or operationally consequential.

## RWM establishes the governance conditions required to distinguish these

states.

It requires withdrawal triggers to be identifiable and evidence-supported.

It requires withdrawal authority and scope to remain explicit.

It separates withdrawal decisions from execution actions.

## It requires withdrawal effectiveness to be evaluated against the defined

distribution boundary.

## It preserves residual availability, uncertainty, exceptions, and historical

release evidence.

And it ensures that consequences extending into deployed software, remediation, change management, or retirement are transferred to the appropriate governance mechanisms.

## Withdrawal legitimacy, withdrawal execution, and withdrawal effectiveness

are three separate governance questions.

## The same principle applies to human-operated release systems, automated

delivery infrastructure, and autonomous AI software factories.

The actor may change.

The distribution mechanism may change.

The withdrawal process may become automated.

## The requirement for legitimate, bounded, evidence-supported, and

verifiable release withdrawal remains.

RWM completes the SRLS governance lifecycle by ensuring that software releases remain governable not only when they are created, assessed, authorized, and recorded, but also when their continued availability must be restricted or ended.

## With RWM, SLGA™ establishes a critical boundary between software release

governance and operational deployment governance: a release may cease to be authorized or distributed while its artifacts continue to exist, its copies remain accessible, and its deployed instances continue to operate.

RWM makes that distinction explicit — transforming software release withdrawal from an assumed removal action into a governed, traceable, and evidence-supported lifecycle state.