

Value Degradation Magnitude Module (VDGMM)

Value Degradation Magnitude Module (VDGMM)

Architecture Ecosystem: Structured Reality Standards™
Architecture Family: VFM® — Value Flow Mechanisms Architecture
Parent Standard: Value Degradation Standard (VDGS)
Module: VDGMM — Value Degradation Magnitude Module
Operational Layer: Value Degradation Magnitude Layer
Category: Governance & Enforcement
Subcategory: Value Lifecycle Governance
Type: Core Module
Governed Space: Value Degradation Magnitude
Origin ID: VFM-VDGS-VDGMM-008.3
Version: 1.0
Status: Canonical · Open Standard
Effective Date: 26 August 2026
Compatibility: OOF® Methodology OS™ · GOA™ · ORA™ · VALIDOS® · INTEGROS® · ADIT® · AGA™ · OBIDENITY®
AI-Readable: Yes

Authority: OOF®
Protection: MIP® — Methodology Intellectual Property Protection
Canonical Language: UCL — Universal Canonical Language

Canonical Definition

Value Degradation Magnitude Module (VDGMM) is the third Core Module of the Value Degradation Standard (VDGS) within VFM® — Value Flow Mechanisms Architecture.

VDGMM governs the determination, representation, comparison, and documentation of the magnitude by which existing positive value has degraded within a defined Value Context and value dimension.

The Module receives an identified degradation condition from VDGCM — Value Degradation Condition Module and establishes the material extent of value deterioration relative to a legitimate governed reference basis.

VDGMM separates the existence and condition of degradation from the magnitude of degradation.

Its foundational task is:

to determine how materially existing value has deteriorated without confusing the amount of degradation with its cause, condition, progression, or eventual nullification.

Architectural Position

VDGMM is the third module within VDGS.

It follows:

VDGIM — Value Degradation Identification Module

→ VDGCM — Value Degradation Condition Module

and precedes:

VDGPM — Value Degradation Progression Module.

The sequence is:

Identification → Condition → Magnitude → Progression → Record

VDGMM therefore establishes the governed extent of degradation before the degradation trajectory through time is governed.

VFM® Governance Flow Position

Value Context → Value Origin → Value Emergence → Value Recognition → Value State → Value Change → Value Development → Value Degradation → subsequent VFM® lifecycle spaces

VDGMM operates inside the Value Degradation governed space.

At this point:

Value exists.

Degradation has been identified.

The degradation condition has been characterized.

VDGMM determines:

the magnitude of that degradation.

Internal Module Flow

Governed Degradation Condition → Affected Value Dimension Confirmation → Reference Value Basis Selection → Current Value Basis Determination → Degradation Difference Determination → Absolute Magnitude Assessment → Relative Magnitude Assessment → Uncertainty Assessment → Multidimensional Magnitude Separation → Magnitude State Assignment → VDGPM — Value Degradation Progression Module

This creates the internal logic:

What value dimension degraded? → Relative to what? → What was its reference condition? → What is its current condition? → How large is the difference? → How should that difference legitimately be represented?

Operational Space

VDGMM governs:

degradation magnitude identification; reference magnitude basis; current value basis; absolute degradation; relative degradation; proportional degradation; qualitative degradation magnitude; quantitative degradation magnitude; multidimensional degradation magnitude; cumulative degradation magnitude; residual value; measurement basis; uncertainty; magnitude comparability; magnitude thresholds; magnitude state; magnitude reassessment; magnitude record.

Reference Basis Principle

A degradation magnitude cannot legitimately be determined without a reference.

VDGMM therefore requires a governed relationship between:

Reference Value Condition

and

Current Value Condition.

The reference may derive from:

Previous Governed Value State

Post-Development Value State

Recognized Value Baseline

Established Performance Baseline

Governed Initial Condition

or another legitimate value reference.

The reference must be appropriate to the value dimension being measured.

Magnitude Relationship

Where value can legitimately be quantified:

Degradation Magnitude = Reference Value – Current Value

or conceptually:

$\Delta V_{(\text{degradation})} = V_{(\text{reference})} - V_{(\text{current})}$

where the result represents the value deterioration occurring within the defined value dimension and context.

Where relative representation is appropriate:

Relative Degradation = $(V_{(\text{reference})} - V_{(\text{current})}) / V_{(\text{reference})}$

However, VDGMM does not require value to be universally reducible to a monetary or numerical quantity.

Quantitative Magnitude

Where reliable quantitative representation exists, degradation magnitude may be expressed through:

absolute value loss; percentage decline; performance reduction; capacity reduction; reliability reduction; productivity decline; revenue contribution decline; utility reduction; efficiency decline; increased failure rate; increased operating burden; another legitimate quantitative measure.

Quantification must remain tied to the governed value dimension.

A precise number without a legitimate value basis does not create a legitimate degradation magnitude.

Qualitative Magnitude

Some value dimensions cannot be meaningfully reduced to one number.

VDGMM therefore permits governed qualitative magnitude assessment.

Possible organizational states may include:

Minimal

Limited

Moderate

Material

Severe

Critical

or another defined classification.

Such classifications must have explicit criteria appropriate to the governed context.

The labels themselves are not universal VFM® numerical equivalents.

Magnitude ≠ Monetary Loss

VDGMM does not assume that all value degradation must be expressed financially.

For example:

Operational capability may decline while market value increases.

Knowledge accessibility may deteriorate while replacement cost remains unchanged.

Strategic relevance may decline before any financial loss becomes visible.

Therefore:

Value Degradation Magnitude ≠ Financial Loss by Definition.

Financial representation may be one governed value dimension where appropriate.

Absolute Magnitude

Absolute magnitude expresses the direct difference between the governed reference and current condition.

Example:

Reference productive capacity: 1,000 units/day

Current productive capacity: 820 units/day

Absolute degradation: 180 units/day

This representation identifies the scale of deterioration in the relevant productive-value dimension.

Relative Magnitude

Relative magnitude expresses degradation in relation to the reference condition.

Using the same example:

$180 / 1,000 = 18\%$ degradation

Relative magnitude can support comparison across objects of different scales.

However:

Relative Magnitude ≠ Universal Significance.

An 18% degradation may be tolerable in one context and critical in another.

Residual Value Principle

VDGMM must preserve the value that remains after degradation.

The relevant relationship is:

Reference Value → Degradation Magnitude → Residual Positive Value

This is essential because VDGS governs deterioration while value continues to exist.

Therefore:

Degraded Value ≠ Zero Value.

A degradation magnitude assessment that records only what was lost and ignores what remains provides an incomplete lifecycle representation.

Residual Value ≠ Original Value Minus Price Loss

Residual value must be interpreted within the same governed value dimension used for degradation magnitude.

For example:

A machine may retain:

70% Productive Value

while retaining:

90% Physical Value

and only:

40% Economic Value.

The residual value must therefore remain dimension-specific.

Multidimensional Magnitude

VDGMM explicitly supports different degradation magnitudes across different value dimensions.

For one asset:

Physical Value Degradation: 10%

Operational Value Degradation: 25%

Economic Value Degradation: 40%

Strategic Value Degradation: Moderate

Knowledge Value Degradation: None Identified

This representation is methodologically stronger than forcing all value deterioration into one aggregate percentage.

Aggregate Magnitude Boundary

Organizations may create an aggregate degradation indicator where operationally useful.

However, aggregation must preserve:

underlying dimensions; weighting methodology; measurement basis; assumptions; uncertainty; excluded dimensions.

An aggregate score must not erase materially different degradation pathways.

Therefore:

Magnitude Thresholds

Organizations may establish degradation thresholds.

Examples may include:

Monitoring Threshold

Material Degradation Threshold

Intervention Threshold

Critical Degradation Threshold

Nullification Proximity Threshold

Thresholds may support governance actions.

However, VDGMM does not impose one universal threshold across all forms of value.

A 5% deterioration may be immaterial in one context and unacceptable in another.

Threshold Crossing

A degradation magnitude may cross a governed threshold without automatically changing the fundamental value state.

For example:

Critical Degradation Threshold crossed

does not necessarily mean:

Value = Zero.

Threshold crossing may instead trigger:

reassessment; intervention; escalation; monitoring; remediation;

restoration analysis; transition-readiness analysis; another governed response.

Magnitude $\neq$ Condition

VDGCM establishes:

what degradation condition exists.

VDGMM establishes:

how materially value has degraded.

The same degradation condition may produce different magnitudes across different objects or contexts.

Therefore:

Condition $\neq$ Magnitude.

Magnitude $\neq$ Cause

The magnitude of degradation does not explain why the degradation occurred.

A 40% decline may result from:

one major event; repeated minor events; progressive deterioration; external market change; technological displacement; physical wear; operational failure; multiple interacting mechanisms.

VDGMM may preserve causal references supplied by other governed processes.

It does not own complete causal determination.

Magnitude ≠ Progression

VDGMM establishes the extent of degradation at a defined observation point or across a defined comparison interval.

VDGPM governs how degradation develops through time.

Therefore:

40% degraded

does not by itself establish whether degradation is:

accelerating

decelerating

stable

episodic

or

recovering.

Point-in-Time Magnitude

VDGMM may determine degradation magnitude at a specific time:

$T_1 \rightarrow$ Magnitude 8%

$T_2 \rightarrow$ Magnitude 17%

$T_3 \rightarrow$ Magnitude 31%

Each is a legitimate point-in-time magnitude determination.

The relationship among those observations becomes an input to VDGPM.

Interval Magnitude

VDGMM may also determine the degradation occurring across a defined interval.

For example:

Value at T_1 = 100

Value at T_2 = 84

Interval Degradation = 16

The interval must remain explicit to avoid confusing cumulative degradation with recent degradation.

Cumulative Degradation

Where multiple degradation events or conditions accumulate, VDGMM may determine cumulative degradation relative to a governed reference.

However, cumulative degradation must avoid simple addition where the underlying measurement structure does not permit it.

For example:

A 20% degradation followed by another 20% degradation of the remaining value does not necessarily equal 40% degradation from the original state.

Where applicable:

$100 \rightarrow 80 \rightarrow 64$

represents:

36% cumulative degradation

from the original reference.

Magnitude Comparability

Two degradation magnitudes should be compared only where their measurement bases are sufficiently compatible.

VDGMM therefore requires attention to:

identical or compatible value dimensions; equivalent baselines; equivalent time periods;

equivalent measurement methods; equivalent units; equivalent context; comparable uncertainty.

Without comparability:

Magnitude A > Magnitude B

may be methodologically meaningless.

Measurement Basis

Every material magnitude determination should preserve the method through which degradation was measured or classified.

The basis may include:

direct measurement; observed performance; accounting information; market information; engineering assessment; operational metrics; statistical estimation; model-based estimation; expert assessment; governed composite method.

The measurement basis must remain visible enough for the magnitude determination to be interpreted correctly.

Uncertainty Principle

Degradation magnitude may contain uncertainty.

VDGMM therefore permits representations such as:

Estimated Degradation: 25% ± defined uncertainty

or:

Magnitude State: Material · Confidence: Moderate

where appropriate.

Uncertainty may arise from:

measurement limitations; incomplete observations; uncertain baseline; model uncertainty; data gaps; qualitative judgment; contextual ambiguity; changing conditions.

Uncertainty must not be hidden merely to produce a cleaner magnitude.

False Precision Boundary

VDGMM prohibits methodological dependence on unjustified precision.

A degradation estimate of:

37.4821%

is not inherently more legitimate than:

approximately 35–40%

if the underlying evidence cannot support that precision.

Therefore:

Numerical Precision $\neq$ Measurement Reliability.

Magnitude Confidence

Where appropriate, the magnitude determination may carry a confidence state such as:

High Confidence

Moderate Confidence

Limited Confidence

Provisional

or another governed classification.

Magnitude and confidence must remain distinct.

Large Magnitude + Low Confidence

is methodologically different from:

Large Magnitude + High Confidence.

Magnitude Reassessment

A degradation magnitude may require reassessment when:

new measurements become available; the baseline changes legitimately; measurement errors are discovered; the affected value dimension is redefined; new evidence changes the estimated deterioration; recovery occurs; degradation progresses; the object configuration changes.

VDGMM therefore treats magnitude as a governed lifecycle determination rather than an immutable number.

Recovery Effect

If value partially recovers, the current degradation magnitude may decrease.

For example:

Reference Value = 100

→ degradation to 60

→ recovery to 75

Current degradation magnitude relative to the original reference becomes:

25

rather than:

40.

The historical maximum degradation may still remain relevant and should not be erased.

Historical Maximum Magnitude

Where useful, VDGMM may preserve:

Current Degradation Magnitude

and

Maximum Recorded Degradation Magnitude.

This prevents subsequent recovery from erasing the historical severity of a degradation episode.

Nullification Boundary

VDGMM must preserve the architectural distinction between:

Value Degradation

and

Value Nullification.

As degradation approaches complete loss of a governed value dimension:

Positive Value → progressively lower positive value.

At the point where the governed value reaches zero:

Positive Value → Zero Value.

The lifecycle crosses the degradation boundary.

Therefore:

100% Degradation of the governed value dimension may constitute a Nullification Boundary rather than merely another degradation magnitude state.

VDGMM identifies proximity to that boundary but does not absorb downstream Value Nullification governance.

ZVA™ Boundary

A severely degraded asset must not automatically be classified as:

ZVA™ — Zero Value Asset™.

If governed positive value remains:

Value > 0

the relevant value dimension has not reached the governed zero-value state.

Therefore:

Severe Degradation $\neq$ ZVA™.

The distinction is fundamental to the VFM® lifecycle.

Magnitude Across Value Dimensions

An object may approach zero in one dimension while retaining substantial value elsewhere.

For example:

Commercial Value $\rightarrow$ near zero

while:

Knowledge Value $\rightarrow$ substantial

Historical Value $\rightarrow$ substantial

Reuse Value $\rightarrow$ moderate

Strategic Option Value $\rightarrow$ positive

VDGMM therefore does not permit nullification in one dimension to erase positive value existing in another dimension.

Evidence Basis

VDGMM may use:

measurements; historical records; performance data; financial records; technical assessments; operational data; condition monitoring; reliability information; market observations; utilization records; expert assessments; validated evidence; other context-appropriate sources.

The strength of the magnitude determination should remain proportionate to the strength of its evidence basis.

VDGMM Boundary with VDGIM

VDGIM determines:

whether Value Degradation has been identified.

VDGMM determines:

the magnitude of that identified degradation.

Therefore:

Identification $\neq$ Magnitude.

VDGMM Boundary with VDGCM

VDGCM determines:

the condition under which value is degrading.

VDGMM determines:

the extent of degradation.

Therefore:

Condition $\neq$ Magnitude.

VDGMM Boundary with VDGPM

VDGMM provides degradation magnitude observations.

VDGPM governs the trajectory formed by those observations through time.

Therefore:

Magnitude $\neq$ Progression.

VDGMM Boundary with VSS

VSS determines the governed current Value State.

VDGMM may provide a degradation magnitude that contributes to understanding that state.

It does not replace Value State governance.

VDGMM Boundary with VCS

VCS governs material Value Change.

VDGMM governs specifically the magnitude of identified Value Degradation.

A negative Value Change may provide an input.

It does not automatically establish a degradation magnitude.

Minimum Implementation Framework

A minimum VDGMM implementation should establish:

1. Degradation Input

Receive an identified and characterized degradation condition.

2. Value Dimension

Confirm the exact value dimension whose degradation magnitude is being determined.

3. Reference Basis

Establish the legitimate reference value or condition.

4. Current Basis

Determine the current governed value or condition.

5. Magnitude Determination

Determine the difference between reference and current value.

6. Representation Method

Select an appropriate quantitative, qualitative, proportional, ordinal, or hybrid representation.

7. Residual Value

Preserve the positive value remaining after degradation.

8. Uncertainty

Identify material uncertainty affecting the magnitude determination.

9. Magnitude State

Assign the relevant governed magnitude classification or value.

10. Magnitude Record

Document the reference, current value, measurement basis, magnitude, residual value, uncertainty, timing, and relevant limitations.

Governance Outputs

VDGMM may produce:

Value Degradation Magnitude Assessment Degradation Reference Basis Record Current Value Basis Record Absolute Degradation Magnitude Relative Degradation Magnitude Qualitative Degradation Magnitude Residual Value Record Multidimensional Magnitude Record Cumulative Degradation Record Magnitude Threshold Record Magnitude Uncertainty Record Magnitude Confidence State Historical Maximum Magnitude Record Value Degradation Magnitude State Value Degradation Magnitude Record

These outputs provide the governed basis for:

VDGPM — Value Degradation Progression Module.

Use Case 1 — Industrial Production Asset

A manufacturing asset has already entered a governed degradation condition.

Its original governed production baseline is:

1,200 units per day.

Current sustainable production is:

900 units per day.

VDGMM determines:

Absolute Productive Value Degradation: 300 units/day

Relative Productive Value Degradation: 25%

Residual Productive Value: 75% of the governed reference basis.

However, the same asset shows:

Physical Condition Degradation: Limited

Energy Efficiency Degradation: 18%

Reliability Degradation: 32%

VDGMM does not collapse these into one arbitrary number.

Instead, it preserves a multidimensional degradation profile.

The organization can now distinguish between an asset that has simply “become worse” and an asset whose productive, efficiency, physical, and reliability value dimensions have degraded by materially different magnitudes.

These magnitude observations can then enter VDGPM to determine whether deterioration is stable, accelerating, episodic, or approaching a critical lifecycle boundary.

Use Case 2 — Digital Platform and Knowledge

Asset

A digital platform remains operational and commercially active, but its value structure has deteriorated over several years.

The governed assessment identifies:

Interoperability Value Degradation: Severe

Maintenance Capability Degradation: Material

Operational Performance Degradation: Limited

Knowledge Accessibility Degradation: Material

Current Commercial Value: Positive

The organization cannot legitimately reduce these dimensions to one universal percentage because several dimensions rely on qualitative and hybrid measurement bases.

VDGMM therefore applies explicit criteria to each dimension and records the magnitude separately.

The result shows that the platform is materially degraded without being valueless.

This prevents two opposite governance errors:

continuing to treat the platform as fully healthy because it still operates

and

classifying the platform as worthless merely because several dimensions are severely degraded.

The organization gains a governed magnitude basis for lifecycle decisions while preserving the distinction:

Severe Degradation $\neq$ Zero Value.

Enterprise Application

VDGMM enables organizations to move from:

“Value is deteriorating.”

to:

“This defined value dimension has deteriorated by this governed magnitude relative to this reference basis, with this residual value and this degree of uncertainty.”

The Module can support:

asset lifecycle governance; infrastructure management; technology lifecycle management; portfolio governance; knowledge asset management; capability governance; operational performance management; maintenance prioritization; investment assessment; strategic asset governance; value preservation; degradation monitoring.

Its central contribution is to make deterioration measurable without pretending that all value must be monetary, numerical, or one-dimensional.

Foundational Principles

Degradation identification is not degradation magnitude.

Degradation condition is not degradation magnitude.

Magnitude requires a legitimate reference basis.

Value degradation does not have to be monetary to be measurable.

Quantification must not create false precision.

One degradation percentage cannot automatically represent every value dimension.

Absolute magnitude and relative magnitude are distinct representations.

Magnitude and significance are context-dependent.

Magnitude and uncertainty must remain distinguishable.

Magnitude and progression must remain distinguishable.

What has been lost and what remains must both be governed.

Severe degradation does not automatically establish zero value.

Nullification in one value dimension does not automatically erase positive value in another.

Canonical Closing Statement

Value Degradation Magnitude Module establishes the measurement and magnitude-governance layer of the Value Degradation Standard by determining the material extent to which existing positive value has deteriorated relative to a legitimate governed reference basis. Through governance of absolute, relative, proportional,

qualitative, quantitative, multidimensional, cumulative, residual, threshold-based, uncertain, and temporally anchored degradation magnitude, VDGMM prevents degradation from being represented through unsupported precision, arbitrary aggregation, uncontrolled monetary reduction, or generalized claims of total value loss. By separating magnitude from identification, condition, cause, progression, and nullification, the Module preserves the structure of the VFM® value lifecycle and provides the governed observations required for subsequent Value Degradation Progression governance. Value deterioration becomes methodologically governable only when the extent of what has been lost can be distinguished from the value that still remains.

Modul4

Governed Links

[→ Value Degradation Standard \(VDGS\)](#)

[→ VFM® Architecture Map](#)

[→ Previous: Value Degradation Condition Module \(VDGCM\)](#)

[→ Next: Value Degradation Progression Module \(VDGPM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>