

Value Degradation Progression Module (VDGPM)

Value Degradation Progression Module (VDGPM)

Architecture Ecosystem: Structured Reality Standards™
Architecture Family: VFM® — Value Flow Mechanisms Architecture
Parent Standard: Value Degradation Standard (VDGS)
Module: VDGPM — Value Degradation Progression Module
Operational Layer: Value Degradation Progression Layer
Category: Governance & Enforcement
Subcategory: Value Lifecycle Governance
Type: Core Module
Governed Space: Value Degradation Progression
Origin ID: VFM-VDGS-VDGPM-008.4
Version: 1.0
Status: Canonical · Open Standard
Effective Date: 26 August 2026
Compatibility: OOF® Methodology OS™ · GOA™ · ORA™ · VALIDOS® · INTEGROS® · ADIT® · AGA™ · OBIDENITY®
AI-Readable: Yes
Authority: OOF®
Protection: MIP® — Methodology Intellectual Property Protection
Canonical Language: UCL — Universal Canonical Language

Canonical Definition

Value Degradation Progression Module (VDGPM) is the fourth Core Module of the Value Degradation Standard (VDGS) within VFM® — Value Flow Mechanisms Architecture.

VDGPM governs how identified degradation of existing positive value develops across time by establishing the direction, rate, continuity, acceleration, deceleration, recurrence, stabilization, recovery interaction, and lifecycle trajectory of degradation within a defined Value Context and value dimension.

The Module receives governed degradation conditions and magnitude observations from the preceding VDGS modules and transforms those observations into a governed representation of degradation progression.

VDGPM does not determine merely that degradation exists or how large it is at one observation point.

Its foundational task is:

to determine how degradation is moving through the value lifecycle and whether existing positive value is stabilizing, deteriorating further, recovering, oscillating, or approaching a material lifecycle boundary.

Architectural Position

VDGPM is the fourth module within VDGS.

It follows:

VDGIM — Value Degradation Identification Module

→ VDGCMM — Value Degradation Condition Module

→ VDGM — Value Degradation Magnitude Module

and precedes:

VDGRM — Value Degradation Record Module.

The sequence is:

Identification → Condition → Magnitude → Progression → Record

VDGPM therefore governs the temporal development of degradation after its existence, condition, and magnitude have been established.

VFM® Governance Flow Position

Value Context → Value Origin → Value Emergence → Value Recognition → Value State → Value Change → Value Development → Value Degradation → subsequent VFM® lifecycle spaces

VDGPM operates inside the Value Degradation governed space.

At this point:

Value exists.

Degradation has been identified.

Its condition has been characterized.

Its magnitude has been determined.

VDGPM determines:

how that degradation is progressing through time.

Internal Module Flow

Governed Degradation Condition → Degradation Magnitude Observations → Temporal Sequence Establishment → Progression Direction Determination → Progression Rate Determination → Continuity Assessment → Acceleration / Deceleration Assessment → Recurrence / Oscillation Assessment → Stabilization Assessment → Recovery Interaction Assessment → Boundary Proximity Assessment

→ Degradation Progression State → VDGRM — Value Degradation Record Module

The internal logic is:

What degradation has been observed? → Across what time? → In which direction is it moving? → At what rate? → Is the deterioration continuous or intermittent? → Is it accelerating or slowing? → Is value stabilizing or recovering? → Is a lifecycle boundary approaching?

Operational Space

VDGPM governs:

degradation trajectory; temporal degradation sequence; degradation direction; degradation rate; rate change; acceleration; deceleration; continuity; discontinuity; recurrence; oscillation; episodic degradation; progressive deterioration; stabilization; plateau formation; partial recovery interaction; renewed degradation; cumulative progression; progression uncertainty; progression comparison; threshold approach; nullification proximity; progression state; progression reassessment.

Progression Requires Time

A single degradation observation does not establish progression.

For example:

Value Degradation Magnitude = 30%

establishes a magnitude.

It does not establish whether the value:

declined rapidly yesterday,

declined gradually over ten years,

declined and then stabilized,

is continuing to decline,

or

has already begun recovering.

VDGPM therefore requires a temporal relationship between governed observations.

Magnitude at $T_1 \neq$ Progression.

Magnitude across $T_1 \rightarrow T_2 \rightarrow T_3$ may establish Progression.

Temporal Sequence Principle

VDGPM organizes degradation observations into an interpretable temporal sequence.

For example:

T_0 — 0% degradation

$\rightarrow T_1$ — 8% degradation

$\rightarrow T_2$ — 14% degradation

$\rightarrow T_3$ — 27% degradation

$\rightarrow T_4$ — 43% degradation

This sequence establishes more than cumulative deterioration.

It provides the basis for determining whether degradation is:

progressive,

accelerating,

stable,

episodic,

or following another governed trajectory.

Progression Direction

VDGPM may determine whether degradation is:

Increasing

Stable

Decreasing

Reversing

Oscillating

Intermittent

Indeterminate

or another context-defined progression state.

Direction describes the movement of degradation magnitude.

It must not be confused with the current value state itself.

Degradation Rate

Where legitimate measurement exists, VDGPM may determine:

Degradation Rate = Change in Degradation Magnitude / Change in Time

Conceptually:

$$R^d = \Delta D / \Delta t$$

where:

D = governed degradation magnitude

and

t = governed time interval.

The rate may be expressed through appropriate units such as:

percentage points per year; capacity loss per month; efficiency loss per operating cycle; reliability deterioration per mission; knowledge accessibility decline per period; another legitimate value-specific unit.

Rate ≠ Magnitude

A large degradation magnitude does not necessarily mean degradation is progressing rapidly.

An asset may already be:

60% degraded

but currently stable.

Another asset may be only:

10% degraded

while deteriorating extremely rapidly.

Therefore:

Degradation Magnitude ≠ Degradation Rate.

This distinction can materially change lifecycle decisions.

Acceleration of Degradation

VDGPM may determine whether the degradation rate itself is changing.

Where:

Rate $T_1-T_2 = 2\%$ per year

Rate $T_2-T_3 = 5\%$ per year

Rate $T_3-T_4 = 11\%$ per year

the value is not merely degrading.

Its degradation is:

accelerating.

Accelerating degradation may be materially more significant than an equivalent current magnitude produced through stable long-term decline.

Deceleration of Degradation

Where the degradation rate decreases over time, VDGPM may classify the trajectory as:

Decelerating Degradation.

For example:

12% annual decline

→ 7%

→ 3%

→ 1%

may indicate that deterioration is approaching stabilization.

Deceleration does not itself establish recovery.

Positive value may still be declining.

Continuous Progression

Continuous degradation occurs where deterioration proceeds through a sufficiently persistent temporal pathway.

Examples may include:

material wear; corrosion; knowledge obsolescence; infrastructure aging; progressive market displacement; capability erosion; recurring efficiency decline.

VDGPM governs the value trajectory.

It does not take ownership of the physical, market, technological, or organizational mechanism producing it.

Episodic Progression

Value may degrade through discrete episodes rather than continuous decline.

For example:

Stable

→ major degradation event

→ stable

→ second degradation event

→ **partial recovery**

→ third degradation event.

VDGPM preserves these episodes rather than forcing them into an artificial continuous trajectory.

Oscillating Degradation

Some value dimensions may repeatedly decline and recover.

For example:

10% degraded

→ 25%

→ 15%

→ 30%

→ 18%

→ 35%.

The short-term trajectory oscillates.

The long-term trajectory may nevertheless show increasing degradation.

VDGPM therefore permits simultaneous governance of:

Short-Term Progression

and

Long-Term Progression.

Progression Horizon

Progression depends upon the observation horizon.

A value object may appear:

stable over one week

while:

degrading over one year.

It may appear:

degrading over one year

while:

recovering over five years.

VDGPM therefore requires the relevant temporal horizon to remain explicit.

Observation Frequency

Progression assessment may be distorted where observations are too infrequent.

For example:

T_1 = 10% degradation

and

T_2 = 20% degradation

may conceal:

10% → 50% → 15% → 40% → 20%.

VDGPM therefore requires observation frequency to be appropriate to the dynamics of the governed value dimension where materially relevant.

Stabilization

VDGPM recognizes stabilization as a legitimate degradation progression state.

Stabilization occurs where:

degradation exists

but

material additional deterioration is not currently occurring.

For example:

40% degraded

→ 40%

→ 41%

→ 40%

within a legitimate uncertainty range may represent a stable degraded condition.

Therefore:

Degraded ≠ Actively Degrading.

Degradation Plateau

A degradation plateau may occur where value reaches a materially degraded condition and remains approximately stable for a defined interval.

A plateau does not restore lost value.

It establishes:

existing degradation + limited current progression.

This distinction is relevant to maintenance, remediation, replacement, investment, and lifecycle decisions.

Recovery Interaction

VDGPM must recognize when positive value begins to recover.

For example:

Degradation 50%

→ 45%

→ 35%

→ 20%.

The degradation magnitude is decreasing.

VDGPM may classify this as:

Recovery Interaction

or

Reversing Degradation

within the degradation trajectory.

However, VDGPM does not automatically redefine the broader value lifecycle mechanism responsible for recovery.

Partial Recovery

Partial recovery does not erase historical degradation.

If value moves:

100 → 50 → 80

the current degradation relative to the original reference may be:

20%.

But the historical record must preserve that value previously reached:

50% degradation.

Therefore:

Current Progression State ≠ Complete Degradation History.

Renewed Degradation

A value object may recover and subsequently deteriorate again.

Example:

Degradation

→ Recovery

→ Stabilization

→ Renewed Degradation.

VDGPM preserves these lifecycle transitions.

This prevents organizations from treating degradation as a one-directional phenomenon.

Progression Across Value Dimensions

Different value dimensions may progress differently.

For one industrial asset:

Physical Value Degradation → Slowly Increasing

Operational Value Degradation → Stable

Energy Efficiency Degradation → Accelerating

Economic Value Degradation → Oscillating

Strategic Value Degradation → Rapidly Increasing

VDGPM preserves these separate trajectories.

One aggregate degradation curve should not automatically replace materially different value-dimension trajectories.

Cross-Dimensional Interaction

Degradation in one value dimension may precede degradation in another.

For example:

Technical degradation

may precede:

Operational degradation

which may later contribute to:

Economic degradation.

VDGPM may preserve the temporal relationship between these trajectories.

However, temporal ordering does not automatically establish causation.

Progression ≠ Causation

If:

Value Dimension A deteriorates before Value Dimension B

this does not prove:

A caused B.

Likewise, accelerating degradation does not itself determine why acceleration occurred.

External systems may govern the causal mechanism.

VDGPM governs:

the observed progression of value degradation.

Therefore:

Temporal Sequence ≠ Causal Determination.

Progression Uncertainty

Progression may contain uncertainty arising from:

irregular measurement; incomplete history; measurement noise; changing baselines; missing observations; model estimates;

uncertain value magnitude; changing context; incomparable measurement methods.

VDGPM requires material uncertainty to remain visible.

A trajectory should not be classified as accelerating, stabilizing, or recovering where the available evidence cannot legitimately distinguish that state.

Progression Confidence

Where appropriate, a progression determination may carry a confidence state:

High Confidence

Moderate Confidence

Limited Confidence

Provisional

Indeterminate

or another governed classification.

Progression state and confidence must remain distinct.

Progression Thresholds

Organizations may establish progression thresholds such as:

Monitoring Threshold

Accelerating Degradation Threshold

Intervention Threshold

Critical Progression Threshold

Nullification Proximity Threshold

Thresholds may be based upon:

magnitude; rate; acceleration; cumulative degradation; remaining positive value; time-to-boundary estimate; combinations of these factors.

Threshold crossing may trigger downstream governance.

It does not automatically determine the response.

Boundary Proximity

VDGPM may determine whether degradation is approaching a material lifecycle boundary.

For example:

Positive Value

→ Severely Degraded Positive Value

→ Critical Residual Value

→ Zero-Value Boundary.

VDGPM may identify that the trajectory is approaching the boundary.

It does not automatically declare that the boundary has already been crossed.

Time-to-Boundary Estimation

Where the degradation trajectory is sufficiently stable and the methodology legitimate, VDGPM may estimate: time remaining before a defined value boundary may be reached.

For example:

Current residual productive value: 30%

Current governed degradation rate: 5 percentage points/year

may support a bounded projection under explicitly stated assumptions.

However:

Projection $\neq$ Determination.

Future degradation may accelerate, decelerate, stop, reverse, or encounter external change.

Any time-to-boundary estimate must therefore preserve its assumptions and uncertainty.

Nullification Boundary

VDGPM must preserve the architectural distinction:

Progressive Degradation

from

Value Nullification.

While positive governed value remains:

Value > 0

the trajectory remains within degradation governance.

Where the relevant governed value reaches zero:

Value $= 0$

the value has reached a different lifecycle condition.

Therefore:

Approaching Zero $\neq$ Zero.

ZVA™ Boundary

VDGPM may identify a trajectory approaching a governed zero-value state.

It must not classify an asset as:

ZVA™ — Zero Value Asset™

merely because degradation is severe, accelerating, or projected to reach zero.

A ZVA™ state requires the relevant governed zero-value condition actually to be established under the appropriate VFM® governance.

Therefore:

Projected Zero Value $\neq$ Governed Zero Value.

Progression Reassessment

A degradation progression determination should be reassessed when:

new magnitude observations become available; the observation interval changes materially; recovery occurs; deterioration accelerates; deterioration decelerates; the value reference changes legitimately; a new degradation condition appears; a material external event changes the trajectory; uncertainty is reduced; measurement methodology changes; a lifecycle threshold is approached or crossed.

VDGPM therefore operates as a dynamic governance mechanism.

Historical Progression Preservation

Current progression must not erase historical progression.

The governed record may preserve:

Initial Degradation

→ Acceleration

→ Peak Degradation

→ Partial Recovery

→ Plateau

→ Renewed Degradation.

This enables the lifecycle history of value deterioration to remain reconstructable.

VDGPM Boundary with VDGIM

VDGIM determines:

whether degradation has been identified.

VDGPM determines:

how identified degradation progresses over time.

Therefore:

Identification $\neq$ Progression.

VDGPM Boundary with VDGCM

VDGCM determines:

the degradation condition.

VDGPM determines:

the temporal trajectory of degradation.

Therefore:

Condition $\neq$ Progression.

VDGPM Boundary with VDGMM

VDGMM determines:

how much value has degraded at a governed observation point or interval.

VDGPM determines:

how degradation magnitude changes across governed time.

Therefore:

Magnitude $\neq$ Progression.

VDGPM Boundary with VCS

VCS governs material Value Change.

VDGPM governs the temporal progression specifically of identified Value Degradation.

Individual negative changes may become observations within a degradation trajectory.

VDGPM does not replace general Value Change governance.

VDGPM Boundary with VDS

VDS governs positive development of existing value.

VDGPM may observe that degradation is decreasing or reversing.

It does not automatically classify every reduction in degradation as Value Development.

The underlying lifecycle mechanism must remain correctly governed.

VDGPM Boundary with Value Nullification

VDGPM governs degradation while positive value remains.

It may identify proximity to a zero-value boundary.

It does not absorb governance of the actual nullification event.

Therefore:

Degradation Trajectory $\rightarrow$ Boundary Proximity

is distinct from:

Value $\rightarrow$ Zero Value.

Minimum Implementation Framework

A minimum VDGPM implementation should establish:

1. Progression Input

Receive governed degradation condition and magnitude observations.

2. Temporal Basis

Establish the relevant observation dates, intervals, cycles, or other legitimate time basis.

3. Sequence Construction

Arrange comparable degradation observations into a governed temporal sequence.

4. Direction Determination

Determine whether degradation is increasing, stable, decreasing, oscillating, intermittent, reversing, or indeterminate.

5. Rate Determination

Determine the degradation rate where legitimate measurement permits.

6. Rate-Change Assessment

Determine whether degradation is accelerating, decelerating, or remaining materially stable.

7. Pattern Assessment

Identify continuous, episodic, recurrent, oscillating, plateaued, recovery-linked, or other material progression patterns.

8. Boundary Proximity Assessment

Determine whether the degradation trajectory is approaching a material lifecycle threshold or zero-value boundary.

9. Progression State Assignment

Assign the governed degradation progression state together with relevant uncertainty and confidence.

10. Progression Record

Document the temporal basis, observations, direction, rate, pattern, uncertainty, thresholds, recovery interactions, and boundary proximity.

Governance Outputs

VDGPM may produce:

Value Degradation Progression Assessment Degradation Temporal Sequence Degradation Direction State

Degradation Rate

Degradation Acceleration State Degradation Deceleration State Degradation Continuity Record Episodic Degradation Record Degradation Oscillation Record Degradation Plateau State Recovery Interaction Record Renewed Degradation Record Multidimensional Progression Profile Progression Uncertainty Record Progression Confidence State Lifecycle Boundary Proximity Record Time-to-Boundary Estimate Value Degradation Progression State

These outputs provide the governed basis for:

VDGRM — Value Degradation Record Module.

Use Case 1 — Industrial Infrastructure

Degradation

A critical industrial asset has a current productive-value degradation magnitude of:

22%.

The magnitude alone appears manageable.

Historical observations show:

Year 1 — 4%

→ Year 2 — 7%

→ Year 3 — 12%

→ Year 4 — 22%.

VDGPM identifies that the asset is not merely degraded.

Its degradation rate is materially accelerating.

At the same time:

Physical Value Degradation → slowly increasing

while:

Reliability Value Degradation → rapidly accelerating.

This changes the governance picture completely.

A conventional snapshot may classify the asset as retaining substantial positive value.

VDGPM shows that its value trajectory is becoming materially less sustainable even though the current value state remains positive.

The organization can therefore distinguish:

Current Value Condition

from

Direction of Value Travel.

Use Case 2 — Digital Technology and Knowledge

Platform

A software platform remains commercially useful but is progressively losing strategic and technological value.

Over four governed assessment periods:

Operational Value Degradation: 5% → 6% → 7% → 7%

Interoperability Value Degradation: 10% → 18% → 31% → 48%

Knowledge Accessibility Degradation: 8% → 15% → 27% → 41%

Commercial Value Degradation: 12% → 10% → 8% → 6%

A simple aggregate score could hide the lifecycle reality.

VDGPM shows:

Operational degradation is stabilizing.

Interoperability degradation is accelerating.

Knowledge accessibility degradation is accelerating.

Commercial degradation is reversing.

The platform can therefore simultaneously become more commercially valuable while becoming structurally more degraded in other value dimensions.

VDGPM preserves these trajectories rather than forcing them into one generalized statement that “value increased” or “value decreased.”

This gives the organization a governed basis for deciding whether current commercial success is masking a longer-term deterioration of strategic, technical, or knowledge value.

Enterprise Application

VDGPM enables organizations to move from a static question:

“How degraded is this value?”

to a lifecycle question:

“Where is this value going?”

The Module can support:

asset lifecycle governance; infrastructure deterioration monitoring; technology lifecycle management; knowledge asset governance; portfolio monitoring; maintenance prioritization; capability deterioration analysis; strategic asset management; operational resilience; investment monitoring; replacement planning; remediation planning; value preservation; lifecycle forecasting.

Its primary contribution is the governance of direction through time.

A value object that is heavily degraded but stable may require a fundamentally different response from an object that is only moderately degraded but rapidly accelerating toward a critical boundary.

Foundational Principles

A degradation snapshot is not a degradation trajectory.

Magnitude is not progression.

Rate is not magnitude.

Degraded does not necessarily mean actively degrading.

Stable degradation does not restore lost value.

Decelerating degradation is not automatically recovery.

Recovery does not erase historical degradation.

Short-term progression and long-term progression may differ.

Different value dimensions may follow different degradation trajectories simultaneously.

Temporal sequence does not establish causation.

A projected zero-value state is not an existing zero-value state.

Approaching nullification is not nullification.

The current amount of value remaining cannot by itself reveal the direction in which that value is moving.

Canonical Closing Statement

Value Degradation Progression Module establishes the temporal governance layer of the Value Degradation Standard by determining how identified degradation of existing positive value develops across time. Through governance of temporal sequences, direction, rate, acceleration, deceleration, continuity, episodic deterioration, oscillation, stabilization, recovery interaction, multidimensional trajectories, uncertainty, threshold approach, and lifecycle-boundary proximity, VDGPM transforms isolated degradation observations into an interpretable value-degradation trajectory. By separating progression from magnitude, condition, causation, recovery, and nullification, the Module prevents static value measurements from being mistaken for lifecycle direction and prevents projected future deterioration from being treated as an already-existing zero-value state. VDGPM therefore enables VFM® to govern not only how much value has deteriorated, but how that deterioration is moving through time, whether it is stabilizing or accelerating, and whether existing positive value is moving toward recovery, continued degradation, or a subsequent lifecycle boundary.

Modul5

Governed Links

[→ Value Degradation Standard \(VDGS\)](#)

[→ VFM® Architecture Map](#)

[→ Previous: Value Degradation Magnitude Module \(VDGMM\)](#)

[→ Next: Value Degradation Record Module \(VDGRM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>