

Value Degradation Standard (VDGS)

Value Degradation Standard (VDGS)

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: VFM® — Value Flow Mechanisms Architecture

Parent Standard: Value Degradation Standard (VDGS)

Operational Layer: Value Degradation Governance Layer

Category: Governance & Enforcement

Subcategory: Value Lifecycle Governance

Type: Parent Standard

Governed Space: Value Degradation

Origin ID: VFM-VDGS-008

Version: 1.0

Status: Canonical · Open Standard

Effective Date: 26 August 2026

Compatibility: OOF® Methodology OS™ · GOA™ · ORA™ · VALIDOS® · INTEGROS® · ADIT® · AGA™ · OBIDENITY®

AI-Readable: Yes

Authority: OOF®

Protection: MIP® — Methodology Intellectual Property Protection

Canonical Language: UCL — Universal Canonical Language

Canonical Definition

Value Degradation Standard (VDGS) is the Parent Standard within VFM® — Value Flow Mechanisms Architecture that governs how existing positive value weakens, declines, deteriorates, erodes, loses capability, loses utility, becomes impaired, or otherwise undergoes progressive negative development while value continues to exist.

VDGS establishes the methodological distinction between Value Change, Value Degradation, and Value Nullification by determining when a negative change represents an actual degradation pathway, what condition is producing or sustaining that degradation, how materially the value has degraded, how degradation progresses through time, and how the degradation history must remain governed and reconstructable.

The Standard recognizes that value does not need to disappear in order to deteriorate.

An asset, capability, technology, relationship, infrastructure system, knowledge base, organization, product, network, or other value-bearing object may continue to possess substantial positive value while simultaneously undergoing material degradation.

VDGS therefore governs the space:

Existing Positive Value → Progressive Value Decline → Remaining Positive Value

and preserves the critical boundary:

Value Degradation ≠ Value Nullification.

Core Question

How does existing value weaken, decline, deteriorate, or become progressively impaired while value still exists?

Architectural Position

VDGS occupies the eighth governed space of the VFM® value lifecycle.

It follows:

Value Development Standard (VDS)

and precedes the subsequent VFM® lifecycle spaces governing more advanced value-state and value-transition mechanisms.

The preceding standards establish:

what value is being governed

→ where value can originate

→ when potential value becomes existing value

→ when existing value becomes recognized

→ what governed state the value currently occupies

→ when and how that value materially changes

→ how existing value positively develops

VDGS then asks the corresponding negative-development question:

How is existing value deteriorating while still remaining value?

This position is architecturally important.

VFM® does not collapse all negative movement into a generic Value Change.

Nor does it treat every decline as immediate destruction of value.

VDGS creates the governed space between those conditions.

VFM® Governance Flow Position

Value Context → Value Origin → Value Emergence → Value Recognition → Value State → Value Change → Value Development → Value Degradation → subsequent VFM® lifecycle spaces

VDGS therefore governs the eighth principal transition space:

Existing Value → Degrading Value → Remaining Value

The foundational lifecycle distinction is:

Development strengthens existing value.

Degradation weakens existing value.

Nullification ends positive value where the governed value reaches zero.

Governed Transition

The principal governed transition under VDGS is:

Existing Positive Value

→ Degradation Condition

→ Value Weakening

→ Degradation Progression

→ Reduced Positive Value

The Standard does not require degradation to be continuous.

Value may deteriorate:

gradually; intermittently; cyclically; cumulatively; suddenly and then progressively; through multiple interacting degradation pathways.

What matters is whether the governed value has entered a materially negative developmental trajectory while continuing to exist.

Operational Space

VDGS governs:

identification of Value Degradation; degradation conditions; degradation dimensions; degradation magnitude; degradation rate; degradation progression; cumulative degradation; partial impairment; capability deterioration; utility deterioration; economic deterioration; functional deterioration; technological deterioration; structural deterioration; knowledge deterioration; relational deterioration; strategic deterioration; temporal degradation; degradation persistence; degradation acceleration; degradation deceleration; degradation stabilization; degradation interruption; degradation reversibility where applicable; remaining positive value;

degradation records; degradation continuity.

Value Change ≠ Value Degradation

Every Value Degradation involves change.

Not every Value Change is degradation.

A value may change because:

its context changes; its magnitude changes; its composition changes; its beneficiary changes; its use changes; its operational condition changes.

VDGS applies only where the relevant change constitutes a material weakening, decline, deterioration, erosion, or impairment of existing value.

Therefore:

Value Change → identifies what changed.

Value Degradation → determines whether and how existing value is deteriorating.

Degradation ≠ Temporary Variation

Value may fluctuate without entering a degradation pathway.

A temporary market decline, short operational interruption, momentary performance reduction, seasonal change, transient demand reduction, or temporary loss of utility does not automatically constitute Value Degradation.

VDGS therefore requires the degradation determination to distinguish:

temporary variation

from

material deterioration.

The distinction depends upon the governed Value Context, relevant value dimension, duration, magnitude, persistence, and purpose.

Degradation Condition

A Value Degradation Condition is a governed condition under which existing value is materially weakening or is exposed to an active deterioration process.

Such conditions may include:

physical deterioration; technological obsolescence; capability erosion; declining utility; knowledge decay; reduced relevance; network deterioration; declining interoperability; reduced productive capacity; infrastructure aging;

market displacement; operational inefficiency; dependency deterioration; maintenance deficit; resource exhaustion; institutional weakening; relationship deterioration; another materially relevant negative condition.

VDGS governs the relationship of such conditions to the value being degraded.

It does not automatically govern the external mechanism itself.

External Cause ≠ Governed Degradation

A degradation pathway may originate from events governed elsewhere.

For example:

technological innovation

may make an existing technology less valuable.

physical corrosion

may weaken an infrastructure asset.

regulatory change

may reduce the usable value of an existing capability.

competitive entry

may reduce economic advantage.

loss of knowledge

may weaken organizational capability.

network fragmentation

may reduce network value.

VFM® does not need to assume governance authority over these external domains.

VDGS asks:

What happened to the governed value as a consequence?

This preserves the VFM® architectural boundary.

Degradation Dimension

Value may degrade in one dimension while remaining stable or developing in another.

A governed value object may experience:

Economic Value ↓

while:

Technical Capability →

or:

Operational Utility ↓

while:

Knowledge Value ↑

or:

Physical Condition ↓

while:

Strategic Scarcity Value ↑

VDGS therefore does not assume that Value Degradation is universally uniform.

The degraded dimension must remain explicit.

Multidimensional Degradation

Where value exists across several dimensions, VDGS may govern a multidimensional degradation profile.

For example:

Functional Value: -15%

Economic Value: -8%

Reliability: -20%

Strategic Value: stable

Knowledge Value: +5%

This prevents one deteriorating dimension from being silently generalized across the entire governed value object.

Equally, improvement in one dimension must not conceal material degradation in another.

Degradation Magnitude

VDGS governs the material extent of degradation.

Magnitude may be expressed through:

absolute reduction; relative reduction; percentage decline; capability loss; utility loss; performance deterioration; reliability deterioration; maturity regression; economic impairment; qualitative deterioration; another context-appropriate measure.

The Standard does not impose one universal unit of Value Degradation.

The measurement basis must remain consistent with the governed Value Context.

Degradation Rate

Two assets may reach the same reduced value condition through radically different degradation pathways.

One may deteriorate slowly over twenty years.

Another may deteriorate rapidly within six months.

VDGS therefore distinguishes:

Degradation Magnitude

from

Degradation Rate.

A high degradation rate may be materially important even while substantial positive value remains.

Degradation Progression

VDGS governs how degradation develops through time.

A progression may be:

Stable Value

→ Initial Weakening

→ Observable Degradation

→ Material Degradation

→ Severe Degradation

→ Residual Positive Value

or another context-specific progression.

The purpose is not to impose universal labels.

It is to ensure that deterioration can be tracked as a governed lifecycle process rather than observed only after major value has already disappeared.

Linear and Nonlinear Degradation

Degradation does not need to occur linearly.

Possible patterns include:

Linear Degradation

Accelerating Degradation

Decelerating Degradation

Stepwise Degradation

Cyclical Degradation

Threshold-Driven Degradation

Compound Degradation

Intermittent Degradation

Different progression patterns may carry materially different governance implications even where the final reduction is similar.

Cumulative Degradation

Small reductions may become material through accumulation.

For example:

–1%

→ –2%

→ –2%

→ –3%

→ –4%

may represent a significant degradation pathway even though no single event appears decisive.

VDGS therefore permits degradation to be governed cumulatively.

Small Change × Repetition may become Material Degradation.

Degradation Persistence

VDGS distinguishes between:

Temporary Impairment

and

Persistent Degradation.

Persistent degradation exists where deterioration remains materially present across the relevant governed period or continues through an active degradation pathway.

Persistence may materially affect:

Value State; future Value Change; recovery potential; remaining useful capability; downstream transition readiness.

Degradation Acceleration

A degradation process may accelerate.

For example:

Aging Infrastructure

→ Increasing Failure Frequency

→ Reduced Reliability

→ Maintenance Backlog

→ Further Deterioration

→ Accelerated Value Loss

VDGS must therefore be capable of identifying when the rate of degradation itself becomes a material governed condition.

Degradation Interaction

Multiple degradation mechanisms may interact.

For example:

Physical Deterioration

Technological Obsolescence

Reduced Demand

Maintenance Deficit

may produce a degradation trajectory substantially greater than any individual mechanism considered independently.

VDGS governs the resulting Value Degradation relationship without taking ownership of each causal domain.

Degradation Reversibility

Not all degradation is irreversible.

A degraded value may potentially be:

repaired; restored; upgraded; reactivated; reconfigured; retrained; replenished; repositioned; rehabilitated; otherwise recovered.

VDGS therefore does not equate:

Degraded Value

with

Permanently Lost Value.

Whether recovery actually occurs belongs to the appropriate subsequent VFM® mechanism.

VDGS records the degradation condition from which such recovery may begin.

Remaining Value Principle

The defining condition of VDGS is that positive value remains.

Conceptually:

$$V > 0$$

while:

$$\Delta V < 0$$

within the governed value dimension and reference context.

This mathematical expression is illustrative rather than mandatory.

Its architectural meaning is fundamental:

Value is declining, but value has not yet reached zero.

Degradation ≠ Nullification

This is the critical boundary of VDGS.

Value Degradation governs:

Positive Value → Lower Positive Value

Value Nullification governs:

Positive Value → Zero Value

Therefore:

Degradation ≠ Nullification.

A severely degraded asset may still possess positive value.

A minimally degraded asset may still retain nearly all of its original value.

The existence of degradation does not determine that a ZVA™ — Zero Value Asset™ exists.

VDGS and ZVA™

A ZVA™ — Zero Value Asset™ represents a governed zero-value state where applicable.

VDGS does not assign ZVA™ merely because deterioration is severe.

As long as the governed value remains above zero within the relevant Value Context:

the value remains degraded value, not zero value.

Only when the applicable VFM® lifecycle mechanism determines that value has reached the governed zero-value condition can the corresponding ZVA™ state become relevant.

This protects the distinction:

Severely Degraded Value ≠ Zero Value.

Residual Value

A degraded value-bearing object may retain Residual Value.

Residual Value may arise from:

remaining functionality; remaining productive capability; salvage potential; reusable components; retained knowledge; strategic optionality; scarcity;

recoverability; alternative use; transferable capability; another governed value basis.

VDGS therefore requires degradation analysis to avoid assuming that the loss of the primary value function necessarily means the disappearance of all value.

Primary Value Loss ≠ Total Value Loss

An object may lose its original primary value while retaining another form of value.

For example:

A machine may no longer be economically efficient in production but retain parts value.

A technology may become commercially obsolete while retaining knowledge value.

Infrastructure may lose its original operational purpose while retaining conversion value.

A dataset may lose current operational relevance while retaining historical or research value.

Therefore:

Loss of Primary Value ≠ Automatic Zero Value.

Degradation Baseline

A meaningful degradation determination requires a sufficiently defined comparison basis.

The baseline may be:

previous Value State; recognized Value State; developed Value State; expected capability; reference performance; previous utility; previous economic condition; another governed reference state.

Without a baseline, claims of deterioration may become ambiguous.

VDGS therefore requires degradation to remain relational:

Value at $T_0 \rightarrow$ Value at T_1 .

Degradation Delta

Where appropriate:

Degradation Delta = Prior Governed Value Condition – Current Governed Value Condition

The delta may be numerical, ordinal, qualitative, multidimensional, or another governed form.

A degradation delta must not imply false precision where the value itself cannot legitimately be reduced to one numerical measure.

Degradation Threshold

Organizations may establish thresholds indicating when negative variation becomes material Value Degradation.

Thresholds may be based on:

magnitude; duration; rate; capability loss; economic impact; reliability reduction; utility reduction; cumulative deterioration; another context-relevant condition.

VDGS does not prescribe one universal degradation threshold.

It requires the threshold logic to remain explicit where thresholds are used.

Value Degradation State

VDGS may support governed degradation states such as:

1. No Material Degradation

No material degradation has been established.

2. Emerging Degradation

Early deterioration has been identified but remains limited.

3. Active Degradation

A material degradation pathway is currently occurring.

4. Progressive Degradation

Degradation continues across the governed period.

5. Accelerating Degradation

The rate or severity of degradation is materially increasing.

6. Stabilized Degradation

Previously degrading value has ceased materially declining, although lost value has not necessarily been recovered.

7. Severe Degradation

Substantial positive value has been lost while positive value remains.

These states describe the degradation condition, not the complete Value State governed under VSS.

Degradation State ≠ Value State

A value may simultaneously possess:

Value State: Positive Value Asset

and

Degradation State: Active Degradation.

This is not contradictory.

VSS answers:

What is the current governed state of value?

VDGS answers:

How is that existing value deteriorating?

The distinction allows VFM® to represent value as both a state and a lifecycle trajectory.

Degradation Stabilization ≠ Recovery

If deterioration stops, value may stabilize at a lower level.

For example:

Value 100

→ Value 70

→ degradation stops

The resulting value remains 70 unless subsequent development or recovery increases it.

Therefore:

Stopping Degradation ≠ Recovering Lost Value.

This distinction prevents stabilization from being incorrectly reported as value restoration.

Historical Degradation

A current value condition may be understandable only through its degradation history.

VDGS therefore preserves the ability to reconstruct:

when degradation began

what dimension degraded

under what conditions

by what magnitude

at what rate

through what progression

with what remaining value

and whether degradation stabilized, continued, or accelerated.

This creates the governed basis for later lifecycle mechanisms.

Temporal Governance

VDGS treats degradation as temporally governed.

A degradation determination should identify where relevant:

T_0 — Baseline Value Condition

→ T_1 — Degradation Identified

→ T_2 — Material Decline

→ T_3 — Progression

→ T_4 — Current Degraded Condition

This permits comparison across multiple periods and prevents the current degraded condition from becoming detached from its history.

Evidence and Determination Boundary

VDGS may use:

measurements; observations; operational data; market information; technical assessments; performance records; condition records; financial information; external determinations; governed evidence.

But VDGS does not replace the architectures responsible for validation, integrity, auditability, or operational reality.

Where appropriate:

VALIDOS® may govern validation.

INTEGROS® may govern integrity.

ADIT® may govern auditability.

ORA™ may govern Operational Reality.

VDGS governs what the supplied basis means specifically for Value Degradation.

Boundary with Value Development Standard

VDS governs:

positive development of existing value.

VDGS governs:

negative development of existing value while positive value remains.

Therefore:

Value Development $\neq$ Value Degradation.

An object may experience both across different periods or dimensions.

VFM® must preserve both rather than collapsing them into a single net narrative.

Boundary with Value Change Standard

VCS establishes:

what materially changed in value.

VDGS establishes:

whether that change represents degradation and how the degradation progresses.

Therefore:

Negative Value Change may become an input to Value Degradation governance.

But:

Value Change $\neq$ Degradation Pathway.

Boundary with Value State Standard

VSS establishes the current governed Value State.

VDGS establishes the deterioration trajectory affecting that value.

A Value State may therefore be interpreted together with its degradation condition without merging the two governance spaces.

Boundary with External Causation

VDGS may establish a governed linkage between an external event or condition and observed degradation where an appropriate basis exists.

It does not claim universal causal authority over:

markets; regulation; engineering; physical processes; human behavior; technology; economics; environmental processes; other external domains.

The architectural question remains:

What degradation occurred to value?

not:

Who owns governance of every cause capable of producing that degradation?

Boundary with Accountability

VDGS does not determine:

who caused degradation; who is legally liable; who should compensate; who breached a duty;
who holds organizational responsibility.

Those questions may interface with AGA™ or applicable legal and institutional frameworks.

VDGS governs the Value Degradation itself.

Enterprise Application

VDGS allows organizations to detect and govern deterioration before value reaches catastrophic loss or zero.

It may be applied to:

physical assets; industrial equipment; infrastructure; technologies; intellectual assets; organizational capabilities;
software; networks; data assets; knowledge systems; commercial relationships; brands; productive systems; strategic
capabilities; portfolios; public infrastructure; institutional capabilities.

The Standard provides a common methodological language for answering:

What value is degrading?

In which dimension?

How much has been lost?

How quickly is deterioration occurring?

Is degradation accelerating?

What positive value remains?

Has deterioration stabilized?

Is the object approaching a zero-value condition?

This creates a governance basis for intervention before degradation becomes nullification.

Foundational Principles

Value can deteriorate without disappearing.

Negative change is not automatically Value Degradation.

Temporary variation is not automatically degradation.

Value Degradation must remain tied to a governed baseline.

Degradation may be multidimensional.

Degradation magnitude and degradation rate are distinct.

Small repeated losses may become material cumulative degradation.

Degradation may accelerate, stabilize, or interact with other degradation pathways.

Stopping degradation does not restore lost value.

Loss of primary value does not automatically mean loss of all value.

Severe degradation does not automatically create a ZVA™ — Zero Value Asset™.

Value Degradation governs declining value while positive value remains.

Value Degradation ≠ Value Nullification.

Canonical Closing Statement

Value Degradation Standard establishes the governed deterioration layer of VFM® — Value Flow Mechanisms Architecture by determining when existing positive value enters a material weakening, decline, deterioration, erosion, or impairment pathway while value continues to exist. Through governance of degradation identification, conditions, dimensions, magnitude, rate, progression, persistence, accumulation, acceleration, interaction, stabilization, residual value, temporal development, and degradation history, VDGS prevents temporary variation, ordinary Value Change, severe impairment, and complete Value Nullification from being methodologically collapsed into the same condition. By preserving the distinction between what caused deterioration and what happened to the governed value, between degradation state and Value State, and between declining value and zero value, VDGS creates the lifecycle boundary required to govern value before, during, and after material decline. Value may weaken substantially and still remain value; VDGS exists to make that declining value visible, measurable, traceable, and governable before the boundary of zero is reached.

Nahald

Value Degradation Standard (VDGS)

Architecture: VFM® — Value Flow Mechanisms Architecture Category: Governance & Enforcement Subcategory: Value Lifecycle Governance

Canonical Definition: Value Degradation Standard governs how existing positive value weakens, declines, deteriorates, erodes, or becomes progressively impaired while value continues to exist.

Governed Space: Value Degradation

Governance Flow Position: Value Context → Value Origin → Value Emergence → Value Recognition → Value State → Value Change → Value Development → Value Degradation → subsequent VFM® lifecycle spaces

Value may materially deteriorate without ceasing to exist; Value Degradation therefore governs the decline of existing positive value while preserving the boundary between degradation and zero value.

→ [View Standard](#)

[About standard](#)

Module Architecture

→ [Value Degradation Identification Module \(VDGIM\)](#).

→ [Value Degradation Condition Module \(VDGCM\)](#).

→ [Value Degradation Magnitude Module \(VDGMM\)](#).

→ [Value Degradation Progression Module \(VDGPM\)](#).

[→ Value Degradation Record Module \(VDGRM\)](#)

Related Documents

[→ About Value Degradation Standard \(VDGS\)](#)

[→ VFM® — Value Flow Mechanisms Architecture](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>