

Value Context Module (VCM)

Value Context Module (VCM)

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: VFM® — Value Flow Mechanisms Architecture

Parent Standard: Value Identification Standard (VIS)

Module: VCM — Value Context Module

Operational Layer: Value Context Governance Layer

Category: Governance & Enforcement

Subcategory: Value Lifecycle Governance

Type: Core Module

Governed Space: Value Context

Origin ID: VFM-VIS-VCM-001.4

Version: 1.0

Status: Draft · Open Standard

Effective Date: 23 August 2026

Compatibility: OOF® Methodology OS™ · GOA™ · ORA™ · AGA™ · INTEGROS® · CLA™ · ADIT® · VALIDOS® · SIMULOS® · OBIDENITY®

AI-Readable: Yes

Authority: OOF®

Protection: MIP® — Methodology Intellectual Property Protection

Canonical Language: English

Canonical Definition

Value Context Module (VCM) is the fourth Core Module of the Value Identification Standard (VIS) within VFM® — Value Flow Mechanisms Architecture.

VCM governs the explicit identification and structuring of the context within which a bounded and differentiated Value Object is being examined for value.

The Module establishes the relevant purpose, perspective, environment, time, conditions, relationships, dependencies, use context, and other materially relevant contextual dimensions required before statements concerning the Value Object can be interpreted consistently within the value lifecycle.

VCM addresses a foundational problem:

the same Value Object may legitimately exhibit different value relevance, value states, value changes, or value trajectories under different contexts without becoming a different Value Object.

VCM does not determine whether value exists, how much value exists, whether value has emerged, what price should be assigned, whether the object is legally owned, or whether a valuation is correct.

Its task is narrower:

to establish the governed context within which subsequent statements about the Value Object and its value lifecycle are intended to apply.

Core Question

Within what context is this Value Object being examined for value, and which contextual conditions materially affect the meaning of its value lifecycle?

Architectural Position

VCM is the fourth Core Module of the Value Identification Standard.

It follows:

VOIM — Value Object Identification Module → VOBM — Value Object Boundary Module → VODM — Value Object Differentiation Module

and precedes the final identification function of VIS.

The methodological sequence is:

Value Object Identification → Value Object Boundary → Value Object Differentiation → Value Context → Governed Value Identification

VOIM establishes:

What is the Value Object?

VOBM establishes:

Where does the Value Object begin and end?

VODM establishes:

What must remain distinct?

VCM establishes:

Under what context is this Value Object being examined for value?

Internal Flow Position

Identified + Bounded + Differentiated Value Object → Context Purpose Identification → Perspective Identification → Use Context Identification → Environmental Context Identification → Temporal Context Identification → Relational Context Identification → Dependency Context Identification → Condition Identification → Context Boundary Definition → Context Assumption Identification → Context Variation Assessment → Context Record → Contextualized Value Object

Operational Space

VCM governs the space between:

a structurally defined Value Object

and

a Value Object situated within an explicit value-relevant context.

This operational space includes:

value context identification; contextual purpose; contextual perspective; use context; operational context; environmental context;

temporal context; relational context; dependency context; technological context; economic context where relevant; geographic context where relevant; institutional context where relevant; condition definition; context boundaries;

contextual assumptions; contextual variability; context change; multi-context relationships; context traceability; context uncertainty.

Context Principle

Value must not be interpreted as though every Value Object exists in one universal context.

A Value Object may possess materially different value relevance depending upon:

who or what uses it; where it exists; when it exists; what purpose it serves; which system it belongs to; which capabilities depend upon it; which alternatives exist; which environmental conditions apply; which relationships enable its function; which dependencies constrain it; which technological conditions exist.

Therefore:

Value Object $\neq$ Value Context

and:

Same Value Object + Different Context $\neq$ Automatically Same Value Outcome

Context Does Not Create the Value Object

VCM must preserve the distinction between:

what the Value Object is

and

the context in which it is examined.

For example, one industrial machine may be the same Value Object in:

an operating factory; an idle warehouse; a region without compatible infrastructure; a production line where it is mission-critical; a market where replacement equipment is abundant.

The machine does not necessarily become a different Value Object merely because the context changes.

Its value lifecycle, however, may be affected materially.

Context Purpose

Every governed Value Context should identify why the Value Object is being examined.

Possible purposes may include:

operational use; investment analysis; asset management; public-sector analysis; infrastructure planning; economic analysis; lifecycle management; resource allocation; strategic planning; restructuring; restoration analysis; technology transition; value-loss analysis; value-development analysis.

Purpose does not determine value.

It defines the contextual question under which value is being examined.

Perspective Identification

VCM recognizes that value may be examined from different perspectives.

These may include:

individual; organization; network; ecosystem; public institution; infrastructure system; community; economy; operational system; technological system.

A Value Object may create value for one perspective while providing little or no value for another.

VCM therefore requires perspective to remain explicit where it materially affects interpretation.

Perspective ≠ Ownership

The perspective from which value is examined does not determine ownership.

For example:

a bridge may be owned by one public authority while its value is examined from the perspective of:
commuters; logistics networks; emergency services; regional economy; infrastructure resilience.

VCM governs the perspective relevant to value analysis.

Ownership remains outside its boundary.

Use Context

VCM identifies the use context within which the Value Object is relevant.

A machine may be examined as:

active production equipment; reserve capacity; spare equipment; resale equipment; component source; training equipment; obsolete equipment; restoration candidate.

The physical object may remain identical.

Its use context may materially change the value lifecycle.

Operational Context

Operational context describes the relevant operating conditions surrounding the Value Object.

Examples include:

active operation; standby; maintenance; emergency operation; degraded operation; high-load operation; isolated operation; integrated operation.

VCM identifies the context.

It does not govern Operational Reality itself.

That remains within ORA™.

Environmental Context

Environmental conditions may materially influence value.

These may include:

physical environment; climate; infrastructure availability; energy availability; network access; resource availability; logistics conditions; surrounding system conditions.

An asset capable of producing substantial value in one environment may be unable to do so in another.

VCM makes the environmental basis explicit before downstream value governance interprets the difference.

Temporal Context

Value context must include time where time materially affects interpretation.

Relevant temporal dimensions may include:

assessment date; lifecycle period; operational phase; technology generation; market period; seasonal condition; pre-event state; post-event state; future planning horizon.

Therefore:

Value at Time T1 $\neq$ necessarily Value at Time T2

even where the Value Object remains unchanged.

VCM does not determine the resulting Value State.

It establishes the temporal context under which that state will later be governed.

Relational Context

Value may depend materially upon relationships.

Examples include:

supplier access; customer relationships; interoperability; contractual access; platform participation; distribution networks; collaboration; service relationships; ecosystem membership.

VCM identifies which relationships form part of the context.

Where a relationship itself constitutes a Value Object, VODM must preserve it separately.

Dependency Context

A Value Object may depend upon external capabilities for value to emerge or remain usable.

Dependencies may include:

electricity; transport; software; data; infrastructure; personnel; networks; complementary assets; regulatory access; technical compatibility.

VCM records the dependency context where relevant.

It does not govern the external dependency itself.

Dependency $\neq$ Value

A Value Object's dependence upon another object does not determine its value.

Likewise, the existence of a dependency does not establish value.

VCM therefore separates:

dependency condition

from

value consequence.

The dependency may later cause value to emerge, change, degrade, reach zero, or recover.

Those consequences belong to subsequent VFM® governed spaces.

Technological Context

Technology may materially change the context in which a Value Object exists.

For example, a manufacturing machine may remain physically functional while a new production technology changes: compatibility; usefulness; integration potential; replacement availability; productive relevance.

VCM identifies the technological context.

VFM® later governs what happens to value as a result.

Economic Context

Where materially relevant, VCM may identify economic conditions affecting the Value Object's value context.

These may include:

scarcity; abundance; availability of substitutes; demand conditions; resource constraints; access conditions; economic disruption.

VCM does not govern the economy itself.

It records economic context only where that context is necessary to understand the Value Object's value lifecycle.

Geographic Context

Location may materially influence value.

The same Value Object may have different relevance in different locations because of:

infrastructure; access; demand; scarcity; environmental conditions; logistics; compatibility; surrounding capabilities.

Therefore:

Physical Object Identity ≠ Universal Geographic Value Context

Institutional Context

Institutions may form part of the environment in which value is examined.

Examples may include:

public infrastructure systems; healthcare systems; education systems; industrial ecosystems; research environments; organizational structures.

VCM identifies the institutional context where it materially affects the Value Object.

It does not govern institutional authority or legality.

Context Boundary

Every governed Value Context should establish a Context Boundary.

The Context Boundary identifies which contextual factors are:

included

and which are:

excluded

from the current value analysis.

This prevents a Value Statement produced under one context from silently being interpreted as universal.

Context Assumptions

Some contextual conditions may be assumed rather than directly established.

Examples:

infrastructure remains available; a production line continues operating; software support continues; demand remains within a defined range; complementary assets remain accessible.

VCM requires material contextual assumptions to remain explicit.

It does not validate those assumptions.

Context Assumption ≠ Value Assumption

A contextual assumption describes the environment within which value is examined.

A value assumption directly assumes something about value itself.

The two must remain separate.

For example:

“Grid access remains available.”

is a contextual assumption.

“The facility will therefore retain high value.”

is a value conclusion or assumption.

VCM governs the first.

It does not pre-establish the second.

Multi-Context Governance

A single Value Object may be examined simultaneously across several contexts.

For example:

Electric Vehicle Battery

may be examined within:

Context A — vehicle propulsion

Context B — stationary energy storage

Context C — materials recovery

The battery may remain the same underlying Value Object while its value lifecycle differs across these contexts.

VCM therefore permits parallel contextualization.

Context Comparison

VCM enables controlled comparison between contexts.

The methodological structure may be:

Value Object X + Context A

versus

Value Object X + Context B

This makes it possible to distinguish:

change in the Value Object

from

change in the context surrounding the Value Object.

That distinction becomes critical when identifying why value changed.

Context Change

A material Context Change occurs when one or more contextual conditions change sufficiently to affect downstream value governance.

Examples include:

loss of infrastructure; new technology; disappearance of demand; new use capability; loss of compatibility; geographic relocation; dependency failure; restoration of access; new relationship; changed operational environment.

Context Change does not automatically mean Value Change.

It creates a trigger to assess whether Value Change occurred.

Context Change ≠ Value Change

This distinction is fundamental.

A context may change without materially changing value.

Likewise, value may change without a major context change.

Therefore:

Context Change → Value Reassessment Trigger

not:

Context Change = Value Change

Context and Value Emergence

Context may create conditions under which value can emerge.

For example:

an unused technology may acquire practical value when complementary infrastructure becomes available.

VCM identifies the changed context.

The Value Emergence Standard governs whether value actually emerges.

Context and Value Development

A favorable context may enable existing value to grow.

Examples include:

network expansion; complementary infrastructure; increased interoperability; improved access; new capabilities.

VCM identifies the contextual development.

The Value Development Standard governs the resulting development of value.

Context and Value Degradation

A Value Object may remain unchanged while its context deteriorates.

Examples include:

loss of compatible infrastructure; declining usefulness; disappearing ecosystem support; loss of complementary capability.

VCM governs the changed context.

The Value Degradation Standard governs the resulting value degradation where it occurs.

Context and Value Nullification

A context change may contribute to value reaching zero.

But VCM does not issue a zero-value determination.

For example:

a specialized machine may remain physically operational but become unusable because the only compatible production system disappears.

VCM identifies:

loss of compatibility context.

The Value Nullification Standard determines whether the resulting value reaches a zero-value condition.

Context and ZVA™ — Zero Value Asset™

A Value Object may be a ZVA™ — Zero Value Asset™ in a defined context while retaining potential value under another context.

This distinction is essential.

For example:

a machine may have zero productive value in Facility A because supporting infrastructure no longer exists.

The same machine may regain productive relevance if relocated to Facility B.

Therefore, where appropriate:

Zero Value must remain context-bound.

VCM supplies the contextual basis necessary for later Value State governance.

Context and ReMonet™

A change of context may enable value restoration.

Examples include:

relocation; technological adaptation; new infrastructure; new use; restored network access; new relationships; changed demand; repurposing.

VCM identifies the contextual change.

ReMonet™ governs the value-restoration mechanism where value actually returns.

Context and Value Extinction

Value Extinction must not be inferred merely because value is absent in one context.

If a Value Object may possess recoverable value under another legitimate context, its broader value lifecycle may not yet have reached extinction.

Therefore:

Context-Specific Zero Value ≠ Automatic Value Extinction

This distinction protects VFM® from collapsing temporary contextual uselessness into terminal value loss.

Value Context ≠ Valuation Context

VCM does not establish a valuation methodology.

It may identify the context in which a valuation is being conducted, but it does not determine:

valuation method; discount rate; fair value; market value; accounting value; price; monetary amount.

Therefore:

Value Context Governance ≠ Valuation Methodology

Value ≠ Price

VCM explicitly preserves the distinction between:

value context

and

price context.

A market price may be one contextual signal relevant to a Value Object.

It does not define the complete value lifecycle governed by VFM®.

VCM Boundary with VOIM

VOIM identifies the Value Object.

VCM identifies the context in which that object is examined.

Therefore:

Object Identity ≠ Object Context

VCM Boundary with VOBM

VOBM establishes the Value Object Boundary.

VCM establishes the Value Context Boundary.

These boundaries must remain distinct.

Value Object Boundary answers:

What belongs to the object?

Value Context Boundary answers:

Which surrounding conditions belong to the present value analysis?

VCM Boundary with VODM

VODM determines whether objects, components, capabilities, relationships, or configurations must remain differentiated.

VCM then contextualizes those differentiated Value Objects.

Therefore:

Differentiation precedes contextualization.

VCM Boundary with ORA™

ORA™ governs actual Operational Reality.

VCM may identify operational conditions as part of Value Context.

It does not govern those operational conditions themselves.

Therefore:

Operational Reality ≠ Value Context

VCM Boundary with GOA™

GOA™ governs governance itself, including authority, scope, delegation, accountability, and governance boundaries.

VCM governs only the contextual conditions necessary for value lifecycle interpretation.

VCM Boundary with CLA™

CLA™ may classify contextual factors.

VCM determines which contextual factors are materially relevant to the Value Object's value lifecycle.

Therefore:

Context Identification ≠ Classification Governance

VCM Boundary with VALIDOS®

VCM does not determine whether contextual claims are valid.

Where formal validation is required, VALIDOS® may govern validation of those claims.

Therefore:

VCM Boundary with INTEGROS®

VCM does not determine contextual integrity.

INTEGROS® may govern whether contextual information maintains required integrity properties.

VCM Boundary with ADIT®

ADIT® may provide evidence concerning contextual conditions and contextual changes.

VCM governs how those conditions are structured as Value Context.

Therefore:

Evidence of Context ≠ Context Governance

VCM Boundary with SIMULOS®

SIMULOS® may simulate future, hypothetical, or alternative contexts.

VCM may use a clearly identified simulated context as a value-analysis context.

It does not govern the simulation itself.

Therefore:

Simulated Context ≠ Value Context Governance

VCM Boundary with OBIDENTITY®

VCM does not determine:

identity; ownership; authority; permission;

provenance; transfer.

Those may be relevant contextual inputs, but their governance remains outside VCM.

Minimum Implementation Framework

A minimum VCM implementation should establish:

1. Value Object Input

Receive the identified, bounded, and differentiated Value Object.

2. Context Purpose

Define why the Value Object is being examined.

3. Perspective

Identify the relevant perspective where material.

4. Use Context

Identify the relevant use or capability context.

5. Environmental & Operational Context

Identify materially relevant surrounding conditions.

6. Temporal Context

Define the relevant time, period, or lifecycle moment.

7. Relational & Dependency Context

Identify material relationships and dependencies.

8. Context Boundary

Define which contextual factors are included and excluded.

9. Context Assumptions

Record material contextual assumptions.

10. Context Variation

Identify alternative contexts where materially relevant.

11. Context State

Establish the current contextual basis.

12. Context Record

Create a traceable governed Value Context record.

Governance Outputs

VCM may produce:

Value Context Record Value Context Statement Value Context Boundary Value Context Purpose Record Value Perspective Record Value Use Context Record Value Environmental Context Record Value Operational Context Record Value Temporal Context Record Value Relational Context Record Value Dependency Context Record Value Context Assumption Record Value Context Variation Record Value Context Change Record Multi-Context Comparison Record Contextualized Value Object

These outputs provide the contextual basis required for the final Value Identification function and subsequent VFM® lifecycle governance.

Enterprise Application

VCM addresses one of the most important problems in real-world value analysis:

organizations frequently speak about “the value” of something without specifying the context in which that value exists.

Consider an industrial robot.

The same robot may be:

highly useful in a factory with compatible software, tooling, trained operators, energy, maintenance, and production demand;

weakly useful in a facility where only part of that supporting environment exists;

or

operationally useless in a location where the required infrastructure is absent.

The robot may not have changed.

The context has.

A conventional system may record only a financial amount.

VCM records the context necessary to understand why the value lifecycle may differ.

This becomes especially important for:

accounting; asset management; investment; taxation analysis; infrastructure; public finance; technology; AI systems; industrial equipment;

intellectual property; digital assets; energy systems; supply chains; strategic capabilities.

VCM enables later VFM® standards to distinguish:

Value Object Change

from

Value Context Change

and therefore prevents downstream value governance from attributing a value transition to the wrong cause.

Foundational Principles

Value cannot be governed consistently without governing the context in which value is being examined.

The same Value Object may exist across multiple legitimate Value Contexts.

A change in context does not automatically create a new Value Object.

A change in context does not automatically create a change in value.

Context Change is a trigger for value reassessment, not a Value Change determination.

Value Object Boundary and Value Context Boundary are different methodological controls.

Perspective does not determine ownership.

Dependency does not itself establish value.

Context does not determine price.

Context-specific zero value does not automatically establish Value Extinction.

A ZVA™ — Zero Value Asset™ state may be context-dependent where recoverable value remains possible under another legitimate context.

The conditions surrounding value must remain distinguishable from value itself.

Canonical Closing Statement

Value Context Module establishes the fourth methodological control point of the Value Identification Standard by situating an identified, bounded, and differentiated Value Object within the explicit purpose, perspective, use, environment, operational conditions, time, relationships, dependencies, assumptions, and contextual boundaries necessary for consistent value lifecycle governance. Through governance of Value Context, VCM prevents value statements generated under one set of conditions from being silently generalized across other contexts and enables VFM® to distinguish changes in the Value Object from changes in the environment surrounding it. By separating context from object identity, object boundary, differentiation, valuation, price, validation, integrity, audit, operational reality, and value state, VCM provides the contextual foundation required to determine whether value originates, emerges, develops, degrades, reaches zero, is restored, or becomes extinct. A Value Object must therefore never be

treated as though its value exists independently of context when the conditions surrounding that object materially affect the lifecycle of value.

Modul5

Governed Links

→ [Value Identification Standard \(VIS\)](#)

→ [VFM® Architecture Map](#)

→ [Previous: Value Object Differentiation Module \(VODM\)](#)

→ [Next: Value Context Documentation Module \(VCDM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>