

Value Origin Documentation Module (VODM)

Value Origin Documentation Module (VODM)

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: VFM® — Value Flow Mechanism

Parent Standard: Value Origin Standard (VOS)

Module: VODM — Value Origin Documentation Module

Operational Layer: Value Origin Documentation Layer

Category: Governance & Enforcement

Subcategory: Value Lifecycle Governance

Type: Core Module

Governed Space: Value Origin Documentation

Version: 1.0

Status: Canonical · Open Standard

Effective Date: 23 August 2026

AI-Readable: Yes

Authority: OOF®

Protection: MIP® — Methodology Intellectual Property Protection

Canonical Language: English

Canonical Definition

Value Origin Documentation Module (VODM) is the fifth Core Module of the Value Origin Standard (VOS).

VODM governs the structured documentation of the complete governed basis through which the origin of a defined value can be identified, understood, reconstructed, compared, reviewed, and transferred into subsequent value lifecycle governance.

The Module consolidates the outputs of:

VSOIM — Value Source Identification Module VSBM — Value Source Basis Module VORM — Value Origin Relationship Module VOICM — Value Origin Conditions Module

into a coherent Value Origin Record.

VODM does not determine that value has emerged.

It establishes the documented origin basis required to understand:

where the governed value can originate, what within the source can contribute to it, how that contribution occurs, and under which conditions the value-origin pathway can operate.

The distinction is fundamental:

Documented Value Origin ≠ Existing Value

Architectural Position

VODM is the fifth and final Core Module of the Value Origin Standard.

It follows:

VOCM — Value Origin Conditions Module

and completes the internal Value Origin governance sequence:

Value Source Identification → Value Source Basis → Value Origin Relationship → Value Origin Conditions → Value Origin Documentation

VODM therefore creates the final governed record before the architecture proceeds from:

Value Origin

to:

Value Emergence.

Operational Purpose

The existence of a Value Source, Value Source Basis, Value Origin Relationship, and Value Origin Conditions is insufficient if those elements cannot be connected and reconstructed as one governed origin pathway.

VODM prevents Value Origin governance from becoming fragmented across:

isolated records; organizational departments; technical systems; financial models; contracts; operational databases; undocumented assumptions; institutional knowledge; individual expert knowledge; disconnected analytical outputs.

Its purpose is to create one reconstructable methodological chain:

Governed Value → Value Source → Value Source Basis → Value Origin Relationship → Value Origin Conditions → Origin Readiness → Value Origin Record

Operational Space

VODM governs documentation relating specifically to the origin of value.

This may include:

governed value reference; Value Source identity; Value Source description; Value Source Basis; source-to-value relationship; origin pathway; necessary Origin Conditions;

enabling Origin Conditions; critical Origin Conditions; alternative Origin Conditions; condition dependencies; condition thresholds; Origin Readiness; material limitations; temporal applicability; unresolved origin questions; changes affecting the origin basis; supporting references; Value Origin Record status.

VODM governs how these elements are assembled into a coherent value-origin record.

The Value Origin Record

The principal governance object produced by VODM is the:

Value Origin Record (VOR).

A Value Origin Record is the structured representation of the governed basis through which a defined value may originate.

At minimum, the record should answer:

What value is being governed?

What is the Value Source?

What within that source provides the basis for value?

How is that basis related to the governed value?

What conditions must exist for the relationship to operate?

What is the current Origin Readiness state?

What material dependencies or limitations affect the origin pathway?

This transforms Value Origin from a general statement into a reconstructable governance object.

Documentation Principle

VODM follows a simple rule:

A value-origin claim should be reconstructable from its documented basis.

A statement such as:

“This technology creates value.”

is insufficient as a governed Value Origin record.

VODM requires the statement to be decomposed.

For example:

Governed Value: reduced operational energy cost

Value Source: intelligent energy-management system

Value Source Basis: capability to optimize energy consumption

Value Origin Relationship: optimization of consumption can reduce unnecessary energy use, creating potential cost reduction

Origin Conditions: measurable consumption, controllable loads, usable optimization decisions, operational implementation, relevant energy-cost structure

Origin Readiness: Ready

The resulting record explains the origin pathway rather than merely asserting value.

Documentation ≠ Evidence Validation

VODM requires the basis of Value Origin to be documented.

It does not automatically determine that every statement contained within the record has been independently validated.

Where formal validation is required:

VALIDOS® may govern validation.

Where integrity must be governed:

INTEGROS® may govern integrity.

Where evidence and auditability are required:

ADIT® may govern audit and evidence.

VODM owns the Value Origin documentation structure.

This boundary prevents documentation from being mistaken for proof.

Source Documentation

The Value Origin Record should identify the relevant Value Source sufficiently for the governed value to remain connected to its origin.

Source documentation may include:

source name; source type; source reference; source configuration; source location where relevant; source version; source state; relevant capability; temporal applicability.

VODM does not replace identity governance.

Where formal identity, ownership, authority, provenance, or continuity is required, the relevant external architecture may govern those questions.

Value Source Basis Documentation

The record should identify what within the Value Source provides the basis from which value may originate.

Examples include:

Capability

Resource

Knowledge

Function

Relationship

Access

Capacity

Position

Process

Property

Opportunity

Infrastructure

The basis should be specific enough that the origin relationship can be understood independently of the general existence of the source.

Origin Relationship Documentation

VODM requires the relationship between:

Value Source Basis

and

Governed Value

to remain explicit.

The relationship should explain the pathway through which the source basis may contribute to the governed value.

For example:

Predictive Maintenance Capability

→ identifies developing equipment failure earlier → enables intervention before catastrophic failure → may reduce downtime and repair requirements → creates a pathway toward avoided-loss and continuity value.

The documentation should preserve the pathway rather than reducing it to:

“Predictive maintenance has value.”

Origin Conditions Documentation

Material conditions established through VOCM should remain connected to the relevant origin relationship.

The record may distinguish:

Necessary Conditions

Enabling Conditions

Supporting Conditions

Critical Conditions

Alternative Conditions

Threshold Conditions

Temporal Conditions

External Conditions

Internal Conditions

This makes it possible to determine why an origin pathway is:

Ready

or

Not Ready.

Dependency Documentation

Where Value Origin depends upon several interacting conditions, VODM should preserve the material dependency structure.

Example:

Manufacturing Value

depends upon:

Production Capability

Material Availability Energy Availability Qualified Personnel Operational Demand

Material Availability may itself depend upon:

Supplier Capability → Logistics → Delivery Access.

The Value Origin Record should make material dependencies visible where their failure can interrupt the origin pathway.

Alternative Origin Pathways

The same governed value may originate through multiple pathways.

VODM therefore supports documentation such as:

Governed Value

✓ Origin Pathway A ∨ Origin Pathway B ∨ Origin Pathway C

For example, operational cost reduction may originate through:

energy efficiency

or

automation

or

waste reduction

or

maintenance optimization.

These pathways should not be silently combined.

Each may have different:

Value Sources; Value Source Bases; relationships; conditions; dependencies; readiness states.

Multiple Sources of One Value

One governed value may depend upon multiple Value Sources.

Example:

Reduced Hospital Treatment Delay

may depend upon:

diagnostic capability

staff availability information availability coordination capability treatment capacity.

VODM may therefore represent a multi-source Value Origin Record.

This allows organizations to identify situations where no single asset or actor can legitimately be described as the sole origin of the governed value.

One Source, Multiple Values

A single Value Source may also support several different values.

For example, an industrial robot may contribute to:

production value

safety value

quality value

time value

cost value

capacity value.

VODM requires those values to remain separately identifiable where their origin relationships differ.

This prevents one broad statement such as:

“The robot creates value”

from obscuring multiple distinct value pathways.

Origin Record Status

A Value Origin Record may carry a governance status.

A practical minimum model may include:

1. Draft

The Value Origin basis is being documented.

2. Incomplete

Material elements required to reconstruct the origin pathway are missing.

3. Documented

The material Value Origin structure has been sufficiently recorded.

4. Conditionally Documented

The record is usable subject to explicitly identified unresolved conditions or limitations.

5. Superseded

A newer Value Origin Record has replaced the current record.

6. Archived

The record is retained for historical, comparative, or reconstruction purposes.

These statuses concern documentation.

They do not establish whether value exists.

Temporal Documentation

Value Origin is not necessarily static.

Sources may change.

Capabilities may change.

Relationships may change.

Conditions may change.

Dependencies may change.

The Value Origin Record should therefore identify its relevant temporal basis.

Where materially required, VODM may support:

Effective From

Effective Until

Review Date

Last Material Change

Superseding Record

This allows the architecture to distinguish historical Value Origin from current Value Origin.

Change Documentation

A material change to the origin basis should remain visible.

Examples include:

Value Source replacement; capability change; source degradation; new dependency; removed dependency; changed relationship; changed threshold; condition failure; condition restoration; new alternative pathway; change in beneficiary or context affecting the origin pathway.

The purpose is not to create unnecessary administrative history.

It is to preserve the ability to understand why the Value Origin pathway changed.

Unresolved Origin Questions

VODM should allow unresolved questions to remain explicit.

Examples:

Source basis not fully established

Dependency uncertain

Condition threshold unknown

Alternative source under assessment

Relationship partly understood

Origin Readiness indeterminate

An unresolved issue should not be hidden merely to create a complete-looking record.

A documented uncertainty is methodologically stronger than an undocumented assumption.

Documentation Granularity

VODM does not require every Value Origin Record to contain the same level of detail.

Documentation should be proportionate to:

complexity of the value; materiality; number of sources; number of beneficiaries; number of dependencies; operational significance; decision significance; lifecycle significance; expected downstream reliance.

A simple value pathway may require a compact record.

A national infrastructure project may require a complex multi-source Value Origin model.

Machine-Readable Value Origin

VODM should support machine-readable representation of Value Origin.

A machine-readable Value Origin Record may contain structured fields for:

Value Context ID

Value Source ID

Value Source Basis

Value Origin Relationship

Origin Condition IDs

Condition States

Origin Readiness State

Dependency Links

Temporal State

Record Version

Supporting References

This enables Value Origin governance to become usable by:

AI systems; financial systems; enterprise platforms; accounting systems; public administration; asset-management systems; digital twins; economic models; automated decision systems.

Value Origin Graph

For complex environments, VODM may represent Value Origin as a graph:

Value Source ↓ Value Source Basis ↓ Value Origin Relationship ↓ Origin Conditions ↓ Governed Value

Multiple sources and pathways can then be connected.

This enables organizations to analyze:

Where does this value originate?

Which sources contribute to it?

Which conditions are critical?

Which dependencies threaten it?

Which alternative origin pathways exist?

What happens if one source disappears?

The Value Origin Record therefore becomes more than documentation.

It becomes a navigable representation of value origin.

Transition to Value Emergence

VODM completes the governance of potential Value Origin.

The next architectural question is fundamentally different.

Value Origin asks:

Where can the governed value come from?

Value Emergence asks:

Has the governed value actually come into existence?

The transition is:

Documented Value Origin → Origin Readiness → Value-Producing Event / Condition / Interaction → Value Emergence Assessment

The existence of a complete Value Origin Record does not permit the architecture to skip this transition.

Therefore:

Documented Origin ≠ Emerged Value

Minimum Implementation Framework

A practical VODM implementation should establish:

1. Governed Value Reference

Connect the record to the Value Context established under VCXS.

2. Value Source Record

Document the identified Value Source or Sources.

3. Value Source Basis Record

Document the relevant capability, resource, relationship, condition, or other basis.

4. Value Origin Relationship Record

Document how the source basis may contribute to the governed value.

5. Value Origin Conditions Record

Document material conditions required for the origin pathway.

6. Dependency Record

Document material dependencies and alternative pathways.

7. Origin Readiness Record

Preserve the current readiness state established through VOCM.

8. Limitation and Uncertainty Record

Identify material limitations, unresolved questions, and uncertainty.

9. Temporal and Version Record

Identify the applicable time, version, and material changes.

10. Value Origin Record

Consolidate the complete governed origin basis into one reconstructable record.

Governance Outputs

VODM may produce:

Value Origin Record Value Origin Source Record Value Source Basis Record Value Origin Relationship Record Value Origin Conditions Record Value Origin Dependency Record Value Origin Pathway Map Alternative Value Origin Pathway Record Multi-Source Value Origin Record Origin Readiness Record Value Origin Limitation Record Value Origin Uncertainty Record Value Origin Change Record Value Origin Version Record Machine-Readable Value Origin Record

Value Origin Graph

These outputs complete the Value Origin Standard and provide the governed input for the next Parent Standard in the VFM® lifecycle.

Use Case 1 — Banking: Origin of Fraud-

Prevention Value

A bank deploys several capabilities intended to reduce fraud losses:

transaction monitoring

AI fraud detection

customer authentication

behavioral analytics

human investigation

payment intervention.

Without structured Value Origin documentation, the organization may record a general conclusion:

“The fraud platform creates CHF X in value.”

VODM decomposes that claim.

For avoided fraud-loss value, the Value Origin Record may establish:

Value Sources: detection models, transaction data, investigation capability, intervention mechanisms

Value Source Bases: anomaly detection, pattern recognition, human judgment, transaction blocking

Value Origin Relationships: earlier detection and intervention may prevent otherwise realizable fraud losses

Origin Conditions: relevant data, sufficiently early detection, operational alerts, investigation availability, intervention authority, actionable transaction state

Dependencies: payment infrastructure, data availability, model operation, staff response

Origin Readiness: Ready / Partially Ready / Interrupted depending upon the current condition state.

This allows the bank to distinguish between:

money spent on fraud capability

and

the actual governed pathway through which fraud-prevention value can originate.

The record can subsequently be compared with Value Emergence and later Value State information to determine whether the expected value actually came into existence.

Use Case 2 — Space Mission: Documenting the

Origin of Cost-Reduction Value

A space organization develops a reusable launch architecture intended to reduce mission costs.

The organization may have multiple potential Value Sources:

reusable launch vehicle

recoverable propulsion components

automated inspection

predictive maintenance

rapid refurbishment

operational learning from repeated missions.

VODM creates a structured origin model for the governed:

lifecycle cost-reduction value.

The record may show:

Reusable Vehicle → repeated component utilization

→ reduced replacement requirement

Automated Inspection → faster condition assessment → reduced inspection resource requirement

Predictive Maintenance → earlier intervention → reduced failure and repair exposure

Operational Learning → improved turnaround processes → reduced resource consumption per mission.

Each pathway receives its own conditions and dependencies.

The organization can therefore determine that the same cost-reduction value may originate from several interacting mechanisms rather than one asset.

If one pathway fails—for example, refurbishment becomes excessively expensive—the Value Origin Record still shows whether alternative pathways continue to support the governed value.

This gives mission planners a structured answer to a question that ordinary asset accounting does not fully answer:

Where does the expected lifecycle value actually come from?

Foundational Principles

Value Origin should be documented as a reconstructable pathway, not merely asserted.

A Value Source is not sufficient documentation of Value Origin.

The basis, relationship, conditions, and dependencies of value origin must remain distinguishable.

One source may originate multiple forms of value.

One value may originate from multiple sources.

Alternative Value Origin pathways should remain separately identifiable.

Documentation does not establish validation.

A complete Value Origin Record does not establish that value has emerged.

Material uncertainty should remain documented rather than hidden.

Value Origin documentation should remain proportionate to the complexity and significance of the governed value.

Machine-readable Value Origin can transform value from an assumed economic concept into a governable lifecycle object.

Canonical Closing Statement

Value Origin Documentation Module completes the Value Origin Standard by transforming the identified Value Source, Value Source Basis, Value Origin Relationship, Value Origin Conditions, dependencies, readiness state, limitations, uncertainty, temporal applicability, and material changes into a coherent and reconstructable Value Origin Record. By preserving the complete pathway through which a defined value may originate, VODM prevents value-origin claims from being reduced to unsupported assertions that an asset, technology, organization, activity, or capability simply “creates value.” The Module enables Value Origin to be represented as a documented, reviewable, comparable, and machine-readable governance object while preserving the critical distinction between potential origin and actual Value Emergence. VODM therefore closes the governance of where value can come from and creates the documented foundation required for VFM® to proceed to the next question in the value lifecycle: whether that value has actually come into existence.

Governed Links

[→ Value Origin Standard \(VOS\)](#)

[→ VFM® Architecture Map](#)

[→ Previous: Value Origin Conditions Module \(VOCM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>