

Value Recognition Record Module (VRRM)

VRRM — Value Recognition Record Module

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: VFM® — Value Flow Mechanisms Architecture

Parent Standard: Value Recognition Standard (VRS)

Module: VRRM — Value Recognition Record Module

Operational Layer: Value Recognition Record Layer

Category: Governance & Enforcement

Subcategory: Value Lifecycle Governance

Type: Core Module

Governed Space: Value Recognition Record

Version: 1.0

Status: Canonical · Open Standard

Effective Date: 24 August 2026

AI-Readable: Yes

Authority: OOF®

Protection: MIP® — Methodology Intellectual Property Protection

Canonical Language: UCL — Universal Canonical Language

Canonical Definition

Value Recognition Record Module (VRRM) is the fifth Core Module of the Value Recognition Standard (VRS) within VFM® — Value Flow Mechanisms Architecture.

VRRM governs the creation, structure, preservation, linkage, versioning, updating, traceability, and machine-readable representation of the governed Value Recognition Record produced through the Value Recognition Standard.

Its purpose is to ensure that a recognition outcome does not survive merely as an isolated statement such as:

“This value is recognized.”

Instead, the recognition must remain connected to the context, criteria, basis, determination, limitations, conditions, beneficiary, purpose, temporal applicability, and other material information that gives the recognition its legitimate meaning.

VRRM therefore transforms the completed recognition process into a persistent governed record capable of supporting downstream value governance.

Its governing relationship is:

Recognition Criteria + Recognition Basis + Recognition Determination + Recognition Limitations → Governed Value Recognition Record

Architectural Position

VRRM operates within the fourth governed space of the VFM® lifecycle:

Value Context → Value Origin → Value Emergence → Value Recognition → Value State → Value Change → Value Development / Value Degradation → Value Nullification → Value Restoration / Value Extinction

It is the final module of the Value Recognition Standard.

VRRM receives the completed recognition basis from the preceding modules and creates the governed recognition record required for transition into the next lifecycle space.

Internal Module Flow

VRCM — Value Recognition Criteria → VRBM — Value Recognition Basis → VRDM — Value Recognition Determination → VRLM — Value Recognition Limitation → VRRM — Value Recognition Record

The internal logic is:

What qualifies for recognition → what supports recognition → what recognition outcome follows → where that recognition applies and stops → how the complete recognition is persistently represented

The output is:

Governed Value Recognition Record

Operational Space

VRRM governs:

recognition record creation; value-reference linkage; context preservation; beneficiary linkage; purpose preservation; criteria linkage; recognition-basis linkage; determination preservation; limitation preservation; condition preservation; uncertainty preservation; temporal applicability; recognition-state recording; record versioning; change history; supersession relationships; review status; record consistency; machine readability; downstream traceability; recognition record retrieval.

The purpose is not simply documentation.

It is governance continuity.

Recognition Record Principle

A recognition determination that becomes detached from the basis that produced it becomes methodologically weaker downstream.

VRRM therefore establishes:

Recognition Outcome Alone ≠ Governed Recognition Record

A governed record must preserve enough information to reconstruct:

what value was recognized, why it was recognized, for whom, for what purpose, within what context, under what criteria, on what basis, subject to what limitations, and during what applicable period.

Minimum Recognition Record Structure

A Value Recognition Record should contain or reference, where materially relevant:

Value Reference → Value Context → Value Object Reference → Beneficiary → Recognition Purpose → Recognition Criteria → Recognition Basis → Recognition Determination → Recognition State → Recognition Conditions → Recognition Limitations → Material Dependencies → Uncertainty → Temporal Applicability → Review Triggers → Record Version → Record Status

This creates a complete recognition object rather than an isolated recognition label.

Record ≠ Recognition Determination

VRDM produces the recognition determination.

VRRM preserves the determination together with the governed structure necessary to interpret it.

Therefore:

Determination ≠ Record

For example:

“Operational Value Recognized”

is a determination.

A governed record may establish:

Value: Process Optimization Capability Beneficiary: Manufacturing Operator Recognition Context: Operational Efficiency Recognition Purpose: Internal Resource Allocation Recognition State: Recognized Basis: Demonstrated production-time and energy reduction Limitation: Applies to Production Configuration C4 Temporal Applicability: Current operating configuration Review Trigger: Material process or configuration change

The second representation can travel downstream without losing its meaning.

Record Completeness

VRRM does not require every recognition record to contain every possible field.

Record completeness is contextual.

The governing requirement is:

the record must preserve the material information necessary to understand and legitimately use the recognition outcome.

A low-consequence internal recognition may require a simpler record.

A recognition used in banking, infrastructure, public finance, investment, AI, critical systems, or major resource allocation may require substantially greater detail.

Context Preservation

The Value Context established through VCXS — Value Context Standard must remain linked to the recognition record.

This prevents:

Recognition in Context A

from becoming:

Recognition in Every Context

when the record moves between systems.

The recognition record must therefore preserve enough contextual information to identify the legitimate recognition environment.

Beneficiary Preservation

Where recognition depends upon a beneficiary, that relationship must remain visible.

For example:

Value Recognized for Manufacturer

must not silently become:

Value Recognized for Customer

or:

Value Recognized for Government

unless the relevant recognition basis supports that conclusion.

VRRM therefore preserves the beneficiary relationship as part of recognition identity.

Criteria Preservation

The recognition record must identify or reference the criteria under which recognition occurred.

This allows downstream users to understand:

what requirements were actually satisfied.

Where criteria later change, the historical recognition record should not be silently rewritten as though the new criteria had always applied.

Instead:

Recognition Criteria Version 1 → Recognition Record Version 1

may later become:

Recognition Criteria Version 2 → New Recognition Assessment → Recognition Record Version 2

This preserves methodological history.

Recognition Basis Preservation

VRRM must preserve or reference the basis upon which the recognition determination was made.

This may include:

measurements; observations; calculations; operational results; resource effects; capability demonstrations; documented relationships; comparisons; analytical outputs; governed evidence; other relevant recognition basis.

The record need not duplicate every underlying evidence object.

It must preserve sufficient linkage to reconstruct the recognition basis.

Determination Preservation

The recognition determination must remain explicit.

The record should not force downstream systems to infer whether value was:

recognized; conditionally recognized; partially recognized; not recognized; indeterminate; recognition suspended.

The recognition state must remain machine-readable where implementation permits.

Limitation Preservation

The outputs of VRLM — Value Recognition Limitation Module are part of the recognition record.

They are not optional annotations.

If the determination states:

Strategic Value → Recognized

while VRLM establishes:

Collateral Value → Not Determined

the record must not preserve the first statement while dropping the second.

Therefore:

Recognition Record – Material Limitation = Distorted Recognition Record

Condition Preservation

Where recognition is conditional, the conditions must remain attached to the record.

For example:

Conditionally Recognized while Dataset D remains available and Production Configuration C remains unchanged.

If those conditions are removed from the record, downstream users may interpret conditional recognition as unconditional recognition.

VRRM prevents that loss of meaning.

Temporal Applicability

Recognition records must support time.

A record may identify:

determination date; effective date; applicable period; review date; expiration condition; material-change trigger; supersession date; suspension date.

This enables organizations to distinguish:

currently applicable recognition

from:

historical recognition.

Historical Recognition Principle

A recognition record should generally preserve historical determinations rather than erase them when recognition changes.

For example:

T1 — Not Recognized → T2 — Conditionally Recognized → T3 — Recognized → T4 — Recognition Suspended

This history can reveal how institutional understanding of value evolved.

It also prevents current recognition states from rewriting the historical record.

Versioning Principle

Material changes to a recognition record should create an identifiable new version or state transition.

Material changes may include:

recognition-context change; beneficiary change; criteria change; recognition-basis change; determination change; limitation change; dependency change; temporal applicability change; newly identified uncertainty; material value change.

VRRM should preserve the relationship between previous and current records.

Supersession

A new recognition record may supersede an earlier record.

Supersession does not mean the earlier record never existed.

VRRM should distinguish:

Current Record

from:

Superseded Record

and preserve the relationship between them.

This enables longitudinal value analysis.

Recognition Record Status

A minimum record-status model may include:

1. Active

The recognition record is currently applicable.

2. Conditional

The record remains applicable only while defined conditions remain satisfied.

3. Under Review

Material change or new information requires reassessment.

4. Suspended

The recognition record should not currently support reliance pending resolution.

5. Superseded

A newer governed recognition record has replaced it.

6. Historical

The record is retained for traceability but no longer represents the current recognition state.

These are record states, not value states.

Record State ≠ Value State

VRRM maintains a critical distinction:

Recognition Record State ≠ Value State

A recognition record may become:

Superseded

while the underlying value continues to exist.

A record may become:

Historical

while the value develops.

A record may remain:

Active

while the value later begins to degrade, triggering downstream lifecycle governance.

The record describes the governed recognition relationship.

It does not own the entire lifecycle state of value.

Recognition Record Update Trigger

A recognition record may require review or update when:

the underlying value materially changes; the value context changes; the beneficiary changes; the recognition purpose changes; recognition criteria change; new basis becomes available; existing basis becomes unreliable; a recognition condition fails; a limitation changes; a dependency disappears; uncertainty materially changes; a temporal boundary expires; downstream value-state governance identifies a material transition.

The trigger does not predetermine the new recognition outcome.

It requires reassessment.

Recognition Record Integrity

VRRM requires the logical integrity of the recognition record to be preserved.

This includes consistency between:

Value Reference Context Criteria Basis Determination Limitations Temporal State

For example, a record should not simultaneously state:

Recognition State: Unconditional Recognition

and:

Recognition Limitation: Valid only if Condition X remains satisfied

without resolving that inconsistency.

General integrity governance may interface with INTEGROS®.

VRRM governs the recognition-specific structural relationship.

Traceability

A recognition record should support traceability backward and forward.

Backward traceability may include:

Recognition Record → Recognition Determination → Recognition Basis → Recognition Criteria → Value Context → Value Emergence Record → Value Origin

Forward traceability may include:

Recognition Record → Value State → Value Change → Value Development / Degradation → Value Nullification → Value Restoration / Extinction

This makes the recognition record an important lifecycle junction inside VFM®.

Recognition Record as Lifecycle Interface

VRRM is not merely the end of Value Recognition.

It is the transition object between:

Value Recognition

and:

Value State Governance.

The recognition record provides the downstream architecture with a governed statement of:

what value has been recognized and under what recognition conditions.

This allows the subsequent lifecycle to operate without reconstructing recognition from the beginning.

Machine-Readable Recognition Record

A machine-readable implementation may represent:

Value ID → Value Context ID → Value Object Reference → Origin Reference → Emergence Reference → Beneficiary Reference → Recognition Purpose ID → Recognition Criteria Set ID → Recognition Basis References → Recognition Determination State → Recognition Limitations → Recognition Conditions → Dependencies → Uncertainty References → Temporal Applicability → Review Triggers → Record Version → Record Status → Superseded Record Reference → Downstream Value-State Interface

This enables VFM® recognition records to be consumed by AI, enterprise software, public systems, analytical engines, financial systems, digital infrastructure, and other machine-readable environments.

Aggregation Principle

Organizations may need to aggregate many recognized values.

VRRM allows recognition records to be aggregated while preserving their individual identity and limitations.

For example:

Value Record A + Value Record B + Value Record C

may contribute to an enterprise-level value view.

But aggregation must not erase:

different beneficiaries; different recognition contexts; different criteria; different limitations; different temporal periods; different recognition states.

Therefore:

Value Record Aggregation ≠ Value Record Homogenization

Interoperability

A recognition record may need to move between systems.

For example:

Operational System → Management System → Investment Analysis → Banking Analysis → Government Analysis

VRRM requires the recognition meaning to remain attached to the record during transfer.

A receiving system may apply a new recognition context.

But it must not silently reinterpret the original recognition as though it had been issued under the receiving system's criteria.

Record Transfer ≠ Recognition Transfer

The recognition record can be transferred technically.

That does not mean the recognition determination automatically transfers institutionally or contextually.

Therefore:

Record Transfer ≠ Recognition Transfer

A bank may receive a company's recognition record without automatically adopting the company's recognition determination.

A government may receive an enterprise recognition record without automatically treating the value as recognized public value.

VRRM preserves the original record so a new system can perform its own governed recognition where required.

Boundary with VRCM

VRCM establishes the recognition criteria.

VRRM records or references those criteria.

It does not redefine them.

Boundary with VRBM

VRBM establishes the recognition basis.

VRRM preserves the linkage to that basis.

It does not recreate the basis.

Boundary with VRDM

VRDM issues the recognition determination.

VRRM preserves the determination and its governed context.

Therefore:

Determination → Record

not:

Record → Determination

Boundary with VRLM

VRLM establishes the boundaries and limitations attached to recognition.

VRRM ensures those limitations remain attached to the recognition record.

Therefore:

Recognition + Limitation → Complete Recognition Record

Boundary with Value State Standard

The subsequent Value State Standard (VSS) governs the state of recognized value within the next VFM® lifecycle space.

VRRM provides the recognition record that enters that process.

The boundary is:

VRS: Is existing value recognized within the defined context?

VRRM: What is the persistent governed record of that recognition?

VSS: What is the current governed state of that value?

Boundary with INTEGROS®

VRRM governs recognition-specific record structure and continuity.

INTEGROS® may govern broader integrity requirements affecting the record.

VRRM does not become a universal information-integrity architecture.

Boundary with ADIT®

VRRM creates and maintains the recognition record structure.

ADIT® may govern auditability, evidence preservation, verification, and reconstruction where applicable.

Therefore:

Recognition Record Governance ≠ Audit Governance

Minimum Implementation Framework

A minimum VRRM implementation should establish:

1. Recognition Record Identity

Create a uniquely identifiable recognition record.

2. Value and Context Linkage

Link the record to the governed value, value object, beneficiary, purpose, and context.

3. Criteria Linkage

Identify the recognition criteria applied.

4. Basis Linkage

Identify the recognition basis supporting the determination.

5. Determination Recording

Record the recognition determination and recognition state.

6. Limitation and Condition Recording

Preserve all material recognition limitations, conditions, dependencies, and uncertainty.

7. Temporal Definition

Define applicable dates, periods, expiration conditions, and review triggers.

8. Version and Status Control

Maintain record version, current status, and supersession relationships.

9. Traceability

Maintain backward traceability to recognition inputs and forward linkage into downstream value governance.

10. Machine-Readable Representation

Represent the record in a structure capable of controlled downstream use where required.

Governance Outputs

VRRM may produce:

Governed Value Recognition Record
Recognition Record Identity Recognition Context Record
Recognition Beneficiary Link Recognition Criteria Reference
Recognition Basis Reference Recognition Determination Record
Recognition Limitation Record Recognition Condition Record
Recognition Dependency Record Recognition Temporal Applicability Record
Recognition Review Trigger Recognition Version History Recognition
Supersession Record Recognition Record Status Machine-Readable
Recognition Object Value State Interface Record

These outputs complete the Value Recognition Standard and provide the governed input into the next VFM® lifecycle space.

Use Case 1 — Banking: Portable Value

Recognition Without Losing Meaning

A company has identified and recognized substantial operational value generated by a proprietary automation capability.

The recognition process establishes:

Value: Operational Efficiency Value Beneficiary: Manufacturing Company Recognition Purpose: Internal strategic assessment Basis: verified reductions in labor hours, energy use, process time, and production loss Recognition State: Recognized Limitation: recognition does not establish collateral eligibility, market price, accounting recognition, or tax treatment.

The company later provides information about this capability to a bank.

Without VRRM, the bank might receive only:

“The company recognizes significant value in its automation platform.”

That statement carries little methodological structure.

With VRRM, the bank receives a governed recognition record preserving the value context, criteria, basis, determination, limitations, temporal applicability, and dependencies.

The bank can then use that record as an input into its own analysis without being forced either to:

accept the company's recognition universally

or:

discard the underlying value information completely.

VRRM therefore creates a portable value-recognition object while preserving the boundary between:

information transfer

and:

institutional recognition transfer.

Use Case 2 — Space Mission: Preserving the

History of Resource Value

A space organization recognizes resource-efficiency value created by a mission optimization capability.

The initial record establishes:

Mission Resource Efficiency Value → Conditionally Recognized

based on reduced engineering hours, computational workload, testing requirements, fuel consumption, and mission preparation time.

The record preserves:

Mission Configuration M4 Simulation Baseline B7 Engineering Period T1

Defined Resource Categories Recognition Conditions Measurement Limitations Review Trigger: Mission Architecture Change

Six months later, the mission architecture changes.

The organization does not overwrite the original record.

VRRM preserves:

Recognition Record V1 — Historical

and creates:

Recognition Record V2 — Under Review

Following reassessment:

Recognition Record V3 — Active

The organization can now reconstruct how recognized resource value evolved as the mission changed.

This creates something more useful than a single final number:

a governed history of how value was recognized through time.

Enterprise Application

VRRM provides the persistent information structure required to make VFM® operational at organizational scale.

Without governed records, value governance would repeatedly collapse into disconnected assessments, spreadsheets, reports, opinions, and isolated decisions.

VRRM allows recognized value to become a durable governance object capable of being:

stored; retrieved; compared; reviewed; transferred; aggregated; versioned; analyzed; consumed by AI; linked to downstream value states; reassessed after material change.

This is particularly important where organizations need to govern thousands or millions of value relationships across assets, capabilities, processes, technologies, infrastructure, resources, investments, public systems, or digital environments.

The Module therefore establishes the information continuity necessary for VFM® to operate not merely as an analytical framework but as a machine-readable value lifecycle architecture.

Foundational Principles

Recognition outcome alone is not a governed recognition record.

Recognition must remain connected to the context that gives it meaning.

Recognition criteria and basis must remain traceable.

Recognition limitations are part of the recognition record.

Conditional recognition must remain conditional when recorded.

Historical recognition should not be silently rewritten by current recognition.

Record state is not value state.

Record transfer is not recognition transfer.

Aggregation must not erase individual recognition contexts and limitations.

A recognition record must remain interpretable after leaving the system that created it.

Machine-readable recognition must preserve meaning, not merely labels.

A governed recognition record creates continuity between recognition and the downstream value lifecycle.

Canonical Closing Statement

Value Recognition Record Module establishes the persistence and continuity layer of the Value Recognition Standard by transforming recognition criteria, recognition basis, recognition determination, limitations, conditions, dependencies, uncertainty, temporal applicability, and contextual relationships into a structured, traceable, version-controlled, transferable, and machine-readable Governed Value Recognition Record. Through governance of record identity, completeness, contextual preservation, beneficiary relationships, criteria and basis linkage, recognition states, limitation persistence, temporal applicability, historical continuity, supersession, aggregation, interoperability, review triggers, and downstream traceability, VRRM prevents recognized value from becoming detached from the methodological basis that gives recognition its legitimate meaning. By separating record persistence from recognition determination, value state, institutional acceptance, integrity governance, and audit governance, VRRM completes the Value Recognition Standard and creates the governed lifecycle interface through which recognized value can proceed into Value State Governance without losing its origin, context, basis, boundaries, conditions, or recognition history.

Governed Links

→ Value Recognition Standard (VRS).

→ VFM® Architecture Map

→ Previous: Value Recognition Limitation Module (VRLM)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>