

Value Restoration Conditions Module (VRCM)

Value Restoration Conditions Module (VRCM)

Architecture Ecosystem: Structured Reality Standards™
Architecture Family: VFM® — Value Flow Mechanisms Architecture
Parent Standard: Value Restoration Standard (VRSS)
Module: VRCM — Value Restoration Conditions Module
Operational Layer: Value Restoration Conditions Layer
Category: Governance & Enforcement
Subcategory: Value Lifecycle Governance

Type: Core Module
Governed Space: Value Restoration Conditions
Origin ID: VFM-VRSS-VRCM-010.2
Version: 1.0
Status: Canonical · Open Standard
Effective Date: 27 August 2026
AI-Readable: Yes
Authority: OOF®
Protection: MIP® — Methodology Intellectual Property Protection
Canonical Language: English

Canonical Definition

Value Restoration Conditions Module (VRCM) is the second Core Module of the Value Restoration Standard (VRSS).

VRCM governs the identification, definition, assessment, and establishment of the conditions under which previously degraded, impaired, dormant, lost, inaccessible, or zero value may legitimately become capable of restoration.

The Module determines what must exist, change, cease, become available, become accessible, or become sufficiently satisfied before a governed restoration mechanism can legitimately operate upon the value defined through VRSM.

VRCM does not itself restore value.

Its foundational function is:

to establish whether the conditions necessary for restoration exist before ReMonet™ is initiated or recognized as a legitimate restoration mechanism.

Architectural Position

VRCM is the second module within VRSS.

It follows:

VRSM — Value Restoration Scope Module

and precedes:

VRMM — ReMonet™ Mechanism Module

VRDM — Value Restoration Determination Module

VRTRM — Value Restoration Transition Module

VRSM establishes:

what previously existing value is proposed for restoration.

VRCM establishes:

what conditions must be satisfied for that restoration to become legitimately possible.

VRMM subsequently governs:

the ReMonet™ mechanism through which restoration occurs.

Internal Flow

Governed Restoration Scope → Restoration Barrier Identification → Required Condition Identification

→ Condition Classification → Dependency Assessment → Threshold Definition → Condition Satisfaction Assessment

→ Restoration Readiness State → Governed Restoration Conditions → VRMM — ReMonet™ Mechanism Module

Operational Space

VRCM governs the space between:

a defined restoration target

and

the establishment of conditions capable of supporting legitimate restoration.

Its operational space includes:

restoration barrier identification; restoration-enabling conditions; technical conditions; economic conditions; operational conditions; legal conditions; regulatory conditions; market conditions; environmental conditions; accessibility conditions; capability conditions; dependency conditions; resource conditions; temporal conditions; condition thresholds; condition combinations; condition satisfaction; condition persistence; restoration readiness; condition failure; condition change.

Restoration Condition Principle

A Restoration Condition is a defined circumstance, state, capability, resource, permission, relationship, threshold, or environmental property whose existence or satisfaction materially enables previously impaired value to be recovered.

A Restoration Condition may require:

something to exist

something to become available

something to change

something to stop

something to become accessible

something to reach a threshold

or:

multiple conditions to become satisfied together.

The existence of restoration potential does not establish that these conditions currently exist.

Restoration Potential ≠ Restoration Readiness

VRCM establishes a critical distinction:

Restoration Potential ≠ Restoration Readiness.

An asset may retain theoretical restoration potential for decades while the conditions required to recover its value remain absent.

For example, a dormant industrial facility may physically remain capable of operation while lacking:

market demand; required energy supply; regulatory authorization; skilled personnel; replacement components; economically viable production conditions.

The underlying value may remain recoverable.

But restoration is not yet ready to occur.

Condition Categories

Restoration conditions may arise from different domains.

VRCM may classify them as:

Technical Conditions

Technology, compatibility, repair capability, infrastructure, tools, interoperability, or technical feasibility required for restoration.

Economic Conditions

Cost structures, demand, pricing, financing, profitability, economic viability, or resource availability required for restoration.

Operational Conditions

Processes, personnel, capacity, logistics, organizational capability, or operating environment required for restoration.

Market Conditions

Demand, customer access, market structure, supply conditions, competition, or commercial relevance required for value recovery.

Legal and Regulatory Conditions

Rights, licenses, permissions, regulatory changes, approvals, contractual status, or legal access required for restoration.

Access Conditions

Availability of data, systems, infrastructure, rights, credentials, resources, locations, or other objects required to recover value.

Environmental Conditions

Physical, climatic, geographic, ecological, infrastructural, or external operating conditions affecting restoration.

Capability Conditions

Human, organizational, computational, technological, or institutional capabilities required to recover value.

Temporal Conditions

Conditions that become valid only at, before, after, or during a defined period.

These categories may coexist.

Restoration Barrier Identification

Before defining enabling conditions, VRCM identifies the barriers preventing restoration.

A Restoration Barrier may include:

technical obsolescence; missing technology; excessive restoration cost; lack of market demand; legal prohibition; inaccessible data; missing infrastructure; absent skills; incompatible systems; damaged components; missing rights; unavailable resources; environmental constraints; unresolved dependencies; insufficient economic viability.

The question is:

What currently prevents the scoped value from being restored?

Each material barrier may create one or more required Restoration Conditions.

Barrier Removal ≠ Value Restoration

Removing the cause that prevents restoration does not itself prove that value has returned.

Therefore:

Barrier Removed ≠ Value Restored.

A regulatory restriction may disappear.

A technology may become available.

A repair may become technically possible.

A market may reopen.

These changes may establish restoration conditions without themselves establishing restored value.

The actual mechanism remains governed through VRMM and the resulting restoration through VRDM.

Necessary Conditions

A Necessary Restoration Condition is a condition without which the defined restoration cannot legitimately occur.

For example:

Operational license required → license absent → restoration cannot proceed.

Necessary conditions should be explicitly identified because failure of one may block the entire restoration pathway.

Supporting Conditions

Some conditions may improve restoration probability, magnitude, efficiency, durability, or economic viability without being strictly necessary.

These may be classified as:

Supporting Restoration Conditions.

The distinction prevents organizations from treating every desirable condition as mandatory.

Sufficient Condition Awareness

VRCM must not assume that satisfaction of one necessary condition is sufficient to restore value.

Therefore:

Necessary Condition ≠ Sufficient Condition.

Several necessary conditions may need to coexist.

A repaired machine without demand may remain economically valueless.

Market demand without technical operability may likewise fail to restore productive value.

Condition Combination

Restoration may depend upon combinations of conditions.

A restoration condition structure may be:

Condition A AND Condition B

Condition A OR Condition B

Condition A AND (Condition B OR Condition C)

or another explicitly defined dependency structure.

This is important for complex value systems where restoration cannot be reduced to one trigger.

Condition Dependency

Some restoration conditions depend upon other conditions.

For example:

Financing Available → enables Equipment Repair → enables Operational Restart → enables Production Capability → contributes to Economic Value Restoration

VRCM records these dependencies without treating the dependency chain itself as the ReMonet™ mechanism.

Condition Threshold

Where a condition is not binary, VRCM may establish a Restoration Condition Threshold.

Examples include:

Market demand $\geq$ required level

Repair capability $\geq$ minimum operating requirement

Data accessibility $\geq$ defined coverage

Infrastructure availability $\geq$ required capacity

Economic return $\geq$ defined viability threshold

A threshold must be appropriate to the scoped restoration target.

Threshold Satisfaction $\neq$ Restoration

Determination

Crossing a restoration threshold means the relevant condition has been satisfied.

It does not prove that value has actually returned.

Therefore:

Condition Threshold Reached $\neq$ Restored Value Determined.

Conditional Restoration

Some value may be restorable only while particular conditions remain present.

VRCM therefore supports:

Conditional Restoration Readiness.

For example, an energy asset may regain economic relevance only while electricity prices remain above a particular level.

If that condition disappears, the restoration basis may weaken or cease.

The condition must therefore remain visible throughout downstream restoration governance.

Temporary Conditions

A Restoration Condition may be temporary.

Examples include:

temporary market shortage; temporary regulatory exemption; temporary access right; temporary infrastructure availability; temporary demand spike; temporary subsidy; temporary technological compatibility.

Temporary conditions may legitimately enable restoration.

But their temporal limitation must remain explicit.

Persistent Conditions

Other conditions may be expected to persist.

Examples may include:

permanent repair; permanent legal authorization; restored ownership rights; durable infrastructure; long-term technological compatibility.

VRCM should distinguish temporary from persistent conditions where this affects the legitimacy or durability of restored value.

External Condition Principle

Restoration conditions may originate outside the Value Object.

Examples include:

new technology

new regulation

new market demand

new infrastructure

new scientific knowledge

new access rights

new economic conditions

VRCM governs the relevance of those conditions to Value Restoration.

It does not claim governance authority over the external system that produced them.

Therefore:

External Condition Source $\neq$ Governed Value Restoration Condition.

The source may remain governed elsewhere.

Its effect upon restoration becomes governable within VRCM.

Internal Condition Principle

Conditions may also arise within the Value Object itself.

Examples include:

repaired functionality; restored accessibility; recovered integrity; changed configuration; available capacity; recovered compatibility.

VRCM determines whether these conditions satisfy the restoration requirements defined for the scoped value.

Condition Evidence

Restoration conditions should be supported by an appropriate basis.

Depending on the condition, this may include:

technical evidence; market data; legal documentation; regulatory approval; operational records; financial analysis; system status; accessibility evidence; inspection results; contractual rights; capability records; environmental observations.

VRCM governs whether the restoration condition is sufficiently established for the restoration process.

It does not replace specialized validation, audit, integrity, legal, technical, or regulatory systems.

Condition Uncertainty

Some conditions may be uncertain.

VRCM should therefore distinguish between:

Confirmed Condition

Conditional Condition

Expected Condition

Unresolved Condition

Failed Condition

where appropriate.

An expected future condition must not be silently treated as a currently satisfied condition.

Restoration Readiness State

VRCM may assign a governed Restoration Readiness State.

A minimum model may include:

1. Not Ready

One or more necessary restoration conditions are absent.

2. Conditionally Ready

Restoration may proceed only under explicitly defined conditions or dependencies.

3. Ready

The defined necessary conditions for initiating the restoration mechanism are satisfied.

4. Readiness Suspended

A previously satisfied condition has become uncertain, unavailable, or materially changed.

5. Readiness Withdrawn

The restoration basis no longer satisfies the conditions required for the scoped restoration.

These states govern readiness for the restoration mechanism.

They do not determine restoration success.

Readiness ≠ Success

A Value Object may be fully ready for restoration and still fail to recover value.

Therefore:

Restoration Readiness $\neq$ Restoration Success.

VRCM controls entry into the restoration mechanism.

VRDM later determines what value actually returned.

Condition Change

Restoration conditions may change while restoration is underway.

A condition may:

emerge

strengthen

weaken

expire

be withdrawn

become invalid

be replaced

or:

cease to exist.

Material condition changes must remain visible because they may alter the legitimacy of the restoration process.

Condition Reassessment

VRCM should support reassessment where:

a necessary condition changes; a threshold is no longer satisfied; new dependencies emerge; the restoration target changes; external conditions materially change; the Value Object changes; the restoration scope is revised; evidence supporting a condition becomes unreliable.

Reassessment may result in continuation, conditional continuation, suspension, or withdrawal of restoration readiness.

Boundary with VRSM

VRSM determines:

what previously existing value is proposed for restoration.

VRCM determines:

what conditions must exist for that value to become legitimately restorable.

Therefore:

Restoration Scope $\neq$ Restoration Conditions.

Boundary with VRMM

VRCM establishes whether the necessary restoration conditions exist.

VRMM governs the ReMonet™ mechanism that acts upon those conditions to restore value.

Therefore:

Conditions ≠ Mechanism.

A favorable market, repaired asset, new technology, or legal authorization may enable restoration without itself constituting ReMonet™.

Boundary with VRDM

VRCM determines restoration readiness.

VRDM determines whether restoration actually occurred and what value was restored.

Therefore:

Readiness ≠ Determination.

Boundary with VRTRM

VRCM governs conditions enabling restoration.

VRTRM governs the formal transition of determined restored value into its resulting governed Value State.

Therefore:

Restoration Conditions ≠ Restoration Transition.

Boundary with Value Development

A condition that enables existing positive value to grow does not automatically create a Value Restoration event.

VRCM applies where the governed objective concerns recovery of previously impaired, degraded, dormant, lost, inaccessible, or zero value.

Therefore:

Growth Conditions ≠ Restoration Conditions.

Boundary with Value Emergence

New external conditions may create entirely new value rather than restore old value.

VRCM must preserve the prior-value relationship established by VRSM.

Therefore:

Conditions Enabling New Value ≠ Conditions Restoring Prior Value.

Where both occur simultaneously, they should remain distinguishable.

Boundary with Value Nullification

Value Nullification governs the transition through which existing positive value reaches zero.

VRCM does not reverse that historical determination.

It governs whether subsequent conditions now support restoration.

Therefore:

Nullification Determination ≠ Permanent Irrecoverability.

A zero-value condition may remain reversible until Value Extinction is established.

Boundary with Value Extinction

VRCM applies only where relevant recoverable value remains within the governed lifecycle.

Where Value Extinction has been legitimately determined, ordinary restoration of that same extinguished value is no longer available within the same lifecycle basis.

Therefore:

Restoration Potential Must Precede Value Extinction.

If value appears after extinction, its classification may require a new value-origin or emergence analysis rather than restoration.

Minimum Implementation Framework

1. Receive Governed Restoration Scope

Use the restoration scope established through VRSM.

2. Identify Restoration Barriers

Determine what currently prevents recovery of the scoped value.

3. Identify Required Conditions

Define the conditions necessary to overcome or satisfy those barriers.

4. Classify Conditions

Distinguish technical, economic, operational, legal, market, access, capability, environmental, temporal, and other materially relevant conditions.

5. Determine Dependencies

Identify relationships between conditions.

6. Define Thresholds

Establish measurable or determinable thresholds where required.

7. Assess Condition Status

Determine whether each material condition is satisfied, conditional, unresolved, expected, or failed.

8. Assess Condition Persistence

Determine whether relevant conditions are temporary, persistent, or uncertain.

9. Assign Restoration Readiness State

Determine whether the restoration process is ready, conditionally ready, not ready, suspended, or withdrawn.

10. Record Governed Restoration Conditions

Create the governed condition basis required before ReMonet™ proceeds.

Governance Outputs

VRCM may produce:

Value Restoration Condition Record Restoration Barrier Register Necessary Restoration Condition Set Supporting Restoration Condition Set Restoration Condition Classification Restoration Dependency Record Restoration Condition Threshold Condition Satisfaction Record Condition Persistence Record Restoration Condition Uncertainty Record Restoration Readiness State Restoration Readiness Determination Governed Restoration Conditions

These outputs provide the governed input for:

VRMM — ReMonet™ Mechanism Module.

Use Case 1 — Reopening a Dormant

Manufacturing Facility

A manufacturing facility previously generated substantial productive value but was closed after market demand disappeared and production became economically unsustainable.

The physical facility remains.

Years later, demand for the product category returns.

VRSM has already established that the relevant target is restoration of previously existing productive value.

VRCM now identifies the conditions necessary before restoration can legitimately proceed.

These include:

Market Condition: sufficient renewed demand Technical Condition: production equipment remains recoverable

Operational Condition: skilled personnel can be secured Infrastructure Condition: energy and logistics capacity are available

Regulatory Condition: required operating permissions remain valid Economic Condition: production can operate above the defined viability threshold

Renewed market demand alone is therefore insufficient.

The facility becomes Restoration Ready only when the combination of necessary conditions reaches the defined restoration basis.

VRCM prevents:

“the market returned”

from automatically becoming:

“the facility's value has been restored.”

Use Case 2 — Restoring Dormant Value in

Historical Data

An organization holds a large historical dataset whose operational value became dormant because legacy formats, inaccessible systems, and obsolete analytical capabilities prevented practical use.

VRSM identifies the prior informational value and defines the restoration target.

VRCM then establishes the conditions necessary for recovery.

These may include:

Access Condition: historical storage becomes readable Technical Condition: legacy formats can be reconstructed

Integrity Condition: sufficient usable information remains Capability Condition: modern analytical technology can

process the dataset Legal Condition: the organization retains legitimate rights to use the data Operational Condition: the recovered information can enter current analytical processes

The appearance of a new AI model alone does not establish restoration.

If the historical data remain inaccessible, corrupted, legally unusable, or operationally incompatible, the necessary restoration conditions remain unsatisfied.

Only after the required conditions are established can the process legitimately proceed toward ReMonet™.

Enterprise Application

VRCM enables organizations to determine what must become true before resources are committed to recovering previously impaired value.

It can support restoration decisions involving:

industrial assets; distressed investments; dormant intellectual property; legacy technologies; historical data; unused infrastructure; abandoned projects; inactive licenses; organizational capabilities; digital assets; obsolete systems; impaired productive capacity.

The Module separates:

potentially recoverable value

from:

value that is actually ready to enter restoration.

This distinction allows organizations to identify which barriers must be removed, which dependencies must be satisfied, and which conditions remain unresolved before a restoration mechanism is initiated.

Foundational Principles

Restoration potential is not restoration readiness.

A necessary condition is not automatically a sufficient condition.

Barrier removal is not restored value.

A condition becoming favorable does not itself constitute ReMonet™.

Expected future conditions must not be treated as currently satisfied conditions.

Restoration conditions may be external to the Value Object without placing the external system under this Module's governance.

Temporary conditions must remain distinguishable from persistent conditions.

Restoration readiness does not guarantee restoration success.

Conditions enabling new value must remain distinguishable from conditions restoring previously existing value.

A restoration mechanism should not legitimately proceed until the conditions required for the scoped restoration have been made explicit and sufficiently established.

Canonical Closing Statement

Value Restoration Conditions Module establishes the conditional gateway between a governed restoration scope and the mechanism through which previously impaired value may be recovered. Through identification of restoration barriers, necessary and supporting conditions, condition categories, dependencies, thresholds,

temporal characteristics, uncertainty, satisfaction states, persistence, and restoration readiness, VRCM determines whether the environment required for legitimate Value Restoration actually exists. By separating restoration potential from restoration readiness, enabling conditions from restoration mechanisms, and readiness from actual restored value, VRCM prevents favorable circumstances from being mistaken for completed restoration. Only when the conditions necessary for the scoped recovery have been explicitly established can the restoration process legitimately proceed toward ReMonet™.

Modul3

Governed Links

→ [Value Restoration Standard \(VRSS\)](#)

→ [VFM® Architecture Map](#)

→ [Previous: Value Restoration Scope Module \(VRSM\)](#)

→ [Next: ReMonet® Mechanism Module \(VRMM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>