

Value Restoration Determination Module (VRDM)

Value Restoration Determination Module (VRDM)

Architecture Ecosystem: Structured Reality Standards™
Architecture Family: VFM® — Value Flow Mechanisms Architecture
Parent Standard: Value Restoration Standard (VRSS)
Module: VRDM — Value Restoration Determination Module
Operational Layer: Value Restoration Determination Layer
Category: Governance & Enforcement
Subcategory: Value Lifecycle Governance
Type: Core Module
Governed Space: Value Restoration Determination
Origin ID: VFM-VRSS-VRDM-010.4
Version: 1.0
Status: Canonical · Open Standard
Effective Date: 27 August 2026
AI-Readable: Yes
Authority: OOF®
Protection: MIP® — Methodology Intellectual Property Protection
Canonical Language: English

Canonical Definition

Value Restoration Determination Module (VRDM) is the fourth Core Module of the Value Restoration Standard (VRSS). VRDM governs the formal determination of whether previously degraded, impaired, dormant, lost, inaccessible, or zero value has actually been restored following a governed restoration process.

The Module receives the Restoration Candidate produced through the preceding ReMonet™ mechanism and determines whether restoration has occurred, what value has been recovered, to what extent recovery has occurred, whether the recovered value corresponds to previously existing value, and what evidential basis supports the determination.

VRDM establishes the critical distinction between:

attempted restoration

and

determined restoration.

Its foundational function is:

to prevent restoration activity, expenditure, intervention, technical recovery, reactivation, or apparent improvement from being treated as restored value until the resulting value has been explicitly determined.

Architectural Position

VRDM is the fourth module within VRSS.

It follows:

VRMM — ReMonet™ Mechanism Module

and precedes:

VRTRM — Value Restoration Transition Module.

The preceding modules establish:

what previously existing value is being considered for restoration

→ whether restoration conditions exist

→ how ReMonet™ acts upon the affected value.

VRDM then establishes:

whether value was actually restored and what restoration legitimately occurred.

VRTRM subsequently governs the formal transition of the determined restored value into its resulting Value State.

Internal Flow

Restoration Candidate → Prior Value Reference → Recovery Evidence Identification → Restored Value Comparison → Restoration Extent Assessment → Restoration Attribution Assessment → Restoration Boundary Test → Restoration Determination → Determination Record → VRTRM — Value Restoration Transition Module

Operational Space

VRDM governs the space between:

a completed or materially progressed restoration mechanism

and

formal recognition that value has been restored.

Its operational space includes:

Restoration Candidate identification; prior-value reference; recovery evidence; restoration comparison; restoration extent; restoration magnitude; partial restoration; full restoration; over-restoration classification; restoration attribution; restoration uncertainty;

failed restoration determination; indeterminate restoration; conditional restoration; restoration boundary testing; separation of restored value from newly emerged value; separation of restored value from subsequent Value Development; determination documentation; downstream transition readiness.

Restoration Candidate Principle

VRDM does not begin with the assumption that restoration succeeded.

It begins with a:

Restoration Candidate.

A Restoration Candidate represents value that may have been recovered through a governed restoration mechanism.

The purpose of VRDM is to determine whether that candidate legitimately constitutes restored value.

Therefore:

Restoration Candidate ≠ Restored Value.

Prior Value Reference

Restoration requires a relationship to value that existed previously.

VRDM must therefore establish an appropriate Prior Value Reference.

The reference may identify:

prior value existence; prior Value State; prior value magnitude; prior value capability; prior productive function; prior economic utility; prior operational utility; prior access; prior rights; prior informational utility; prior strategic utility; another relevant value condition.

The reference does not always need to be numerical.

What matters is that restoration can be distinguished from the emergence of value that never previously existed.

Prior Value ≠ Historical Maximum

The appropriate restoration reference is not automatically the highest value ever associated with an asset.

An asset may historically have passed through several Value States.

VRDM must determine the relevant reference according to:

restoration scope; governed value relationship; temporal basis;
previous legitimate state; restoration objective; available evidence.

Therefore:

Prior Value Reference ≠ Automatic Historical Maximum.

Recovery Evidence

A restoration determination requires evidence that value has actually recovered.

Evidence may include:

restored functionality; recovered productive capability; resumed economic utility; restored access; renewed usability; recovered rights; restored information; operational performance; restored market relevance; recovered capacity; verified technical capability; restored serviceability; another value-relevant outcome.

VRDM determines the value consequence.

It does not automatically treat the completion of a technical activity as evidence that equivalent value has returned.

Activity ≠ Restoration

This distinction is fundamental.

An asset may be:

repaired

without recovering meaningful value.

A system may be:

restarted

without becoming operationally useful.

Data may be:

recovered

without recovering their former informational value.

A patent may be:

reactivated

without regaining economic relevance.

Therefore:

Restoration Activity $\neq$ Restored Value.

VRDM exists specifically to govern this distinction.

Restoration Extent

Restoration may occur to different extents.

VRDM may determine:

No Restoration

Partial Restoration

Substantial Restoration

Full Restoration

or another explicitly defined organizational state.

The state must be supported by the governed value basis rather than by the amount of effort invested in restoration.

Partial Restoration

Previously existing value does not need to be recovered completely for restoration to be legitimate.

Example:

Prior Value = 100

Degraded Value = 30

Post-ReMonet™ Value = 70

The recovered value:

30 $\rightarrow$ 70

may represent legitimate restoration.

The remaining gap:

70 $\rightarrow$ 100

represents value not yet recovered.

Therefore:

Full Restoration

Full restoration occurs where the relevant previously existing value has been recovered to the governed reference condition.

This does not necessarily mean the Value Object is identical to its historical form.

A modernized machine may restore the productive value of an older machine through different technology.

A migrated digital system may restore access and functionality through a new technical architecture.

VRDM therefore determines restoration of value, not restoration of historical physical or technical identity.

Restoration Beyond Prior Value

A restoration process may produce a resulting value greater than the relevant prior-value reference.

Example:

Prior Value = 100

Degraded Value = 40

Post-Restoration Value = 130

VRDM must not automatically classify all:

40 → 130

as restored value.

The architecture must distinguish:

40 → 100 = potentially restored value

from:

100 → 130 = value requiring separate classification.

Depending upon the governed basis, the additional value may represent:

Value Development

or

new Value Emergence.

Therefore:

Value Produced During Restoration ≠ Automatically Restored Value.

Restoration Attribution

VRDM determines whether the observed recovery can legitimately be associated with the governed restoration process.

This does not require universal causal proof.

It requires a sufficient governed basis to distinguish restoration from unrelated value movement.

For example, value may increase during a restoration project because:

market prices increased; regulation changed; external demand returned; another asset became scarce; a new subsidy appeared; broader technological change occurred.

VRDM must preserve material external contributions where they affect the restoration determination.

Restoration Mechanism ≠ Restoration Cause

ReMonet™ governs the restoration mechanism.

The complete cause of value recovery may involve multiple internal and external factors.

VRDM therefore does not require every restored unit of value to be attributed exclusively to ReMonet™.

It requires the determination to remain honest about the basis upon which restoration is being recognized.

Restoration Magnitude

Where meaningful and methodologically supportable, VRDM may determine the magnitude of restored value.

Magnitude may be expressed through:

monetary value; productive capacity; functional capability; utility; availability; usable information; access; performance; rights; strategic capability; another governed value measure.

VRDM does not require all forms of value to be reduced to money.

The measure must correspond to the value relationship under determination.

Quantitative Determination

Where value is quantifiable, VRDM may compare:

Pre-Restoration Value State

with

Post-Restoration Value Candidate.

For example:

20 → 65

may indicate:

45 units of recovered value

where the measurement basis legitimately supports that interpretation.

The numerical difference alone does not establish restoration.

The value identity, basis, scope, and attribution must remain governed.

Qualitative Determination

Some restoration cannot legitimately be expressed through one numerical value.

Examples may include:

restored access to critical information; restored institutional capability; restored interoperability; restored legal rights; restored operational capability; restored strategic usefulness.

VRDM therefore supports qualitative and hybrid determinations where numerical measurement would create false precision.

Conditional Restoration

Restored value may exist only under defined conditions.

For example:

A repaired industrial system may recover productive value only:

within a restricted operating range.

A recovered dataset may regain informational value only:

for a defined analytical purpose.

A restored infrastructure asset may operate only:

under temporary load restrictions.

VRDM may therefore determine:

Conditionally Restored Value.

The conditions must travel with the determination.

Temporary Restoration

Value may be restored temporarily.

A temporary restoration remains a legitimate restoration where the temporal boundary is explicit.

Therefore:

Temporary Restoration $\neq$ Permanent Restoration.

VRDM must not allow short-term recovery to be recorded as indefinite restoration.

Restoration Uncertainty

A restoration determination may contain uncertainty.

Uncertainty may concern:

magnitude; durability; attribution; measurement; future usability; external dependencies; market conditions; technical stability; accessibility; operational performance.

Uncertainty does not automatically prevent a restoration determination.

It must remain visible where materially relevant.

Restoration Determination States

VRDM may establish the following minimum determination states:

1. Not Restored

The available evidence does not establish recovery of the relevant previously existing value.

2. Indeterminate

Available information is insufficient to determine whether restoration has occurred.

3. Partially Restored

A defined portion or dimension of previously existing value has been recovered.

4. Conditionally Restored

Value has been recovered, but the restoration remains dependent upon explicit conditions.

5. Temporarily Restored

Value has been recovered for a defined or currently limited temporal period.

6. Restored

The relevant previously existing value has been recovered to the governed restoration basis.

These states may be extended where an implementation requires greater resolution.

Failed ReMonet™ Determination

A ReMonet™ mechanism may be successfully executed as a process while failing to restore value.

For example:

A company may complete:

repair

modernization

reconfiguration

and

operational restart

yet discover that the resulting asset has no meaningful productive or economic value.

VRDM may therefore determine:

ReMonet™ Executed — Value Not Restored.

This is not a contradiction.

It is one of the most important governance outcomes the Module must support.

Indeterminate Restoration

VRDM must permit an indeterminate result.

Where evidence is insufficient, conflicting, immature, inaccessible, or incapable of establishing the value consequence, the correct determination may be:

Indeterminate.

The architecture must never force:

Restored

or

Not Restored

where the evidence does not legitimately support either conclusion.

Restoration Boundary Test

Before recognizing restored value, VRDM should test whether the observed value represents:

recovery of previously existing value

rather than:

newly emerged value

or

development of value that already survived.

The test may consider:

Did this value exist previously?

Was that value materially degraded, lost, dormant, inaccessible, or zero?

Does the current value correspond to the previously existing value relationship?

Is the observed increase recovery, new creation, or subsequent development?

This prevents restoration from becoming an unlimited category for every positive value movement following intervention.

VRDM Boundary with VRMM

VRMM governs:

how restoration is attempted.

VRDM governs:

whether restoration actually occurred.

Therefore:

Mechanism $\neq$ Determination.

VRDM Boundary with VRTRM

VRDM establishes the restoration determination.

VRTRM governs the resulting transition into the appropriate Value State.

Therefore:

Determination $\neq$ State Transition.

A restoration determination must exist before the corresponding lifecycle transition is formally recorded.

VRDM Boundary with Value State Standard

VRDM determines the restoration outcome.

VSS determines the resulting current governed Value State.

Therefore:

Restoration Determination $\neq$ Value State.

VRDM may establish that value was restored.

VSS establishes what the current state of that value is.

VRDM Boundary with Value Development

Value Development governs strengthening, growth, maturation, or compounding of value that already exists.

VRDM governs recovery of previously impaired value.

Therefore:

Recovery $\neq$ Growth.

Where both occur within the same intervention, the architecture should separate the restored portion from subsequent development where materially possible.

VRDM Boundary with Value Emergence

Value that never previously existed cannot be restored.

Therefore:

New Value $\neq$ Restored Value.

If a restoration intervention generates an entirely new value relationship, that value must be governed through the appropriate Value Emergence pathway.

VRDM Boundary with Value Change

A restoration determination may establish that material Value Change occurred.

But Value Change and Value Restoration answer different questions.

Value Change asks:

What happened to existing value?

VRDM asks:

Did previously impaired value legitimately recover?

VRDM Boundary with Value Nullification

A ZVA™ may undergo ReMonet™ and subsequently receive a positive restoration determination.

Value Nullification therefore does not prohibit later restoration where restoration potential remains.

VRDM Boundary with Value Extinction

Value Extinction establishes that the relevant value no longer exists as recoverable value within the governed lifecycle.

Therefore:

Extinguished Value cannot subsequently be determined as restored within the same governed value lifecycle.

If value later appears, the architecture must determine whether a new value has emerged rather than retroactively treating extinction as temporary zero value.

Minimum Implementation Framework

1. Receive Restoration Candidate

Receive the governed Restoration Candidate produced through VRMM.

2. Establish Prior Value Reference

Identify the relevant previously existing value against which restoration is evaluated.

3. Identify Recovery Evidence

Determine what evidence demonstrates actual recovery of the governed value.

4. Compare Value Conditions

Compare the relevant pre-restoration and post-restoration conditions.

5. Determine Restoration Extent

Establish whether recovery is absent, partial, conditional, temporary, substantial, full, or otherwise appropriately classified.

6. Assess Attribution

Determine whether the observed recovery can legitimately be associated with the restoration process and identify material external contributions.

7. Test Restoration Boundary

Separate recovered prior value from new Value Emergence or subsequent Value Development.

8. Preserve Uncertainty

Record material uncertainty affecting the determination.

9. Issue Restoration Determination

Assign the appropriate governed restoration determination state.

10. Create Determination Record

Preserve the basis, evidence, reference condition, extent, attribution, limitations, uncertainty, and determination.

11. Transfer to Transition Governance

Transfer the determined restoration outcome to VRTRM.

Governance Outputs

VRDM may produce:

Restoration Candidate Assessment Prior Value Reference Record Recovery Evidence Record Restoration Comparison Record Restoration Magnitude Assessment Restoration Extent Determination Restoration Attribution Record Restoration Boundary Assessment Restoration Uncertainty Record Partial Restoration Determination Conditional Restoration Determination Temporary Restoration Determination Failed Restoration Determination Indeterminate Restoration Record Value Restoration Determination Value Restoration Determination Record

These outputs provide the governed basis for:

VRTRM — Value Restoration Transition Module.

Use Case 1 — Restoration of Degraded

Production Capacity

An industrial production line previously operated at a governed productive capacity of:

100 units.

Through deterioration and technological obsolescence, its productive value declines to:

35 units.

A ReMonet™ program replaces critical components, modernizes control systems, restores process stability, and reactivates production.

After the intervention, measured productive capability reaches:

80 units.

VRDM does not ask merely whether the modernization project was completed.

It determines whether productive value actually recovered.

The governed comparison establishes:

Prior Reference = 100

Pre-Restoration Condition = 35

Post-ReMonet™ Condition = 80

The line therefore demonstrates a substantial but incomplete recovery of previously existing productive value.

VRDM may issue:

Partially Restored

with the restored portion and remaining value gap explicitly recorded.

If subsequent optimization increases productive capability from:

80 → 115

VRDM prevents the entire increase from being classified as restoration.

The architecture can distinguish the recovery of previously impaired productive value from later Value Development.

Use Case 2 — Restoration of Dormant Data

Value

An organization possesses a historical technical dataset that once supported engineering analysis.

Over time, the dataset becomes inaccessible because the original storage environment, software, formats, metadata structures, and interfaces become obsolete.

The data continue to physically exist, but their usable informational value becomes dormant or effectively zero for the intended analytical purpose.

A ReMonet™ process recovers the files, reconstructs metadata, migrates formats, validates accessibility, and integrates the dataset into a modern analytical environment.

VRDM then determines whether the original informational value has actually been restored.

File recovery alone is insufficient.

The determination examines whether:

the information is accessible

the relevant content remains interpretable

the dataset can again support the intended analytical purpose

material information was preserved

the recovered dataset corresponds to the previously existing value relationship.

If only 70% of the historically useful information can be reliably reconstructed, VRDM may determine:

Partially Restored Informational Value.

If new analytics later derive insights that never previously existed, those new insights are not automatically classified as restored value.

They represent a separate value event.

Enterprise Application

VRDM gives organizations a formal decision layer for answering a deceptively difficult question:

Did we actually restore value, or did we merely perform restoration activity?

It can be applied to:

distressed assets; industrial rehabilitation; infrastructure recovery; digital recovery; legacy-system modernization; dormant intellectual property; impaired investments; data recovery; rights restoration; organizational capability recovery; operational restart; technological rehabilitation; productive-capacity recovery; asset reactivation; value recovery programs.

The Module prevents organizations from equating:

money spent

work completed

systems repaired

assets reactivated

or

projects delivered

with:

value actually restored.

Foundational Principles

Restoration Candidate is not Restored Value.

Restoration activity is not proof of restoration.

ReMonet™ execution is not Restoration Determination.

Restoration requires a relationship to previously existing value.

Prior Value Reference is not automatically historical maximum value.

Incomplete recovery may constitute legitimate partial restoration.

Restoration beyond prior value must be separated from Value Development or new Value Emergence.

Restoration cost does not determine restoration magnitude.

Technical recovery does not automatically establish value recovery.

Conditional restoration must remain conditional.

Temporary restoration must not be represented as permanent restoration.

Indeterminate is a legitimate determination where the evidence is insufficient.

Value that never previously existed cannot be restored.

Value Extinction must remain distinct from temporary or recoverable zero value.

Canonical Closing Statement

Value Restoration Determination Module establishes the formal determination layer of Value Restoration by governing whether a Restoration Candidate produced through ReMonet™ legitimately represents recovery of previously degraded, impaired, dormant, lost, inaccessible, or zero value. Through prior-value reference, recovery evidence, value comparison, restoration extent, magnitude, attribution, uncertainty, partial and conditional restoration, failure and indeterminate states, and explicit boundary testing against Value Emergence and Value Development, VRDM prevents restoration activity from being mistaken for restoration outcome. The Module ensures that repaired assets, recovered systems, reactivated capabilities, restored access, renewed rights, or completed interventions acquire restored-value status only where the relevant value consequence can actually be established. VRDM therefore creates the governed determination required before restored value may transition into a new Value State: restoration is not established because recovery was attempted, but because previously existing value can legitimately be shown to have returned.

Modul5

Governed Links

[→ Value Restoration Standard \(VRSS\)](#)

[→ VFM® Architecture Map](#)

[→ Previous: ReMonet® Mechanism Module \(VRMM\)](#)

[→ Next: Value Restoration Transition Module \(VRTRM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>