

Value Restoration Scope Module (VRSM)

Value Restoration Scope Module (VRSM)

Architecture Ecosystem: Structured Reality Standards™
Architecture Family: VFM® — Value Flow Mechanisms Architecture
Parent Standard: Value Restoration Standard (VRSS)
Module: VRSM — Value Restoration Scope Module
Operational Layer: Value Restoration Scope Layer
Category: Governance & Enforcement
Subcategory: Value Lifecycle Governance
Type: Core Module
Governed Space: Value Restoration Scope
Origin ID: VFM-VRSS-VRSM-010.1
Version: 1.0
Status: Canonical · Open Standard
Effective Date: 27 August 2026
AI-Readable: Yes
Authority: OOF®
Protection: MIP® — Methodology Intellectual Property Protection
Canonical Language: English

Canonical Definition

Value Restoration Scope Module (VRSM) is the first Core Module of the Value Restoration Standard (VRSS).

VRSM governs the identification and bounding of the exact previously existing value proposed for restoration.

The Module establishes what value existed, what part of that value became degraded, impaired, dormant, lost, inaccessible, or zero, what portion remains relevant for recovery, and what exact value dimension, object, context, and boundary the restoration process is permitted to address.

VRSM prevents restoration from being treated as an undefined claim that an object has simply “become valuable again.”

Its foundational function is:

to establish exactly what previously existing value is being proposed for restoration before restoration conditions or mechanisms are considered.

Architectural Position

VRSM is the first module within VRSS.

It precedes:

VRSM — Value Restoration Conditions Module

VRMM — ReMonet™ Mechanism Module

VRDM — Value Restoration Determination Module

VRTRM — Value Restoration Transition Module

VRSM establishes the governed restoration scope.

The subsequent modules determine whether restoration conditions exist, how restoration occurs, whether value was actually restored, and how the resulting value enters a new governed Value State.

Internal Flow

Previously Existing Value → Prior Value State Identification → Impaired / Lost Value Identification → Value Object Boundary → Value Dimension Boundary → Value Context Boundary → Restoration Target Definition → Restoration Exclusions → Governed Restoration Scope → VRCM — Value Restoration Conditions Module

Operational Space

VRSM governs the space between:

recognition that previously existing value has been impaired or lost

and

a formally bounded value-restoration scope.

Its operational space includes:

prior value identification; prior Value State; Value Object identification; affected value component; affected value dimension; degradation or loss boundary; dormant-value scope; zero-value scope; restoration context; temporal boundary; restoration target; restoration exclusions; partial restoration scope; dimensional restoration scope; contextual restoration scope; restoration dependencies; restoration-scope record.

Prior Value Requirement

Restoration requires a relationship to previously existing value.

VRSM therefore begins by establishing:

What value existed before the impairment, degradation, dormancy, loss, inaccessibility, or zero-value condition occurred?

Without an identifiable prior value basis, the process may represent:

Value Emergence

rather than:

Value Restoration.

Therefore:

No Identifiable Prior Value → No Established Restoration Scope.

This does not mean new value cannot emerge.

It means that newly emerging value must not be mislabeled as restored value.

Prior Value State Identification

Where available, VRSM should establish the prior governed Value State against which restoration is being considered.

The prior state may identify:

Value Object; value type; value dimension; value magnitude; value context; temporal state; operational condition; dependencies; limitations; supporting basis.

The historical value state does not automatically become the restoration target.

It provides the reference point from which the restoration relationship can be understood.

Value Object Boundary

VRSM must identify the Value Object to which the restoration claim applies.

The object may be:

a physical asset; infrastructure; technology; software; data; intellectual property; capability; process; organizational resource; digital asset; right; license; product; service; system; operational capability; another governable Value Object.

Restoration of one object must not automatically be attributed to a larger system containing that object.

Restored Component $\neq$ Restored System.

Affected Value Identification

VRSM identifies the value that became impaired.

The affected value may have become:

Degraded

Impaired

Dormant

Lost

Inaccessible

or:

Zero.

More than one condition may coexist.

For example, an industrial facility may retain physical value while its productive economic value becomes zero.

VRSM therefore scopes the affected value, not merely the physical or digital object carrying that value.

Value Dimension Boundary

Value is frequently multidimensional.

A Value Object may simultaneously possess:

economic value; operational value;

strategic value; functional value; informational value; technological value; market value; productive value; utility value; option value; another governed value dimension.

VRSM requires the restoration scope to specify which dimension is being restored.

Therefore:

Restoration of One Value Dimension $\neq$ Restoration of the Entire Value Object.

Partial Restoration Scope

The restoration target does not need to represent complete recovery.

VRSM may establish a scope for:

Partial Restoration.

Example:

A production asset previously operated at full productive capability.

After deterioration, only 30% of that capability remains.

The restoration project may legitimately target recovery to 70%.

VRSM therefore records:

Prior Capability: 100%

Current Capability: 30%

Restoration Scope: recovery toward 70%

The remaining 30% difference is outside the current restoration scope.

Context Boundary

Value may exist only within a particular context.

VRSM therefore identifies the context within which restoration is being proposed.

Context may include:

jurisdiction; market; organization; operational environment; technological environment; regulatory environment; geographic region; customer segment; infrastructure configuration; temporal period; use condition.

An asset may regain value in one context while remaining valueless in another.

Therefore:

Contextual Restoration $\neq$ Universal Restoration.

Temporal Boundary

Restoration scope may also be time-bound.

VRSM may distinguish between:

temporary restoration

and:

persistent restoration.

For example, a dormant energy asset may regain economic value during a temporary supply shortage.

Its value may subsequently decline again when market conditions normalize.

The restoration scope must therefore preserve the relevant temporal context.

Restoration Target

VRSM establishes the value condition toward which restoration is directed.

A Restoration Target may represent:

previous value magnitude; partial previous value; previous functionality; previous utility; previous productive capability; previous accessibility; previous economic condition; previous operational state; an explicitly defined equivalent value condition.

The target must be measurable or otherwise determinable through an appropriate governed basis.

Restoration Target $\neq$ Guaranteed Restoration Outcome.

It defines what recovery is being attempted.

Historical State $\neq$ Mandatory Restoration Target

VRSM does not require restoration to reproduce the exact historical state.

A Value Object may be restored through:

new technology; new operating conditions; different infrastructure; changed market conditions; modified configuration; new access mechanisms.

The restored value may therefore be equivalent in relevant function or value without recreating the original historical configuration.

Restoration Exclusions

A strong restoration scope must identify not only what is included but also what is excluded.

Exclusions may include:

value dimensions not being restored; unrelated Value Objects; newly emerging value; future speculative value; unsupported historical value claims; value belonging to another context; value outside the restoration period; improvements beyond the restoration target.

Explicit exclusions prevent scope expansion after the restoration process begins.

Restoration Scope $\neq$ Restoration Potential

VRSM may identify a value as potentially recoverable.

This does not establish that restoration is possible or justified.

Therefore:

Restoration Scope $\neq$ Restoration Eligibility.

Restoration Scope $\neq$ Restoration Conditions.

Restoration Scope $\neq$ Restored Value.

VRSM subsequently determines the conditions under which the scoped value may legitimately be restored.

Restoration Scope $\neq$ Value Development Scope

VRSM must prevent ordinary growth from being classified as restoration.

Suppose an asset currently possesses positive value of 70 and historically possessed value of 100.

An intervention increases its value to 120.

The movement may contain two different value processes:

$70 \rightarrow 100$ = potentially restored value

100 → 120 = potentially developed or newly emerged value

The exact classification depends upon the governed value basis.

VRSM provides the scope boundary needed to separate them.

Restoration Scope and ZVA™

A ZVA™ — Zero Value Asset™ may enter VRSM where previously existing value has reached a governed zero-value state while restoration potential remains.

VRSM must identify:

which previous value reached zero

and:

which value is now proposed for restoration.

The existence of the underlying object alone does not establish restoration scope.

The relevant value relationship must remain identifiable.

Scope Revision

Restoration scope may require revision where new information establishes that:

prior value was incorrectly identified; the affected value dimension differs; additional impairment exists; restoration dependencies changed; the object boundary changed; the restoration target changed; contextual conditions changed; previously assumed value never existed; part of the expected restored value is actually new Value Emergence.

Scope revision must remain documented rather than silently changing the restoration basis.

Boundary with VRCM

VRSM determines:

what value is proposed for restoration.

VRCM determines:

under what conditions that value may legitimately be restored.

Therefore:

Scope ≠ Conditions.

Boundary with VRMM

VRSM establishes the restoration target and boundary.

VRMM governs the ReMonet™ mechanism through which restoration occurs.

Therefore:

Restoration Scope ≠ Restoration Mechanism.

Boundary with VRDM

VRSM defines what restoration is attempting to recover.

VRDM determines whether the scoped value was actually restored.

Therefore:

Restoration Target $\neq$ Restoration Determination.

Boundary with VRTRM

VRSM establishes the initial restoration boundary.

VRTRM governs the formal transition of legitimately restored value into its resulting Value State.

Therefore:

Restoration Scope $\neq$ Restoration Transition.

Boundary with Value Development

Value Development governs strengthening, maturation, growth, or compounding of existing positive value.

VRSM governs the scope of recovery of previously impaired value.

Therefore:

Existing Value Growth $\neq$ Previously Lost Value Recovery.

Boundary with Value Emergence

Where no relevant prior value existed, restoration cannot be established merely because new value later appears.

Therefore:

New Value $\neq$ Restored Value.

VRSM protects this distinction by requiring a traceable prior-value basis.

Minimum Implementation Framework

1. Identify the Value Object

Define the object carrying the value proposed for restoration.

2. Establish Prior Value

Identify the relevant previously existing value.

3. Establish Prior Value State

Determine the historical state or reference basis where available.

4. Identify Impaired Value

Determine what value became degraded, dormant, lost, inaccessible, impaired, or zero.

5. Define Value Dimension

Specify the exact value dimension or dimensions within scope.

6. Define Context

Establish the market, jurisdiction, operational environment, technology environment, or other relevant context.

7. Define Restoration Target

Specify the value condition restoration is intended to recover.

8. Establish Exclusions

Identify what value, dimensions, objects, contexts, or improvements remain outside scope.

9. Establish Temporal Boundary

Define the relevant restoration period where materially applicable.

10. Record Governed Restoration Scope

Create a persistent record of the approved restoration boundary before downstream restoration governance proceeds.

Governance Outputs

VRSM may produce:

Value Restoration Scope Record Prior Value Identification Record Prior Value State Reference Affected Value Record Value Dimension Scope Value Object Boundary Record Restoration Context Record Restoration Target Statement Restoration Exclusion Record Temporal Restoration Boundary Partial Restoration Scope ZVA™ Restoration Scope Record Governed Restoration Scope

These outputs provide the governed input for:

VRCM — Value Restoration Conditions Module.

Use Case 1 — Restoring a Zero-Value Industrial

Asset

A specialized production line previously generated substantial productive and economic value.

A technological shift makes its original production function commercially obsolete.

The machinery remains physically intact, but its relevant productive value reaches zero and the asset enters a ZVA™ state.

Several years later, a new manufacturing process can reuse approximately 70% of the existing equipment.

Before deciding whether ReMonet™ can occur, VRSM establishes exactly what is being proposed for restoration.

It separates:

physical asset existence

from:

previous productive value

and defines:

Value Object: existing production line Prior Value: productive manufacturing capability Current Condition: zero productive value in the original context Restoration Dimension: productive and operational value Restoration Target: recovery of reusable productive capability Excluded: entirely new capabilities created by newly installed technology

This prevents the organization from treating every future improvement to the facility as restored value.

VRSM establishes which portion represents recovery of previously existing value and which portion must be governed separately as new value.

Use Case 2 — Recovering Dormant Value from

Historical Data

An organization holds twenty years of industrial operating data.

The dataset previously supported engineering and operational decisions, but changes in systems and analytical methods gradually make much of it inaccessible and practically unusable.

Its informational potential remains, but its active operational value becomes dormant.

A new AI-based analytical capability later makes the historical dataset usable again.

VRSM does not immediately classify the resulting opportunity as restored value.

It first defines the restoration scope:

Value Object: historical industrial dataset Prior Value: operational and informational utility Impaired Condition: practical inaccessibility and analytical dormancy Restoration Dimension: recoverable informational utility Restoration Context: defined industrial analytics environment Restoration Target: recovery of usable historical information Excluded: new predictive capabilities created solely by the AI system

This separation is critical.

The historical information that becomes usable again may constitute:

Restored Value.

Predictive capabilities that never previously existed may constitute:

New Value Emergence.

VRSM establishes the boundary before the two forms of value become mixed.

Enterprise Application

VRSM enables organizations to define exactly what they are attempting to recover before investing resources into restoration.

This can be applied to:

distressed industrial assets; infrastructure rehabilitation; legacy software; historical data; dormant intellectual property; abandoned projects; impaired investments; unused licenses; obsolete technologies; organizational capabilities; digital assets; inactive production capacity.

The Module prevents organizations from combining restoration, development, new value creation, and speculative future value into one undefined recovery claim.

It creates a precise starting point for determining:

what value existed, what was lost, what remains recoverable, and what exactly is being proposed for restoration.

Foundational Principles

Restoration requires an identifiable relationship to previously existing value.

No identifiable prior value means no established restoration scope.

Restoration of one value dimension does not establish restoration of the entire Value Object.

Restoration of one component does not establish restoration of the whole system.

Contextual restoration is not universal restoration.

A Restoration Target is not a Restoration Determination.

Restoration Scope is not Restoration Potential.

Restoration Scope is not ReMonet™.

New Value Emergence must remain distinguishable from recovery of previously existing value.

The value proposed for restoration must be bounded before the mechanism intended to restore it is governed.

Canonical Closing Statement

Value Restoration Scope Module establishes the first control point of Value Restoration by identifying and bounding the precise previously existing value proposed for recovery. Through governance of prior value, prior Value State, Value Object boundaries, affected value, value dimensions, restoration context, temporal scope, restoration targets, exclusions, partial restoration, and the distinction between restored and newly emerging value, VRSM prevents restoration from becoming an undefined claim that value has simply returned. By establishing exactly what value is being recovered before restoration conditions, ReMonet™, restoration determination, or transition are considered, VRSM creates the governed foundation upon which the entire Value Restoration process depends.

Modul2

Governed Links

→ [Value Restoration Standard \(VRSS\)](#)

→ [VFM® Architecture Map](#)

→ [Next: Value Restoration Conditions Module \(VRCM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>