

Value State Transition Readiness Module (VSTM)

Value State Transition Readiness Module (VSTM)

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: VFM® — Value Flow Mechanisms Architecture

Parent Standard: Value State Standard (VSS)

Module: VSTM — Value State Transition Readiness Module

Operational Layer: Value State Transition Readiness Layer

Category: Governance & Enforcement

Subcategory: Value Lifecycle Governance

Type: Core Module

Governed Space: Value State Transition Readiness

Origin ID: VFM-VSS-VSTM-005.4

Version: 1.0

Status: Canonical · Open Standard

Effective Date: 25 August 2026

Compatibility: OOF® Methodology OS™ · GOA™ · ORA™ · VALIDOS® · INTEGROS® · ADIT® · AGA™ · OBIDENITY®

AI-Readable: Yes

Authority: OOF®

Protection: MIP® — Methodology Intellectual Property Protection

Canonical Language: UCL — Universal Canonical Language

Canonical Definition

Value State Transition Readiness Module (VSTM) is the fourth Core Module of the Value State Standard (VSS) within VFM® — Value Flow Mechanisms Architecture.

VSTM governs whether a determined current Value State has reached the conditions under which a potential transition away from that state must become governable, observable, or ready for downstream value-change governance.

The Module establishes the methodological bridge between:

Current Governed Value State

and

Potential Value State Transition

without determining that a value change has already occurred.

Its foundational distinction is:

Transition Readiness ≠ Value Change

VSTM answers:

Is the current Value State sufficiently exposed to, approaching, or meeting defined transition conditions that downstream change governance should become active?

The actual identification and governance of material value change belongs to:

Architectural Position

VSTM is the fourth module within VSS.

It follows:

VSIM — Value State Identification Module

→ VSCM — Value State Classification Module

→ VSDM — Value State Determination Module

and precedes:

VSRM — Value State Record Module.

The internal logic is:

Identify State

→ Classify State

→ Determine State

→ Assess Transition Readiness

→ Record State

VSTM therefore prevents a determined Value State from being treated as static when material conditions indicate that the value may be approaching another state.

VFM® Governance Flow Position

VSTM occupies an important transition point in the broader VFM® governance flow:

Value Context

→ Value Origin

→ Value Emergence

→ Value Recognition

→ Value State

→ Value Change

VSTM operates at the end of the active Value State assessment and creates the readiness interface toward Value Change.

The architectural relationship is:

Current Value State

→ Transition Readiness

→ Potential Material Change

→ Value Change Governance

VSTM does not move value between states.

It determines whether the conditions for monitoring or examining such movement have become materially relevant.

Internal Module Flow

Determined Value State

→ Transition Sensitivity Identification

→ Transition Condition Definition

→ Relevant Signal Identification

→ Threshold Proximity Assessment

→ Dependency Assessment

→ Transition Constraint Assessment

→ Transition Readiness Assessment

→ Readiness State Assignment

→ Transition Readiness Record

→ VSRM — Value State Record Module

Where a material change is subsequently observed:

Transition Signal

→ VCS — Value Change Standard

Operational Space

VSTM governs the space between:

a determined current Value State

and

a potentially emerging change to that state.

Its operational space includes:

transition sensitivity; transition conditions;

transition indicators; transition signals; transition thresholds; threshold proximity; value-state instability; state persistence; transition dependencies; transition constraints; transition blockers; transition enablers; recovery conditions; degradation conditions; zero-value approach; reactivation conditions; readiness classification; transition uncertainty; transition monitoring requirements; downstream change-governance triggers.

Transition Readiness Principle

A Value State may remain formally unchanged while conditions around it materially evolve.

For example:

Active Value

may remain the determined state while operational performance is deteriorating.

Dormant Value

may remain the determined state while reactivation conditions are approaching.

Degraded Value

may remain the determined state while recovery becomes increasingly feasible.

Conditional Value

may remain the determined state while its defining condition approaches satisfaction.

Zero Value

may remain the determined state while a new use case creates a credible pathway toward renewed value.

VSTM governs this intermediate space.

It allows VFM® to distinguish:

Current State

from

Readiness to Leave Current State.

Transition Condition

A Transition Condition is a defined condition whose satisfaction, deterioration, restoration, appearance, disappearance, or material alteration may make movement from the current Value State possible or relevant.

Transition conditions may concern:

utilization; capability;

demand; technological relevance; operational performance; cost; resource availability; dependency availability; regulatory conditions; market access; beneficiary needs; infrastructure availability; system compatibility; recoverability; deterioration; restoration; strategic relevance; environmental conditions; contractual conditions.

VSTM does not govern these external systems themselves.

It governs their relevance to Value State transition readiness.

Transition Signal

A Transition Signal is an observable indication that one or more relevant transition conditions may be changing.

Signals may include:

declining utilization; increasing failure frequency; rising maintenance burden; disappearing demand; increasing operational cost; technological displacement; restored infrastructure; renewed customer demand; new compatibility; regulatory approval; dependency restoration; new beneficiary; new use case; resource scarcity; capability recovery; measurable deterioration.

A signal does not prove that value has changed.

Therefore:

Transition Signal $\neq$ Value Change

Transition Threshold

Organizations may establish thresholds indicating when a Value State requires closer transition governance.

Examples may include:

Utilization below defined level

Operating cost above defined level

Capability below defined requirement

Recovery probability above defined level

Dependency restored

Critical technology support withdrawn

Strategic demand activated

A threshold may be:

quantitative; qualitative; event-based; condition-based; composite.

Crossing a transition-readiness threshold does not automatically establish a new Value State.

It establishes that transition governance has become materially relevant.

Threshold Proximity

VSTM should not operate only after a threshold has already been crossed.

Where useful, it may govern proximity to a transition threshold.

A state may therefore be:

Stable

while far from any relevant transition threshold.

It may become:

Transition-Sensitive

as conditions begin moving materially toward a threshold.

It may become:

Transition-Ready

when defined readiness conditions are satisfied.

This gives VFM® the ability to identify value movement before a formal state change is determined.

Transition Readiness States

A minimum VSTM implementation may use the following states:

1. Stable

No material transition condition currently indicates credible movement from the determined Value State.

2. Transition-Sensitive

Material indicators exist that could affect the persistence of the current Value State.

3. Approaching Transition

One or more relevant transition conditions are materially approaching a defined threshold.

4. Transition-Ready

Defined conditions exist under which transition from the current Value State has become materially actionable or governable.

5. Transition-Constrained

A potential transition exists but one or more material constraints currently prevent or materially limit it.

6. Transition-Indeterminate

Available information is insufficient to establish transition readiness.

These are governance states.

They do not themselves establish that value has changed.

Transition Readiness ≠ Prediction

VSTM does not predict with certainty what the next Value State will be.

It may identify:

credible transition pathways

without asserting:

future transition outcome.

For example:

Degraded Value

may have potential pathways toward:

Recoverable Value

or

Zero Value.

VSTM may establish that both pathways are materially possible.

It does not need to predict which will occur.

Therefore:

Transition Readiness ≠ Transition Prediction

Where formal prediction governance is required, that belongs to the appropriate prediction architecture.

Transition Readiness ≠ Transition Execution

A system may be ready for value transition without anyone deciding to execute an intervention.

For example:

a dormant production line may be ready for reactivation.

VSTM can establish:

Reactivation-Ready

without deciding:

Reactivate Production Line.

Likewise, an obsolete system may be ready for retirement without VSTM authorizing disposal.

Therefore:

Readiness ≠ Decision

and:

Readiness ≠ Execution

Value Degradation Pathway

VSTM can identify when a currently positive Value State approaches degradation.

Example:

Active Value

→ declining capability

→ increasing maintenance

→ decreasing utilization

→ reduced beneficiary relevance

→ Transition-Sensitive

→ Approaching Transition

If a material value change subsequently occurs, the matter proceeds into VCS.

This enables organizations to observe value deterioration before it becomes invisible inside static asset records.

Zero-Value Approach

One of the strongest applications of VSTM is governance of the pathway toward:

ZVA™ — Zero Value Asset™

A Value Asset™ may remain in a positive Value State while moving progressively toward zero value.

VSTM can identify:

Active Value

- Degradation Signals
- Transition-Sensitive
- Approaching Zero-Value Threshold
- Transition-Ready

without prematurely determining:

ZVA™

The zero-value state itself must still be established through the applicable state and change governance.

This prevents both:

premature zero-value classification

and

late recognition of value collapse.

Recovery Pathway

Transition governance is equally important in the opposite direction.

A zero-value, dormant, constrained, or degraded object may develop new value potential.

Examples include:

new technology; new beneficiary; restored dependency; new market; regulatory change; infrastructure restoration; new use case; component reuse; new strategic requirement.

VSTM can identify:

Current Low/Zero Value State

→ Recovery Signal

→ Recovery Conditions

→ Transition Readiness

without automatically determining that value has already re-emerged.

This provides an important foundation for future VFM® concepts concerning ReMonet™ and value restoration.

State Persistence

Not every changing external condition requires a Value State transition.

VSTM therefore considers whether the current state remains sufficiently persistent despite changing conditions.

For example:

a temporary market decline may not materially alter the strategic value of a capability.

A short operational outage may not change an Active Value state.

A temporary cost increase may not establish degradation.

The Module therefore protects VFM® from excessive state volatility.

Transition Dependencies

Some transitions depend upon external conditions.

A dormant asset may become active only if:

energy supply returns

or:

regulatory approval is granted

or:

a critical component becomes available.

VSTM records those dependencies as part of transition readiness.

The transition may therefore be classified as:

Transition-Constrained

until the dependency is satisfied.

Transition Constraints

Material constraints may prevent an otherwise credible value transition.

These may include:

technical constraints; resource constraints; legal constraints; contractual constraints; infrastructure constraints; capability constraints; market constraints; timing constraints; dependency constraints.

VSTM does not resolve those constraints.

It makes their effect on transition readiness explicit.

Multiple Transition Pathways

A current Value State may have several potential next states.

For example:

Dormant Value

may transition toward:

Active Value

if demand returns,

toward:

Degraded Value

if deterioration continues,

or toward:

Zero Value

if the capability loses all relevant value within the governed context.

VSTM may preserve multiple credible transition pathways simultaneously.

Therefore:

One Current State $\neq$ One Inevitable Next State

Context-Specific Transition Readiness

The same value-bearing object may have different transition readiness across different contexts.

For example:

Industrial Robot

may be:

Stable — Current Production Context

while:

Transition-Ready — Resale Context

and:

Transition-Sensitive — Technology Relevance Context.

VSTM therefore preserves the context established upstream.

Transition readiness must not be universalized across unrelated value contexts.

Beneficiary-Specific Transition Readiness

A transition may also be beneficiary-specific.

A technology may be approaching zero value for one organization while simultaneously becoming increasingly valuable to another.

VSTM can preserve both relationships.

This is particularly important for:

secondary markets; asset transfer; technology reuse; industrial restructuring; intellectual property; data; infrastructure; circular economy models.

Transition Uncertainty

Where readiness cannot be established confidently, uncertainty must remain visible.

Sources may include:

incomplete data; uncertain demand; unknown recoverability; unclear dependency status; unstable technology conditions; ambiguous beneficiary relevance; uncertain regulatory outcome; incomplete cost information.

VSTM should not convert uncertainty into artificial readiness.

The appropriate state may remain:

Transition-Indeterminate

until sufficient information becomes available.

Transition Monitoring

A determined Value State may require monitoring where transition sensitivity is material.

Monitoring may focus on:

threshold variables; critical dependencies; deterioration indicators; recovery indicators; utilization; operational output; cost burden; beneficiary demand; market relevance; technology relevance; regulatory conditions.

VSTM governs what transition-relevant signals should remain observable.

It does not become a general monitoring architecture.

Interface with Value Change Standard

VSTM provides an explicit methodological bridge to:

6. Value Change Standard (VCS)

VSTM determines:

whether conditions indicate readiness or sensitivity for potential movement from the current Value State.

VCS determines:

whether existing value has materially changed and what change has occurred.

Therefore:

VSTM: Potential movement becomes governable.

VCS: Material value change becomes identifiable.

The architectural boundary is:

Readiness $\neq$ Change

Interface with Value Emergence

A transition from zero or non-realized value toward positive value may eventually interact with Value Emergence Standard (VES) where genuinely new value emerges.

VSTM does not determine value emergence.

It may identify conditions indicating that a current state is approaching a transition requiring reassessment through the appropriate VFM® governed space.

This preserves the distinction:

State Transition Readiness $\neq$ Value Emergence

Interface with Value Recognition

A changed or newly emerged value may require recognition under:

Value Recognition Standard (VRS).

VSTM does not recognize value.

It identifies transition readiness within an already governed Value State.

Interface with External Events

External events may influence transition readiness.

Examples include:

market shocks; innovation; regulation; physical damage; infrastructure failure; technological substitution; contractual change; payment; environmental event.

VFM® does not need to govern the external event itself.

VSTM governs:

what that event means for readiness of the governed value to leave its current state.

Minimum Implementation Framework

A minimum VSTM implementation should establish:

1. Current Value State

Receive the determined current Value State from VSDM.

2. Transition Sensitivity

Identify conditions capable of materially affecting persistence of that state.

3. Transition Conditions

Define conditions relevant to movement from the current state.

4. Transition Signals

Identify observable signals associated with those conditions.

5. Transition Thresholds

Establish thresholds where appropriate.

6. Dependency Assessment

Identify dependencies enabling or constraining transition.

7. Readiness Assessment

Determine whether the current state is stable, sensitive, approaching transition, transition-ready, constrained, or indeterminate.

8. Potential Pathways

Identify materially credible next-state pathways without treating them as predictions.

9. Monitoring Requirement

Identify transition-relevant conditions requiring continued observation.

10. Downstream Trigger

Where material change is subsequently identified, transfer the matter into Value Change governance.

Governance Outputs

VSTM may produce:

Value State Transition Readiness Assessment Transition Condition Record Transition Signal Record Transition Threshold Record Threshold Proximity Assessment Transition Dependency Record Transition Constraint Record Transition Readiness State Potential Transition Pathway Record Zero-Value Approach Signal Recovery Readiness Signal Transition Monitoring Requirement Value Change Governance Trigger

These outputs preserve the bridge between current Value State governance and downstream Value Change governance.

Use Case 1 — Banking: Detecting Collateral

Value Deterioration Before the Asset Reaches

Zero

A bank finances an industrial company whose loan is secured by production equipment.

The equipment remains:

operational

and therefore retains a determined:

Active Value State.

Traditional collateral monitoring may continue to treat the machinery as performing collateral until a major impairment, default, valuation event, or operational failure becomes visible.

VSTM introduces an earlier governance layer.

The bank may observe:

utilization decline

→ maintenance cost increase

→ technology obsolescence

→ loss of spare-part support

→ declining secondary-market demand

→ reduced productive relevance.

None of these signals alone necessarily establishes a new Value State.

Together, however, they may move the asset from:

Stable

to:

Transition-Sensitive

and eventually:

Approaching Transition.

The bank can therefore identify that the governed value supporting its collateral is approaching a materially different state before the underlying machine disappears, defaults, or becomes formally worthless.

This creates a potential early-warning layer between:

asset existence

and

value deterioration.

For banking, credit, insurance, restructuring, and collateral governance, that distinction can be materially significant.

Use Case 2 — Space Mission: Determining When

Mission Assets Become Ready for a Different

Value State

A space mission contains satellites, scientific instruments, computing systems, communication infrastructure, energy systems, spare capacity, data resources, and mission capabilities.

A scientific instrument may currently occupy:

Active Value

because it is producing mission-relevant data.

Over time:

sensor degradation increases

→ energy consumption rises

→ measurement precision declines

→ mission priorities change

→ new instruments become available.

The instrument may still carry active value.

VSTM therefore does not prematurely classify it as degraded or zero.

Instead, it determines whether the current state has become:

Transition-Sensitive

or:

Approaching Transition.

At the same time, an apparently obsolete instrument may gain a new use:

secondary observation

backup capability

calibration support

experimental reuse

or

new scientific purpose.

VSTM can therefore identify both:

declining value pathways

and

renewed value pathways.

This is important in environments such as space missions where physical replacement may be impossible and extracting additional value from existing resources can materially reduce mission cost and extend mission capability.

The result is a governed answer not merely to:

What is this asset worth now?

but to:

Is its current Value State stable, deteriorating, recoverable, or approaching a materially different state?

Foundational Principles

Current Value State does not imply permanent Value State.

Transition readiness is not Value Change.

Transition signal is not Value Change.

Threshold proximity is not threshold crossing.

Transition readiness is not prediction.

Transition readiness is not authorization.

Transition readiness is not execution.

One current Value State may have multiple credible transition pathways.

Value deterioration may become governable before zero value occurs.

Value recovery may become governable before positive value re-emerges.

A Value Asset™ may approach ZVA™ without yet becoming ZVA™.

A ZVA™ may develop transition readiness toward renewed value without yet possessing renewed value.

VFM® must govern not only what state value occupies, but when that state is becoming materially unstable.

Canonical Closing Statement

Value State Transition Readiness Module establishes the transition-readiness layer of the Value State Standard by determining whether a governed current Value State remains stable or has become sensitive, constrained, indeterminate, approaching transition, or ready for potential movement into another value condition. Through governance of transition conditions, signals, thresholds, threshold proximity, dependencies, constraints, uncertainty, state persistence, degradation pathways, zero-value approach, recovery pathways, monitoring requirements, and potential next-state pathways, VSTM makes value-state instability governable before a material value change is formally established. By separating transition readiness from prediction, authorization, execution, value emergence, value recognition, and actual Value Change, VSTM preserves the boundary between the current governed state and downstream change governance while creating the early-warning and recovery interface required for dynamic value governance.

Modul5

Governed Links

→ [Value State Standard \(VSS\)](#)

→ [VFM® Architecture Map](#)

→ [Previous: Value State Determination Module \(VSDM\)](#)

→ [Next: Value State Record Module \(VSRM\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>