

# Value Extinction Record Module (VXRM)

## Value Extinction Record Module (VXRM)

---

**Architecture Ecosystem:** Structured Reality Standards™  
**Architecture Family:** VFM® — Value Flow Mechanisms Architecture  
**Parent Standard:** Value Extinction Standard (VXSS)  
**Module:** VXRM — Value Extinction Record Module  
**Operational Layer:** Value Extinction Record Layer  
**Category:** Governance & Enforcement  
**Subcategory:** Value Lifecycle Governance  
**Type:** Core Module  
**Governed Space:** Value Extinction Record  
**Origin ID:** VFM-VXSS-VXRM-011.5  
**Version:** 1.0  
**Status:** Canonical · Open Standard  
**Effective Date:** 28 August 2026  
**AI-Readable:** Yes  
**Authority:** OOF®  
**Protection:** MIP® — Methodology Intellectual Property Protection  
**Canonical Language:** English

---

### Canonical Definition

Value Extinction Record Module (VXRM) is the fifth and final Core Module of the Value Extinction Standard (VXSS) within VFM® — Value Flow Mechanisms Architecture.

VXRM governs the creation, structuring, preservation, linkage, and lifecycle positioning of the authoritative governance record produced when previously existing value has legitimately reached Value Extinction and, where applicable, Value Finality.

Its purpose is to ensure that terminal value outcomes do not disappear into undocumented organizational decisions, accounting actions, asset disposal processes, system changes, or historical ambiguity.

VXRM establishes a persistent methodological record of:

what governed value became extinct; which Value Object or relationship carried that value; which Value Context applied; which value dimension was affected; what extinction boundary applied; what extinction determination was reached; whether Value Finality was established; what residual values remained; what lifecycle pathways were closed; what lifecycle history preceded extinction; and what distinction must be preserved between the extinguished value and any future new value.

The Module therefore ensures:

Value Extinction becomes a governed lifecycle fact rather than an undocumented terminal assumption.

---

### Architectural Position

VXRM is the final Core Module of VXSS and the terminal recording point of the VFM® Value Lifecycle.

The VXSS module sequence is:

VXCM — Value Extinction Conditions Module → VXTM — Value Extinction Threshold Module → VXDM — Value Extinction Determination Module → VXFM — Value Finality Module → VXRm — Value Extinction Record Module

VXFM establishes:

Value Finality.

VXRm preserves:

the governed record of how that terminal lifecycle state was reached and what exactly it means.

Therefore:

Value Finality ≠ Value Extinction Record.

---

## Internal Flow

Value Extinction Determination → Value Finality Status where applicable → Governed Value Identification → Extinction Scope Capture → Extinction Basis Capture → Lifecycle History Linkage → Residual Value Separation Capture → Finality Boundary Capture → Terminal Status Capture → Record Integrity Requirements → Value Extinction Record Creation → Record Preservation → Terminal VFM® Lifecycle Record

---

## Operational Space

VXRm governs the recording space associated with terminal Value Lifecycle outcomes.

Its operational space includes:

extinction record creation; terminal value identification; lifecycle linkage; Value Context linkage; Value Object linkage; value-dimension identification; extinction-scope recording; extinction-basis recording; threshold-reference recording; extinction-determination recording; finality-status recording; residual-value recording; restoration-pathway closure recording; lifecycle chronology; terminal-state provenance; record status; record correction; record supersession; future Value Emergence separation;

cross-system referenceability.

---

## Operational Scope

VXRm does not determine whether value is extinct.

It does not determine whether the extinction threshold was reached.

It does not establish Value Finality.

It records the governed results produced through the preceding VXSS lifecycle.

Therefore:

Record Creation ≠ Extinction Determination.

Record Creation ≠ Value Finality.

VXRm preserves governance outcomes; it does not manufacture them.

---

## Value Extinction Record Principle

A Value Extinction Record is the structured governance representation of the terminal lifecycle outcome of a defined governed value.

The record should make it possible to determine:

What value existed?

What happened to it?

Which lifecycle boundary was crossed?

What exactly became extinct?

Was extinction partial, dimensional, contextual, or complete within the defined scope?

Was Value Finality established?

What remained outside the extinction boundary?

What lifecycle history supports the terminal status?

The record therefore preserves the meaning of extinction beyond the moment when the determination occurred.

---

## Extinction Record ≠ Value Object Record

VXRM records the extinction of governed value.

It does not automatically become the master record of the underlying Value Object.

An object may continue to exist after one of its values becomes extinct.

Therefore:

Value Object Record ≠ Value Extinction Record.

The two may be linked, but they remain methodologically distinct.

---

## Extinction Record ≠ Deletion Record

Value Extinction does not require deletion of the object, data, evidence, or lifecycle history.

Likewise, the Value Extinction Record is not a deletion instruction.

Therefore:

Value Extinction Record ≠ Data Deletion Record.

Record retention and data deletion may be governed by separate legal, operational, security, privacy, or information-governance requirements.

---

## Record Identity

Each governed Value Extinction Record should possess a distinguishable record identity sufficient to prevent confusion between:

different Value Objects; different values associated with the same object; different value dimensions; different Value Contexts; different lifecycle instances; repeated extinction assessments; corrected determinations; superseded records; future newly emerged value.

Record identity must preserve the distinction between:

the object

and

the value whose lifecycle ended.

---

## Governed Value Identification

VXRM should identify the value to which the extinction record applies.

The identification should be sufficiently precise to distinguish:

Extinguished Value A

from:

Remaining Value B

and:

Future New Value C.

This prevents terminal records from being interpreted as universal statements about all possible value associated with the underlying object.

---

## Value Object Linkage

Where the extinguished value is associated with a Value Object, the record should maintain a governed reference to that object.

However:

Object Linkage  $\neq$  Value Identity.

The same Value Object may support multiple values and multiple value lifecycles.

The extinction of one does not automatically terminate the others.

---

## Value Context Capture

Because value is contextual, VXRM should preserve the Value Context within which extinction was determined.

This may include relevant:

operational context; economic context; technological context; temporal context; organizational context; relational context; jurisdictional context; strategic context;

where those dimensions materially define the governed value.

Therefore:

Extinction Without Context May Become Semantically Ambiguous.

---

## Value Dimension Capture

Where extinction applies only to a particular value dimension, that dimension must remain explicit.

Examples may include:

productive value; operational value; informational value; strategic value; economic value; functional value; temporal value; relational value.

The record must prevent:

---

## Dimensional Extinction

from being interpreted as:

Universal Value Extinction.

---

## Extinction Scope Capture

VXRM should preserve the exact scope of the extinction determination.

The scope may be:

total within the governed value lifecycle; partial; dimensional; contextual; relational; temporal; capability-specific.

Therefore:

Extinction Record Scope must not exceed Extinction Determination Scope.

---

## Extinction Basis Capture

The record should preserve the governed basis on which extinction was determined.

This may include references to:

extinction conditions; threshold satisfaction; recoverability findings; restoration limitations; relevant Value States; prior ReMonet™ attempts where applicable; material dependencies; relevant external determinations; final extinction determination.

VXRM does not independently validate these inputs.

It preserves their relationship to the terminal lifecycle conclusion.

---

## Threshold Reference

Where an extinction threshold was used, VXRM should preserve sufficient reference to establish:

which threshold applied; which governed value it applied to; which context applied; when the threshold was considered satisfied; which determination relied upon it.

This creates continuity between:

Threshold

and

Terminal Lifecycle Outcome.

---

## Determination Capture

The Value Extinction Record should preserve the actual extinction determination.

The record should distinguish among outcomes such as:

extinction not established; extinction indeterminate; partial extinction; dimensional extinction; contextual extinction; Value Extinction established.

Only a legitimately established terminal outcome should be represented as final extinction.

---

## Finality Status Capture

Where VXFM has established Value Finality, VXRM should preserve that status separately from the extinction determination.

This maintains the distinction:

Value Extinct

from:

Value Final.

The record should therefore be capable of representing an extinction determination before finality where the architecture requires an intermediate governance state.

---

## Finality Boundary Capture

Where Value Finality applies, VXRM should preserve its exact boundary.

This may include:

value identity; lifecycle identity; value dimension; Value Context; affected relationship; effective point; excluded residual values; same-value restoration closure.

This ensures that Finality remains bounded rather than becoming an uncontrolled universal conclusion.

---

## Residual Value Record

VXRM must preserve material residual value where it exists.

For example:

Productive Value → Extinct and Final

may coexist with:

Material Value → Active

Historical Value → Active

Informational Value → Active

The terminal record should therefore distinguish:

what ended

from:

what remained.

---

## Residual Value ≠ Exception to Extinction

The presence of another surviving value does not invalidate extinction of the governed value.

A machine may permanently lose its original production value while retaining scrap value.

Therefore:

Residual Value ≠ Persistence of the Extinguished Value.

---

## Lifecycle History Linkage

VXRM should maintain sufficient linkage to the preceding VFM® lifecycle so that terminal status is not isolated from its methodological history.

The lifecycle may include:

Value Context → Value Origin → Value Emergence → Value Recognition → Value State → Value Change → Value Development / Value Degradation → Value Nullification where applicable → ZVA™ where applicable → Value Restoration where applicable → Value Extinction → Value Finality → Value Extinction Record

Not every lifecycle must pass through every optional branch.

The record should preserve the actual governed pathway.

---

## **Lifecycle Record ≠ Lifecycle Reconstruction**

VXRM should not invent missing historical states merely to produce a complete-looking record.

Where lifecycle information is unavailable, the record should preserve that limitation.

Therefore:

Unknown Lifecycle History ≠ Assumed Lifecycle History.

---

## **Chronology Integrity**

VXRM should preserve the temporal ordering of relevant lifecycle events.

Important distinctions may include:

degradation date; zero-value date; restoration attempt date; extinction-threshold date; extinction-determination date; finality effective date; record creation date; correction date.

These dates must not be collapsed into a single terminal timestamp where doing so would distort lifecycle reality.

---

## **Record Creation Time ≠ Extinction Time**

The record may be created after the value actually became extinct.

Therefore:

Record Creation Date ≠ Value Extinction Effective Date by Default.

Both should remain separately identifiable where known.

---

## **Terminal Status**

VXRM should establish a record status indicating the governance position of the terminal record.

Possible statuses may include:

---

### **1. Draft Extinction Record**

Terminal information is being assembled.

---

### **2. Pending Extinction Record**

Required terminal governance inputs remain incomplete.

---

### 3. Active Extinction Record

A governed extinction determination has been recorded.

---

### 4. Final Extinction Record

Value Finality has been established and terminal lifecycle recording is complete.

---

### 5. Record Under Review

Material information challenges the existing record.

---

### 6. Corrected Extinction Record

The record has been formally corrected while preserving prior history.

---

### 7. Superseded Extinction Record

A later governed record replaces the current authoritative representation without erasing the earlier record.

These are VFM® governance statuses rather than accounting, legal, archival, or regulatory classifications.

---

## Record Finality ≠ Immutability

A final record should be stable.

However, stability does not mean that factual or governance errors must remain permanently uncorrectable.

Therefore:

Record Finality ≠ Absolute Immutability.

A governed correction pathway should remain available where legitimate evidence demonstrates that the record is inaccurate.

---

## Correction Principle

Where a Value Extinction Record is incorrect, VXRm should permit controlled correction.

A correction should preserve:

the original record; the corrected information; the reason for correction; the relationship between versions; the effective status of the correction.

The architecture should avoid silent replacement of terminal lifecycle history.

Therefore:

Correction ≠ Historical Erasure.

---

## Supersession Principle

Where a new authoritative record supersedes an earlier record, the relationship should remain visible.

The earlier record should not silently disappear.



This enables reconstruction of:  
what was previously believed  
versus:  
what is currently governed as authoritative.

---

## New Evidence After Finality

New evidence may emerge after a terminal record has been created.

VXRM should distinguish two fundamentally different situations:

Situation A — Prior Determination Was Wrong

Evidence demonstrates that the value was not legitimately extinct.

The appropriate pathway is:

Review → Correction → Lifecycle Repositioning

Situation B — Genuine New Value Appears

The original value was legitimately extinct, but new circumstances create a different value.

The appropriate pathway is:

New Value Emergence → New Value Lifecycle

Therefore:

New Evidence ≠ Automatic Restoration.

---

## Future Value Separation

The extinction record should provide sufficient semantic separation to prevent future new value from being confused with the extinguished value.

This is particularly important where the same Value Object later acquires:

new technological use; new economic relevance; new cultural significance; new strategic importance; new informational value; new relational value.

The future value may share the same object.

It does not necessarily share the same Value Lifecycle.

---

## Record Continuity

VXRM should preserve continuity between the terminal record and the lifecycle that produced it.

Continuity may include references to:

value identity; Value Object; Value Context; prior Value States; relevant Value Changes; DeMonet™ where applicable; ZVA™ where applicable; ReMonet™ where applicable; extinction conditions; extinction threshold; extinction determination; finality status.

The purpose is not to duplicate every prior record.

The purpose is to make the terminal outcome traceable to its governed lifecycle.

---

## Record Integrity

VXRM requires that the Value Extinction Record remain sufficiently reliable for its governance purpose.

This includes preservation of:

completeness appropriate to scope; internal consistency; lifecycle linkage; version relationships; correction history; finality status; record identity.

However, broader integrity governance belongs to INTEGROS®.

Therefore:

VXRM defines what the Value Extinction Record must represent.

INTEGROS® may govern the integrity of that representation.

---

## Auditability Boundary

VXRM establishes the terminal value record.

It does not replace independent auditability or evidence governance.

Where auditability is required:

ADIT® may govern the evidence and audit trail supporting the record.

Therefore:

Value Extinction Record ≠ Independent Audit Evidence.

---

## Validation Boundary

VXRM may reference validated inputs.

It does not independently validate the truth of every external claim used in the extinction process.

Where formal validation is required:

VALIDOS® governs the validation process.

Therefore:

Recorded Claim ≠ Validated Claim by Default.

---

## Identity Boundary

VXRM may link the terminal record to a Value Object.

The authoritative identity, provenance, ownership, or origin of that object may be governed through OBIDENTITY®.

Therefore:

Value Extinction Record ≠ Object Identity Governance.

---

## Record Retention Boundary

VXRM establishes the methodological requirement to preserve terminal lifecycle meaning.

It does not prescribe universal legal retention periods.

Retention duration may depend on:

law; regulation; contractual obligations; industry requirements; organizational policy; evidence requirements; operational needs.

Therefore:

Methodological Preservation Requirement  $\neq$  Universal Retention Period.

---

## Minimum Implementation Framework

A minimum VXR<sup>M</sup> implementation should establish:

### 1. Record Identity

Assign a distinguishable identity to the Value Extinction Record.

### 2. Governed Value Identification

Identify the specific value whose lifecycle reached extinction.

### 3. Value Object Linkage

Link the record to the relevant Value Object or relationship where applicable.

### 4. Value Context Capture

Preserve the context within which extinction was determined.

### 5. Extinction Scope

Record whether extinction is total, partial, dimensional, contextual, temporal, or otherwise bounded.

### 6. Extinction Basis

Reference the governed basis supporting the extinction determination.

### 7. Extinction Determination

Capture the authoritative determination produced by VXD<sup>M</sup>.

### 8. Finality Status

Capture the Value Finality status produced by VXF<sup>M</sup> where applicable.

### 9. Residual Value Separation

Record material values remaining outside the extinction boundary.

### 10. Lifecycle Linkage

Maintain traceability to relevant preceding VFM<sup>®</sup> lifecycle stages.

### 11. Chronology

Preserve material lifecycle and terminal timestamps separately.

### 12. Record Status

Assign the appropriate terminal record status.

### 13. Correction Governance

Provide a controlled pathway for review, correction, and supersession.

### 14. Future Value Separation

Prevent future new Value Emergence from being misrepresented as restoration of legitimately extinguished value.

### 15. Preservation

Maintain the terminal record for the period and governance purpose required by applicable systems.

---

## Governance Outputs

VXRM may produce:

Value Extinction Record Terminal Value Identification Record Value Extinction Scope Record Value Extinction Basis Record Extinction Threshold Reference Value Extinction Determination Record Value Finality Status Record Value Finality Boundary Record Residual Value Record Restoration Pathway Closure Reference Value Lifecycle History Reference Terminal Lifecycle Chronology Value Extinction Effective Point Record Status Record Review Notice Value Extinction Record Correction Supersession Record Future Value Separation Reference Terminal VFM® Lifecycle Record

---

## Enterprise Application

VXRM provides organizations with a structured terminal record for values that have legitimately completed the VFM® lifecycle.

This is particularly useful where organizations manage:

industrial assets; infrastructure; technology portfolios; legacy systems; digital assets; data; intellectual property; product portfolios; research programs; organizational capabilities; strategic resources; long-lived operational assets.

Without a governed terminal record, organizations may lose the distinction between:

value that is currently zero

and

value that has actually become extinct.

They may also lose the distinction between:

an extinguished value

and

new value that later emerges from the same object.

VXRM preserves these distinctions across time.

Use Case 1 — Industrial Asset Extinction Record

A production machine has permanently lost its original specialized productive value.

The preceding VXSS modules establish:

Extinction Conditions Satisfied → Extinction Threshold Reached → Productive Value Extinct → Productive Value Final

However, the physical machine remains.

It retains:

Material Value

and potentially:

Historical Value.

VXRM creates a terminal record specifying:

Governed Value: Original Specialized Productive Value Extinction Scope: Productive Value Dimension Finality:

Established ReMonet™ Pathway: Closed for Original Productive Value Residual Value: Material Value retained Object

Status: Object continues to exist

Years later, the machine becomes historically significant.

That new historical value can enter a new or continuing applicable Value Lifecycle without rewriting the extinction record of the original productive value.

---

## Use Case 2 — Extinction Record for

---

### Irrecoverable Digital Information

An organization possesses fragments of a legacy dataset.

The original contextual structure required to interpret the information has been irreversibly lost.

Following governed assessment:

Original Informational Value → Extinct

and:

Original Informational Value → Final.

VXRM records:

Value Object: Surviving Data Fragments Governed Value: Original Contextual Informational Value Extinction Scope:

Original Informational Relationship Extinction Basis: Irrecoverable loss of required contextual structure Finality:

Established Residual Value: Raw data fragments remain Lifecycle Status: Closed for Original Informational Value

Several years later, a new analytical technology discovers a different use for the fragments.

The original extinction record remains valid.

The newly created analytical usefulness is governed as:

New Value Emergence

rather than:

restoration of the original extinguished informational value.

---

### Foundational Principles

Value Extinction Record ≠ Value Extinction Determination.

Value Extinction Record ≠ Value Finality.

Value Extinction Record ≠ Value Object Record.

Value Extinction Record ≠ Data Deletion Record.

Value Extinction Record ≠ Independent Audit Evidence.

Recorded Claim ≠ Validated Claim by Default.

Record Creation Date ≠ Extinction Effective Date by Default.

Record Scope Must Not Exceed Extinction Scope.

Dimensional Extinction Must Remain Dimensionally Recorded.

Contextual Extinction Must Remain Contextually Recorded.

Residual Value ≠ Persistence of the Extinguished Value.

Lifecycle Closure ≠ Lifecycle Erasure.

Unknown Lifecycle History ≠ Assumed Lifecycle History.

Record Finality ≠ Absolute Immutability.

Correction ≠ Historical Erasure.

Supersession ≠ Silent Replacement.

Future New Value ≠ Restoration of Extinguished Value by Default.

The same Value Object may support a new Value Lifecycle after another value associated with it has legitimately ended.

A terminal value record must preserve what ended without falsely declaring that everything associated with the object ended.

---

## Canonical Closing Statement

Value Extinction Record Module establishes the terminal recording layer of the Value Extinction Standard by preserving the governed identity, context, scope, basis, determination, finality, chronology, residual value, and lifecycle history of value that has legitimately reached extinction. VXRM ensures that terminal value outcomes remain distinguishable from object destruction, accounting write-offs, data deletion, temporary zero value, dormancy, failed restoration, and future new Value Emergence. Through explicit record identity, lifecycle linkage, bounded extinction scope, residual-value separation, correction governance, supersession continuity, and terminal-state preservation, the Module converts Value Extinction from a transient organizational conclusion into a persistent and interpretable governance record. The VFM® Value Lifecycle therefore ends not by erasing value history, but by preserving exactly what value existed, how its governed lifecycle ended, what remained, and where any future value must begin anew.

---

## Governed Links

[→ Value Extinction Standard \(VXSS\)](#)

[→ VFM® Architecture Map](#)

[→ Previous: Value Finality Module \(VXFM\)](#)

---

# OOF® MIP® Protection Notice

## OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

**Active Protection & Compatibility Detection applies.**

## Canonical Source

<https://originopenfoundation.org/>