

# **TREATMENT EPISODE DATA SET ADMISSIONS (TEDS-A), 2020: CODEBOOK**

Center for Behavioral Health Statistics and Quality  
Substance Abuse and Mental Health Services Administration

## **Treatment Episode Data Set Admissions (TEDS-A) 2020: Public Use File (PUF) Codebook**

### **Acknowledgments**

This report was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), under Contract No. 75S20320C00001 with SAMHSA, U.S. Department of Health and Human Services (HHS). Heydy Juarez served as the contracting officer representative.

### **Disclaimer**

The views, opinions, and content of this publication are those of the author and do not necessarily reflect the views, opinions, or policies of SAMHSA. Nothing in this document constitutes a direct or indirect endorsement by SAMHSA or HHS of any non-federal entity's products, services, or policies.

### **Public Domain Notice**

All material appearing in this report is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without the specific, written authorization of the Office of Communications, SAMHSA, HHS.

### **Recommended Citation**

Substance Abuse and Mental Health Services Administration. (2024). *Treatment Episode Data Set Admissions (TEDS-A) 2020: Public Use File (PUF) Codebook*. Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>.

### **Originating Office**

Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, 5600 Fishers Lane, Room 15-E09D, Rockville, MD 20857. Released 2024. For questions about this PUF codebook, please e-mail [CBHSQRequest@samhsa.hhs.gov](mailto:CBHSQRequest@samhsa.hhs.gov).

## **SAMHSA Nondiscrimination Notice**

The Substance Abuse and Mental Health Services Administration (SAMHSA) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, religion, or sex (including pregnancy, sexual orientation, and gender identity). SAMHSA does not exclude people or treat them differently because of race, color, national origin, age, disability, religion, or sex (including pregnancy, sexual orientation, and gender identity).

---

U.S. Department of Health and Human Services  
Substance Abuse and Mental Health Services Administration  
Center for Behavioral Health Statistics and Quality  
Office of Treatment Services  
Released 2024

## TREATMENT EPISODE DATA SET — ADMISSIONS (TEDS-A), 2020

---

### Introduction to TEDS

The Treatment Episode Data Set (TEDS) system serves as a repository for treatment data routinely collected by states for the purposes of monitoring their substance use treatment systems. It is comprised of selected data items from states' administrative records that are converted to a standardized format which is consistent across all states.

The TEDS system is comprised of two major components: the Admissions Data Set (TEDS-A) and the Discharges Data Set (TEDS-D). Data for the TEDS Admissions (TEDS-A) file were first reported in 1992, while data for the TEDS-D were first reported in 2000.

### Admissions

TEDS-A provides demographic, clinical, and substance use characteristics of persons admitted to substance use treatment services. The unit of analysis is treatment admissions to state-licensed or certified substance use treatment centers that receive federal public funding.

TEDS-A has two parts: a minimum data set and a supplemental data set. The former is collected by all states; the latter is collected by some.

The minimum data set consists of 19 items that include:

- demographic information;
- primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- source of referral to treatment;
- number of prior treatment episodes; and
- service type, including planned use of medication-assisted (i.e., methadone, buprenorphine, or naltrexone) opioid therapy.

TEDS-A's supplemental data set includes 15 psychiatric, social, and economic items.

### Discharges

The second major component of the TEDS system, TEDS-D (consisting of discharge records), includes the same variables as the admissions (TEDS-A) component, with the addition of:

- type of service at discharge,
- length of stay, and
- reason for discharge or discontinuation of service.

### Management of TEDS

Since 1992, the Center for Behavioral Health Statistics and Quality, or CBHSQ (known until 2010 as the Office of Applied Studies, or OAS), of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS), has funded and been responsible for TEDS. CBHSQ coordinates and manages the collection of TEDS data from the 50 U.S. states, the District of Columbia, and U.S. territories.

CBHSQ also develops descriptive and analytical [reports](#) from TEDS to provide national- and state-level data on the number and types of clients treated, as well as the characteristics of facilities providing services.

## Purpose

This codebook provides background for the TEDS files, as well as descriptive information for the variables, frequencies of their values, and limitations of the data. For detailed documentation regarding data collected in each state as they correspond to the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices, refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

## Contents of This Codebook and Data Set

This codebook corresponds to “Treatment Episode Data Set — Admissions (TEDS-A), 2020.” This data set contains records of TEDS admissions to substance use treatment that occurred in 2020.

Note that this codebook corresponds to a public use file for TEDS-A, which consists of data characterizing treatment episodes that were recorded at the time of admission. As such, neither this codebook nor the corresponding data file contains any of the elements unique to the TEDS-D, which consists of data characterizing treatment episodes that was recorded at the time of discharge.

A full list of the variables that appear in this data set may be found in Appendix A of this codebook. Please note that none of the variables in this data set are weighted, nor are the frequencies for their values as listed in the Variable Descriptions and Frequencies section.

## Universe

The universe for this public use file is TEDS admissions in calendar year 2020 that were received and processed through October 17, 2023.

## Data Collection

For a complete, detailed description of how states are instructed to process and submit TEDS data, please refer to the *Combined Substance Use and Mental Health Treatment Episode Data Set (TEDS) State Instruction Manual* and the *Data Submission System (DSS) State User Manual*. If you need copies of these manuals, please contact the BHSIS office at [BHSIS\\_Outreach@hendall.com](mailto:BHSIS_Outreach@hendall.com).

## Confidentiality Protection

Several measures are taken to protect the confidentiality of the TEDS records. Variables that potentially identify an individual in their raw form undergo routine top- or bottom-coding in order to prevent high and low values from distinguishing a respondent’s record. For example, *age* as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. For this reason, *age* is recoded into 11 categories for the public use file to reduce disclosure risk. The youngest category for age combines the ages of 12–14 years. Similarly, ages of 65 years and older were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect

identifiers that potentially link an individual to a record. Records identified are classified as subject to disclosure risk using a combination of between seven and eight socio-demographic variables.

In order to satisfy stringent confidentiality standards, data swapping is applied to the TEDS using an algorithm that matches, in the following order, for:

- records in a different state, but within the same Census region and division; or, if a match is not found;
- records outside the Census division; or, if still no match is found; and
- records from outside the Census region.

If a parallel record is still not found, the combination of socio-demographic characteristics against which to match another record is reduced to between six and seven variables, and the process is repeated until a match is found and swap achieved.

Data swapping is implemented to de-identify records in TEDS. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

The statistical disclosure control (SDC) method employed for TEDS manages disclosure risk below a tolerable risk threshold while ensuring high-utility, high-quality statistical data.

## Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests that states submit data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number and characteristics of clients in these facilities whose treatment is not publicly funded is unknown.

## Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance use treatment facilities, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds.

For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance use treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including federal block grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities.

The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for people with substance use disorders. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors, including the availability of public funds. In states with higher funding levels, a larger percentage of the substance-using population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of use reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of user subpopulations.
- Public funding constraints may direct states to selectively target special populations—pregnant women or adolescents, for example.
- Many states submit records that include multiple admissions for the same client. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state—and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level; several more are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between transfer admissions and initial admissions. Transfers are admissions of clients transferred for distinct services within an episode of treatment. Only initial admissions are included in the public use files.
- Some states have no opioid treatment programs (OTPs) that provide medication-assisted therapy using methadone, buprenorphine, or naltrexone. Contact the BHSIS office for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether a given drug was recorded as an admission's primary, secondary, or tertiary drug of use. These are called flag variables. Their names and labels reflect the drug in question: *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag variable, etc.

Some variables in the TEDS reports are created by combining or recoding original variables submitted by states. A Technical Note is provided in Appendix C detailing how these variables are derived.

## Formats Available for This Public Use File

The TEDS public use files are provided in SAS, SPSS, Stata, R, and ASCII comma-delimited formats.



## State Exclusions

The following states did not report sufficient data and are excluded from the given years.

Year	States
2020	Idaho, Oregon, Washington

# **VARIABLE DESCRIPTIONS AND FREQUENCIES**

## **CASEID: Case identification number**

Program generated case (record) identifier.

A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

Width: 11; Decimal: 0

Variable type: Numeric

## ADMYR: Year of admission

Year of client's admission to substance use treatment.

Value	Label	Frequency	%
2020	2020	1,568,291	100%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 4; Decimal: 0

Variable type: Numeric

## AGE: Age at admission

Calculated from date of birth and date of admission and then categorized.

Value	Label	Frequency	%
1	12-14 years	7,481	0.5%
2	15-17 years	30,734	2.0%
3	18-20 years	40,226	2.6%
4	21-24 years	109,362	7.0%
5	25-29 years	245,058	15.6%
6	30-34 years	279,414	17.8%
7	35-39 years	236,147	15.1%
8	40-44 years	170,643	10.9%
9	45-49 years	131,448	8.4%
10	50-54 years	128,079	8.2%
11	55-64 years	162,949	10.4%
12	65 years and older	26,750	1.7%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## GENDER: Gender

This field identifies the client's biological sex.

Value	Label	Frequency	%
1	Male	1,009,607	64.4%
2	Female	557,570	35.6%
-9	Missing/unknown/not collected/invalid	1,114	0.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## RACE: Race

This field identifies the client's race:

- Alaska Native (Aleut, Eskimo): A person having origins in any of the original people of Alaska. This category may be reported if available.
- American Indian or Alaska Native: A person having origins in any of the original people of North America and South America (including Central America and the original peoples of Alaska) and who maintains Tribal affiliation or community attachment. States collecting Alaska Native information should use this category for all other American Indians.
- Asian or Pacific Islander: A person having origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands. This category may be used only if a state does not collect Asian and Native Hawaiian or Other Pacific Islander information separately.
- Black or African American: A person having origins in any of the black racial groups of Africa.
- White: A person having origins in any of the original people of Europe, the Middle East, or North Africa.
- Asian: A person having origins in any of the original people of the Far East, Southeast Asia, or the Indian subcontinent, including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.
- Other single race: Use this category for instances in which the client is not identified in any category above or whose origin group because of area custom is regarded as a racial class distinct from the above categories.
- Two or more races: Use this code when the state data system allows multiple race selection and more than one race is indicated.
- Native Hawaiian or Other Pacific Islander: A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the state does not distinguish between American Indian and Alaska Native, code both as 2, American Indian. States that can separate 'Asian' and 'Native Hawaiian or Other Pacific Islander' should use codes 6 and 9 for those categories. States that cannot make the separation should use the combined code 3 until the separation becomes possible. Once a state begins using codes 6 and 9, code 3 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Frequency	%
1	Alaska Native (Aleut, Eskimo)	2,991	0.2%
2	American Indian (other than Alaska Native)	45,819	2.9%
3	Asian or Pacific Islander	221	0.0%
4	Black or African American	285,207	18.2%
5	White	993,013	63.3%
6	Asian	9,409	0.6%
7	Other single race	104,978	6.7%
8	Two or more races	29,090	1.9%
9	Native Hawaiian or Other Pacific Islander	5,333	0.3%
-9	Missing/unknown/not collected/invalid	92,230	5.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## ETHNIC: Ethnicity

This field identifies a client's specific Hispanic or Latino origin, if applicable.

- Puerto Rican: Of Puerto Rican origin regardless of race.
- Mexican: Of Mexican origin regardless of race.
- Cuban: Of Cuban origin regardless of race.
- Other specific Hispanic or Latino: Of known Central or South American or any other Spanish culture or origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- Not of Hispanic or Latino origin.
- Hispanic, specific origin not specified: Of Hispanic or Latino origin, but origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, this field is coded as 5 - Hispanic or Latino, specific origin not specified.

Value	Label	Frequency	%
1	Puerto Rican	48,702	3.1%
2	Mexican	60,391	3.9%
3	Cuban or other specific Hispanic	47,070	3.0%
4	Not of Hispanic or Latino origin	1,240,297	79.1%
5	Hispanic or Latino, specific origin not specified	50,162	3.2%
-9	Missing/unknown/not collected/invalid	121,669	7.8%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## MARSTAT: Marital status

This field describes the client's marital status. The following categories are compatible with categories used in the U.S. Census.

- Never married: Includes clients who are single or whose only marriage was annulled.
- Now married: Includes married couples, those living together as married, living with partners, or cohabiting.
- Separated: Includes those legally separated or otherwise absent from spouse because of marital discord.
- Divorced, widowed.

Value	Label	Frequency	%
1	Never married	777,532	49.6%
2	Now married	147,651	9.4%
3	Separated	58,527	3.7%
4	Divorced, widowed	165,951	10.6%
-9	Missing/unknown/not collected/invalid	418,630	26.7%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## EDUC: Education at admission

This field specifies a) the highest school grade completed for adults or children not attending school or b) current school grade for school-age children (3-17 years old) attending school.

Guidelines: States that use specific categories for designating education level should map their categories to a logical number of years of school completed. The mapping should be recorded in the state crosswalk. For example, a state category of 'associate's degree' would be mapped to 4; 'bachelor's degree' would be mapped to 5, etc.

Value	Label	Frequency	%
1	Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	75,920	4.8%
2	Grades 9 to 11	264,048	16.8%
3	Grade 12 (or GED)	643,452	41.0%
4	1-3 years of college, university, or vocational school	253,961	16.2%
5	4 years of college, university, BA/BS, some postgraduate study, or more	80,968	5.2%
-9	Missing/unknown/not collected/invalid	249,942	15.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## EMPLOY: Employment status

This field identifies the client's employment status at the time of admission.

- Full-time: Working 35 hours or more each week, including active duty members of the uniformed services.
- Part-time: Working fewer than 35 hours each week.
- Unemployed: Looking for work during the past 30 days or laid off from a job.
- Not in labor force: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in Detailed not in labor force.

Guidelines: Seasonal workers are coded in this category based on their employment status at the time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in the labor force at the time of admission, they are coded 04.

Value	Label	Frequency	%
1	Full-time	242,397	15.5%
2	Part-time	89,299	5.7%
3	Unemployed	550,792	35.1%
4	Not in labor force	453,863	28.9%
-9	Missing/unknown/not collected/invalid	231,940	14.8%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## DETNFLF: Detailed not in labor force at admission

Provides more detailed information about those clients who are coded as '04 Not in labor force' in Employment Status at the time of admission.

Resident of institution: Persons receiving services from institutional facilities such as hospitals, jails, prisons, long-term residential care, etc.

Value	Label	Frequency	%
1	Homemaker	9,848	0.6%
2	Student	32,084	2.0%
3	Retired, disabled	96,901	6.2%
4	Resident of institution	20,483	1.3%
5	Other	228,480	14.6%
-9	Missing/unknown/not collected/invalid	1,180,495	75.3%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## PREG: Pregnant at admission

This field indicates whether a female client was pregnant at the time of admission.

Guidelines: All male clients were recoded to missing for this variable due to the item being not applicable.

Value	Label	Frequency	%
1	Yes	15,336	1.0%
2	No	491,635	31.3%
-9	Missing/unknown/not collected/invalid	1,061,320	67.7%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## VET: Veteran status

This field indicates whether the client has served in the uniformed services (Army, Navy, Air Force, Marine Corps, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc.).

Guidelines: A veteran is a person 16 years or older who has served (even for a short time), but is not currently serving, on active duty in the U.S. Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the U.S. Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the four to six months for initial training or yearly summer camps.

Value	Label	Frequency	%
1	Yes	45,155	2.9%
2	No	1,257,075	80.2%
-9	Missing/unknown/not collected/invalid	266,061	17.0%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## LIVARAG: Living arrangements at admission

Identifies whether the client is experiencing homelessness, a dependent (living with parents or in a supervised setting), or living independently on their own at the time of admission.

- Experiencing homelessness: Clients with no fixed address; includes homeless shelters.
- Dependent living: Clients living in a supervised setting such as a residential institution, halfway house, or group home, and children (under age 18) living with parents, relatives, or guardians, or (substance use clients only) in foster care.
- Independent living: Clients living alone or with others in a private residence and capable of self-care. Includes adult children (age 18 and over) living with parents and adolescents living independently. Includes clients who live independently with case management or supported housing support.

Value	Label	Frequency	%
1	Experiencing homelessness	226,936	14.5%
2	Dependent living	231,096	14.7%
3	Independent living	812,257	51.8%
-9	Missing/unknown/not collected/invalid	298,002	19.0%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## PRIMINC: Source of income/support

This field identifies the client's principal source of financial support. For children younger than 18 years old, report the primary parental source of income/support.

Value	Label	Frequency	%
1	Wages/salary	324,980	20.7%
2	Public assistance	93,045	5.9%
3	Retirement/pension, disability	80,057	5.1%
4	Other	173,111	11.0%
5	None	357,837	22.8%
-9	Missing/unknown/not collected/invalid	539,261	34.4%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## ARRESTS: Arrests in past 30 days

Indicates the number of arrests in the 30 days prior to the reference date (i.e., date of admission).

Guidelines: This field is intended to capture the number of times the client was arrested (not the number of charges) for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of proceedings incident to the arrest at the time of admission.

Value	Label	Frequency	%
0	None	1,182,094	75.4%
1	Once	75,291	4.8%
2	Two or more times	14,638	0.9%
-9	Missing/unknown/not collected/invalid	296,268	18.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## STFIPS: Census state FIPS code

Shows state FIPS codes. These codes are consistent with those used by the U.S. Census Bureau.

Value	Label	Frequency	%
1	Alabama	14,780	0.9%
2	Alaska	5,699	0.4%
4	Arizona	144,373	9.2%
5	Arkansas	10,897	0.7%
6	California	120,085	7.7%
8	Colorado	71,051	4.5%
9	Connecticut	48,490	3.1%
10	Delaware	13,721	0.9%
11	District of Columbia	3,131	0.2%
12	Florida	45,724	2.9%
13	Georgia	33,708	2.1%
15	Hawaii	1,460	0.1%
17	Illinois	33,205	2.1%
18	Indiana	23,721	1.5%
19	Iowa	24,311	1.6%
20	Kansas	11,576	0.7%
21	Kentucky	18,463	1.2%
22	Louisiana	12,812	0.8%
23	Maine	6,287	0.4%
24	Maryland	115,167	7.3%
25	Massachusetts	62,133	4.0%
26	Michigan	65,968	4.2%
27	Minnesota	50,790	3.2%
28	Mississippi	6,812	0.4%
29	Missouri	27,840	1.8%
30	Montana	1,168	0.1%
31	Nebraska	10,244	0.7%
32	Nevada	8,781	0.6%
33	New Hampshire	1,790	0.1%
34	New Jersey	81,367	5.2%
35	New Mexico	5,472	0.3%
36	New York	202,343	12.9%
37	North Carolina	42,731	2.7%
38	North Dakota	3,734	0.2%
39	Ohio	23,706	1.5%
40	Oklahoma	13,967	0.9%
42	Pennsylvania	23,430	1.5%
44	Rhode Island	13,764	0.9%
45	South Carolina	35,650	2.3%
46	South Dakota	15,332	1.0%

## STFIPS: Census state FIPS code

Shows state FIPS codes. These codes are consistent with those used by the U.S. Census Bureau.

Value	Label	Frequency	%
47	Tennessee	16,960	1.1%
48	Texas	33,273	2.1%
49	Utah	11,542	0.7%
50	Vermont	6,524	0.4%
51	Virginia	19,527	1.2%
54	West Virginia	1,535	0.1%
55	Wisconsin	17,912	1.1%
56	Wyoming	3,724	0.2%
72	Puerto Rico	1,611	0.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## **CBSA2020: CBSA 2020 code**

The term 'Core Based Statistical Area' (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by federal statistical agencies in collecting, tabulating, and publishing federal statistics. A metro area contains a core urban area with a population of at least 50,000, and a micro area contains an urban core with a population of at least 10,000 but less than 50,000. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Frequencies for this variable are not displayed in the codebook. To view the response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, STATA, R, ASCII).

Width: 5; Decimal: 0  
Variable type: Numeric

## REGION: Census region

The geographic regions shown are based on divisions used by the U.S. Census Bureau with the addition of U.S. territories, which are not included in any Census region:

- U.S. territories: Puerto Rico.
- Northeast: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- Midwest: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- South: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia), East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- West: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Frequency	%
0	U.S. territories	1,611	0.1%
1	Northeast	446,128	28.4%
2	Midwest	308,339	19.7%
3	South	438,858	28.0%
4	West	373,355	23.8%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## DIVISION: Census division

Census divisions are groupings of states that are subdivisions of the four Census regions. There are nine divisions, which the U.S. Census Bureau adopted in 1910 for the presentation of data. U.S. territories are not included in any Census region or division. The divisions and the states included in them are:

- U.S. territories: Puerto Rico.
- New England: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- Middle Atlantic: New Jersey, New York, and Pennsylvania.
- East North Central: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- West North Central: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- South Atlantic: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- East South Central: Alabama, Kentucky, Mississippi, and Tennessee.
- West South Central: Arkansas, Louisiana, Oklahoma, and Texas.
- Mountain: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- Pacific: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Frequency	%
0	U.S. territories	1,611	0.1%
1	New England	138,988	8.9%
2	Middle Atlantic	307,140	19.6%
3	East North Central	164,512	10.5%
4	West North Central	143,827	9.2%
5	South Atlantic	310,894	19.8%
6	East South Central	57,015	3.6%
7	West South Central	70,949	4.5%
8	Mountain	246,111	15.7%
9	Pacific	127,244	8.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## SERVICES: Type of treatment service/setting

This field describes the type of treatment service or treatment setting in which the client is placed at the time of admission or transfer.

- Detoxification, 24-hour service, hospital inpatient: 24 hours per day medical acute care services in a hospital setting for detoxification of persons with severe medical complications associated with withdrawal.
- Detoxification, 24-hour service, freestanding residential: 24 hours per day services in a non-hospital setting providing a safe withdrawal environment and transition to ongoing treatment.
- Rehabilitation/Residential, hospital (other than detoxification): 24 hours per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug use and dependency.
- Rehabilitation/Residential, short term (30 days or fewer): Typically, 30 days or fewer of non-acute care in a setting with treatment services for alcohol and other drug use and dependency.
- Rehabilitation/Residential, long term (more than 30 days): Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug use and dependency; may include transitional living arrangements such as halfway houses.
- Ambulatory, intensive outpatient: At a minimum, treatment lasting two or more hours per day for three or more days per week.
- Ambulatory, non-intensive outpatient: Ambulatory treatment services including individual, family and/or group services; may include pharmacological therapies.
- Ambulatory, detoxification: Outpatient treatment services providing a safe withdrawal environment in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Frequency	%
1	Detox, 24-hour, hospital inpatient	30,212	1.9%
2	Detox, 24-hour, free-standing residential	229,958	14.7%
3	Rehab/residential, hospital (non-detox)	4,125	0.3%
4	Rehab/residential, short term (30 days or fewer)	149,685	9.5%
5	Rehab/residential, long term (more than 30 days)	121,814	7.8%
6	Ambulatory, intensive outpatient	178,425	11.4%
7	Ambulatory, non-intensive outpatient	802,917	51.2%
8	Ambulatory, detoxification	51,155	3.3%
	<b>Total</b>	<b>1,568,291</b>	<b>100%</b>

Width: 2; Decimal: 0

Variable type: Numeric

## METHUSE: Medication-assisted opioid therapy

This field identifies whether the use of opioid medications, such as methadone, buprenorphine, and/or naltrexone, are part of the client's treatment plan.

Value	Label	Frequency	%
1	Yes	209,259	13.3%
2	No	1,151,677	73.4%
-9	Missing/unknown/not collected/invalid	207,355	13.2%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## DAYWAIT: Days waiting to enter substance use treatment

Indicates the number of days from the first contact or request for substance use treatment service until the client was admitted and the first clinical substance use treatment service was provided.

Guidelines: This field is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Frequency	%
0	0	540,775	34.5%
1	1-7	160,030	10.2%
2	8-14	34,195	2.2%
3	15-30	23,964	1.5%
4	31 or more	16,407	1.0%
-9	Missing/unknown/not collected/invalid	792,920	50.6%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## PSOURCE: Referral source

This field describes the person or agency referring the client to treatment:

- Individual (includes self-referral): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories; includes self-referral due to pending DWI/DUI.
- Alcohol/drug use care provider: Any program, clinic, or other health care provider whose principal objective is treating clients with substance use diagnosis, or a program whose activities are related to alcohol or other drug use prevention, education, or treatment.
- Other health care provider: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- School (educational): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- Employer/Employee Assistance Program (EAP): A supervisor or an employee counselor.
- Other community referral: Community or religious organization or any federal, state, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. This category also includes defense attorneys and self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA).
- Court/criminal justice referral/DUI/DWI: Any police official, judge, prosecutor, probation officer or other person affiliated with a federal, state, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pre-trial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough or Treatment Accountability for Safer Communities (TASC). The client need not be officially designated as "on parole." Includes clients referred through civil commitment. Clients in this category are further defined in Detailed Criminal Justice Referral.

Value	Label	Frequency	%
1	Individual (includes self-referral)	606,703	38.7%
2	Alcohol/drug use care provider	132,027	8.4%
3	Other health care provider	93,984	6.0%
4	School (educational)	3,817	0.2%
5	Employer/EAP	7,974	0.5%
6	Other community referral	144,625	9.2%
7	Court/criminal justice referral/DUI/DWI	321,162	20.5%
-9	Missing/unknown/not collected/invalid	257,999	16.5%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## DETCRIM: Detailed criminal justice referral at admission

This field provides more detailed information about those clients who are coded as '07 Criminal justice referral' in Referral Source at admission.

- State/federal court.
- Other court – Court other than state or federal court.
- Probation/parole.
- Other recognized legal entity – For example, local law enforcement agency, corrections agency, youth services, review board/agency.
- Diversionary program – For example, TASC.
- Prison.
- DUI/DWI.
- Other.

Guidelines: This field is to be used only if the principal source of referral in the Minimum Data Set field is coded 07, 'criminal justice referral.' For all other principal source of referral codes (01 to 06 and missing), this field should be coded as missing.

Value	Label	Frequency	%
1	State/federal court	35,615	2.3%
2	Formal adjudication process	17,627	1.1%
3	Probation/parole	100,419	6.4%
4	Other recognized legal entity	19,075	1.2%
5	Diversionary program	7,468	0.5%
6	Prison	6,160	0.4%
7	DUI/DWI	22,609	1.4%
8	Other	29,738	1.9%
-9	Missing/unknown/not collected/invalid	1,329,580	84.8%
	<b>Total</b>	<b>1,568,291</b>	<b>100%</b>

Width: 2; Decimal: 0

Variable type: Numeric

## NOPRIOR: Previous substance use treatment episodes

Indicates the number of previous treatment episodes the client has received in any substance use treatment program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: This field measures the substance use treatment history of the client only. This does not include or pertain to the client's mental health treatment history. It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data field may be derived from the state data system, if the system has that capability, and episodes can be counted for several years.

Value	Label	Frequency	%
0	No prior treatment episodes	518,926	33.1%
1	One prior treatment episode	282,562	18.0%
2	Two prior treatment episodes	177,241	11.3%
3	Three prior treatment episodes	109,007	7.0%
4	Four prior treatment episodes	71,068	4.5%
5	Five or more prior treatment episodes	241,324	15.4%
-9	Missing/unknown/not collected/invalid	168,163	10.7%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## SUB1: Substance use (primary)

This field identifies the client's primary substance use at admission.

- (1) None.
- (2) Alcohol.
- (3) Cocaine/crack.
- (4) Marijuana/hashish: Includes THC and any other cannabis sativa preparations.
- (5) Heroin.
- (6) Non-prescription methadone.
- (7) Other opiates and synthetics: Includes buprenorphine, butorphanol, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and other narcotic analgesics, opiates, or synthetics.
- (8) PCP: Phencyclidine.
- (9) Hallucinogens: Includes LSD, DMT, mescaline, peyote, psilocybin, STP, and other hallucinogens.
- (10) Methamphetamine/speed.
- (11) Other amphetamines: Includes amphetamines, MDMA, 'bath salts', phenmetrazine, and other amines and related drugs.
- (12) Other stimulants: Includes methylphenidate and any other stimulants.
- (13) Benzodiazepines: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) Other tranquilizers: Includes meprobamate, and other non-benzodiazepine tranquilizers.
- (15) Barbiturates: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) Other sedatives or hypnotics: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives and hypnotics.
- (17) Inhalants: Includes aerosols; chloroform, ether, nitrous oxide and other anesthetics; gasoline; glue; nitrites; paint thinner and other solvents; and other inappropriately inhaled products.
- (18) Over-the-counter medications: Includes aspirin, dextromethorphan and other cough syrups, diphenhydramine and other anti-histamines, ephedrine, sleep aids, and any other legally obtained, non-prescription medication.
- (19) Other drugs: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, synthetic cannabinoid 'Spice', carisoprodol (Soma), and other drugs.

Value	Label	Frequency	%
1	None	37,018	2.4%
2	Alcohol	456,905	29.1%
3	Cocaine/crack	74,244	4.7%
4	Marijuana/hashish	145,115	9.3%
5	Heroin	304,202	19.4%
6	Non-prescription methadone	1,751	0.1%
7	Other opiates and synthetics	100,135	6.4%
8	PCP	3,824	0.2%
9	Hallucinogens	1,949	0.1%
10	Methamphetamine/speed	171,731	11.0%
11	Other amphetamines	9,619	0.6%
12	Other stimulants	2,241	0.1%
13	Benzodiazepines	14,087	0.9%
14	Other tranquilizers	120	0.0%
15	Barbiturates	764	0.0%
16	Other sedatives or hypnotics	1,541	0.1%
17	Inhalants	730	0.0%
18	Over-the-counter medications	589	0.0%
19	Other drugs	7,424	0.5%
-9	Missing/unknown/not collected/invalid	234,302	14.9%
	<b>Total</b>	<b>1,568,291</b>	<b>100%</b>

Width: 2; Decimal: 0

Variable type: Numeric

## ROUTE1: Route of administration (primary)

This field identifies the usual route of administration of the corresponding substance identified in Substance Use (SUB1).

Value	Label	Frequency	%
1	Oral	541,401	34.5%
2	Smoking	316,680	20.2%
3	Inhalation	164,434	10.5%
4	Injection (intravenous, intramuscular, intradermal, or subcutaneous)	248,515	15.8%
5	Other	13,123	0.8%
-9	Missing/unknown/not collected/invalid	284,138	18.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## FREQ1: Frequency of use (primary)

Specifies the frequency of use of the corresponding substance identified in Substance Use (SUB1).

Value	Label	Frequency	%
1	No use in the past month	355,151	22.6%
2	Some use	360,694	23.0%
3	Daily use	566,912	36.1%
-9	Missing/unknown/not collected/invalid	285,534	18.2%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## FRSTUSE1: Age at first use (primary)

For alcohol use, this is the age of first intoxication. For substances other than alcohol, this field identifies the age at which the client first used the corresponding substance identified in Substance Use (SUB1).

Value	Label	Frequency	%
1	11 years and under	71,429	4.6%
2	12-14 years	227,358	14.5%
3	15-17 years	318,866	20.3%
4	18-20 years	235,674	15.0%
5	21-24 years	152,136	9.7%
6	25-29 years	113,341	7.2%
7	30 years and older	151,359	9.7%
-9	Missing/unknown/not collected/invalid	298,128	19.0%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## SUB2: Substance use (secondary)

This field identifies the client's secondary substance use at admission.

- (1) None.
- (2) Alcohol.
- (3) Cocaine/crack.
- (4) Marijuana/hashish: Includes THC and any other cannabis sativa preparations.
- (5) Heroin.
- (6) Non-prescription methadone.
- (7) Other opiates and synthetics: Includes buprenorphine, butorphanol, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and other narcotic analgesics, opiates, or synthetics.
- (8) PCP: Phencyclidine.
- (9) Hallucinogens: Includes LSD, DMT, mescaline, peyote, psilocybin, STP, and other hallucinogens.
- (10) Methamphetamine/speed.
- (11) Other amphetamines: Includes amphetamines, MDMA, 'bath salts', phenmetrazine, and other amines and related drugs.
- (12) Other stimulants: Includes methylphenidate and any other stimulants.
- (13) Benzodiazepines: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) Other tranquilizers: Includes meprobamate, and other non-benzodiazepine tranquilizers.
- (15) Barbiturates: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) Other sedatives or hypnotics: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives and hypnotics.
- (17) Inhalants: Includes aerosols; chloroform, ether, nitrous oxide and other anesthetics; gasoline; glue; nitrites; paint thinner and other solvents; and other inappropriately inhaled products.
- (18) Over-the-counter medications: Includes aspirin, dextromethorphan and other cough syrups, diphenhydramine and other anti-histamines, ephedrine, sleep aids, and any other legally obtained, non-prescription medication.
- (19) Other drugs: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, synthetic cannabinoid 'Spice', carisoprodol (Soma), and other drugs.

Value	Label	Frequency	%
1	None	802,249	51.2%
2	Alcohol	113,964	7.3%
3	Cocaine/crack	136,610	8.7%
4	Marijuana/hashish	184,212	11.7%
5	Heroin	50,958	3.2%
6	Non-prescription methadone	1,812	0.1%
7	Other opiates and synthetics	43,614	2.8%
8	PCP	2,494	0.2%
9	Hallucinogens	3,245	0.2%
10	Methamphetamine/speed	91,575	5.8%
11	Other amphetamines	8,120	0.5%
12	Other stimulants	3,500	0.2%
13	Benzodiazepines	35,348	2.3%
14	Other tranquilizers	197	0.0%
15	Barbiturates	365	0.0%
16	Other sedatives or hypnotics	2,562	0.2%
17	Inhalants	619	0.0%
18	Over-the-counter medications	881	0.1%
19	Other drugs	20,367	1.3%
-9	Missing/unknown/not collected/invalid	65,599	4.2%
	<b>Total</b>	<b>1,568,291</b>	<b>100%</b>

Width: 2; Decimal: 0

Variable type: Numeric

## ROUTE2: Route of administration (secondary)

This field identifies the usual route of administration of the corresponding substance identified in Substance Use (SUB2).

Value	Label	Frequency	%
1	Oral	193,936	12.4%
2	Smoking	315,877	20.1%
3	Inhalation	92,817	5.9%
4	Injection (intravenous, intramuscular, intradermal, or subcutaneous)	85,964	5.5%
5	Other	5,451	0.3%
-9	Missing/unknown/not collected/invalid	874,246	55.7%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## FREQ2: Frequency of use (secondary)

Specifies the frequency of use of the corresponding substance identified in Substance Use (SUB2).

Value	Label	Frequency	%
1	No use in the past month	231,342	14.8%
2	Some use	229,491	14.6%
3	Daily use	234,848	15.0%
-9	Missing/unknown/not collected/invalid	872,610	55.6%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## FRSTUSE2: Age at first use (secondary)

For alcohol use, this is the age of first intoxication. For substances other than alcohol, this field identifies the age at which the client first used the corresponding substance identified in Substance Use (SUB2).

Value	Label	Frequency	%
1	11 years and under	38,796	2.5%
2	12-14 years	131,959	8.4%
3	15-17 years	172,209	11.0%
4	18-20 years	120,553	7.7%
5	21-24 years	71,899	4.6%
6	25-29 years	59,422	3.8%
7	30 years and older	79,640	5.1%
-9	Missing/unknown/not collected/invalid	893,813	57.0%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

### SUB3: Substance use (tertiary)

This field identifies the client's tertiary substance use at admission.

- (1) None.
- (2) Alcohol.
- (3) Cocaine/crack.
- (4) Marijuana/hashish: Includes THC and any other cannabis sativa preparations.
- (5) Heroin.
- (6) Non-prescription methadone.
- (7) Other opiates and synthetics: Includes buprenorphine, butorphanol, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and other narcotic analgesics, opiates, or synthetics.
- (8) PCP: Phencyclidine.
- (9) Hallucinogens: Includes LSD, DMT, mescaline, peyote, psilocybin, STP, and other hallucinogens.
- (10) Methamphetamine/speed.
- (11) Other amphetamines: Includes amphetamines, MDMA, 'bath salts', phenmetrazine, and other amines and related drugs.
- (12) Other stimulants: Includes methylphenidate and any other stimulants.
- (13) Benzodiazepines: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) Other tranquilizers: Includes meprobamate, and other non-benzodiazepine tranquilizers.
- (15) Barbiturates: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) Other sedatives or hypnotics: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives and hypnotics.
- (17) Inhalants: Includes aerosols; chloroform, ether, nitrous oxide and other anesthetics; gasoline; glue; nitrites; paint thinner and other solvents; and other inappropriately inhaled products.
- (18) Over-the-counter medications: Includes aspirin, dextromethorphan and other cough syrups, diphenhydramine and other anti-histamines, ephedrine, sleep aids, and any other legally obtained, non-prescription medication.
- (19) Other drugs: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, synthetic cannabinoid 'Spice', carisoprodol (Soma), and other drugs.

Value	Label	Frequency	%
1	None	1,133,107	72.3%
2	Alcohol	44,617	2.8%
3	Cocaine/crack	42,438	2.7%
4	Marijuana/hashish	73,353	4.7%
5	Heroin	12,974	0.8%
6	Non-prescription methadone	1,012	0.1%
7	Other opiates and synthetics	17,390	1.1%
8	PCP	1,478	0.1%
9	Hallucinogens	3,488	0.2%
10	Methamphetamine/speed	20,976	1.3%
11	Other amphetamines	4,957	0.3%
12	Other stimulants	2,921	0.2%
13	Benzodiazepines	20,237	1.3%
14	Other tranquilizers	96	0.0%
15	Barbiturates	238	0.0%
16	Other sedatives or hypnotics	1,483	0.1%
17	Inhalants	367	0.0%
18	Over-the-counter medications	601	0.0%
19	Other drugs	17,356	1.1%
-9	Missing/unknown/not collected/invalid	169,202	10.8%
	<b>Total</b>	<b>1,568,291</b>	<b>100%</b>

Width: 2; Decimal: 0

Variable type: Numeric

### ROUTE3: Route of administration (tertiary)

This field identifies the usual route of administration of the corresponding substance identified in Substance Use (SUB3).

Value	Label	Frequency	%
1	Oral	88,800	5.7%
2	Smoking	118,471	7.6%
3	Inhalation	35,574	2.3%
4	Injection (intravenous, intramuscular, intradermal, or subcutaneous)	22,594	1.4%
5	Other	2,252	0.1%
-9	Missing/unknown/not collected/invalid	1,300,600	82.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

### FREQ3: Frequency of use (tertiary)

Specifies the frequency of use of the corresponding substance identified in Substance Use (SUB3).

Value	Label	Frequency	%
1	No use in the past month	102,277	6.5%
2	Some use	83,731	5.3%
3	Daily use	84,030	5.4%
-9	Missing/unknown/not collected/invalid	1,298,253	82.8%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

### FRSTUSE3: Age at first use (tertiary)

For alcohol use, this is the age of first intoxication. For substances other than alcohol, this field identifies the age at which the client first used the corresponding substance identified in Substance Use (SUB3).

Value	Label	Frequency	%
1	11 years and under	18,083	1.2%
2	12-14 years	58,639	3.7%
3	15-17 years	68,995	4.4%
4	18-20 years	43,679	2.8%
5	21-24 years	24,536	1.6%
6	25-29 years	19,822	1.3%
7	30 years and older	27,746	1.8%
-9	Missing/unknown/not collected/invalid	1,306,791	83.3%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## IDU: Current IV drug use reported at admission

Flag records if at least one valid primary, secondary, or tertiary substance was reported and if injection was reported in the corresponding primary, secondary, or tertiary substances' route of administration.

Value	Label	Frequency	%
0	IDU not reported	1,011,190	64.5%
1	IDU reported	285,810	18.2%
-9	No substances reported	271,291	17.3%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## ALCFLG: Alcohol reported at admission

Flag records if alcohol was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	952,805	60.8%
1	Substance reported	615,486	39.2%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## COKEFLG: Cocaine/crack reported at admission

Flag records if cocaine or crack was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,314,999	83.8%
1	Substance reported	253,292	16.2%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## MARFLG: Marijuana/hashish reported at admission

Flag records if marijuana or hashish were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,165,611	74.3%
1	Substance reported	402,680	25.7%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## HERFLG: Heroin reported at admission

Flag records if heroin was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,200,157	76.5%
1	Substance reported	368,134	23.5%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## METHFLG: Non-Rx methadone reported at admission

Flag records if non-prescription methadone was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,563,716	99.7%
1	Substance reported	4,575	0.3%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## OPSYNFLAG: Other opiates/synthetics reported at admission

Flag records if other opiates or synthetics were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,407,152	89.7%
1	Substance reported	161,139	10.3%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## PCPFLG: PCP reported at admission

Flag records if PCP was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,560,495	99.5%
1	Substance reported	7,796	0.5%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## HALLFLG: Hallucinogens reported at admission

Flag records if hallucinogens were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,559,609	99.4%
1	Substance reported	8,682	0.6%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## MTHAMFLG: Methamphetamine/speed reported at admission

Flag records if methamphetamine or speed were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,284,009	81.9%
1	Substance reported	284,282	18.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## AMPHFLG: Other amphetamines reported at admission

Flag records if other amphetamines were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,545,595	98.6%
1	Substance reported	22,696	1.4%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## STIMFLG: Other stimulants reported at admission

Flag records if other stimulants were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,559,629	99.4%
1	Substance reported	8,662	0.6%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## BENZFLG: Benzodiazepines reported at admission

Flag records if benzodiazepines were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,498,618	95.6%
1	Substance reported	69,673	4.4%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## TRNQFLG: Other tranquilizers reported at admission

Flag records if other tranquilizers were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,567,878	100%
1	Substance reported	413	0.0%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## BARBFLG: Barbiturates reported at admission

Flag records if barbiturates were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,566,924	99.9%
1	Substance reported	1,367	0.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## SEDHPFLG: Other sedatives/hypnotics reported at admission

Flag records if other sedatives or hypnotics were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,562,705	99.6%
1	Substance reported	5,586	0.4%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## INHFLG: Inhalants reported at admission

Flag records if inhalants were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,566,575	99.9%
1	Substance reported	1,716	0.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## OTCFLG: Over-the-counter medication reported at admission

Flag records if over-the-counter medication was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,566,220	99.9%
1	Substance reported	2,071	0.1%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## OTHERFLG: Other drug reported at admission

Flag records if other substances were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,523,144	97.1%
1	Substance reported	45,147	2.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## ALCDRUG: Substance use type

Classifies a client's substance use problem as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances reported at the time of admission to treatment.

Value	Label	Frequency	%
0	None	271,291	17.3%
1	Alcohol only	256,477	16.4%
2	Other drugs only	681,514	43.5%
3	Alcohol and other drugs	359,009	22.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## DSMCRIT: DSM diagnosis (SuDS 4 or SuDS 19)

DSM diagnosis codes identify the reason for a client's encounter or treatment. The diagnoses of substance use problems can be reported using either the Diagnostic and Statistical Manual of Mental Disorders (DSM) from the American Psychiatric Association or the International Classification of Diseases (ICD), from the World Health Organization.

The discrete diagnosis codes have been grouped into categories related to the use of and dependence on specific substances, mental health conditions, and other conditions. Diagnoses reported by states using either standard classification of mental disorders have been combined.

Value	Label	Frequency	%
1	Alcohol-induced disorder	12,059	0.8%
2	Substance-induced disorder	38,216	2.4%
3	Alcohol intoxication	33,000	2.1%
4	Alcohol dependence	259,758	16.6%
5	Opioid dependence	330,229	21.1%
6	Cocaine dependence	43,409	2.8%
7	Cannabis dependence	67,508	4.3%
8	Other substance dependence	115,543	7.4%
9	Alcohol abuse	54,041	3.4%
10	Cannabis abuse	35,408	2.3%
11	Other substance abuse	24,519	1.6%
12	Opioid abuse	21,251	1.4%
13	Cocaine abuse	7,936	0.5%
14	Anxiety disorders	1,761	0.1%
15	Depressive disorders	4,126	0.3%
16	Schizophrenia/other psychotic disorders	1,386	0.1%
17	Bipolar disorders	1,935	0.1%
18	Attention deficit/disruptive behavior disorders	400	0.0%
19	Other mental health condition	183,747	11.7%
-9	Missing/unknown/not collected/invalid/no or deferred diagnosis	332,059	21.2%
	<b>Total</b>	<b>1,568,291</b>	<b>100%</b>

Width: 2; Decimal: 0

Variable type: Numeric

## PSYPROB: Co-occurring mental and substance use disorders

Indicates whether the client has co-occurring mental and substance use disorders.

Value	Label	Frequency	%
1	Yes	538,513	34.3%
2	No	804,623	51.3%
-9	Missing/unknown/not collected/invalid	225,155	14.4%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## HLTHINS: Health insurance

This field specifies the client's health insurance at admission. The insurance may or may not cover behavioral health treatment. Reporting of this field is optional for both substance use and mental health clients. States are encouraged to report data for all categories in the list of valid entries, but reporting a subset of the categories is acceptable. Health insurance should be reported, if collected, whether or not it covers behavioral health treatment.

Value	Label	Frequency	%
1	Private insurance, Blue Cross/Blue Shield, HMO	72,598	4.6%
2	Medicaid	509,094	32.5%
3	Medicare, other (e.g. TRICARE, CHAMPUS)	62,497	4.0%
4	None	228,107	14.5%
-9	Missing/unknown/not collected/invalid	695,995	44.4%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

## PRIMPAY: Payment source, primary (expected or actual)

This field identifies the primary source of payment for this treatment episode anticipated at the time of admission.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the state can select either source. Reporting of this field is optional for both substance use and mental health treatment clients. States are encouraged to report data for all categories in the list of valid entries, but reporting a subset of the categories is acceptable.

Value	Label	Frequency	%
1	Self-pay	57,228	3.6%
2	Private insurance (Blue Cross/Blue Shield, other health insurance, workers compensation)	49,823	3.2%
3	Medicare	20,107	1.3%
4	Medicaid	366,461	23.4%
5	Other government payments	151,940	9.7%
6	No charge (free, charity, special research, teaching)	15,213	1.0%
7	Other	31,149	2.0%
-9	Missing/unknown/not collected/invalid	876,370	55.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric



## FREQ\_ATND\_SELF\_HELP: Attendance at substance use self-help groups in past 30 days

This field indicates the frequency of attendance at a substance use self-help group in the 30 days prior to the reference date (the date of admission). It includes attendance at Alcoholics Anonymous (AA), Narcotics Anonymous (NA), and other self-help/mutual support groups focused on recovery from substance use and dependence.

Guidelines: For admission records, the reference period is the 30 days prior to admission. The category '5: Some attendance' only applies if it is known that the client attended a self-help program during the reference period, but there is insufficient information to assign a specific frequency.

Value	Label	Frequency	%
1	No attendance	922,538	58.8%
2	1-3 times in the past month	64,051	4.1%
3	4-7 times in the past month	41,311	2.6%
4	8-30 times in the past month	98,858	6.3%
5	Some attendance, frequency is unknown	51,183	3.3%
-9	Missing/unknown/not collected/invalid	390,350	24.9%
	<i>Total</i>	<i>1,568,291</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable type: Numeric

# **APPENDICES**

## Appendix A. TEDS-A Variable Information (Alphabetical Order)

Variable	Source	Type	Length	Label
<b>ADMYR</b>	Computed variable	Numeric	8	Year of admission
<b>AGE</b>	Minimum data set	Numeric	8	Age at admission
<b>ALCDRUG</b>	Computed variable	Numeric	8	Substance use type
<b>ALCFLG</b>	Computed variable	Numeric	8	Alcohol reported at admission
<b>AMPHFLG</b>	Computed variable	Numeric	8	Other amphetamines reported at admission
<b>ARRESTS</b>	Supplemental data set	Numeric	8	Arrests in past 30 days
<b>BARBFLG</b>	Computed variable	Numeric	8	Barbiturates reported at admission
<b>BENZFLG</b>	Computed variable	Numeric	8	Benzodiazepines reported at admission
<b>CASEID</b>	Computed variable	Numeric	8	Case identification number
<b>CBSA2020</b>	Computed variable	Numeric	8	CBSA 2020 code
<b>COKEFLG</b>	Computed variable	Numeric	8	Cocaine/crack reported at admission
<b>DAYWAIT</b>	Supplemental data set	Numeric	8	Days waiting to enter substance use treatment
<b>DETCRIM</b>	Supplemental data set	Numeric	8	Detailed criminal justice referral
<b>DETNLF</b>	Supplemental data set	Numeric	8	Detailed not in labor force at admission
<b>DIVISION</b>	Computed variable	Numeric	8	Census division
<b>DSMCRIT</b>	Supplemental data set	Numeric	8	DSM diagnosis (SuDS 4 or SuDS 19)
<b>EDUC</b>	Minimum data set	Numeric	8	Education at admission
<b>EMPLOY</b>	Minimum data set	Numeric	8	Employment status
<b>ETHNIC</b>	Minimum data set	Numeric	8	Ethnicity
<b>FREQ1</b>	Minimum data set	Numeric	8	Frequency of use (primary) at admission
<b>FREQ2</b>	Minimum data set	Numeric	8	Frequency of use (secondary)
<b>FREQ3</b>	Minimum data set	Numeric	8	Frequency of use (tertiary)
<b>FREQ_ATN D_ SELF_HELP</b>	Supplemental data set	Numeric	8	Attendance at substance use self-help groups in past 30 days at admission
<b>FRSTUSE1</b>	Minimum data set	Numeric	8	Age at first use (primary)
<b>FRSTUSE2</b>	Minimum data set	Numeric	8	Age at first use (secondary)
<b>FRSTUSE3</b>	Minimum data set	Numeric	8	Age at first use (tertiary)
<b>GENDER</b>	Minimum data set	Numeric	8	Gender
<b>HALLFLG</b>	Computed variable	Numeric	8	Hallucinogens reported at admission
<b>HERFLG</b>	Computed variable	Numeric	8	Heroin reported at admission
<b>HLTHINS</b>	Supplemental data set	Numeric	8	Health insurance

Variable	Source	Type	Length	Label
<b>IDU</b>	Computed variable	Numeric	8	Current IV drug use reported at admission
<b>INHFLG</b>	Computed variable	Numeric	8	Inhalants reported at admission
<b>LIVARAG</b>	Supplemental data set	Numeric	8	Living arrangements at admission
<b>MARFLG</b>	Computed variable	Numeric	8	Marijuana/hashish reported at admission
<b>MARSTAT</b>	Supplemental data set	Numeric	8	Marital status
<b>METHFLG</b>	Computed variable	Numeric	8	Non-rx methadone reported at admission
<b>METHUSE</b>	Minimum data set	Numeric	8	Medication-assisted opioid therapy at admission
<b>MTHAMFLG</b>	Computed variable	Numeric	8	Methamphetamine/speed reported at admission
<b>NOPRIOR</b>	Minimum data set	Numeric	8	Previous substance use treatment episodes
<b>OPSYNFLG</b>	Computed variable	Numeric	8	Other opiates/synthetics reported at admission
<b>OTCFLG</b>	Computed variable	Numeric	8	Over-the-counter medication reported at admission
<b>OTHERFLG</b>	Computed variable	Numeric	8	Other drug reported at admission
<b>PCPFLG</b>	Computed variable	Numeric	8	PCP reported at admission
<b>PREG</b>	Supplemental data set	Numeric	8	Pregnant at admission
<b>PRIMINC</b>	Supplemental data set	Numeric	8	Source of income/support
<b>PRIMPAY</b>	Supplemental data set	Numeric	8	Payment source, primary (expected or actual)
<b>PSOURCE</b>	Minimum data set	Numeric	8	Referral source
<b>PSYPROB</b>	Supplemental data set	Numeric	8	Co-occurring mental and substance use disorders
<b>RACE</b>	Minimum data set	Numeric	8	Race
<b>REGION</b>	Computed variable	Numeric	8	Census region
<b>ROUTE1</b>	Minimum data set	Numeric	8	Route of administration (primary)
<b>ROUTE2</b>	Minimum data set	Numeric	8	Route of administration (secondary)
<b>ROUTE3</b>	Minimum data set	Numeric	8	Route of administration (tertiary)
<b>SEDHPFLG</b>	Computed variable	Numeric	8	Other sedatives/hypnotics reported at admission
<b>SERVICES</b>	Minimum data set	Numeric	8	Type of treatment service/setting
<b>STFIPS</b>	Computed variable	Numeric	8	Census state FIPS code
<b>STIMFLG</b>	Computed variable	Numeric	8	Other stimulants reported at admission
<b>SUB1</b>	Minimum data set	Numeric	8	Substance use (primary) at admission

Variable	Source	Type	Length	Label
<b>SUB2</b>	Minimum data set	Numeric	8	Substance use (secondary) at admission
<b>SUB3</b>	Minimum data set	Numeric	8	Substance use (tertiary) at admission
<b>TRNQFLG</b>	Computed variable	Numeric	8	Other tranquilizers reported at admission
<b>VET</b>	Supplemental data set	Numeric	8	Veteran status

## Appendix B. Variable Recode Table

Variable	Original codes		Recodes	
<b>AGE</b>	Continuous (0–95)		1	12–14 years
Age at admission			2	15–17 years
			3	18–20 years
			4	21–24 years
			5	25–29 years
			6	30–34 years
			7	35–39 years
			8	40–44 years
			9	45–49 years
			10	50–54 years
			11	55–64 years
			12	65–95 years
<b>ARRESTS</b>	Continuous (0–96)		0	None
Number of arrests in the 30 days prior to admission			1	Once
			2	Two or more times
<b>ETHNIC</b>	1	Puerto Rico	1	Puerto Rico
Hispanic or Latino origin (ethnicity)	2	Mexican	2	Mexican
	3	Cuban	3	Cuban, other specific Hispanic
	4	Other specific Hispanic	4	Not of Hispanic origin
	5	Not of Hispanic origin	5	Hispanic, specific origin not specified
	6	Hispanic, specific origin not specified		
<b>MARSTAT</b>	1	Never married	1	Never married
Marital status	2	Now married	2	Now married
	3	Separated	3	Separated
	4	Divorced	4	Divorced, widowed
	5	Widowed		
<b>EDUC</b>	Continuous (0–25)		1	Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8
Education	70	Graduate or professional school	2	Grades 9 to 11
	71	Vocational school	3	Grade 12 (or GED)
	72	Nursery school, pre-school	4	1–3 years of college, university, or vocational school
	73	Kindergarten	5	4 years of college, university, BA/BS, some postgraduate study, or more
<b>DETNLF</b>	1	Homemaker	1	Homemaker
Detailed 'not in labor' force category at admission	2	Student	2	Student
	3	Retired	3	Retired, disabled
	4	Disabled	4	Resident of institution
	5	Resident of institution	5	Other
	6	Other		
<b>PRIMINC</b>	1	Wages/salary	1	Wages/salary
Source of income/support	2	Public assistance	2	Public assistance
	3	Retirement/pension	3	Retirement/pension, disability
	4	Disability	4	Other
	20	Other	5	None
	21	None		

Variable	Original codes		Recodes	
<b>CBSA2020</b> Metropolitan or micropolitan statistical area	Census CBSA geographic codes		When CBSA population is less than 100,000 or is missing, records are recoded as: "Undesignated area/missing/unknown/not collected/invalid"	
<b>DAYWAIT</b> Number of days waiting to enter treatment	Continuous (0-996)		0	None
			1	1-7 days
			2	8-14 days
			3	15-30 days
			4	31 days and more
<b>HLTHINS</b> Health insurance at admission	1	Private insurance (other than BC/BS or HMO)	1	Private insurance, Blue Cross/Blue Shield, HMO
	2	Blue Cross/Blue Shield (BC/BS)	2	Medicaid
	3	Medicare	3	Medicare/other (e.g., TRICARE, CHAMPUS)
	4	Medicaid	4	None
	6	Health maintenance organization (HMO)		
	20	Other (e.g., TRICARE, CHAMPUS)		
	21	None		
<b>PRIMPAY</b> Primary source of payment for treatment	1	Self-pay	1	Self-pay
	2	Blue Cross/Blue Shield	2	Blue Cross/Blue Shield, other health insurance companies, worker's compensation
	3	Medicare		
	4	Medicaid	3	Medicare
	5	Other government payments	4	Medicaid
	6	Worker's compensation	5	Other government payments
	7	Other health insurance companies	6	No charge (free, charity, special research, or teaching)
	8	No charge (free, charity, special research, or teaching)	7	Other
	9	Other		
<b>FREQ_ATND_SELF_HELP</b> Frequency of attendance at substance use self-help groups in the 30 days prior to admission	1	No attendance	1	No attendance
	2	Less than once a week	2	1-3 times in the past month
	3	About once a week	3	4-7 times in the past month
	4	2 to 3 times a week	4	8-30 times in the past month
	5	At least 4 times a week	5	Some attendance, frequency is unknown
	6	Some attendance		
<b>FREQ1</b> Frequency of use at admission (primary substance)	1	No use in the past month	1	No use
	2	1-3 days in the past month	2	Some use
	3	1-2 days in the past month	3	Daily use
<b>FREQ2</b> Frequency of use at admission (secondary substance)	4	3-6 days in the past month		
	5	Daily		
<b>FREQ3</b> Frequency of use at admission (tertiary substance)				

Variable	Original codes	Recodes
<b>FRSTUSE1</b> Age at first use (primary substance)	Continuous (0–95)	1 11 years and under 2 12–14 years 3 15–17 years
<b>FRSTUSE2</b> Age at first use (secondary substance)		4 18–20 years 5 21–24 years 6 25–29 years
<b>FRSTUSE3</b> Age at first use (tertiary substance)		7 30–95 years
<b>DSMCRIT</b> DSM diagnosis (SuDS 4 or SuDS 19)	291.00 – 291.99; F10.14 – F10.99	1 Alcohol-induced disorder
	292.00 – 292.99; F11.14 – F11.99, F12.15 – F12.99, F13.14 – F13.99, F14.14 – F14.99, F15.14 – F15.99, F16.14 – F16.99, F17.208 – F17.299, F18.14 – F18.99, F19.14 – F19.99	2 Substance-induced disorder
	303.00 – 303.89; F10.12 – F10.129, F10.22 – F10.229, F10.92 – F10.929	3 Alcohol intoxication
	303.90 – 303.99; F10.2 – F10.23	4 Alcohol dependence
	304.00 – 304.09; F11.2 – F11.23	5 Opioid dependence
	304.20 – 304.29; F14.2 – F14.23	6 Cocaine dependence
	304.30 – 304.39; F12.2 – F12.22	7 Cannabis dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19; F13.2 – F13.23, F15.2 – F15.23, F16.2 – F16.22, F17.2 – F17.293, F18.2 – F18.22, F19.2 – F19.23	8 Other substance dependence
	305.00 – 305.09; F10.1 – F10.11	9 Alcohol abuse
	305.20 – 305.29; F12.1 – F12.12, F12.9 – F12.92	10 Cannabis abuse
	305.30 – 305.49, 305.70 – 305.99; F13.1 – F13.12, F13.9 – F13.93, F15.1 – F15.12, F15.9 – F15.92, F16.1 – F16.12, F16.9 – F16.92, F18.1 – F18.12, F18.9 – F18.92, F19.1 – F19.12, F19.9 – F19.92	11 Other substance abuse
	305.50 – 305.59; F11.1 – F11.12, F11.9 – F11.93	12 Opioid abuse



Variable	Original codes	Recodes
<b>DSMCRIT</b> DSM diagnosis (SuDS 4 or SuDS 19)	305.60 – 305.69; F14.1 – F14.12, F14.9 – F14.92	13 Cocaine abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81; F06.4, F40 – F43, F48.8, F48.9, R45.2 – R45.84	14 Anxiety disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09; F32 – F32.9, F33 – F33.9	15 Depressive disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99; F20 – F25, F28 – F29, F06.0, F06.2	16 Schizophrenic/other psychotic disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13; F31	17 Bipolar disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99; F90, R46	18 Attention deficit/disruptive behavior disorders
	All other codes	19 Other mental health condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes 999.97 – 999.99, 0.00; B-codes, D-codes, G-codes, I-codes, N-codes, O-codes, P-codes, 999.9997 – 999.9999, F99, R69, R99, Z03.89	-9 Missing

## Appendix C. Technical Notes

---

The TEDS report tables contain several variables created by combining or recoding original variables submitted by states. The following notes describe how these variables are created or recoded.

### Co-occurring use of drugs and alcohol:

- If primary substance use is 2 *alcohol* and secondary or tertiary substance use are valid drugs, then change primary substance use to 4 *alcohol with secondary drug*; otherwise, change primary substance use to 3 *alcohol only*;
- if primary substance use is valid drug and secondary or tertiary substance use is 2 *alcohol*, then change primary substance use to 2 *drug with secondary alcohol*;
- if primary substance use is 1 *none* or -9 *missing/unknown/not collected/invalid*, then change primary substance use to 5 *no primary substance reported*;
- otherwise, change primary substance use to 1 *drug only*.

### Recoding for primary substance use:

- If primary substance use is 2 *alcohol* and secondary or tertiary substance use are valid drugs, then change primary substance use to alcohol with secondary drug; otherwise, change primary substance use to alcohol only;
- if primary substance use is 6 *non-prescription methadone* or 7 *other opiates and synthetics*, then change primary substance use to other opiates;
- if primary substance use is 3 *cocaine* and primary route of administration is 2 *smoking*, then change primary substance use to crack;
- if primary substance use is 10 *methamphetamines/speed* or 11 *other amphetamines*, change primary substance use to methamphetamine/amphetamines;
- if primary substance use is 13 *benzodiazepines* or 14 *other tranquilizers*, change primary substance use to tranquilizers;
- if primary substance use is 15 *barbiturates* or 16 *other sedatives or hypnotics*, change primary substance use to sedatives;
- if primary substance use is 1 *none*, 12 *other stimulants*, 18 *over-the-counter medications*, or 19 *other drugs*, and -9 *missing/unknown/not collected/invalid*, then change primary substance use to other/none specified.

The rest of the substances retain their original labels. Secondary and tertiary substance use follow the same recoding logic as above, except that secondary and tertiary substance use do not have an alcohol-only category.

### Marijuana involvement and referral source:

- If primary substance use is 2 *alcohol* and secondary drug and secondary or tertiary substance use is 4 *marijuana/hashish*, then change new variable to 1 *both alcohol and marijuana*;
- if primary substance use is 4 *marijuana/hashish* and secondary or tertiary substance use is 2 *alcohol*, then change new variable to 1 *both alcohol and marijuana*;

- otherwise, if primary substance use is 2 *alcohol*, change new variable to 2 *primary alcohol, no marijuana*;
- otherwise, if primary substance use is 4 *marijuana/hashish*, then change new variable to 3 *primary marijuana, no alcohol*;
- otherwise, if secondary or tertiary substance use is 4 *marijuana/hashish*, then change new variable to 4 *marijuana not primary, no alcohol*;
- otherwise, if primary, secondary and tertiary substance use are all not specified, then change new variable to 5 *no substance reported*;
- otherwise, change new variable to 6 *other drugs and drug combinations*.

**Create new format for variable referral source:**

- Categories 1–6 are *other referral source*;
- category 7 is *criminal justice referral*.

**Flag variables represent any substance use among primary, secondary and tertiary substance use:**

- If primary or secondary or tertiary substance use is 2 *alcohol*, then alcohol flag is 1;
- if primary or secondary or tertiary substance use is 5 *heroin*, then heroin flag is 1;
- if primary or secondary or tertiary substance use is 4 *marijuana*, then marijuana flag is 1;
- if primary or secondary or tertiary substance use is 3 *cocaine*, then cocaine flag is 1;
- if primary or secondary or tertiary substance use is crack *new category*, then crack flag is 1;
- if primary or secondary or tertiary substance use is 6 *non-prescription methadone* or 7 *other opiates and synthetics*, then opiate flag is 1;
- if primary or secondary or tertiary substance use is 8 *PCP*, then PCP flag is 1;
- if primary or secondary or tertiary substance use is 9 *other hallucinogens*, then hallucinogens flag is 1;
- if primary or secondary or tertiary substance use is 10 *methamphetamines/speed* or 11 *other amphetamines*, then amphetamine flag is 1;
- if primary or secondary or tertiary substance use is 13 *benzodiazepines* or 14 *other tranquilizers*, then tranquilizer flag is 1;
- if primary or secondary or tertiary substance use is 15 *barbiturates* or 16 *other sedatives or hypnotics*, then sedatives flag is 1;
- if primary or secondary or tertiary substance use is 17 *inhalants*, then inhalant flag is 1;
- if primary or secondary or tertiary substance use is 12 *other stimulants*, 18 *over-the-counter medications*, or 19 *other drugs*, then other flag is 1.

**Recoding service type:**

- If service type is 6 *ambulatory, intensive outpatient* or 7 *ambulatory, non-intensive outpatient* and medication-assisted therapy is 1 *yes*, then new service type is medication-assisted opioid therapy outpatient;

- if service type is 1 *24-hour hospital inpatient detoxification*, 2 *24-hour free-standing residential detoxification*, or 8 *ambulatory detoxification* and medication-assisted therapy is 1 *yes*, then new service type is medication-assisted opioid therapy detoxification;
- if service type is in 3 *hospital residential rehabilitation*, 4 *short-term residential rehabilitation*, or 5 *long-term residential rehabilitation* and medication-assisted therapy is 1 *yes*, then new service type is medication-assisted opioid therapy residential.

**Coding number of substances:**

Create a new variable that calculates the number of substances (maximum of three) reported at admission for each client by summing the values within each observation for primary, secondary, and tertiary substances reported at admission.