

Identifying Irish Land Border Crossing Points Using OpenStreetMap Spatial Data Sets

Sean O'Riogain

September 2019



Project Overview

Background

During the run-up to the (latest) Brexit deadline of 31st October 2019, I was interested in determining, as accurately as possible, the number and location of crossing points on the land border between the Republic of Ireland and Northern Ireland.

A Google search led me to the map on the following website which was published in 2018 by the Irish Times:

- <https://www.irishtimes.com/news/world/brexit/borderlands/the-border>

which, in turn, was based on earlier mapping work done by the 'Border Roads to Memories and Reconciliation' project that was initiated in 2012 and is published on the following website:

- <http://www.borderroadmemories.com/>

This piece of research prompted me to use the skills I had acquired during Maynooth University's Higher Diploma in Data Analytics course (2018-19) to produce my own map of the border crossing points and to compare the results achieved by my project with those published on the Irish Times website referred to above.

Objectives

The objectives of this project were to:

1. Use the relevant OpenStreetMap spatial data sets to produce an accurate map of all crossing points on the land border between the Republic of Ireland and Northern Ireland.
2. Compare the results achieved with those documented in the Irish Times website referred to above.

Tools Used

The following tools were used during the course of this project:

1. QGIS Version 3.4.11 (Madeira);
2. pgAdmin3 LTS by PostgreSQL Version 1.23.0b;
3. PostgreSQL Version 10.5;
4. PostGIS Version 2.5.0 r16836;
5. Structured Query Language (SQL)
 - This was used to analyse, manipulate (where necessary) and create the data needed by this project.
 - You can download this project's SQL file (Brexit.sql) from this project's GitHub repository which you can access using this link: <https://github.com/oriogain/Identifying-Irish-Land-Border-Crossing-Points-Using-OpenStreetMap-Spatial-Data-Sets>.

Data Sources

The following data sources were used during this project;

1. QGIS QuickMapServices plugin (for the 'OSM Standard' background map);
2. OpenStreetMap road network data for Ireland and Northern Ireland
 - downloaded in ESRI shape file format (gis_osm_roads_free_1.shp) in this zip file: <https://download.geofabrik.de/europe/ireland-and-northern-ireland-latest-free.shp.zip>;
3. OpenStreetMap boundary data for the Republic of Ireland
 - Downloaded in ESRI shape file format (Ireland_AL2.shp) in zip file exportedBoundaries_shp_levels_water_20190809_181605.zip from this website: <https://wambachers-osm.website/boundaries/>;
4. Irish Times border crossing point data
 - kindly provided by Dr Peter Mooney of Maynooth University in ESRI shape file format (IrishTimesBorderCrossings.shp) and available for download in this project's GitHub repository which you can access using this link: <https://github.com/oriogain/Identifying-Irish-Land-Border-Crossing-Points-Using-OpenStreetMap-Spatial-Data-Sets>.

Approach

The following approach was adopted for this project:

1. On a suitable PC (server=localhost), create a database schema (called brexit) for the exclusive use of this project in a new PostgreSQL database (called oriogain) and enable PostGIS functionality (extension) for it.
2. Download the zip files containing required spatial data sets using the links provided in the Data Sources section of this document above and unzip (extract) their contents.
3. Create a new QGIS project (called Brexit) and connect it to the database created by step 1 above.
4. Set the background map to 'OSM Standard' and zoom in to Ireland (using data source 1 above).
5. Import OSM's road network mapping data for Ireland (using data source 2 above).
6. Overlay the OSM background map layer with the Republic of Ireland boundary map (using data source 3 above).
7. Convert the Republic of Ireland boundary polygon map layer to a linestring map layer.
8. Create the border crossing point data based on the intersection of the spatial data objects underlying the layers created by the previous 2 steps.
9. Analyse the border crossing point data created by the previous step for quality issues and take the appropriate corrective action.
10. Create a new crossing point map layer using the data output by the previous step, overlaying those layers referred to in steps 4 and 7 (in increasing order of precedence).
11. Create a new crossing point map layer to highlight the main crossing points mapped by the previous step.
12. Overlay the layer created by the previous step with one created by importing the Irish Times border crossing point data (using data source 4 above).
13. Create 2 database views and associated map layers to highlight the differences (novelties) in crossing point map layers created by previous 2 steps.
14. Analyse the crossing point differences identified by the previous step.
15. Summarise the findings of this project.

Outcome

The outcome of this project can be summarised as follows:

1. This project identified a total of 325 border crossings of which 210 are the most significant ones.
2. The remaining 115 can be categorised as service roads (cul-de-sacs), tracks, paths etc., at least some of which may be of interest to smuggling interdiction operations post Brexit.
3. The Irish Times map identified a total of 207 (still open) border crossings (almost all of which are in the significant category as defined by this project).
4. The results achieved by this project are in close agreement with those published by the Irish Times, having 203 of its 207 border crossings in common (despite having slightly different coordinates for their respective crossing points).

Please refer to the final section of this document for a more detailed review of the findings of this project.

Project Details

The following subsections provide the detailed instructions for implementing each step in the project approach (as outlined previously in this document) with supporting screen shots.

Creating a PostGIS Database Schema

On my laptop (server=localhost), I created a database schema (called brexit) for the exclusive use of this project in a new PostgreSQL database (called origain) and enabled PostGIS functionality (extension) for it.







However, the instructions for doing this are outside the scope of this document.

Downloading the Required Data Sets

Do this as follows:

1. Download the zip files containing the ESRI shape files for the roads network, the national boundary (including the border), and the Irish Times border crossing points using the links for data sources 2, 3 and 4, respectively, provided in the Data Sources section above.
2. Unzip (extract) the contents of those 3 zip files.


At which point, the contents of the target directory for this activity should look like the following:

Name	Date modified	Type	Size
 ireland-and-northern-ireland-latest-free.shp	22/08/2019 12:24	File folder	
 exportedBoundaries_shp_levels_water_20190809_181605	22/08/2019 12:26	File folder	
 IrishTimesBorderCrossingMap	22/08/2019 12:26	File folder	
 IrishTimesBorderCrossingMap	09/02/2019 18:19	Compressed (zipp...	14 KB
 exportedBoundaries_shp_levels_water_20190809_181605	09/08/2019 17:16	Compressed (zipp...	258 KB
 ireland-and-northern-ireland-latest-free.shp	10/08/2019 09:09	Compressed (zipp...	356,714 KB

Creating the QGIS Project

Do this as follows:

1. Launch QGIS.
2. Project>Save.
3. Enter 'Brex3' as the file name and click on the 'Save' button as shown on the right.




Creating the Background Map Layer

Do this as follows:

1. Web>QuickMapServices>OSM>OSM Standard (as shown on the right).
2. Zoom in to Ireland.

At which point, the relevant part of the QGIS canvas should look like the screen shot below.





Creating the Roads Network Map Layer

Do this as follows:

1. Database>DB Manager>Import Layer/File
2. For the 'Input' prompt use the ... button to select the gis_osm_roads_free_1.shp file in the folder into which it was unzipped (extracted).
3. Set the Target SRID to 3857 (to match that of the OSM Standard background map layer).
4. Tick the 'Create single-part geometries...' tick box.
5. Tick the 'Convert field names...' tick box (just in case).
6. Tick the 'Create spatial index' tick box.
7. Click on the 'OK' button (see the screen shot on the upper right).
8.
 - As a pretty large spatial data set is involved, this import could take a couple of minutes to complete.
8. Expand the project's schema to confirm that the expected database table has been created successfully (as shown in the screen shot on the lower right).



Note that, as the road network is already depicted on the OSM Standard background map, we will not be adding this data set as a layer on our mapping canvas. But we will be using it to identify the border crossing points later in this document (using SQL).



Creating the ROI Boundary (Border) Map Layer

Do this as follows:

1. Database>DB Manager>Import Layer/File
2. For the 'Input' prompt use the ... button to select the Ireland_AL2.shp file in the folder into which it was unzipped (extracted).
3. Set the Target SRID to 3857 (to match that of the OSM Standard background map layer).
4. Tick the 'Create single-part geometries...' tick box.
5. Tick the 'Convert field names...' tick box (just in case).
6. Tick the 'Create spatial index' tick box.
7. Click on the 'OK' button (see the screen shot on the upper right).
8. Expand the project's databases schema.
9. Right click on the database table that has just been created (Ireland_AL2).
10. Select the 'Add to Canvas' option (see screen shot on the lower right).
11. Return to the QGIS project window, at which point the map of Ireland on your QGIS palette should look like that shown in the screen shot below.







At this point, it should be noted that:

1. The new boundary map layer is a polygon.
2. We need to convert it to a linestring map layer (see the next section) before we can determine the (border crossing) points where the road network linestrings intersect it.
3. As this boundary includes Irish territorial waters, it means that those intersections only occur at the land border (which is precisely what we want). Otherwise, we would also be getting a very large number of unwanted intersection points where the road network linestrings intersect (or touch) the Republic of Ireland's coastline.

Converting the ROI Boundary Map Layer

Do this as follows:

1. Select the Ireland_AL2 (boundary polygon) layer in the Layers pane.
 2. Vector>Geometry Tools>Polygons to Lines (as shown in the 1st screen shot on the right).
 3. Accept the default settings and click on the 'Run' button (as shown in the 2nd screen shot on the right).
 4. Right-click on the 'Lines' layer that was created by the previous step in the Layers pane and select the Export>Save>Features As option, 'ESRI Shapefile'
- as the format, use the '...' button to set the target file name as 'Ireland_AL2_Boundary_Line.shp', and click on the 'OK' button (as shown in the 3rd screen shot on the right).
5. Database>DB Manager>Import Layer/File.
 6. For the 'Input' prompt use the '...' button to select the Ireland_AL2_Boundary_Line.shp file in the folder in which it was created by step 4 above.
 7. Tick the 'Create single-part...' tick box.
 8. Tick the 'Convert field names...' tick box (just in case).
 9. Tick the 'Create spatial index' tick box.
 10. Click on the 'OK' button (see the 4th screen shot on the right).
 11. In the Providers pane, right-click on the Ireland_AL2_Boundary_Line table that was created in the project's database schema by the previous step and select the 'Add to Canvas' option.
 12. Reverting to the main QGIS window, right-click on the Ireland_AL2_Boundary_Line layer that was created by the previous step, select the 'Properties' option and change the Color setting in the Symbology tab to black.
 13. Right-click on the (now redundant) Lines and Ireland_AL2_Boundary layers, in turn, and select the 'Remove Layer', leaving the relevant section of the project's mapping canvas looking like that in the screen shot below.



Creating the Project's Border Crossing Point Data


The project's database schema now contains 3 tables (as shown in the 1st screen shot on the right).

To create a QGIS layer that represents the border crossing points, we must firstly create a database table that contains the details of where the Irish road network linestrings represented by the contents of the database table called `gis_osm_roads_free_1` intersect with the border linestring represented by the contents of the database table called `Ireland_AL2_Boundary`.

To do that, we will use PostgreSQL's PGAdmin tool to write and execute the required SQL statements, including the relevant PostGIS function, needed to determine the layer intersection (border crossing) point locations.

Here are the instructions for doing this:

1. Launch PGAdmin.
2. Tools>Query tool.
 - Open this project's SQL file (Brexit.sql) which you can download from this project's GitHub repository using the following link: <https://github.com/oriogain/Identifying-Irish-Land-Border-Crossing-Points-Using-OpenStreetMap-Spatial-Data-Sets>.
3. Select and execute the following SQL statements in that file (which take about 5 minutes to complete on my laptop):



```
-- Set the default schema (test); the public schema must also be included to access the PostGIS functions
set search_path to brexit, public;

-- Create the crossing points by finding where the OSM road linestrings intersect with the boundary (border) linestring.
drop table if exists brexit_border_crossing_points cascade;

create table brexit_border_crossing_points
as (
SELECT distinct (ST_Dump(ST_Intersection(b.geom,r.geom))).geom AS geom, r.code, r.fclass, r.name, r.ref
FROM gis_osm_roads_free_1 r, "Ireland_AL2_Boundary" b
WHERE ST_Intersects(r.geom,b.geom)
);

-- Add a unique identifier column (id)
alter table brexit_border_crossing_points drop column if exists id cascade;
alter table brexit_border_crossing_points add column id serial primary key;

-- Create an index on the geom column
DROP INDEX if exists idx_brexit_border_crossing_points_geom;
CREATE INDEX idx_brexit_border_crossing_points_geom
ON brexit_border_crossing_points
USING gist
(geom);
```

4. To confirm that this has produced the expected results (i.e. that a database table called `brexit_border_crossing_points` containing 438 rows has been created), select and execute the SQL statement shown in the screen shot on the right and check that the result achieved is the same as that shown in the screen shot below it.

```
-- Count the total border crossing points
select count(*) as count
from brexit_border_crossing_points;
```

	count	bigint
1		438

Analysing the Project's Border Crossing Point Data

The following data quality issues were identified with the contents of the `brexit_border_crossing_points` table during the course of this project:

- 47 rows have unexpected values (greater than 50 characters in length) in the `geom` column whose presence prevents the border crossing points layer being created in QGIS.
 - Displaying their values using PostGIS's `ST_AsText` function shows that they represent linestrings rather than points.
- 120 rows with duplicate values in the `geom` column because some crossing roads are incorrectly treated as 2 separate roads with different `ref` values (e.g. the County Bridge road which is known as the B79 in Northern Ireland and the R173 in the Republic).
- 2 rows (with different `geom` values) represent the points where both carriageways of the A1 road cross the border which incorrectly presents a single border crossing as 2 crossings (another type of duplication, effectively).
- 2 rows represent where 2 sides of the Fitzpatrick Hardware site on the border north of Clones, Co, Monaghan, cross the border thereby incorrectly them as border crossings.

How to identify and deal with each of those anomaly types is described in the subsections that follow.

Linestring 'Crossing Points'

Use PGAdmin's Query tool to identify these anomalies by selecting and executing the following SQL statement:

```
-- Display the problematic (linestring) border crossing points

select *
from brexit_border_crossing_points
where char_length(geom) > 50;
```

Here is an extract of the expected results:

Output pane [Brexit.sql]									
Data Output Explain Messages History									
	geom	code	class	name	ref	id			
	geometry	integer	character varying(28)	character varying(100)	character varying(20)	integer			
1	0102000020110F00000200000018D388BC701A27C119630D081D835B4145CF7E45361A27C18F25DC8B1B835B41	5121	unclassified			125			
2	0102000020110F000002000000F758EB26C1A27C10A651A9520835B4118D388BC701A27C119630D081D835B41	5121	unclassified			126			
3	0102000020110F000002000000B0BF6A91F1B27C12A56F56324835B41F758EB26C1A27C10A651A9520835B41	5121	unclassified			127			
4	0102000020110F0000020000002C59F1055D1B27C16344A59028835B41B0BF6A91F1B27C12A56F56324835B41	5121	unclassified			128			
5	0102000020110F0000020000003AC9ABA51B27C1D54DB7242F835B412C59F1055D1B27C16344A59028835B41	5121	unclassified			129			
6	0102000020110F000002000000CEB0E52FD81B27C1F846E59134835B4183AC9ABA51B27C1D54DB7242F835B41	5121	unclassified			130			
7	0102000020110F0000020000000BA811F90B1C27C1EB41EDC63A835B41CEB0E52FD81B27C1F846E59134835B41	5121	unclassified			131			
8	0102000020110F0000020000000A3106C83271C27C1D2ECD61B3F835B410BA811F90B1C27C1EB41EDC63A835B41	5121	unclassified			132			

OK. DOS Ln 35, Col 1, Ch 1118 47 rows.

Delete these anomalies by selecting and executing the following SQL statement:

```
-- Delete rows with linestring geom values

delete from brexit_border_crossing_points
where id in
(
select id
from brexit_border_crossing_points
where char_length(geom) > 50
);
```

Duplicate Crossing Points

Use PGAdmin's Query tool to identify these anomalies by selecting and executing the following SQL statement:

```
-- Display the crossing points with duplicate geom values

select b.geom, b.code, b.fclass, b.name, b.ref, b.id
from brexit_border_crossing_points b
inner join (
select geom, count(*) as count
from brexit_border_crossing_points
group by geom
having count(*) > 1
) D on D.geom = b.geom
order by b.geom;
```

Here is an extract of the expected results:

Output pane [Brexit.sql]									
Data Output Explain Messages History									
	geom geometry	code integer	fclass character varying(28)	name character varying(100)	ref character varying(20)	id integer			
1	0101000020110F000054F47366216025C1FC26BC36DD6E5B41	5114	secondary	County Bridge	B79	1			
2	0101000020110F000054F47366216025C1FC26BC36DD6E5B41	5114	secondary	County Bridge	R173	2			
3	0101000020110F0000E4C785CE358825C1136F624A2B6E5B41	5115	tertiary	Ferryhill Road	C219	12			
4	0101000020110F0000E4C785CE358825C1136F624A2B6E5B41	5121	unclassified			13			
5	0101000020110F0000E4C785CE358825C1136F624A2B6E5B41	5115	tertiary	Edenappa Road		23			
6	0101000020110F000011491D1E29A825C1B3504464E7665B41	5115	tertiary	Jonesborough Road	L3097	24			
7	0101000020110F00009D0E96394ED225C10C06862B65655B41	5121	unclassified	Captins Road		51			
8	0101000020110F00009D0E96394ED225C10C06862B65655B41	5121	unclassified			52			

OK. DOS Ln 66, Col 42, Ch 1880 120 ro

Delete the first row in each group of these anomalies by selecting and executing the following SQL statement:

```
-- Retain only the first crossing point in each group of duplicates

delete from brexit_border_crossing_points
where id in
(
select b.id
from brexit_border_crossing_points b
inner join (
select geom, count(*) as count
from brexit_border_crossing_points
group by geom
having count(*) > 1
) D on D.geom = b.geom
where b.id not in
(
select X.min_id
from (
select c.geom, min(c.id) as min_id
from brexit_border_crossing_points c
inner join (
select geom, count(*) as count
from brexit_border_crossing_points
group by geom
having count(*) > 1
) D on D.geom = c.geom
group by c.geom
order by c.geom
) X
)
order by b.geom
);
```

Duplicate Crossing Points on A1 Dual Carriageway

Use PGAdmin's Query tool to identify these anomalies by selecting and executing the following SQL statement:

```
-- Display duplicate crossing points on A1 dual carriageway

select *
from brexit_border_crossing_points
where ref = 'A1';
```

Here are the expected results:

Output pane [Brexit.sql]							
Data Output Explain Messages History							
	geom geometry	code integer	fclass character varying(28)	name character varying(100)	ref character varying(20)	id integer	
1	0101000020110F0000C4363AF6609F25C1BDC6D7BA306F5B41	5112	trunk	Dublin Road	A1	21	
2	0101000020110F0000B0483FB9999F25C1FBA95C29316F5B41	5112	trunk	Dublin Road	A1	22	
OK.							
DOS Ln 102, Col 65, Ch 2671 48 chars							

Delete one of these crossing points by selecting and executing the following SQL statement:

```
-- Delete the first of the duplicate crossing points on A1 dual carriageway

delete from brexit_border_crossing_points
where geom = '0101000020110F0000C4363AF6609F25C1BDC6D7BA306F5B41';
```

Invalid Crossing Points in the Fitzpatrick Hardware Site

Use PGAdmin's Query tool to identify these anomalies by selecting and executing the following SQL statement:

```
-- Display rows for invalid crossing points (Fitzpatrick Hardware site boundary misinterpreted as roads)

select *
from brexit_border_crossing_points
where geom in('0101000020110F0000BD56342E85A628C11CAA228AF77D5B41', '0101000020110F00008A95D9A04EA728C1120CE8A8EC7D
```

Here are the expected results:

Output pane [Brexit.sql]							
Data Output Explain Messages History							
	geom geometry	code integer	fclass character varying(28)	name character varying(100)	ref character varying(20)	id integer	
1	0101000020110F0000BD56342E85A628C11CAA228AF77D5B41	5141	service			202	
2	0101000020110F00008A95D9A04EA728C1120CE8A8EC7D5B41	5141	service			203	
OK.							
DOS Ln 103, Col 1, Ch 2684							

Delete these anomalies by selecting and executing the following SQL statement:

```
-- Delete rows for invalid crossing points (Fitzpatrick Hardware site boundary misinterpreted as roads)

delete from brexit_border_crossing_points
where geom in('0101000020110F0000BD56342E85A628C11CAA228AF77D5B41', '0101000020110F00008A95D9A04EA728C1120CE8A8EC7D
```


Valid Crossing Points Summary

Use PGAdmin's Query tool to count the remaining (valid) rows in the `brexit_border_crossing_points` table by selecting and executing the following SQL statement:

```
-- Count the remaining (valid) border crossing points

select count(*) as count_valid
from brexit_border_crossing_points;
```

Here are the expected results:



The screenshot shows the 'Output pane [Brexit.sql]' with tabs for 'Data Output', 'Explain', 'Messages', and 'History'. The 'Data Output' tab is active, displaying a table with two columns: 'count_valid' (bigint) and a single row with the value '327'.


	count_valid bigint
1	327

Break down the above row count by road class by selecting and executing the following SQL statement:

```
-- Summarise the border crossing points by road class

select code, fclass, count(*) as count
from brexit_border_crossing_points
group by code, fclass
order by code;
```

Here are the expected results:



The screenshot shows the 'Output pane [Brexit.sql]' with tabs for 'Data Output', 'Explain', 'Messages', and 'History'. The 'Data Output' tab is active, displaying a table with four columns: 'code' (integer), 'fclass' (character varying(28)), and 'count' (bigint). The table contains 14 rows of data.




	code integer	fclass character varying(28)	count bigint
1	5112	trunk	10
2	5113	primary	10
3	5114	secondary	19
4	5115	tertiary	32
5	5121	unclassified	136
6	5122	residential	2
7	5132	trunk link	1
8	5141	service	53
9	5142	track	37
10	5144	track grade2	2
11	5151	bridleway	6
12	5153	footway	5
13	5154	path	13
14	5199	unknown	1

We can see from the above results that, of the 327 crossing points identified, the first 210 are the key ones (i.e. with a code value of less than 5141) while the remaining 117 are of limited consequence/interest (i.e. with a code value of 5141 or greater).

Creating the Project's Border Crossing Point Map Layer

At this stage, we can see in the 1st screen shot of the Providers pane of QGIS's DB Manager component on the right that, while the `brexit_border_crossing_points` table is present, its geometry type is unknown (as indicated by the '?' symbol). To rectify this situation, we will now export that table in ESRI shape file format and reimport it as follows:

1. Select the `brexit_border_crossing_points` table;
2. Click on the 'Export to File..' option.
3. Select 'ESRI Shapefile' in response to the Format prompt (see the 2nd screen shot on the right).
4. For the 'Save as' prompt use the '...' button to specify '`brexit_border_crossing_points.shp`' as the target file in the project's folder.
5. Click on the 'OK' button.
6. Click on the 'Import Layer/File..' option.
7. For the 'Input' prompt use the '...' button to select the `brexit_border_crossing_points.shp` file in the folder in which it was created by step 5 above (see the 3rd screen shot on the right).
8. Tick the 'Replace destination table...' tick box.
9. Tick the 'Create single-part...' tick box.
10. Tick the 'Convert field names...' tick box (just in case).
11. Tick the 'Create spatial index' tick box.
12. Click on the 'OK' button.
13. In the Providers pane, right-click on the `brexit_border_crossing_points` table that was recreated in the project's database schema by the previous step and select the 'Add to Canvas' option.
 - Note how its geometry type icon now indicates that it contains point data.
14. Reverting to the main QGIS window, right-click on the `brexit_border_crossing_points` layer that was created by the previous step, select the 'Properties' option and change the Color setting in the Symbology tab to yellow, leaving the relevant section of the project's mapping canvas looking like that in the screen shot



below.

As the mapping layer created above shows all 327 crossing points, we will now create an additional layer to highlight the 210 key (main) crossing points as follows:



1. Use PGAdmin's Query tool to highlight and execute the following SQL statement in this project's SQL file:


```
-- Highlight the main border crossings (i.e. trunk, primary, secondary, tertiary roads etc.)

drop view if exists brexit_border_crossing_points_main;

create or replace view brexit_border_crossing_points_main
as
select *
from brexit_border_crossing_points
where id not in
(
    select id
    from brexit_border_crossing_points
    where code >= 5141
        and id not in(204,      -- Force novelty near Fitzpatrick Hardware
                     205, 269, 299, -- Force pairing with nearby Irish Times crossing (disabling their nc
                     400, 401)      -- Retain these 2 service road crossings on Lough Shore Road, Belleek
)
    and id not in(301, 323, 356, 427) -- Force treatment as minor crossings (for various reasons)
order by id;
```




2. Reverting to QGIS's DB Manager window, right-click on the project's database in the Providers pane, select the 'Re-connect' option, and expand the project's database schema.
3. Right click on the database view called brexit_border_crossing_points_main (that was created by step 1 above) and select the 'Add to Canvas' option' (as shown in the screen shot on the right).
4. In the Layers pane of the main QGIS window, select the newly-created brexit_border_crossing_points_main layer, select the Properties option and, in the Symbology tab, set the Color value to dark red and the Size to 4.00 - see the screen shot below for the results in the mapping canvas pane (having zoomed in).



Creating the Irish Times Border Crossing Point Map Layer

We will now overlay the project's border crossings map (as illustrated in the previous screen shot above) with those identified on the map published by the Irish Times (see the details provided earlier in this document) as follows:

1. Switch to QGIS's DB Manager window.
2. For the 'Input' prompt use the ... button to select the IrishTimesBorderCrossings.shp file in the folder into which it was unzipped (extracted).
3. Set the Target SRID to 3857 (to match that of the OSM Standard background map layer).
4. Tick the 'Create single-part geometries...' tick box.
5. Tick the 'Convert field names to lowercase' tick box (just in case).
6. Tick the 'Create spatial index' tick box.
7. Click on the 'OK' button (see the screen shot on the upper right).
8. Expand the project's databases schema.
9. Right click on the database table that has just been created (IrishTimesBorderCrossings).
10. Select the 'Add to Canvas' option (see screen shot on the lower right).
11. Return to the main QGIS project window, at which point the map of Ireland on your QGIS palette should look like that shown in the screen shot below, having selected the newly-created IrishTimesBorderCrossings layer, having selected the Properties option and set the Color setting to royal blue in the Symbology tab.



Note how the screen shot above shows that there appears to be an extremely high level of correspondence between the Irish Time's crossing points (in royal blue) and the key crossing points identified by this project (in dark red).

Creating the Difference (Novelty) Highlighting Map Layers

We will now take a closer look at the apparent level of correspondence between the 2 sets of border crossing points referred to above by seeking to identify where any differences arise and highlighting them on the project's map as follows:

1. Use PGAdmin's Query tool to highlight and execute the following SQL statements in this project's SQL file:

```
-- Create a database view which identifies the 'Brexit' Novelties

drop view if exists brexit_border_crossing_points_novelties;

create or replace view brexit_border_crossing_points_novelties
as
select *
from brexit_border_crossing_points_main
where id not in
(
    select b.id
    from brexit_border_crossing_points_main b, "IrishTimesBorderCrossings" i
    where ST_Dwithin(ST_Transform(b.geom, 32629), ST_Transform(i.geom, 32629), 40)
)
and id <> 200      -- Override novelty status for this crossing
order by id;
```

- The database view created by the above SQL statements identifies crossing points in the key (main) crossing points detected by this project which are not within 40 meters of at least one of the Irish Times' crossing points. (Selecting that distance was done through a process of trial and error.)
2. Use PGAdmin's Query tool to highlight and execute the following SQL statements in this project's SQL file:

```
-- Create a database view which identifies the Irish Times Novelties

drop view if exists "IrishTimesBorderCrossingsNovelties";




create or replace view "IrishTimesBorderCrossingsNovelties"
as
select *
from "IrishTimesBorderCrossings"
where id not in
(
    select i.id
    from brexit_border_crossing_points_main b, "IrishTimesBorderCrossings" i
    where ST_Dwithin(ST_Transform(b.geom, 32629), ST_Transform(i.geom, 32629), 70)
)
order by id;
```

- The database view created by the above SQL statements identifies Irish Times crossing points in the key (main) crossing points detected by this project which are not within 70 meters of at least one of main crossing points detected by this project. (Selecting that distance was done through a process of trial and error.)
3. Reverting to QGIS's DB Manager window, right-click on the project's database in the Providers pane, select the 'Re-connect' option, and expand the project's database schema.
 4. In the Providers pane, right-click on the brexit_border_crossing_points_novelties view that was created in the project's database schema by step 1 above and select the 'Add to Canvas' option.
 - Note how its geometry type icon indicates that it contains point data.
 5. Right-click on the IrishTimesBorderCrossingsNovelties view (that was created in the project's database schema by step 2 above) and select the 'Add to Canvas' option.
 - Note how its geometry type icon also indicates that it contains point data.

6. Switch to the main QGIS project window whose Layers pane should now look like that shown in the 1st screen shot on the right.
7. Right click on the IrishTimesBorderCrossingsNovelties layer, select the Properties option and, in the Symbology tab, change its Color setting to light blue and its Size setting to 6.00, and then click on the 'OK' button.
8. Right click on the brexit_border_crossing_points_novelties layer, select the Properties option and, in the Symbology tab, change its Color setting to pink and its Size setting to 6.00, and then click on the 'OK' button.
9. Drag both 'novelties' layers to reposition them immediately beneath the layer to which they refer (see the 2nd screen shot on the right for the required end result).

At this stage, the QGIS mapping pane should look like that in the screen shot below in which you should be able to see:

1. Minor crossing points identified by this project (in yellow).
2. Matching crossing points (in dark red with royal blue centre)
3. Irish Times novelty crossing points (in royal blue with a light blue halo).
4. This project's novelty (main) crossing points (in dark red with a pink halo).



Analysing the Border Crossing Point Differences (Novelties)

In the following 2 subsections we will take a closer look at the differences (novelties) between the border crossing points identified by both the Irish Times map and the main crossing points identified by this 'Brexit' project.

Irish Times Novelties


These are the border crossing points identified by the Irish Times's mapping exercise that were not identified during this project's mapping exercise. We will now take a closer look at them as follows:

1. Use PGAdmin's Query tool to highlight and execute the following SQL statement in this project's SQL file:

```
-- Count the Irish Times border crossing points

select count(*) as count
from "IrishTimesBorderCrossings";
```

2. As shown in the following screen shot, the results of this SQL statement tell us that a total of 208 border crossing points have been identified:



The screenshot shows the 'Output pane [Brexit.sql]' with tabs for 'Data Output', 'Explain', 'Messages', and 'History'. The 'Data Output' tab is active, displaying a table with two columns: 'count' and 'bigint'. The first row shows a value of '1' in the 'count' column and '208' in the 'bigint' column.


	count	bigint
1		208

3. Highlight and execute the following SQL statement in this project's SQL file:

```
-- Review the Irish Times Novelties

select id, geom, name, r_county, today
from "IrishTimesBorderCrossingsNovelties"
order by id;
```

4. As shown in the following screen shot, the results of this SQL statement tell us that 5 such discrepancies exist:



The screenshot shows the 'Output pane [Brexit.sql]' with tabs for 'Data Output', 'Explain', 'Messages', and 'History'. The 'Data Output' tab is active, displaying a table with five columns: 'id', 'geom', 'name', 'r_county', and 'today'. The table contains 5 rows of data, each representing a border crossing point discrepancy. The 'today' column contains comments indicating the status of each crossing point.

id	geom	name	r_county	today
integer	geometry(Point,3857)	character varying(254)	character varying(254)	character varying(254)
1	0101000020110F00003AA9C3E51CAB28C1A2F58F70D2215C41	Kilderry Lane	Culmore - Muff, Derry, Donegal	It remains closed to this day.
2	136 0101000020110F000015FCC6A8DE4527C14A7026ED4E8B5B41	Groves Lower Crossing	Groves Lower, Knockbane, Middletown	Today, there is little to indicate this bridge is a Border crossing.
3	188 0101000020110F0000741586C33DB525C1EF48582340655B41	The Hip	Faughart Upper, Carewmean Road, Ar	Today, there is little to indicate this rural road is a Border crossing.
4	189 0101000020110F0000DB37E3E186B025C1B4598FD86A665B41	The Gap Of The North	Faughart Upper, Carrickaneena, Arm	Today, there is little to indicate this rural road is a Border crossing.
5	192 0101000020110F0000BF766AEBF49F25C162CFDAFBA06B5B41	Drumad Wood	Drumad Wood, Jonesborough, Armagh	Today, there is little to indicate this rural road is a Border crossing.

- Note the comments in the today column above, in which at least one of them (the first one) is flagged as no longer being a usable border crossing.

5. The following screen shots provide a zoomed-in view of each of those anomalous crossing points (i.e. those in royal blue with a light blue halo) in this project's map:

 <p>1. id=1 (Muff, Co. Donegal)</p>	 <p>2. id=136 (Middletown, Co. Armagh)</p>	 <p>3. id=188 (Carewamean Rd., Co. Armagh)</p>
 <p>4. id=189 (Carrickaneena, Co. Armagh)</p>		 <p>5. id=192 (Jonesborough, Co. Armagh)</p>

Of the 5 anomalies illustrated above:

1. the first one (id=1) is no longer a border crossing and should not be included in any list of border crossings;
2. the second novelty crossing (id=136) was not picked up by this project because the road in question appears to straddle the border line at the location in question;
3. the remaining novelties (id=188, 189 & 192) appear to be caused by the Irish Times data having a different view - relative to OpenStreetMap - as to where exactly the border line is situated at the locations in question.

This Project's ('Brexit') Novelties


These are the main border crossing points identified by this project that were not identified included in the Irish Time's border crossing mapping data. We will now take a closer look at them as follows:

1. Use PGAdmin's Query tool to highlight and execute the following SQL statement in this project's SQL file:

```
-- Count the main border crossing points identified by this project

select count(*) as count
from brexit_border_crossing_points_main;
```

2. As shown in the following screen shot, the results of this SQL statement tell us that a total of 212 (main) border crossing points have been identified:




	count
1	212

3. Highlight and execute the following SQL statement in this project's SQL file:

```
-- Review the 'Brexit' Novelties

select *
from brexit_border_crossing_points_novelties
order by id;
```









4. As shown in the following screen shot, the results of this SQL statement tell us that 9 such discrepancies exist:



	id	geom	code	fclass	name	ref
	bigint	geometry(Point,3857)	bigint	character varying(28)	character varying(100)	character varyi
1	39	0101000020110F0000C96CB1999BB125C1FC5A095902665B41	5121	unclassified		
2	109	0101000020110F0000368E4CDD85CC26C14FDBD1BAA17E5B41	5121	unclassified		
3	157	0101000020110F0000E96AEA564F2127C15BCCCFAAC5835B41	5121	unclassified		
4	204	0101000020110F00003B6FBB965CA728C12DFAF32EB7D5B41	5141	service		
5	220	0101000020110F00004337A56DCEC928C1F7B45F7A86745B41	5121	unclassified		
6	339	0101000020110F000001EF8D33FC162AC172A19436277D5B41	5121	unclassified		
7	394	0101000020110F0000425A2D491A662BC1545A21E4A3B45B41	5121	unclassified	Dolan's Lane	
8	400	0101000020110F00001CB9C51083812BC1AD2AA7D4D8B25B41	5141	service		
9	401	0101000020110F0000D5EEE31DE2812BC1CF512E01DDB25B41	5141	service		

- Note that 3 of the 9 anomalies are service roads which have been deliberately reclassified as main crossings, based on the route they take on the map, during this project.

5. The following screen shots provide a zoomed-in view of each of those anomalous crossing points (i.e. those in dark red with a pink halo) in this project's map:

 <p>1. id=39 (Carrickbroad Road, Co. Louth)</p>	 <p>2. id=109 (Clay, Co. Armagh)</p>	 <p>3. id=157 (Rowan Road, Co. Armagh)</p>
 <p>4. id=204 (Fitzpatrick Hardware, Co. Monaghan)</p>	 <p>5. id=220 (Clonnestin, Co. Monaghan)</p>	 <p>6. id=339 (Swanlinbar, Co. Cavan)</p>
 <p>7. id=394 (Boa Island Road, Belleek, Co. Fermanagh)</p>	 <p>8. id=400 & 401 (Lough Shore Road, Belleek, Co. Fermanagh)</p>	

Of the 9 anomalies illustrated above:

1. 2 of them (id=39 & 157) have appear to have tenuous claims of being genuine border crossings and, therefore, can be discounted;
2. the remaining 7 appear to be viable border crossings.

Summarising the Findings of this Project

The findings of this project can be summarised by the following points:

1. This project has identified a total of 327 border crossings of which 212 have are classed as being key (main) ones;
2. 2 of those 212 main crossings have been discounted (see above), leaving a total of 325 of which 210 are the main ones;
3. The remaining 115 crossings can be categorised as service roads (e.g. driveways, cul-de-sacs etc.), paths, tracks etc.
4. Post Brexit, at least some of those 115 minor crossings identified by this project (represented by the yellow crossing points on the map) would need to be factored in by smuggling interdiction operations.
5. The Irish Times map identifies 208 crossings (almost of which fall into the 'main' category used by this project).
6. Of those 208 crossings, 1 has been discounted because it has been permanently closed (near Muff, Co. Donegal), leaving a total of 207 crossings.
7. Of those 207, 4 others are dubious ones if OpenStreetMap's positioning of the border is accurate – but, erring on the side of caution, we cannot discount them at this stage.
8. Therefore, the delta in the count of main crossings between this project's map and that published by the Irish Times is 3 (210-207).
9. That delta is due to 4 novelties in the Irish Time crossing point data and 7 novelties identified by this project (7-4=3).
10. The previous point means that both maps are in agreement for 203 of their 210/207 border crossings which lends credibility to the contents of both maps.
11. The previous point is further underlined by the fact that it is clear that both maps are based on independently-acquired, and slightly different, spatial data sets as illustrated by the screen shot below.

