Titan vs Earth:

What Rivers & Lakes Reveal About Planetary Surface Processes.

Table of Contents

Scientific Background 2

Methods & Approach 5

Results 7

Similarities Between Titan and Earth 7

Differences Between Titan and Earth 12

Discussion of Results 18

Conclusions 18

References 19

Abstract

Titan became one of the topics that kept grabbing my attention throughout this module, mainly because of how strangely cool and similar its landscape appears to be despite being nothing like Earth in terms of temperature, materials, or climate. This research paper explores how Titan's rivers and lakes compare to Earth's, and where any real differences lie, by looking closely at mission data from the Cassini–Huygens explorer alongside the basic surface processes we already understand from years of studying Earth geomorphology. Even though Titan's liquids are made of methane and ethane, and its 'rocks' are actually solid water ice, it still shows dendritic drainage networks, meandering channels, deltas, and changing shorelines that look almost identical to Earth's. At the same time, differences in gravity, temperature, sediment composition, and of course; methane properties and behaviour, all introduce completely different controls on how these features actually form and evolve. By comparing both worlds and environmental conditions, this research highlights how similar landforms can develop under totally different conditions, and how Titan's active methane cycle creates a landscape that feels familiar but is shaped by processes that are anything but familiar to us here on our home planet.

Introduction

Titan has been one of the things that kept pulling my attention throughout this module, from the very start until the very end, even when we weren't talking about it. I mentioned it a few times in my notebook and based one or two questions on it and honestly, if I'd had more time to dive a little deeper, I definitely would have explored it further. There's something about it that I just find so very interesting. It looks strangely familiar; with lakes, rivers, deltas, even, what look like; shorelines, yet everything about how these different 'earth-like' features form is completely different from here on Earth. Instead of water shaping the surface landscape, it's liquid methane. Instead of warm-cold climates and rainfall, it all happens at temperatures so cold that water literally acts like rock. That in itself was enough to intrigue me, but also how it was spoken of as a topic in class made it such a learning journey for me and I am eager to explore more on it. This time I get to research it with a bit more focus and more microscopically, which I'm excited about. The question I ended up focusing on most is: 'How are Titan's surface, rivers and lakes similar to Earth's, and also how are they different?'… It feels like a pretty straightforward question but the more I learnt on it while completing my notebook, the more I realised answering it opens up a lot more further questions: how does methane actually behave and flow compared to water? how does Titan's dense atmosphere affect erosion? How do surface temperatures and gravity change everything? and also most recently how exactly do landscapes that look so Earth-like come from completely different processes. The whole point of this study is to understand where the similarities genuinely lie, but also where they don't, why and what that means for how Titan's surface evolves over time.



Figure 1. Size & Visual Comparison. Earth vs Titan.
(Image Credit; https://www.daviddarling.info/encyclopedia/T/Titan.html)

Scientific Background

Titan, one of Saturns' 274 moons, is the only other world in the Solar System with surface liquid movement, and that makes it a very interesting choice topic for comparing planet surface liquid systems, but Titan's environment is almost the exact opposite of Earth's: with a temperature of -180°C , a landscape made largely of water ice that acts like rock, rivers and lakes filled not with water, but with liquid methane and ethane. Even with these differences, Cassini-Huygens observations show river networks, lake basins, deltas, and

shoreline features that look all too familiar to Earth's. Understanding how these features form requires stepping back and looking at both Earth's surface hydrology and Titan's methane cycle from a broader outlook.




Figure 2. Comparative diagrams; Titan's Methane Cycle & Earth's Water Cycle.
(Image credit; https://www.researchgate.net/publication/337920828_The_Emergence_of_Life)

On Earth, the hydrological cycle is driven by the how water flows and acts as liquid water under normal earth atmospheric pressure and temperature conditions. The most basic cycle learnt since primary school is 'the water cycle'; surface water evaporates, condenses into clouds, and falls back as rain or snow. Once it hits the surface, it flows downhill due to gravity, carves out its path as it travels and transports sediment until it collects in lakes, wetlands, or the oceans. Earth's rivers tend to form meanders as they erode laterally, and they build deltas where they enter standing water. Lake levels also change depending on the balance between rainfall, evaporation, and drainage. These processes are so familiar that we often take them for granted, but they are the 'basics' for recognising fluvial and liquid based landscapes on other planets.




Figure 3. Mosaic of Visual and IR Mapping Spectrometer (VIMS) images taken during nominal and equinox Cassini mission. Differences in composition show are seen as differences of colours in this mosaic, this points to the diversity of the terrains on Titan, such as the brownish equatorial dune fields or the bright, elevated terrains. (Image credit: JPL/NASA/Univ. of Arizona/CNRS/LPGNantes)

Titan's fluids act pretty similarly, but just with extremely different materials. Its thick nitrogen-rich atmosphere, which is far denser than Earth's at 5.3kg/m^3 to 1.225kg/m^3 respectively, allows methane to exist as a liquid, gas, and potentially even solid under Titan's surface conditions. Instead of water evaporating and raining out, it's methane that cycles through Titan's atmosphere. Methane clouds, rainfall, runoff, and evaporation all occur, though on much longer seasonal timescales due to Titan's really slow year (about 29 Earth years). Radar and imaging data from Cassini show clear evidence for rainfall-driven erosion, dendritic drainage systems, and lakes concentrated near the poles. Ontario Lacus and the larger seas like Kraken Mare are prime examples of methane-filled basins, and SAR data even reveal their depths.




Figure 4. Coloured SAR image of methane sea on Titan Kraken Mare.
(Image credit; https://www.grunge.com/816702/kraken-mare-the-truth-about-titans-great-sea/)




Figure 5. Comparison of SAR image of Lake Ontario Lacus on Titan and ASAR Image of Etosha Pan in Nambia. (Image Credit; https://www.universetoday.com/articles/african-lake-has-a-twin-on-titan)




Figure 6. Locational SAR imagery of Ontario Lacus on Titan. (Image Credit; https://www.sciencedirect.com/science/article/pii/S001910352030436X)

The physics of the flow of both surfaces are also just extremely different. Titan's lower gravity, which is about 14% of Earth's, and the properties of liquid methane which have much lower density and viscosity compared to water, change how rivers erode and transport the pulled sediment. Yet, despite these differences,

Titan somehow still has meandering rivers with curvature-to-width relationships similar to the ones here on Earth, and lakes with retreating shorelines that suggest climate-driven level changes. This combination of completely different and opposing materials but recognisable landforms is what makes Titan such an interesting and exciting case study in planetary geomorphology. Overall, Earth provides the reference source; we know how rivers and lakes behave under one set of conditions, and then from observations and fly-by's; Titan lets us see how those same processes adapt under a completely different set of environmental conditions. The scientific background and layout of both environments strongly support the central aim of this research project: to understand how similar landscapes can form in environments that are, chemically and thermally, just absolutely nothing alike.




Figure 7. Image from Huygen mission descent to Titans Surface. (Image Credit; https://www.esa.int/ESA_Multimedia/Images/2015/01/Huygens_s_descent_to_Titan_s_surface)

Methods & Approach

In terms of methodology, I tried a comparative geomorphology approach with this research project, using Earth as my reference point to interpret surface processes on Titan. Because the study is based on previously collected mission data rather than new measurements, the "methods" mainly involve how information was selected, compared, and interpreted rather than laboratory or field techniques. The core sources of information for Titan are observations and imagery from the Cassini-Huygens missions, particularly Synthetic Aperture Radar (SAR) imagery, near-infrared mapping, altimetry, and descent images from the Huygens lander.




Figure 8. Aerial time-series view of Titan surrounding the Huygens landing site. (Image Source; https://www.sci.news/space/science-cassini-huygens-landing-titan-02408.html)

These datasets allow identification of river channels, drainage networks, deltas, lake margins, and shoreline changes over time. I focused on features that can be reliably interpreted in terms of flow behaviour, basin morphology, or sediment transport, as these are directly comparable to well-studied processes on Earth. To make the comparison, I used simple and normal principles from Earth surface processes as a benchmark to compare from: how meanders form, how deltas build outward into water, how lake levels change in response to different climates and their environments, and how fluid movement can highly influence erosion. These concepts come from standard geomorphology and were explored during my secondary school geography classes, which originally sparked my interest in physical process geography and geomorphology, but they have also appeared in great detail throughout the module and my notebook work. Even though Titan's liquids, gravity, and temperatures differ from Earth's, the same physical principles still apply, which is what makes this very interesting planetary comparison possible. The approach was therefore to identify specific features on Titan that resemble known terrestrial landforms and then examine whether the underlying processes are genuinely similar or only '*appear'* to be on the surface. This included reviewing other research studies and published papers on meander geometry, delta formation, lake-level change, and methane hydrology on Titan, alongside well documented Earth process papers and scientific reports. Rather than trying to force Titan into an Earth based mould to work with, the aim was to understand to what point the similarities are true and where the planetary differences might point to something 'weird' or something 'unique' about Titan's hydrological environment that is just far beyond comprehension to anything we're used to here on Earth.





Atmosphere	Mostly nitrogen (77%) and oxygen (21%)	98% nitrogen, 2% methane and other hydrocarbons
Atmosphere depth	50 kilometres	600 kilometres
Surface temperature	15°C	-180°C
Surface lakes and seas	Water	Methane and ethane

SOURCE: NASA/JPL/ESA

Figure 9. Comparative Index of Earth & Titan, including Atmosphere, Atmospheric Depth, Surface Temperature and Liquid Composition (Image Credit; https://www.newscientist.com/article/mg23731700-400-return-to-titan-why-this-icy-world-is-our-best-bet-to-find-life/)

Overall, this method takes a structured, process focused comparison grounded in real mission data and by true terrestrial geomorphology. It also focusses strongly on the original research question, which relies on understanding both the shared patterns and the fundamental differences between how rivers and lakes develop on Earth versus how they develop on Titan, my hope is that this research question could potentially be expanded on to look at other planetary bodies that may show signs of liquid water in the future.

Results

Similarities Between Titan and Earth

Even though Titan's rivers and lakes exist under conditions that are absolutely nothing like Earth's, the Cassini-Huygens mission showed a surprising number of similarities. These similarities are important because they show that certain surface processes are adaptable across different environments, even when the materials and temperatures differ. Below are the main ways based on my research that Titan's rivers and lakes resemble those on Earth.

- **Dendritic Drainage Networks**

  Cassini radar images show branching, tree-like drainage patterns across Titan's surface, particularly near lake basins and mountainous terrain. These networks really seem to resemble the terrestrial dendritic drainage systems that we have here on Earth, which form when rainfall or melted snow flows downhill over a flat surface. On Titan, methane rainfall appears to play a similar role and seems to carve these 'channel-like' grooves that move into lower valley water

areas. The presence of these almost 'organised drainage' patterns could point to occasional or repeated precipitation events, similar to rainfall valleys of dendritic valleys on Earth.




Figure 10. Dendritic drainage patterns on Titan captured by the Huygens Descent Imager/Spectral Radiometer (DISR). (Image Credit; https://www.sciencedirect.com/science/article/pii/S0019103513002728)



Figure 11. Dendritic patterns in Southern Yemen. (Image Credit; https://www.lpi.usra.edu/publications/slidesets/geology/sgeo/slide_21.html)

- **Meandering River Channels**

  One of the coolest similarities between the Earth and Titan's surface is the evidence of meandering channels. Measurements of meander wavelength and radius of curvature have the same general scaling relationships observed in here in Earth rivers. This indicates, that despite the lower gravity and different fluid properties, Titan's rivers seem to act in a similar way. Lateral erosion, bank instability, and sediment transport seem to operate under similar principles, producing looping patterns that would not look out of place on a terrestrial floodplain.




Figure 12. (A) T39 SAR image of South Fork Titan Channel. (B) Google Earth image of Mississippi River near Mayersville, MS. In both images the channel midline is traced in blue. (Image Credit; https://www.researchgate.net/publication/253324419_Identification_of_Karst-like_Terrain_on_Titan_from_Valley_Analysis)

- **Evidence of Sediment Transport and Rounded 'Stones'**

  Though Titan's surface is made mainly of water ice rather than rock, a lot of it behaves mechanically like bedrock at Titan's temperatures. The Huygens lander observed rounded cobble-sized 'stones' on its surface. These cobble-sized 'stones' appear to have been shaped by flowing liquid. Rounded 'stones' are usually a clear indicator of fluvial abrasion here on Earth, where repeated collisions and movement smooth down their edges. Seeing similar textures like that on Titan strongly supports the idea of active or recent flow capable of picking up and transporting solid material.



Figure 13. Comparison of 'pepple-like' shapes found on Titan after Huygens touchdown, Pepples here on earth that have been shaped by water flow. (Image Credit; Left: https://www.esa.int/Science_Exploration/Space_Science/Cassini-Huygens/Titan_s_pebbles_seen_by_Huygens_radio , Right: Pebbles found on Minard Beach, Co Kerry photo taken by author).

- **Delta Formation at Lake Margins**

  Just like on Earth, Titan may have deltas or at the very least 'delta-like' build-ups where channels enter liquid bodies. These features occur where rivers drop their sediment load as flow velocity decreases when entering a lake or a sea. On Earth, this process forms characteristic triangular or lobate deposits. On Titan, SAR and IR data show some protruding channel mouths and fan-shaped deposits at the edges of major lakes, suggesting similar depositional dynamics. Although my research in this didn't point out any clear or 'sure-signs' of delta activity on Titan, there are some 'delta-like' locations found in '*Figure* 13 'below.



Figure 14. Comparison of potential delta location on Titans northern polar region compared to an example of our known deltas here on Earth; Wax Lake Delta in Louisiana.

(Image credit; https://www.jpl.nasa.gov/news/jpl-airborne-mission-is-one-of-five-new-earth-ventures/)

- **Shoreline Migration and Lake-Level Change**

  Ontario Lacus and other polar lakes seem to have clear shoreline retreat signs over several years of observation. This kind of change mirrors the lake-level fluctuations we have on Earth, which respond to climate variations such as changes in rainfall and evaporation. On Titan, methane evaporation and seasonal rainfall likely control these shifts. The observed recession of lake margins is very similar to terrestrial Earth lakes experiencing their climatic drying, reinforcing the idea that Titan has an active hydrological cycle.




Figure 15. Changing elevation of Ligeia Mare on Titan.

(Image Credit; https://slate.com/technology/2014/09/titan-lakes-changing-features-are-a-mystery.html)

- **Basin-Filling and Standing Liquids**

  Titan's seas; Ligeia Mare, Punga Mare, and Kraken Mare, are in geographical lower surface level depressions that are much like Earth-lake basins. Radar reflections from Titan's lakes even reveal depth variations, with estimates around Approx; 20-35 m in certain regions of Kraken Mare. The concept of basins holding stable bodies of liquid and maintaining surface reflections is directly comparable to lakes on Earth, although driven by methane instead of water.




Figure 16. Top: SAR mosaics of Ligeia, Kraken and Punga Maria, plus Ontario Lacus. Middle: radar altimetry echoes showing surface and seabed returns (red arrows). Bottom: bathymetry maps derived from SAR and constrained by altimetry. Kraken's bathymetry is inferred from shoreline distance assuming a 300 m maximum depth, as its central region showed no detectable seabed reflection due to depth or absorption. (Image Credit; https://www.nature.com/articles/s41561-018-0103-y)

- **Climate Based Hydrology**

  Based on all of my research on Titan's climate and hydrology it seems to follow Earth's hydrology system and the evidence points towards it being entirely linked to climate. Rainfall, temperature, and evaporation cycles play a huge part in river discharge and lake levels. From this, we can assume Titan has a climate-driven liquid cycle, albeit methane-based and stretched over much longer timescales. Seasonal transport of methane towards the winter pole, cloud formation, and episodic rainfall all echo the familiar principles of Earth's water cycle. This climate & hydrology combination helps explain Titan's fluvial activity and lake distribution.




Figure 17. Schematic view of Titan's hydrologic cycle. (Image Credit; https://www.nature.com/articles/s41561-018-0103-y)

Differences Between Titan and Earth

Although Titan's rivers and lakes often look surprisingly Earth-like, the processes behind them operate under completely different environmental and physical conditions. These differences are essential for understanding why certain features appear similar while others diverge, and what they reveal about Titan as a unique planetary system.

- **Liquid Composition**: **Methane vs Water**

  The most obvious and pretty fundamental difference is the liquid itself. Earth's rivers and lakes are almost entirely water, whereas Titan's contain liquid methane and ethane. These hydrocarbons are far less dense and much less viscous than water, making them more "runny" and easier to move. This directly affects erosion rates, sediment transport, and the kinds of materials that can be dissolved or suspended. While water can carry a wide range of sediments, methane is limited in what it can dissolve or mobilise, which influences Titan's fluvial landscapes in ways that don't fully mirror Earth's.

Table 1. Chemical properties differences of Methane and Water (Credit; https://mysciencesquad.weebly.com/ib-hl-22u2-a1--a2-thermal-properties.html)

Property	Methane	Water
Formula	CH_4	H_20
Molecular Mass	16	18
Density	0.46g per cm^3	1g per cm^3
Specific Heat Capacity	2.2 J per g per °C	4.2 J per g per °C
Latent Heat of Vaporization	760 J/g	2 257 J/g
Melting Point	-182 °C	0°C
Boiling Point	-160 °C	100 °C

- **Extremely Low Temperatures**

  Titan's average surface temperature is around -180 °C, where water behaves like solid rock and ice forms much of the bedrock. Sediments on Titan are most likely a mix of water ice grains, organic particles, and *maybe* frozen hydrocarbons. These materials respond to erosion and transport very differently from Earth rocks. The freezing point of methane also limits the temperature range by which Titan rivers can actually flow, which means that Titan's fluid activity is tied closely to seasonal and climate-driven changes.




Figure 18. Casssini CIRS measured temperature fluctuations from 2004-16. (Image credit; https://www.nasa.gov/wp-content/uploads/2023/03/pia20020.jpg)

- **Lower Gravity and Thicker Atmosphere**

  Titan's gravity is only about 14% of Earth's, which affects a lot of different processes and systems; from channel depth to sediment movement. Lower gravity reduces the weight of flowing liquids and sediments, this then changes erosion efficiency rates and how channels are drawn into the surface. Meanwhile, Titan's atmosphere is thicker and far denser than ours on Earth, this then causes lower flow velocities and reduces the available energy for transporting

collected sediment. Combined, these factors mean that rivers may cut less deeply into Titan's surface than their Earth equals, despite appearing morphologically similar on the surface.

- **Differences in Basin Distribution**

  Earth's lakes occur across a wide range of latitudes, shaped by climate, tectonics, and glacial history. On Titan, however, it seems its seas and lakes are mainly found at its poles. This assumingly reflects Titan's methane cycle, where methane preferentially rains out and accumulates in cooler polar regions. The almost complete absence of lakes at the equator is a major contrast with Earth and highlights Titan's unique climate dynamics and long seasonal cycles.




Figure 19. Map distribution showing how Titan's Lakes and seas are mainly located at its North and South Poles. (Diagram Credit; https://www.researchgate.net/publication/337337304_A_Global_Geomorphologic_Map_of_Saturn's_Moon_Titan)

- **Nature of Sediments and Erosion**

Earth's river systems heavily rely on the erosion of silicate rocks, which break down through both chemical and physical weathering. Titan, on the other hand, lacks liquid water on its surface and because of this; has almost no chemical weathering (as we know it). Sediments are likely pulled by mechanically worn water-ice 'rocks' and organic materials produced in the atmosphere. The mechanical behaviour of these materials is far more brittle and temperature-sensitive than terrestrial rocks, this means that Titan's erosion processes are pretty much fundamentally different even when they produce similar forms.




Figure 20. Diagram displaying water erosion of rocks and sediment. (Diagram Credit; https://sncyear8geography.weebly.com/erosional-landforms.html)

- **Limited Solute Transport**

  Earth's lake processes involve dissolved ions, nutrients, and minerals. Titan's methane lakes obviously have way lower solute concentrations. This affects lake density stratification, sediment settling, and shoreline behaviour. While Earth lakes often show chemical gradients and seasonal turnover, Titan's lakes behave more like basic cold hydrocarbon reservoirs with minimal dissolving, most of which probably sits at the surface of its lake/ocean beds as seen in the diagram below.




Figure 21. Soluble & Insoluble compound of Titans methane lakes/seas. (Diagram Credit; https://www.nasa.gov/image-article/organic-compounds-titans-seas-lakes/)

- **Flow Energy and Event Frequency**

  Earth experiences frequent rainfall events, river floods, and storm cycles. Titan's rainfall is much less frequent and tied to its roughly 29year long Saturnian year. As a result, flow events on Titan may only happen occasionally and intensely in episodes, but separated by long periods of calm, which might influence channel evolution and sediment supply differently from Earth's more regular and super frequent hydrology networks.




Figure 22. Cassini images of Titan's south pole from 2004 and 2005 show new dark regions in 2005 that indicate newly formed lakes. Frequent bright cloud features during the intervening year suggest methane rainfall as the likely cause. (Image Credit; https://www.space.com/6376-titan-raining-methane.html)

Just to note; Radar Visibility Limitations

Although this is not a physical difference, Titan's thick atmospheric haze limits direct optical observations. Because of this, most of our knowledge comes directly from radar data, which provides strong large-scale structural information, but unfortunately way less detailed scale compared to the precise and very

dependable remote sensing available for Earth. Consequently, some uncertainty remains in both this research and in the interpretation of the geomorphological features discussed above.

Table 2. Overview comparison of Earth & Titan Physical Properties

Category	Earth	Titan
Main Surface Liquid	Liquid water (H_2O)	Liquid methane + ethane (CH_4/C_2H_6)
Surface Temperature	Approx; 15 °C average	Approx; -179 °C
Gravity	1 g	Approx; 0.14 g
Atmosphere	Moderate density, N_2 - O_2	Very dense, N_2 dominated (1.5× Earth's surface pressure)
River Behaviour	• Water-driven erosion, • Meanders • Floodplains	• Methane rivers with Earth-like meanders • Less incision due to low gravity
Sediment	Silicate rock, clays, sands	Water ice "rock," organics, hydrocarbon grains
Weathering	Strong chemical & physical weathering	Almost no chemical weathering; mainly mechanical abrasion
Delta Formation	Common where rivers meet oceans/lakes	Deltas observed at lake margins; similar depositional behaviour
Lake Distribution	Global, climate-dependent	Almost exclusively polar due to methane cold traps
Lake-Level Variability	Driven by rainfall, evaporation, seasons	Driven by methane evaporation, polar precipitation, long seasons
Hydrological Cycle	Fast, water based	Slow, methane based, tied to Saturn's year
Channel Depths	Deep incision possible	Shallower channels due to low gravity + weak erosion
Erosion Strength	High (water is dense + viscous)	Lower (methane is less dense + "runny")
Observation Method	Optical + radar remote sensing	Mostly radar due to atmospheric haze

Discussion of Results

This research's aim was to answer how Titan's rivers and lakes are similar to those on Earth, and how they differ. What I found from this comparison is that Titan manages to produce landscapes that look surprisingly familiar to what we have here, even though Titan's environmental conditions and overall world itself is anything but familiar. The Cassini-Huygens data collections show drainage networks, meanders, deltas, and large polar lakes that would not look out of place in an Earth based geomorphology. These similarities pretty much just highlight how strongly flowing liquids, solid surfaces, and gravity shape different landscapes, regardless of the specific materials involved.

At the same time, the differences discovered reveal why Titan cant be simply treated as a colder version of Earth. Its rivers carry liquid methane instead of water, temperatures are low enough for water ice to act as bedrock, and its gravity and atmospheric conditions shift the way erosion and sediment transport actually work. Titan's lakes are found pretty much only near its poles, controlled by the weird and very unique methane cycle, and fluvial events are probably tied to long and infrequent seasonal changes. These contrasts show that while Earth provides a useful base for comparison, Titan's geomorphology belongs to its own distinct group, unlike ours, though so visually similar.

Overall, Titan demonstrates that 'Earth-like' landforms do not need 'Earth-like' environments. Similar shapes can be built from very different physical contexts, as long as the fundamental processes of flow and deposition are there. Studying Titan alongside Earth therefore gives us a much broader view of how planetary surfaces evolve, and that even in the outer Solar System, familiar geomorphological processes can create landscapes that feel strangely and almost scarily close to home!

Conclusion

Looking at Titan and Earth side by side shows how two completely different worlds can end up with landscapes that look surprisingly similar. Titan's rivers, lakes, and drainage systems are twins to Earth's in shape, even though they're made from entirely different materials and operate under totally different conditions. The similarities highlight how universal certain surface processes can be, while the differences show how much Titan follows its own rules. Overall, the comparison makes it clear that familiar landforms don't always come from familiar environments, and Titan is a perfect example of how alien a world can be while still looking strangely recognisable and similar to what we have here on our Earth home.

References

- The main source and inspiration for this research project was the class discussions & Brightspace resources for the GEOG30790; Planetary Geomorphology Module Materials including lecture slides and readings by Dr Colman Gallagher, *School of Geography and Earth Science*, University College Dublin, along with quite a lot of the additional resources provided with the core module topics.
- Darling, D. (n.d.) *Titan: Saturn's Largest Moon*. Available at: https://www.daviddarling.info/encyclopedia/T/Titan.html
- ResearchGate (n.d.) *The Emergence of Life: Comparative Methane and Water Cycles Diagram*. Available at: https://www.researchgate.net/publication/337920828_The_Emergence_of_Life
- NASA/JPL/University of Arizona/CNRS/LPG Nantes (n.d.) *Cassini VIMS Global Mosaic of Titan*. NASA Planetary Photojournal.
- Grunge.com (n.d.) *Kraken Mare: The Truth About Titan's Great Sea*. Available at: https://www.grunge.com/816702/kraken-mare-the-truth-about-titans-great-sea/
- Universe Today (n.d.) *African Lake Has a Twin on Titan*. Available at: https://www.universetoday.com/articles/african-lake-has-a-twin-on-titan
- Mastrogiuseppe, M. et al. (2020) 'Radar sounding and bathymetry of Ontario Lacus', *Icarus*, 344, 113575.
- ESA (2015) *Huygens's Descent to Titan's Surface*. Available at: https://www.esa.int/ESA_Multimedia/Images/2015/01/Huygens_s_descent_to_Titan_s_surface
- Sci-News (n.d.) *Cassini-Huygens landing site aerial sequence*. Available at: https://www.sci.news/space/science-cassini-huygens-landing-titan-02408.html
- New Scientist (2018) *Return to Titan: Why This Icy World Is Our Best Bet to Find Life*. Available at: https://www.newscientist.com/article/mg23731700-400-return-to-titan-why-this-icy-world-is-our-best-bet-to-find-life/
- Tomasko, M.G. et al. (2005) 'Rain, wind, and haze during the Huygens probe descent to Titan', *Nature*, 438, pp. 765-778.
- Soderblom, L.A. et al. (2010) 'Geomorphological mapping of Titan from DISR images', *Icarus*, 208, pp. 905-912.
- Lunar and Planetary Institute (n.d.) *Dendritic Drainage in Southern Yemen*. Available at: https://www.lpi.usra.edu/publications/slidesets/geology/sgeo/slide_21.html
- Burr, D.M. et al. (2013) 'Fluvial features on Titan: Insights from terrestrial analogues', *Planetary and Space Science*, 78, pp. 22-34.
- Malaska, M.J. et al. (2011) 'High-volume meandering channels in Titan's polar terrain', *Lunar and Planetary Science Conference*, Abstract 2793.
- ESA/NASA (2005) *Huygens Surface Pebbles Image*. Available at: https://www.esa.int/Science_Exploration/Space_Science/Cassini-Huygens/Titan_s_pebbles_seen_by_Huygens_radio
- Personal Photograph (2025) *Pebbles from Minard Beach, Co. Kerry*, Orlaith Ní Dhúill
- JPL/NASA (n.d.) *Wax Lake Delta (Louisiana) - Earth Delta Example*. Available at: https://www.jpl.nasa.gov/news/jpl-airborne-mission-is-one-of-five-new-earth-ventures
- Stofan, E.R. et al. (2007) 'The lakes of Titan', *Nature*, 445, pp. 61-64.

- Slate Magazine / NASA Cassini Team (2014) *Changing Elevation of Ligeia Mare*. Available at: https://slate.com/technology/2014/09/titan-lakes-changing-features-are-a-mystery.html
- Hofgartner, J.D. et al. (2018) 'Bathymetry and composition of Titan's seas', *Nature Geoscience*, 11, pp. 306–313.
- Nature Geoscience (2018) *Titan's Hydrologic Cycle Diagram*. Available at: https://www.nature.com/articles/s41561-018-0103-y
- Seignovert, B. et al. (2019) 'A global geomorphologic map of Titan', *Icarus*, 319, pp. 507–521.
- SnC Geography (n.d.) *Erosional Landforms – Water Erosion Diagram*. Available at: https://sncyear8geography.weebly.com/erosional-landforms.html
- NASA (n.d.) *Organic Compounds in Titan's Seas and Lakes Diagram*. Available at: https://www.nasa.gov/image-article/organic-compounds-titans-seas-lakes
- Space.com (2009) *Methane rainfall and newly formed lakes on Titan*. Available at: https://www.space.com/6376-titan-raining-methane.html
- Hayes, A.G. (2016) 'The lakes and seas of Titan', *Annual Review of Earth and Planetary Sciences*, 44, pp. 57–83.
- Lorenz, R.D. and Mitton, J. (2010) *Titan Unveiled: Saturn's Mysterious Moon Explored*. Princeton: Princeton University Press.