Lambert Smith Hampton

Planning Statement Addendum

For:

Sanctuary Affordable Housing

Iceland Wharf

Fish Island

London

E3 2JP

November 2025

lsh.co.uk

Lambert Smith Hampton

Prepared by:	Lauren Stoves Senior Planner Planning, Regeneration + Infrastructure
Reviewed by:	Mary-Jane O'Neill Head of Planning (London & South) Planning, Regeneration + Infrastructure
Report Issue Date:	20 November 2025

This document has been prepared and checked in accordance with the Lambert Smith Hampton Quality Assurance procedures and authorised for release. If not signed off by a LSH Director in the Planning, Regeneration + Infrastructure (PR+I) division then this report should be treated as a draft, and as being Private and Confidential. It should not be for wider distribution without the sign-off and permission of Lambert Smith Hampton.

Signed: *Lambert Smith Hampton*

For and on behalf of Lambert Smith Hampton

Lambert Smith Hampton

Contents

1.0 Introduction.....1

2.0 Planning Assessment 2

3.0 Key Benefits Summary.....23

4.0 Conclusion.....25

Appendix 1: Schedule of Accommodation.....26

Appendix 2: London Plan Policy D3 Assessment 27

1.0 Introduction

1.1 This Planning Statement Addendum has been prepared by Lambert Smith Hampton (LSH) on behalf of Sanctuary Affordable Housing (Sanctuary), the "applicant", in response to consultee comments received during the consultation period regarding proposals at Iceland Wharf, Iceland Road, Bow, E3 2JP ("the Site").

1.2 A full application (ref. PA/25/00973/A1) was submitted on 29 May 2025 to the London Borough of Tower Hamlets (LBTH), for the following:

> *"Full planning application for the redevelopment of the site to provide non-residential floorspace/yard-space together with associated refuse stores, plant, secure cycle stores and car parking, and residential dwellings including affordable housing, together with the provision of landscaped public open space, refuse stores, plant, secure cycle stores and car parking for people with disabilities."*

1.3 During the consultation period, comments were received from LBTH officers, the Greater London Authority (GLA) and other statutory consultees, which require further clarification and justification prior to the application being considered at LBTH Strategic Development Committee. The applicant has been working proactively with the case officer and LBTH officers to prepare robust, informed responses to the comments received.

1.4 This Planning Statement Addendum responds to issues related to planning, demonstrating the benefits of the scheme and its accordance with the relevant policies of the Development Plan, which comprises:

- The London Plan (adopted March 2021); and
- The London Legacy Development Corporation Local Plan 2020-2036 (adopted July 2020).

1.5 It should be read in conjunction with the technical and design information submitted within the documents summarised within the relevant Cover Letter.

2.0 Planning Assessment

2.1 This chapter provides an overview of the key planning responses required following the consultation period, to be read alongside the supporting technical and design documents outlined in the Cover Letter.

2.2 Alongside comments raised by statutory consultees, the GLA and LBTH officers, public comments from the local community and nearby residents have also been monitored and are responded to within this section.

2.3 The following topics are considered in further detail within this Planning Statement Addendum:

- Housing
- Commercial Strategy
- Design
- Heritage and Townscape
- Landscaping and Play
- Health and Well-being
- Transport and Waste
- Energy and Sustainability
- Environmental Considerations
    - Flooding and Drainage
    - Ecology
    - Daylight Sunlight
    - Air Quality
    - Noise
- Other Matters

Housing

Housing Need

2.4 The proposed housing mix has been informed by the policies of the Development Plan, comprising the LLDC Local Plan and London Plan. A full accommodation schedule is included within Appendix 1 of this Planning Statement Addendum.

2.5 The proposed residential dwellings respond to the critical demand for housing within London, described as a "*housing emergency".* The GLA's Affordable Housing Monitor (2025) reported in July that to March 2025, the Mayor has delivered 5,188 starts against a target of 17,800 - 19,000 homes.

2.6 This has been exacerbated by the national requirements within the NPPF (2024), requiring 880,000 new homes to be delivered in London over the next 10 years, equating to 88,000 annually. The GLA estimates that London needs net 42,841 affordable homes each year between 2016 and 2041 to meet need.

2.7 Whilst the proposed housing mix at Iceland Wharf accord with the LLDC Local Plan, it is acknowledged that the proposed homes will be delivered within the administrative boundary of LBTH. It is therefore relevant to highlight the substantial housing need within Tower Hamlets, which has resulted in over 2,805 households in temporary accommodation, and more than 24,000 residents on the waiting list, constituting the seventh highest nationally. As the most densely populated borough in England, and the 22nd most income deprived, it is unsurprising that LBTH's Cabinet Meeting on 17 September identified a sustained demand for temporary accommodation as a result of a lack of availability and affordability of homes, forecasting a £24m overspend within the Housing Options service, that is driven by rising rents and shrinking supply of affordable housing.

Proposed Tenure Split

2.8 In response to the critical need for homes and particularly affordable homes in LBTH, the proposed development will deliver 55% (89) affordable dwellings, comprising shared ownership and affordable rent, and 45% (76) private homes, based on habitable room.

2.9 Following comments received from the design officer regarding the layout of the ground floor and public realm within the scheme, the amendments have resulted in a marginal reduction in the overall number of homes within the scheme, decreasing from 168 dwellings to 165 dwellings. The tenure split is, however, maintained to deliver a substantial quantum of affordable housing within LBTH and contributing significantly to their identified affordable housing need.

2.10 Of the affordable component, 31% of homes are to be of intermediate tenure and 69% affordable rent. This broadly complies with LLDC Policy H.2 (Delivering Affordable Housing), which seeks 40% intermediate tenures and 60% affordable rented. This is also requested by the current LBTH Local Plan. The split reflects comments received from LLDC officers during pre-application discussion, where concerns were raised that 3-bed intermediate dwellings may not meet the GLA's affordability criteria. This has been balanced against the Tower Hamlets Local Housing Needs Assessment (LHNA), published in October 2023, which identifies a greater need for low-cost rented homes than intermediate tenures.

2.11 In summary, we consider that a balanced approach has been taken to responding to identified housing need in the area and recent housing assessment findings, which are a material consideration. The scheme also complies with LLDC Policy H.2 and responds to the ambitions of LLDC officers set out in the pre-application process.

Proposed Housing Mix

2.12 As set out within the submitted Planning Statement, LLDC Policy H.1 (Providing for and diversifying the housing mix) seeks to deliver a mix of housing and accommodation types to meet identified requirement. Given the transition of planning powers to LBTH and the delivery of the proposed homes within the LBTH, accordance with the Development Plan has been prioritised within the proposals, whilst also giving due regard to the available LBTH housing evidence.

2.13 The London Plan and LLDC Local Plan identify family homes as those with three or more bedrooms. The proposed development therefore delivers 32 family-sized dwellings (10 private and 22 affordable), comprising 3B4P, 3B5P and 4B5P, equating to 19% of the total housing provision. In addition, 26% (16 homes) of the affordable rented and 21.5% (6 homes) of the shared ownership homes are family sized. This equates to 25% of the total affordable homes provided being family-sized dwellings.

2.14 It should also be noted that there are 43 2B4P dwellings (27 private and 16 affordable homes) proposed, to address local housing need, and are suitable for families to live in. Although not qualifying as "family-sized", they can still accommodate up to four people, offering an option for young families. If 2B4P dwellings were included in the proportion of larger homes, this would form 46% of all dwellings.

Summary of Larger Homes within the Proposed Development					
Tenure	**Number of Units**				
	2B4P	**3B4P**	**3B5P**	**4B5P**	**Total**
Private	27	0	9	1	**37**
Affordable Rent	10	7	3	6	**26**
Shared Ownership	6	3	3	0	**12**
Total	**43**	**10**	**15**	**7**	**75** (46% of total homes)

Table 1: Summary of larger homes within the proposed development at Iceland Wharf.

2.15 The LBTH LHNA (2023) states that there is also a particular need for 2-bedroom homes within the market sector, alongside a need for both smaller and larger accommodation. This is echoed across intermediate and low-cost rented tenures, with a particular need for 1 and 2-bed dwellings in intermediate tenures, and larger homes within the low-cost rented tenures[1].

2.16 LLDC's Local Plan does not set a requirement for the delivery of family homes within development proposals, although Strategic Policy SP.2 (Maximising Housing and Infrastructure Provision within New Neighbourhoods) encourages proposals for high-quality, sustainable and affordable homes across a variety of types and tenures. The proposals at Iceland Wharf have optimised affordable housing provision, whilst also providing for a full range of size, accommodation and tenure requirements, in accordance with Policy SP.2.

2.17 The applicant, as a housing association, has reviewed the location of family sized properties, access and the overall design of the affordable housing within the scheme, and supports the proposed design options, in-line with the comments raised by LBTH housing officer.

Summary

2.18 The proposed housing mix represents a balanced and appropriate response to LLDC's housing policy objectives, whilst also giving due consideration to the available housing evidence for LBTH, which is a material planning consideration. The proposals will deliver a substantial

[1] Table 8.5 of the LBTH Local Housing Needs Assessment, October 2023

amount of affordable housing for the borough, exceeding both London-wide and local policy requirements, while also diversifying the housing mix to support the creation of balanced, sustainable communities that cater to a wide range of needs. This approach is also consistent with LLDC Policy H.1 and Policy SP.2.

2.19 The significant uplift in housing delivery offered by the current proposals compared with the extant scheme should also be acknowledged. Across all comparables set out in Table 2 below, including overall homes, number of affordable dwellings, and family homes proposed, the proposed development offers significant benefits against the extant scheme, responding directly to the critical need for housing and affordable housing in LBTH.

Comparable	Extant Scheme (No. of homes)	Proposed Development
Overall No. of Homes	120	165
No. of Affordable Homes	41	89
Affordable homes (% by habitable room)	35%	55%
1-Bed homes (% of Overall)	59 (49%)	79 (48%)
2-Bed (% of Overall)	46 (38%)	54 (33%)
3-Bed (% of Overall)	15 (13%)	25 (15%)
4-Bed (% of Overall)	0	7 (4%)
No. of family homes (>3-bed) (Overall)	15	32
No. of affordable family homes (>3-bed)	6	22

Table 2: Summary of Proposed Development against Extant Scheme

2.20 As indicated above, the extant scheme proposed 35% affordable housing provision, in contrast to 55% provision within the proposed development, exceeding London Plan and LLDC Local Plan policy. Furthermore, whilst the extant scheme proposed fifteen 3-bed homes, and no 4-bed homes, the current proposals will more than double this offer, incorporating twenty-five 3-bed homes, alongside seven 4-bed dwellings. Overall, 19% of the homes in the revise d scheme comprise family homes, against 13% in the extant scheme, contributing to identified need in LBTH.

2.21 It should be noted that the extant scheme provided an affordable tenure split of 32% affordable rented housing, and 68% intermediate housing. This does not align with the policy requirements of LLDC Local Plan, nor the LBTH Local Plan, which require a 60% low-cost rented and 40% intermediate affordable housing split. The current proposals have addressed this, and better-align with the policy requirements of the LLDC Local Plan as the Development Plan, as well as Tower Hamlets Local Plan, and subsequently more accurately reflect existing housing requirements.

2.22 It is therefore considered that the proposals offer a significant betterment to the extant scheme, responding to the housing emergency within LBTH and wider London, and providing an appropriate and significant housing mix for those in need.

Commercial Strategy

2.23 Following the initial consultation and comments received from the LBTH Growth and Economic Development Team, the applicant has provided greater clarity on the employment elements of the scheme, which will be secured through the Section 106 Agreement, particularly in relation to the Affordable Workspace Strategy. This approach will ensure that approximately 353 sqm of affordable workspace, representing 10% of the total workspace provision within the development, is delivered in a way that reflects both local and wider market conditions. The strategy is designed to meet the identified and diverse needs of a range of occupiers, supporting economic growth.

2.24 The applicant remains committed to maintaining an open and constructive dialogue with the LBTH Growth and Economic Development Team as the application progresses and the final Section 106 Legal Agreement.

Design

2.25 Throughout the consultation period, the applicant has engaged proactively with the design officer and case officer to address the initial design feedback.

2.26 Since submission of the application, the applicant and architect have regularly met with officers to collaboratively and openly discuss the design rationale behind the original proposals, and possible amendments that would be welcomed by LBTH to overcome issues raised. This has included meetings in July, September and October 2025, with an in-person site visit with the design officer and case officer. These meetings have been productive in informing the amended design proposals, principally revisions to the ground floor layout, roof forms and proposed materials, which will be discussed in this section, and detailed within the Design and Access Statement (DAS) Addendum.

2.27 Whilst LLDC Local Plan design policies BN.4 (Designing development) and BN.5 (Proposals for tall buildings) are referenced within this section, an overall assessment of the proposed development against London Plan Policy D3 (Optimising site capacity through the design-led approach) is included in Appendix 2 of this Planning Statement Addendum, in response to queries raised by LBTH's design officer regarding compliance of the proposed development with its criteria.

Height, Massing and Views

2.28 Whilst the proposed storey heights of the residential and employment elements remain unchanged, an alternative roof massing has been incorporated in response to comments received from the GLA regarding a need for greater interest in the skyline. To address the proposals' "blocky" appearance, as commented by the GLA, the amended roof forms provide interest to the skyline that greater reflect the sawtooth roofline of the employment element, adding greater interest to the massing of the residential, and continuity across the proposed buildings within the scheme.

2.29 This is further demonstrated through the submitted Heritage and Townscape Visual Impact Assessment (HTVIA) Addendum submitted as part of the revised proposals, in response to the case officer's request for remodelling of key views (Views 3, 5, 7, 8, 9 and 11). The HTVIA Addendum assesses the revised proposals within the immediate and wider surroundings, concluding that whilst the proposals generally have a similar level of impact on the surrounding views, the amended roof form results in greater visual interest in views from different orientations. This therefore responds to the comments received from the GLA requesting a greater contribution to the interest of the skyline, whilst maintaining appropriate massing in relation to the surroundings of the proposed development in accordance with LLDC Policy BN.5, whilst creating a distinctive development that promotes legibility in accordance with Policy BN.4.

Materials

2.30 To demonstrate a high-quality design, and provide greater character to the proposed development, the applicant, architects and design officer have worked collaboratively to enhance the original materials proposed for the residential element of the development. The approach to materials was agreed with officers in a design meeting in October 2025, and is set out in further detail within the DAS Addendum

2.31 Through the introduction of blue and green semi glazed brick tones, the proposed amended material palette for the residential component departs slightly from the traditional earthy brick

tones originally proposed and reflects more closely the contemporary residential development in Fish Island to the north of the Site.

2.32 This is achieved whilst maintaining the industrial character of the proposals through the selection of brick, with metal tones maintained throughout the employment and into the residential areas. The choice of brick for the residential buildings reflects the materials of both the non-designated heritage assets proximate to the Site, including the existing Lighthouse Pub and Ammonia Works Warehouse to be rebuilt, therefore continuing their industrial character, whilst maximising the sustainability and longevity of the materials chosen.

2.33 Additional colour variation is proposed at ground floor level using fluted and glazed bricks. This design choice will add character and visual interest to the street scene, enhancing the quality of views along Iceland Road to the east. Further details and visualisations of this approach are provided within the DAS Addendum.

2.34 Overall, it is considered that the amended approach balances the attractive, robust materials that age well-over time as required by Policy BN.5, alongside provision of further visual interest, detailing and character to the proposed development, resulting in a positive contribution to the surrounding townscape and high quality design and high-quality materials, in accordance with Policy BN.4.

Ground Floor Layout

2.35 The ground floor proposals were initially challenged by the design officer, who requested improvements to create a more welcoming and active street scene, while ensuring that servicing arrangements do not conflict with areas intended for play or open space. These matters have been explored in detail during the site visit and subsequent design meetings with the design officer, leading to refinements that address these concerns.

2.36 Subsequently, as set out in the DAS Addendum, the ground floor has been reconfigured in response to officer comment to create a safer, more active frontage and public realm within the proposed development. This has included removal of meanwhile play spaces, as discussed further within the subsequent landscaping section, to provide a green, soft landscaping entrance into the Site; reconfiguration of the employment element to maintain active frontage along Iceland Road; relocation of bin stores to minimise their impact on the open and communal spaces within the development; delivery of cycle storage along Iceland Road to generate activity along the street and optimisation of residential dwellings onto open areas within the ground floor of Block A.

2.37 The revised ground floor layout therefore responds to the comments raised by the LBTH design officer and offer an improved configuration that prioritises pedestrian movement and activation

of the street scene. Subsequently, the revised proposals accord with Policy BN.4, through provision of active street frontage and legibility of the site, and BN.5 through acceptable access arrangements, and improved public realm at ground level.

Summary

2.38 Overall, the revised proposals successfully respond to the comments received from the GLA and LBTH, resulting in a proposed development at Iceland Wharf that positively contributes to the surrounding townscape through delivery of a legible building of interest, of high-quality, sustainable and durable materials that will age well over time. The ground floor proposals will ensure a welcoming, activated and landscaped environment for visitors, employees and residents, removing conflict of operational and leisure uses.

Heritage and Townscape

2.39 Although the proposed development sits outside of a Conservation Area, and there are no listed buildings on-site, The Lighthouse Pub is a non-designated heritage asset that lies adjacent to the site boundary to the north-west. The Ammonia Works Warehouse was a former non-designated heritage asset, which has since been demolished and is to be rebuilt in very similar form (ref. 23/00452/FUL) along and outside of the northern site boundary.

2.40 The case officer raised several heritage-related queries to the proposals during the consultation period, which this section will address, alongside the submitted HTVIA Addendum which revisits key views to the Site with the amended massing and materiality, alongside an amended view (View 9) down Iceland Road. The assessment has also included cumulative schemes, to demonstrate how the emerging built context will evolve alongside the proposed development to change the surrounding townscape.

2.41 To confirm, the Guidelines for Landscape and Visual Impact Assessment Third Edition (GLVIA 3) (2013) have informed the comprehensive Heritage and Townscape Visual Impact Assessment (HTVIA) submitted in support of the application.

2.42 The case officer response requested that the heritage impact during construction should be assessed for the proposals. It should be noted that there is not a policy requirement for this to be assessed as part of the application. Furthermore, given the assessed limited heritage value of the Site, its surroundings and its existing setting, and that an Environmental Impact Assessment was not required for the proposed development, it is considered that this is not a proportionate requirement for the proposals. This said, the applicant is committed to minimising the temporary impact of construction on the non-designated Lighthouse Pub, which will be managed via the Construction Logistics and Construction Environmental Management Plans.

2.43 The harm to heritage has been informed by detailed and robust assessment of the non-designated heritage assets adjacent to the site boundary. The HTVIA is considered appropriate and sensible based upon the much-altered nature of both buildings with regard to their fabric and setting, noting that planning permission has been granted for the demolition and rebuild of the Former Ammonia Works Warehouse.

2.44 The site surroundings have been robustly assessed within Chapter 5 of the HTVIA and have been revisited within Chapter 2 of the HTVIA Addendum, including both the immediate context of Ink Court and the residential development to the north, industrial development to the west and south, and River Lea to the east, and the character of the wider surroundings beyond.

2.45 It is therefore considered that, as concluded within the HTVIA Addendum, the revised development proposals continue to result in no harm to the significance of the surrounding heritage assets, and enhance the visual interest of the proposed development from proximate and longer views, relating to the contemporary development in the locality. Therefore, the proposals continue to accord with LLDC Policy BN.17 (Conserving or enhancing heritage assets) and London Plan Policy HC1 (Heritage conservation and growth).

Landscaping and Play

2.46 A Landscape Addendum has been submitted to illustrate the proposed amendments to the landscaping, play and amenity areas within the development in response to comments from LBTH and the GLA.

2.47 The revised ground floor and landscaping proposals have enabled the development to now meet the play space requirements wholly on-site, in accordance with the GLA Play space Calculator. This is detailed within the Landscape Addendum, and results in a significant improvement to the scheme for future residents and visitors.

2.48 It was noted that LBTH raised concerns regarding the value and safety of the meanwhile play spaces originally proposed within areas reserved for potential future car parking. In response, the amended proposals now deliver all required play space fully on-site, removing the need for temporary arrangements. The former meanwhile play areas have been repurposed to provide additional landscaping, trees, and seating, creating enhanced communal spaces that offer shading and air quality benefits for residents, visitors, and the wider environment.

2.49 LBTH raised comments on the accessibility of the proposed development, referencing Policy D3 of the London Plan (Optimising site capacity through a design-led approach), which requires “clearly defined public and private elements.” In response, the amended proposals remove the entrance marker originally proposed along Iceland Road. While this feature was intended to create a sense of place within the development, it raised concerns that the scheme appeared

overly private. The entrance marker has now been replaced with planting, which will further green the site and provide a welcoming, landscaped approach to Iceland Road.

2.50 This will also support the perceived accessibility of the semi-public Riverside Park along the River Lea, which is intended to be open to the public, residents, employees and visitors of the proposed development. Access to this space is encouraged through the vistas created from the Iceland Road entrance, through to the River Lea and ArcelorMittal Orbit beyond, in addition to activation created by the employment element, existing Lighthouse Pub and future Ammonia Works Warehouse. The amended landscaping proposals further enhance the distinctive network of high-quality, green spaces throughout the development, providing significant social and environmental benefits in accordance with London Plan Policy G1 (Green Infrastructure) and G4 (Open Space).

Health and Wellbeing

2.51 Further detail has been requested regarding Policy S.1 (Health and Wellbeing) of the LLDC Local Plan, which requires major development schemes to demonstrate how the scheme contributes to the health and wellbeing of those who live and/or work within the proposed development, and would not adversely affect those within its vicinity.

2.52 There is a suite of technical assessments submitted in support of the application, which consider the possible impacts on existing surrounding residents, and future users and residents of the development, to ensure they are protected from any adverse impacts of air quality, noise, overshadowing or access to daylight and sunlight. These include the Transport, Daylight Sunlight, Flood Risk, Noise, Air Quality and Wind Assessments. The reports confirm that, where necessary, there is sufficient mitigation in place to ensure that the quality of living and well-being of future and existing surrounding residents is safeguarded as a result of the development.

Proximity to Services and Facilities

2.53 It should be noted that the centre of Stratford is a 15-minute journey by bus, providing a hub of educational, health, retail and community facilities. Similarly, Hackney Wick is 11 minutes by bus (20-minute walk) to the north, offering regular services into central London by tube and overground, and Bow Road Underground Station is a 12-minute walk for District and Hammersmith and City lines. Accordingly, there are a range of diverse facilities on offer to future residents.

2.54 Radii of 500m and 1000m surrounding the Site have been assessed to understand the level of accessibility to services and facilities in the local area within walking distance, in accordance with Policy S.1. There are several schools within a 500m radius of the site, offering educational

provision at primary, secondary, and sixth form/college, including Bobby Moore Academy and Mulberry University Technical College.

2.55 Regarding health services, Ruston Street Clinic GP surgery is located within 500m of the site, as is Parnell Pharmacy. The NHS website shows two dentists within 1km of the site, and three hospitals within 2km.

2.56 There are multiple community facilities within 1km of the site. This includes Tredegar Community Centre, run by Tower Hamlets, and Bow Community Hall. In addition, there are several churches and gyms within 1km of the site.

2.57 There are a range of shops and services close to the site, with the closest retail parade being Roman Road, less than 500m to the west.

2.58 Within walking distance are several large parks, including the Olympic Park via the Greenway, and Victoria Park to the west. Smaller parks, including multi-use-games areas and play areas for juniors and toddlers, are also located within a mile of the site.

2.59 Overall, the above illustrates that the Site is readily accessible by walking and other transport modes to a range of services and facilities by future residents and users, spanning education, health, community and leisure services.

Healthy Streets

2.60 The Ten Healthy Streets Indicators are referenced within Policy T2 of the London Plan, and guide developers to create a healthy, inclusive environment that enhances permeability through walking and cycling within the site and wider area.



Image 1: Ten Healthy Streets Indicators

2.61 The original DAS, Landscape DAS and Landscape DAS Addendum provide further detail of the landscaping, public realm and connectivity elements of the proposed development. These are supported by the Transport Assessment and Travel Plan, which have assessed the transport context and site surroundings to ensure it is safe to access from public and active transport modes.

2.62 The Site is currently inaccessible to the public, presenting an inactive frontage to Iceland Road and therefore discouraging people from travelling through the area. The proposed development has been designed to enhance the permeability of the Site and wider area towards the River Lea, extending activation of the surrounding area down Iceland Road and introduction of a new, diverse community within the development proposals. The site layout enables access to the River Lea and views towards the Olympic Park and ArcelorMittal Orbit beyond, creating a sense of place and visual appeal.

2.63 The introduction of landscaping throughout the Site enhances the visual quality of the Site, particularly in contrast to the industrial uses in the surrounding area, creating feelings of relaxation and safety. The inclusion of street trees within the landscaping proposals provide shade and shelter, with opportunities for formal and informal seating throughout the Site and significant provision of cycle parking within both the residential and employment element.

2.64 The retention of The Lighthouse Pub ensures an active and welcoming entrance to the site, reinforcing its sense of place. This activation is further extended through the inclusion of active commercial frontages along Wick Lane and Iceland Road, which will encourage movement through the development and foster a sense of community and vibrancy.

2.65 The orientation and layout of the buildings enable passive surveillance and overlooking of the main routes throughout the site and areas of open space to encourage feelings of safety and security for residents and visitors. The proposed development has also been designed in accordance with the LLDC "Creating Places that Work for Women and Girls" Handbook, to ensure that it offers inclusive and attractive places for a range of people to socialise and relax.

2.66 Whilst there is a requirement to deliver accessible parking spaces on-site, the dominance of cars has been minimised where possible, with five spaces being provided from the outset, with potential to deliver more should demand necessitate it. Accordingly, the proposals have placed pedestrians and cyclists and the top of the movement hierarchy within the site, whilst balancing the accessibility needs of those less mobile.

2.67 Assessments of air quality and noise have been submitted in support of the proposals, demonstrating that the environmental quality of the scheme is protected and mitigated against where necessary, to ensure that residents and users can function safely within the development. Therefore, it is considered that the proposals demonstrate all the Ten Healthy Streets Indicators and therefore accords with LLDC Policy S.1 and London Plan Policy T2.

Transport and Waste

2.68 Transport-related requests for further information were raised by the highways officer, Transport for London (TfL) and the GLA. These queries have been addressed in detail within a Transport Assessment Addendum (ref. IW-BWB-GEN-XX-RP-TR-0005), supported by revised swept path analyses, modal split data and commercial trip information. This includes responses to the comments raised by LBTH Waste regarding the capability of the proposed development to accommodate a 26-tonne waste collection vehicle. The DAS Addendum also identifies inclusion of a communal bulk storage area within Block B, in response to comments raised.

2.69 The Addendum confirms that a Delivery and Servicing Management Plan, Construction Logistics and Management Plan, Framework Travel Plan and Car Park Design and Management Plan can be secured via condition, as per the GLA and LBTH Highways' request.

2.70 Discussions are currently in progress regarding a potential appropriate financial contribution to Healthy Streets, to improve the safety and accessibility of walking and cycling connectivity surrounding the Site.

2.71 In conclusion, it is considered that the responses set out within the Transport Assessment Addendum resolve the queries raised by LBTH Highways, LBTH Waste the GLA and TfL, subsequently according with the relevant transport and waste-related policies of LLDC Local Plan and the London Plan.

Energy and Sustainability

2.72 The LBTH Energy officer and GLA officer raised queries regarding the energy and sustainability elements of the proposed development, which have been comprehensively addressed within the submitted revised Energy Statement and Technical Note in response to specific comments raised.

Energy

2.73 In response to comments received from the GLA, further commentary has been provided to accord with the requirements of London Plan Policies SI 2 (Minimising greenhouse gas emissions), SI 3 (Energy infrastructure) and SI 4 (Managing heat risk) within an amended Energy Statement.

2.74 Through application of the energy hierarchy set out within Policy SI 2, the Energy Statement concludes that the proposed development proposes to reduce the total regulated Site Wide CO2 emissions of the Proposed Development by **72%** when compared with Building Regulations Part L TER Baseline. Therefore, this exceeds the Policy SI 2 requirement of reducing development's on-site overall regulated CO2 emissions by at least 35%.

Whole Life Cycle Carbon

2.75 The GLA WLC templates for residential and non-residential development have been re-submitted and the applicant has accepted a carbon-offset payment will be included within the S106 Heads of Terms, as set out in the submitted Energy Statement.

Circular Economy

2.76 The submitted Technical Note includes commentary regarding compliance of the proposed development with Policy SI 7 (Reducing waste and supporting the circular economy) of the London Plan in relation to circular economy principles. This note supplements the information and targets submitted within the original Circular Economy Statement, providing additional commentary on how circular economy principles have been carefully considered within the material choices for the proposed development.

Environmental Considerations

Flooding and Drainage

2.77 Several comments were received from LBTH's SuDS Officer and the GLA regarding the proposed drainage strategy, including technical details of layout, maintenance and water efficiency. The proposed technical drainage layout is included within Appendix G the detailed maintenance strategy is included in Section 10 of the submitted Flood Risk Assessment (FRA).

2.78 The submitted Engineering Note (ref. 15154-TUL-XX-XX-EN-S-90001) provides a comprehensive response to the technical queries raised that were not originally detailed within the submitted Flood Risk Assessment, as well as confirming the approach to sustainable drainage on-site and confirmation from Thames Water regarding the foul sewage capacity.

2.79 Accordingly, the proposals continue to align with London Plan Policy SI 12 (Flood risk management) and LLDC Policies S.10 (Flood Risk) and S.11 (Sustainable Drainage Measures and Flood Protection), resulting in an acceptable level of flood risk on -site, managed by an array of sustainable drainage methods, ensuring the risk of flooding is not increased elsewhere.

BREEAM

2.80 The GLA response raises a query regarding the requirements of London Plan Policy SI5 (Water Infrastructure) relating to water efficiency.

2.81 To attain BREEAM Excellent rating, it is essential to secure one credit under the Wat01- Water consumption section by achieving a 12.5% improvement over the baseline. The submitted Pre-assessment Report indicates that the applicant is targeting 3 credits, which translates to a 40% improvement over the baseline, thereby surpassing the required threshold.

2.82 The specifications for the components listed below must be followed to meet the minimum threshold for one credit towards the Excellent rating:

- WCs: 4.5 litres Effective flush volume (whereas we have targeted 3.75 litres Effective flush volume)
- Wash-hand basin taps: 8 litres/min (whereas we have targeted 5 litres/min)
- Kitchenette taps: 8 litres/min (whereas we have targeted 6 litres/min)

2.83 Therefore, by specifying sanitary fittings that comply with the aforementioned thresholds, the water consumption targets will be successfully met as a result of the development. We therefore consider that the proposed development complies with the requirements of London Plan Policy SI5, and the GLA's query is resolved appropriately.

Ecology

Riparian Zone

2.84 The Canal and River Trust raised queries regarding the biodiversity impact on the River Lea as a result of the proposals, due to works within the riparian zone.

2.85 Works to the River Wall adjacent to the watercourse are intended to be undertaken in accordance with Condition 14 of the extant planning consent (ref. 18/00095/FUL), approved in June 2019. Subsequently, there will be no direct impacts to the river or riverbanks as a result of this development. A MoRPh assessment was carried out to quantify the potential effects of development within this riparian zone, but direct impacts to the water or banks were not considered.

2.86 The watercourse assessment was included within the Biodiversity Net Gain (BNG) assessment solely because of the site's proximity to the River Lea, which places it within the riparian zone. Whilst the proposed development will not result in any change to the watercourse unit, the mandatory watercourse will need to be met off-site. To achieve compliance, the shortfall of 0.04 watercourse units will need to be secured through an approved off-site provider.

Overshadowing

2.87 The case officer raised a comment regarding the possible impact on overshadowing on the ecological quality of the River Lea. The river is an urban river with numerous high-rise buildings already flanking it to the north and south. The section adjacent to the Iceland Wharf site is well used by boat traffic and has several moorings and no notable plant communities were noted in this area. The River Lea will still receive morning sun given its position on the eastern side of the development, and therefore it is not considered to be adversely impacted as a result of overshadowing from the proposed development.

Lighting

2.88 The Canal and River Trust raised a comment regarding the proposed Lighting Strategy, requesting acknowledgement of the Bat Conservation Trust guidelines. Within the Lighting Strategy report, BWB refer to the applicable National Guidance which includes the Institute of Lighting Professionals (ILP) Guidance Note 08 for Bats and artificial lighting in the UK 2023, which is the same document referred to within the Preliminary Ecological Appraisal (PEA) submitted with the application. Neither this guidance nor the PEA define a specific lux level to be achieved on the adjacent watercourse, albeit it has been identified as the best potential foraging resource for bats with an assumption that there will be regular bat activity. The actual species and frequency of activity is unknown without conducting further detailed survey work.

In the absence of these surveys, it is not possible to establish what lighting levels could cause an adverse impact at the site boundary. As noted in the Lighting Strategy report, the available light pollution data indicates that the existing baseline of light pollution is relatively high (as per the extract below) and, appropriately, an Environmental Zone of E4 has been worked to.

2.89 It is therefore thought to be unlikely that any existing bat activity would be associated with light sensitive species and that requiring the lighting levels to be no more than 0.5 lux from the proposed development is overly onerous as this is deemed less than moonlight. We therefore believe the Lighting Strategy and the associated indicative design align with the guidance in the ILP Guidance Note 08 for Bats and artificial lighting in the UK 2023.

Trees

2.90 As set out within the submitted Arboricultural Impact Assessment and Method Statement (ref. 05067R), there are several trees on-site that are adjacent to the red-line boundary that are proposed to be lost as a result of the development. These are generally of poor quality, predominantly forming Category C trees and one Category U tree, as set out within the submitted Arboricultural Impact Assessment.

2.91 Following further discussion with the appointed tree consultant, the loss of these trees is unavoidable as a result of the proposed development, and it is not deemed supportable to amend the layout of the buildings to mitigate the loss of the trees. As requested by the case officer, a revised BNG calculation is being undertaken to understand the biodiversity impacts as a result of the loss of these trees, as despite their location outside of the red line boundary, their removal is required in order to facilitate development.

2.92 In order to counteract the loss of these trees outside of the red line boundary, the revised proposals incorporate further trees within the proposed landscaping, increasing the number of trees from 69 to 77 in total.

Daylight Sunlight

2.93 In addition to comments raised by the Building Research Establishment on behalf of LBTH and the case officer, it is acknowledged that DLSL impacts and overshadowing has formed a recurring concern in public comments on the proposals, and therefore key to provide reassurance and further information on.

2.94 In response, a Daylight Sunlight (DLSL) Addendum has been submitted, reflecting the design amends made as a result of consultation comments, demonstrating the compliance of the proposed development with the relevant standards, and demonstrating improvements in the proposals in comparison to the extant scheme.

2.95 The Daylight Sunlight Addendum concludes that the proposed development results in supportable internal daylight, sunlight and overshadowing amenity, as evidenced above and in the submitted DLSL Addendum. Additionally, amenity levels provided by the proposed development will exceed that provided by the extant consent. The Addendum demonstrates that external daylight and sunlight amenity impacts are supportable, and overshadowing amenity to the nearest resident's amenity spaces are also fully supportable.

2.96 Accordingly, the proposals remain in accordance with London Plan Policy D6 (Housing Quality and Standards), demonstrating adequate access to sunlight and daylight for occupiers of the future scheme, whilst acknowledging that provision of sunlight and daylight within a development is a complex balancing act, particularly within urban locations. This approach is consistent with the NPPF (2024), specifically paragraph 130(c), which emphasises that planning decisions should ensure developments create places with a high standard of amenity for existing and future users, acknowledging that the application of quantitative standards (such as BRE guidance) should be considered in context and not in isolation.

Air Quality

2.97 A query was raised by the case officer regarding the compliance of the scheme with the thresholds set within the GLA's '*The Control of Dust and Emissions During Construction and Demolition*" Supplementary Planning Guidance (SPG).

2.98 In response, an Air Quality Technical Note has been submitted to demonstrate that the Construction Phase Dust Risk Assessment accords fully with both the GLA's guidance and the Institute of Air Quality and Management (IAQM) guidance, titled '*Guidance on the Assessment of Dust from Demolition and Construction'*.

2.99 Subsequently, the proposals fully accord with LLDC Policy BN.11 (Air Quality), and London Plan Policy SI 1 (Improving air quality), concluding that, in accordance with the GLA SPD, with the implementation of the mitigation measures detailed in Step 3, the residual impacts from the construction phase are considered to be 'Not Significant'.

Noise

2.100 No objections were raised by LBTH Environmental Health Officer regarding noise, but the case officer raised several queries that have been addressed within a Noise Technical Note (ref. 243731_Iceland Wharf_Noise Technical Note 2_P2), to demonstrate accordance with London Plan Policy D14 (Noise) and LLDC Policy BN.12.

2.101 A Noise Technical Note has been submitted to LBTH, confirming that all residential dwellings rely on mechanical ventilation to sufficiently mitigate the risk of overheating. All windows are

also openable at the residents' discretion, to enable natural air flow. This results in several dwellings being identified as requiring mitigation to achieve compliant noise levels. This is detailed within the submitted technical note, identifying the elevations at risk predominantly as a result of anticipated disturbance caused by the emerging Bow Goods Yard development to the east.

2.102 The identified mitigation will ensure that the proposed development does not result in any adverse impacts for future residents and occupiers, in accordance with local and national policies. The Agent of Change Principle has continued to underpin the proposals, mitigating noise impacts both from new development and minimising impact on surrounding users to enable surrounding development to continue functioning without adverse impact from noise. Subsequently, the requirements of LLDC Policy BN.12 and London Plan Policy D14 are satisfied.

Other Matters

Phasing

2.103 It is acknowledged that Part D2 of London Plan Policy E7 (Industrial intensification, co-location and substitution), requires that the industrial uses are completed in advance of any residential component being occupied. As set out within the submitted Planning Statement, the applicant seeks to build from east to west, initially building the residential dwellings, followed by the employment. In accordance with Policy E7, the applicant agrees that the employment element of the proposals will be completed prior to the occupation of the private residential dwellings.

Ammonia Works Warehouse

2.104 The Former Ammonia Works Warehouse (AWW) received approval (ref. LL/23/00452/FUL) for demolition and reconstruction of a very similar replacement building in August 2024. The red line boundary for the extant consent included the AWW, and therefore the employment floorspace calculations of existing and proposed included the AWW in its total.

2.105 The AWW site lies wholly within the ownership of the applicant and required demolition due to health and safety concerns due to its instability. However, it is anticipated that this building will be occupied by a Use Class E use and will form part of the adjacent Iceland Wharf scheme.

2.106 Accordingly, the AWW floorspace totals have been included within the overall employment floorspace calculations for the proposed scheme. Both the AWW and proposed development at Iceland Wharf fall within the Other Industrial allocation, therefore all contributing to the

delivery of non-residential development on-site.

River Wall Works

2.107 As is set out within the submitted Condition 14 Discharge Strategy, the applicant intends to manage works to the river wall under Condition 14 of the extant consent (ref. 18/00095/FUL). This has been discussed with the case officer and is subject to further engagement with the Environment Agency, and clarification on timescales, to understand the implications on this application. This said, the applicant remains committed to the safe delivery and construction of the river wall, adjacent to the River Lea, in order to manage flood risk and safety of residents for the lifetime of the development.

Flexibility

2.108 The applicant notes that, as of October 2025, London's latest package of planning measures[2] represents an emergency response to the capital's severe housing shortage. This joint initiative between the UK Government and the Mayor of London proposes to introduce a mix of temporary and permanent changes, with the primary aim of accelerating housebuilding across the city.

2.109 It is understood that key measures will include more flexible design rules and the relaxation of certain design restrictions, giving developers greater scope to adapt schemes, provided that essential standards for ventilation, daylight, and privacy are maintained. For example, requirements around cycle storage may be reduced in recognition of the growing use of e-bikes and scooters. These changes could create opportunities to amend schemes in the future, such as accommodating larger or additional family-sized dwellings. It will therefore be important that the application decision notice is drafted with sufficient flexibility to allow such modifications to be made without requiring a full redesign or resubmission. This approach could result in a greater number of family homes being delivered, which is a key planning benefit.

[2] Homes For London A Package of Support For Housebuilding In The Capital (HM Government), October 2025

3.0 Key Benefits Summary

3.1 Following the consultation period and amendments summarised above, proposals at Iceland Wharf continues to be a high-quality, highly sustainable development with an array of public and planning benefits, as listed below:

1. **Delivery of high-quality employment floorspace** - 4,172sqm flexible employment floorspace (including yard space) within a vibrant co-location scheme, in accordance with the uses allocated within the Development Plan.
2. **Delivery of flexible, high-quality affordable workspace** – Delivery of c. 353sqm of affordable workspace, to meet the needs of emerging businesses, start-ups and micro-businesses.
3. **Delivery of New Homes** – 165 new, high-quality new and affordable homes ranging from 1-bed to 4-bed dwellings to meet an identified, unmet need.
4. **Significant Delivery of Affordable Homes** – 89 affordable dwellings, comprising 61 London Affordable Rent homes, and 28 Shared Ownership, forming 55% of the total housing proposed (by habitable room).
5. **Effective Use of Brownfield Land** - Creating a safer, more accessible environment through the delivery of high-quality employment and residential uses that activate and enhance the Site and its surroundings.
6. **Creation of New Jobs and Employment Opportunities** – Provision of 205 new jobs and £13m direct annual GVA, through delivery of flexible employment space to meet a diverse range of needs for future users.
7. **Direct Economic Benefits** – Increased local expenditure, improved vitality and viability of local services and facilities, increased Council Tax receipts and a New Homes Bonus.
8. **High Quality Living** – Delivery of high-quality homes that meet national described space standards with private amenity space and deliver 73% dual aspect dwellings.
9. **High Quality Public Realm and Landscaping** – Delivery of high-quality public realm and landscaping, including improvements to site permeability and dedicated amenity space, incorporating 77 new trees across the Site of varied size and species which is an increase from the original proposals.
10. **Play Space for All Ages** – The revised proposals enable all required play space provision across all ages to be met on-site, delivering high-quality, varied opportunities for children and young people to play and socialise.

11. **Enhanced Biodiversity and Greening** – Delivered through diverse planting, green roofs and sustainable drainage systems (SuDS) throughout the proposals.

12. **Showcasing the Site's Heritage Character** – Through the enhancement of the setting of a non-designated heritage asset, and architectural features that celebrate the area's industrial heritage.

13. **Excellent Energy and Sustainability Credentials** – Achieving carbon emission savings of 16% for the residential element, and 20% for the non-residential, with an overall reduction of regulated CO_2 emissions by 72%, compared to the policy-requirement of 35%.

14. **Delivery of Low-Carbon Energy Generation** – Inclusion of renewable energy technologies, including PV panels and Air Source Heat Pumps.

15. **A Car Free Sustainable Development** – A car-free development, delivering 320 cycle parking spaces and 20% electric vehicle charging spaces, minimising reliance on private vehicle, whilst recognising the needs of disabled individuals.

4.0 Conclusion

4.1 This Planning Statement Addendum provides an updated overview of the proposed development at Iceland Wharf and confirms that the application accords with the adopted Development Plan and all relevant material considerations. The scheme will deliver essential housing for LBTH, with a strong emphasis on affordable homes, alongside high-quality landscaping, play areas, and amenity spaces within a sustainable, well-designed development.

4.2 In summary, the proposals offer significant benefits, including the delivery of much-needed affordable housing and family homes, as well as the creation of new jobs and employment opportunities.

4.3 In accordance with Paragraph 125(c) of the National Planning Policy Framework (2024), substantial weight should be given to the redevelopment of brownfield land for housing, particularly where no substantial harm arises from the proposals, as demonstrated through this planning assessment.

4.4 We trust that this Planning Statement Addendum, together with the technical documents referenced in the Cover Letter, provides reassurance and clarity to officers regarding the proposals and addresses the additional points raised during the consultation period.

Lambert Smith Hampton

November 2025

Appendix 1: Schedule of Accommodation

prp-co.uk

Notes:

Project Name:	Iceland Wharf		
Doc Ref:	Schedule of Accomodation	Author:	ZO
Revision:	V2	Date:	13/10/2025

NO. HOMES AND MIX

Block A

Level	1B2P	1B2P W	2B3P	2B3P W	2B4P	3B4P	3B5P	4B5P	
0 (Grd)	3							1	
1	3	1			3		1		
2	3	1			3		1		
3	3	1			3		1		
4	3	1	1		3		1		
5	3				3		1		
6	3		1		3		1		
7	3		1		3		1		
8	3		1		3		1		
9	3		1		3		1		
10									
11									
Total	**30**	**4**	**5**	**0**	**27**	**0**	**9**	**1**	**76**
Hab Rooms	60	8	15	0	81	0	45	6	215
Total HRs by type	68		96			45		6	
% HRs	31.6%		44.7%			20.9%		2.8%	

Block B

Level	1B2P	1B2P W	2B3P	2B3P W	2B4P	3B4P	3B5P	4B5P		
0 (Grd)								1		**5**
1	3	2		2				1		**16**
2	3	1		2		1		1		**16**
3	3	1		2		1		1		**16**
4	3	1			2	1		1		**17**
5	3	1			2	1		1		**15**
6	3	1			2	1	1			**16**
7	4				2	1	1			**16**
8	4				2	1	1			**16**
9	4				2	1	1			**16**
10	4				2	1	1			**8**
11	4				2	1	1			**8**
Total	**38**	**7**	**0**	**6**	**16**	**10**	**6**	**6**	**89**	**165**
Hab Rooms	76	14	0	18	48	40	30	36	262	477
Total HRs by type	90		66			70		36		
% HRs	34.4%		25.2%			26.7%		13.7%		

**Habitable Rooms have been assumed as 1B2P/2HR, 2B3P+2B4P/3HR, 3B4P/4HR Rooms, 3B5P/5HR, 4B5P/6 HR as the larger homes include possible separate kitchen area*

COMBINED NO. HOMES AND MIX

Summary	1B2P	1B2P W	2B3P	2B3P W	2B4P	3B4P	3B5P	4B5P	
Homes	**68**	**11**	**5**	**6**	**43**	**10**	**15**	**7**	**165**
Hab Rooms	136	22	15	18	129	40	75	42	**477**
	158		162			115		42	
	33.1%		34.0%			24.1%		8.8%	

	No.Homes	No.Homes	% Homes
Affordable Rent	61	89	**37%**
Shared Ownership	28		**17%**
Private Sale	76		**46%**

No.HR	No.HR	% Homes	HabRooms
185	262	**39%**	**55%**
77		**16%**	
215		**45%**	**45%**

Wheelchair Accessible Homes M4(3) **10%**

Appendix 2: London Plan Policy D3 Assessment

Policy Requirement	Assessment of Proposals at Iceland Wharf
London Plan Policy D3 (Optimising site capacity through the design-led approach) NB: These respond to the criteria that the LBTH design officer raised had not yet been complied with in the original submission (Criteria 1, 3, 4, 5, 6, 8, 9, 10, 11, 12 or 14).	
1) Enhance local context by delivering buildings and spaces that positively respond to local distinctiveness through their layout, orientation, scale, appearance and shape, with due regard to existing and emerging street hierarchy, building types, forms and proportions	As demonstrated within the submitted DAS, DAS Addendum, HTVIA and HTVIA Addendum, the proposals have been closely informed by the surrounding context, including the height, massing, uses and character of the built form, the natural feature of the River Lea, extending existing street patterns and understanding long and short views from key routes surrounding the Site. It has been essential to consider the emerging context of the area, which is experiencing significant change and evolution, particularly in relation to the approved Bow Goods Yard development to the east. The proposals extend and reflect the existing development surrounding the Site, whilst acknowledging its location in a transitional area of heights and uses, to sensitively combine both residential and employment development on the Site, in accordance with the Development Plan.
3) be street-based with clearly defined public and private environments	The proposed development will transform and enhance the existing street environment of Iceland Wharf, as a disused and inaccessible route, into an activated and welcoming space, extending the movement and activity along Wick Lane towards the River Lea. The incorporation of active uses along Iceland Road via the employment element, cycle store and through resident activity into the proposed development encourage movement, aided by the preservation of key views towards the London Stadium and ArcelorMittal Orbit as key landmarks within the locality. Following discussion of public and private spaces, the semi-public nature of the Riverside Park has been emphasized through removal of the entrance marker into the Site, which will open up the street to visitors wishing to visit the River Lea. The residential elements remain private and are zoned through use of planting and fencing to define spaces for use by residents only.
4) facilitate efficient servicing and maintenance of buildings and the public realm, as well as deliveries, that minimise negative impacts on the environment, public realm and vulnerable road users	The reconfiguration of the ground floor continues to facilitate safe and efficient servicing and maintenance arrangements via Iceland Road, removing areas of perceived conflict between meanwhile play space and delivery areas to maximise the safety of future residents. Pedestrians remain the priority along Iceland Road, whilst the technical information within the Transport Assessment Addendum further reiterates the functionality of the space for all necessary vehicle movements.

5) achieve safe, secure and inclusive environments	As set out within the Landscape DAS, the proposals have been developed in conjunction with Secure by Design to ensure spaces are safe, accessible and welcoming to future users. This has been achieved throughout the proposed open spaces designed for interaction and socialization within the Site, which are varied and distinctive to meet a diverse range of needs, including play space provision for all ages, areas of seating both at river-level and on the proposed rooftop amenity areas.
6) provide active frontages and positive reciprocal relationships between what happens inside the buildings and outside in the public realm to generate liveliness and interest	The revised design proposals have prioritized active frontages along Iceland Road, as an extension of activity along Wick Lane generated by The Lighthouse Pub and proposed employment element. Large windows will provide an integration of activity both within and outside of the proposed buildings, whilst the proposed Cycle Store along Iceland Road will also be a key generator of movement along Iceland Road. In place of meanwhile uses, enhanced landscaping and seating within The Approach and Riverside Park will encourage users to relax and socialise along the key frontages of the development to generate liveliness and activity, welcoming movement along Iceland Road. Whilst not within the red line boundary of this development, the approved Ammonia Works Warehouse building is proposed to incorporate Class E uses, and will be accessed via Iceland Road, providing further movement and activation of the street.
8) provide conveniently located green and open spaces for social interaction, play, relaxation and physical activity	As set out within the Landscape DAS and Addendum, there are various character areas of open space provided throughout the proposed development, which cater for a diverse range of needs, including play, socializing, relaxation and physical activity, for residents, employees of the employment element and visitors.
9) help prevent or mitigate the impacts of noise and poor air quality	In response to further queries raised in relation to the impacts of noise and air quality, a Noise Technical Note and Air Quality Technical Note have been submitted to demonstrate that future residents and the surrounding area will not experience adverse effects on air quality or noise disturbance as a result of the development proposals.
10) achieve indoor and outdoor environments that are comfortable and inviting for people to use	As set out, the proposals incorporate a range of spaces for future residents, employees and visitors to utilize, including sheltered and open environments that have been designed to be accessible for a range of users and activities, supported by Secured by Design.
11) respond to the existing character of a place by identifying the special and valued features and characteristics that are unique to the locality and respect,	The proximity of The Lighthouse Pub and Ammonia Works Warehouse as non-designated heritage assets has been incorporated and considered within the proposed development from the offset, supported by heritage assessment set out within the HTVIA and subsequent HTVIA Addendum. This is reflected within the proposed brick palette, mirroring the materiality and architectural style of these buildings. It is acknowledged that more widely, the architectural style and character of the surrounding area is varied, with a diverse mix of

enhance and utilise the heritage assets and architectural features that contribute towards the local character	contemporary residential development, traditional industrial areas, and an emerging built environment that will significantly transform the locality. Subsequently, it is considered that the proposed development, given its location within a transitional area, seeks to incorporate elements of the local character through the industrial metal of the employment element, use of brick and tiling in the residential blocks, and the proposed historical references within the Riverside Park will all preserve and celebrate the diverse character of the surrounding area, whilst acknowledging its historic past.
12) be of high quality, with architecture that pays attention to detail, and gives thorough consideration to the practicality of use, flexibility, safety and building lifespan through appropriate construction methods and the use of attractive, robust materials which weather and mature well	The architectural approach to the proposed development has balanced the practicalities of construction and maintenance alongside the ambitious sustainability credentials of the proposals, whilst also seeking to deliver an attractive, distinctive development that, as above, draws reference from the industrial past and contemporary recent and emerging development at Fish Island. It is considered that the proposed approach to the material palette, incorporating semi-glazed brick and fluted brick and the lower levels and brick tones that take precedent from the surrounding material tones of the locality, provide an architecturally interesting built form, whilst also ensuring the development is robust and will age well over time. This has been considered against the circular economy principles, to maximise thesustainability and minimize the carbon footprint of the proposed development.
14) provide spaces and buildings that maximise opportunities for urban greening to create attractive resilient places that can also help the management of surface water.	As indicated within the Landscape DAS Addendum, the proposed development has maximized the provision of varied landscaping throughout the development, delivering 77 new trees on a currently brownfield, derelict site. These trees will provide shading, cooling and air quality benefits throughout the Site, extending the green character of the River Lea into the Site, in addition to varied planting and landscaping throughout the development, both along key routes and within designated amenity and play spaces. The submitted Flood Risk Assessment and Engineering Note further details the approach to drainage and mitigation of flood risk on the Site, through the incorporation of SuDS, also assisted by the vegetation provided on-site.