

Experiment - 1.4

Student Name: SANJIV GUPTA UID:21BCS3478

Branch: CSE Section/Group:602-B

Semester: 5th Date of Performance: 14 /09/23

Subject Name: AIML Subject Code:21CSH-316

Aim:

Implementation of Python Libraries for ML application such as Pandas and Matplotlib

Objective:

The objective of this experiment is to of Python Libraries for ML application such as Pandas and Matplotlib and analyze its performance and characteristics.

Algorithm

- **import matplotlib.pyplot as plt:** This line imports the matplotlib.pyplot module and assigns it the alias plt. This module contains functions that allow you to create various types of plots.
- x = [1, 2, 3, 4, 5] and y = [10, 15, 7, 12, 9]: These two lists define the x and ycoordinates of the points that you want to plot.
- plt.plot(x, y): This line creates a line plot using the data from the x and y lists. It connects the points with straight lines.
- plt.xlabel('X-axis') and plt.ylabel('Y-axis'): These lines set labels for the x-axis and y-axis of the plot.
- plt.title('Basic Line Plot'): This line sets the title of the

plot.plt.show(): This line displays the plot you've created.

- plt.scatter(x, y, color='red', marker='o', label='Data Points'): This line creates a scatter plot using the x and y data. The color argument specifies the color of thedata points (red), the marker argument specifies the marker style (circle), and the label argument sets the label for the legend.
- **plt.legend():** This line displays the legend on the plot, which shows the label you specified earlier.
- plt.show(): This line displays the scatter plot.

Code

import matplotlib.pyplot as plt

```
x = [1, 2, 3, 4, 5]

y = [10, 15, 7, 12, 9]

plt.plot(x, y) plt.xlabel('X-axis')plt.ylabel('Y-axis')

plt.title('Basic Line Plot')plt.show()

#scatter plot

plt.scatter(x, y, color='red', marker='o', label='DataPoints')

plt.legend()

plt.show()
```

Output



